

Rudolf Uher

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3831220/rudolf-uher-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

291
papers

20,455
citations

75
h-index

136
g-index

392
ext. papers

24,564
ext. citations

6.7
avg, IF

6.86
L-index

#	Paper	IF	Citations
291	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
290	Genetic sensitivity to the environment: the case of the serotonin transporter gene and its implications for studying complex diseases and traits. <i>American Journal of Psychiatry</i> , 2010 , 167, 509-27	11.9	1117
289	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , 2013 , 18, 497-511	15.1	853
288	Childhood maltreatment predicts unfavorable course of illness and treatment outcome in depression: a meta-analysis. <i>American Journal of Psychiatry</i> , 2012 , 169, 141-51	11.9	829
287	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder: Section 3. Pharmacological Treatments. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 540-60	4.8	469
286	The moderation by the serotonin transporter gene of environmental adversity in the aetiology of mental illness: review and methodological analysis. <i>Molecular Psychiatry</i> , 2008 , 13, 131-46	15.1	417
285	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017 , 542, 186-190	50.4	412
284	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015 , 29, 459-525	4.6	381
283	Risk of mental illness in offspring of parents with schizophrenia, bipolar disorder, and major depressive disorder: a meta-analysis of family high-risk studies. <i>Schizophrenia Bulletin</i> , 2014 , 40, 28-38	1.3	364
282	Medial prefrontal cortex activity associated with symptom provocation in eating disorders. <i>American Journal of Psychiatry</i> , 2004 , 161, 1238-46	11.9	353
281	The moderation by the serotonin transporter gene of environmental adversity in the etiology of depression: 2009 update. <i>Molecular Psychiatry</i> , 2010 , 15, 18-22	15.1	338
280	Candidate genes expression profile associated with antidepressants response in the GENDEP study: differentiating between baseline 'predictors' and longitudinal 'targets'. <i>Neuropsychopharmacology</i> , 2013 , 38, 377-85	8.7	318
279	Genome-wide pharmacogenetics of antidepressant response in the GENDEP project. <i>American Journal of Psychiatry</i> , 2010 , 167, 555-64	11.9	280
278	An inflammatory biomarker as a differential predictor of outcome of depression treatment with escitalopram and nortriptyline. <i>American Journal of Psychiatry</i> , 2014 , 171, 1278-86	11.9	267
277	Protective effect of CRHR1 gene variants on the development of adult depression following childhood maltreatment: replication and extension. <i>Archives of General Psychiatry</i> , 2009 , 66, 978-85		237
276	Depression symptom dimensions as predictors of antidepressant treatment outcome: replicable evidence for interest-activity symptoms. <i>Psychological Medicine</i> , 2012 , 42, 967-80	6.9	229
275	Fecundity of patients with schizophrenia, autism, bipolar disorder, depression, anorexia nervosa, or substance abuse vs their unaffected siblings. <i>JAMA Psychiatry</i> , 2013 , 70, 22-30	14.5	218

274	Role for the kinase SGK1 in stress, depression, and glucocorticoid effects on hippocampal neurogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 8708-13	11.5	209
273	Functional neuroanatomy of body shape perception in healthy and eating-disordered women. <i>Biological Psychiatry</i> , 2005 , 58, 990-7	7.9	206
272	Cerebral processing of food-related stimuli: effects of fasting and gender. <i>Behavioural Brain Research</i> , 2006 , 169, 111-9	3.4	197
271	Genome-wide association study of major recurrent depression in the U.K. population. <i>American Journal of Psychiatry</i> , 2010 , 167, 949-57	11.9	194
270	Measuring depression: comparison and integration of three scales in the GENDEP study. <i>Psychological Medicine</i> , 2008 , 38, 289-300	6.9	193
269	Interaction between stress and the BDNF Val66Met polymorphism in depression: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2014 , 12, 7	11.4	187
268	The contribution of prenatal and postnatal maternal anxiety and depression to child maladjustment. <i>Depression and Anxiety</i> , 2011 , 28, 696-702	8.4	187
267	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018 , 50, 26-41	36.3	186
266	Common genetic variation and antidepressant efficacy in major depressive disorder: a meta-analysis of three genome-wide pharmacogenetic studies. <i>American Journal of Psychiatry</i> , 2013 , 170, 207-17	11.9	181
265	Recovery and chronicity in anorexia nervosa: brain activity associated with differential outcomes. <i>Biological Psychiatry</i> , 2003 , 54, 934-42	7.9	180
264	The role of genetic variation in the causation of mental illness: an evolution-informed framework. <i>Molecular Psychiatry</i> , 2009 , 14, 1072-82	15.1	172
263	Genetic predictors of response to antidepressants in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2009 , 9, 225-33	3.5	172
262	Gene-environment interactions in severe mental illness. <i>Frontiers in Psychiatry</i> , 2014 , 5, 48	5	166
261	Assessment of Bidirectional Relationships Between Physical Activity and Depression Among Adults: A 2-Sample Mendelian Randomization Study. <i>JAMA Psychiatry</i> , 2019 , 76, 399-408	14.5	165
260	Adverse reactions to antidepressants. <i>British Journal of Psychiatry</i> , 2009 , 195, 202-10	5.4	162
259	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder: Section 2. Psychological Treatments. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 524-39	4.8	160
258	Major depressive disorder in DSM-5: implications for clinical practice and research of changes from DSM-IV. <i>Depression and Anxiety</i> , 2014 , 31, 459-71	8.4	158
257	Differential neural responses to food images in women with bulimia versus anorexia nervosa. <i>PLoS ONE</i> , 2011 , 6, e22259	3.7	157

256	Differential efficacy of escitalopram and nortriptyline on dimensional measures of depression. <i>British Journal of Psychiatry</i> , 2009 , 194, 252-9	5.4	150
255	Contribution of common genetic variants to antidepressant response. <i>Biological Psychiatry</i> , 2013 , 73, 679-82	7.9	146
254	Effect of left prefrontal repetitive transcranial magnetic stimulation on food craving. <i>Biological Psychiatry</i> , 2005 , 58, 840-2	7.9	136
253	Repetitive transcranial magnetic stimulation reduces cue-induced food craving in bulimic disorders. <i>Biological Psychiatry</i> , 2010 , 67, 793-5	7.9	131
252	Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression. <i>Brain, Behavior, and Immunity</i> , 2017 , 62, 344-350	16.6	128
251	Polygenic interactions with environmental adversity in the aetiology of major depressive disorder. <i>Psychological Medicine</i> , 2016 , 46, 759-70	6.9	125
250	Moderation of antidepressant response by the serotonin transporter gene. <i>British Journal of Psychiatry</i> , 2009 , 195, 30-8	5.4	124
249	Self-report and clinician-rated measures of depression severity: can one replace the other?. <i>Depression and Anxiety</i> , 2012 , 29, 1043-9	8.4	123
248	The impact of phenotypic and genetic heterogeneity on results of genome wide association studies of complex diseases. <i>PLoS ONE</i> , 2013 , 8, e76295	3.7	122
247	Serotonin transporter gene moderates childhood maltreatment's effects on persistent but not single-episode depression: replications and implications for resolving inconsistent results. <i>Journal of Affective Disorders</i> , 2011 , 135, 56-65	6.6	120
246	Etiology in psychiatry: embracing the reality of poly-gene-environmental causation of mental illness. <i>World Psychiatry</i> , 2017 , 16, 121-129	14.4	119
245	Therapygenetics: the 5HTTLPR and response to psychological therapy. <i>Molecular Psychiatry</i> , 2012 , 17, 236-7	15.1	119
244	An investigation of decision making in anorexia nervosa using the Iowa Gambling Task and skin conductance measurements. <i>Journal of the International Neuropsychological Society</i> , 2007 , 13, 635-41	3.1	119
243	Differential motivational responses to food and pleasurable cues in anorexia and bulimia nervosa: a startle reflex paradigm. <i>Psychological Medicine</i> , 2006 , 36, 1327-35	6.9	119
242	Brain lesions and eating disorders. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005 , 76, 852-7	5.5	112
241	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , 2017 , 74, 1214-1225	14.5	109
240	The implications of gene-environment interactions in depression: will cause inform cure?. <i>Molecular Psychiatry</i> , 2008 , 13, 1070-8	15.1	109
239	Relative impact of maternal depression and associated risk factors on offspring psychopathology. <i>British Journal of Psychiatry</i> , 2012 , 200, 124-9	5.4	107

238	Combining clinical variables to optimize prediction of antidepressant treatment outcomes. <i>Journal of Psychiatric Research</i> , 2016 , 78, 94-102	5.2	106
237	Brain structural signature of familial predisposition for bipolar disorder: replicable evidence for involvement of the right inferior frontal gyrus. <i>Biological Psychiatry</i> , 2013 , 73, 144-52	7.9	105
236	Neural correlates of body dissatisfaction in anorexia nervosa. <i>Neuropsychologia</i> , 2010 , 48, 2878-85	3.2	104
235	Association between bipolar spectrum features and treatment outcomes in outpatients with major depressive disorder. <i>Archives of General Psychiatry</i> , 2011 , 68, 351-60		99
234	Classification of feeding and eating disorders: review of evidence and proposals for ICD-11. <i>World Psychiatry</i> , 2012 , 11, 80-92	14.4	98
233	Genetic predictors of response to serotonergic and noradrenergic antidepressants in major depressive disorder: a genome-wide analysis of individual-level data and a meta-analysis. <i>PLoS Medicine</i> , 2012 , 9, e1001326	11.6	94
232	MicroRNAs 146a/b-5 and 425-3p and 24-3p are markers of antidepressant response and regulate MAPK/Wnt-system genes. <i>Nature Communications</i> , 2017 , 8, 15497	17.4	93
231	Trajectories of change in depression severity during treatment with antidepressants. <i>Psychological Medicine</i> , 2010 , 40, 1367-77	6.9	90
230	Neuroprotective effect of lithium on hippocampal volumes in bipolar disorder independent of long-term treatment response. <i>Psychological Medicine</i> , 2014 , 44, 507-17	6.9	88
229	Genetic predictors of increase in suicidal ideation during antidepressant treatment in the GENDEP project. <i>Neuropsychopharmacology</i> , 2009 , 34, 2517-28	8.7	87
228	Early and delayed onset of response to antidepressants in individual trajectories of change during treatment of major depression: a secondary analysis of data from the Genome-Based Therapeutic Drugs for Depression (GENDEP) study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1478-84	4.6	87
227	Eating disorders, gene-environment interactions and epigenetics. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 784-93	9	85
226	Lifetime prevalence of anxiety disorders in people with bipolar disorder: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2015 , 2, 710-717	23.3	84
225	Insulin resistance and outcome in bipolar disorder. <i>British Journal of Psychiatry</i> , 2015 , 206, 52-7	5.4	83
224	Genomewide association scan of suicidal thoughts and behaviour in major depression. <i>PLoS ONE</i> , 2011 , 6, e20690	3.7	83
223	Melancholic, atypical and anxious depression subtypes and outcome of treatment with escitalopram and nortriptyline. <i>Journal of Affective Disorders</i> , 2011 , 132, 112-20	6.6	81
222	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020 , 52, 437-447	36.3	80
221	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. <i>Neuron</i> , 2015 , 86, 1189-202	13.9	79

220	F52. WHO CO-PARENT CHILDREN WITH MOTHERS AND FATHERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER? CHARACTERIZING INDIVIDUALS WHO HAVE CHILDREN TOGETHER WITH INDIVIDUALS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S275-S275	1.3	78
219	Absolute Measurements of Macrophage Migration Inhibitory Factor and Interleukin-1 β mRNA Levels Accurately Predict Treatment Response in Depressed Patients. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	77
218	Genome-wide association study of increasing suicidal ideation during antidepressant treatment in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2012 , 12, 68-77	3.5	76
217	Body weight as a predictor of antidepressant efficacy in the GENDEP project. <i>Journal of Affective Disorders</i> , 2009 , 118, 147-54	6.6	72
216	Association of Maternal Use of Folic Acid and Multivitamin Supplements in the Periods Before and During Pregnancy With the Risk of Autism Spectrum Disorder in Offspring. <i>JAMA Psychiatry</i> , 2018 , 75, 176-184	14.5	71
215	Genetic relationships between suicide attempts, suicidal ideation and major psychiatric disorders: a genome-wide association and polygenic scoring study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 428-37	3.5	70
214	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017 , 82, 322-329	7.9	68
213	Thinking about eating food activates visual cortex with reduced bilateral cerebellar activation in females with anorexia nervosa: an fMRI study. <i>PLoS ONE</i> , 2012 , 7, e34000	3.7	66
212	Gene-environment interaction in major depression and antidepressant treatment response. <i>Current Psychiatry Reports</i> , 2012 , 14, 129-37	9.1	65
211	Interaction between serotonin transporter gene variants and life events predicts response to antidepressants in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2011 , 11, 138-45	3.5	65
210	Elevated pain threshold in eating disorders: physiological and psychological factors. <i>Journal of Psychiatric Research</i> , 2005 , 39, 431-8	5.2	65
209	Genes, environment, and individual differences in responding to treatment for depression. <i>Harvard Review of Psychiatry</i> , 2011 , 19, 109-24	4.1	63
208	I'm not as slim as that girl: neural bases of body shape self-comparison to media images. <i>NeuroImage</i> , 2007 , 37, 674-81	7.9	63
207	Tumor necrosis factor and its targets in the inflammatory cytokine pathway are identified as putative transcriptomic biomarkers for escitalopram response. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1105-14	1.2	62
206	Gene-environment interactions in common mental disorders: an update and strategy for a genome-wide search. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 3-14	4.5	60
205	Stressful life events and the brain-derived neurotrophic factor gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010 , 125, 345-9	6.6	60
204	Depressive disorder moderates the effect of the FTO gene on body mass index. <i>Molecular Psychiatry</i> , 2012 , 17, 604-11	15.1	59
203	Genetic differences in cytochrome P450 enzymes and antidepressant treatment response. <i>Journal of Psychopharmacology</i> , 2014 , 28, 133-41	4.6	57

202	DNA methylation in interleukin-11 predicts clinical response to antidepressants in GENDEP. <i>Translational Psychiatry</i> , 2013 , 3, e300	8.6	55
201	An examination of decision making in bulimia nervosa. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2009 , 31, 455-61	2.1	55
200	Pharmacogenetics of antidepressant response: A polygenic approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 128-134	5.5	54
199	A familial risk enriched cohort as a platform for testing early interventions to prevent severe mental illness. <i>BMC Psychiatry</i> , 2014 , 14, 344	4.2	53
198	CYP2C19 genotype predicts steady state escitalopram concentration in GENDEP. <i>Journal of Psychopharmacology</i> , 2012 , 26, 398-407	4.6	52
197	The genetics of affective disorder and suicide. <i>European Psychiatry</i> , 2010 , 25, 275-7	6	51
196	Personality pathology among individuals with a lifetime history of anorexia nervosa. <i>Journal of Personality Disorders</i> , 2006 , 20, 417-30	2.6	51
195	Gene-environment interplay in the etiology of psychosis. <i>Psychological Medicine</i> , 2018 , 48, 1925-1936	6.9	50
194	Insulin resistance, diabetes mellitus, and brain structure in bipolar disorders. <i>Neuropsychopharmacology</i> , 2014 , 39, 2910-8	8.7	50
193	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 138-147	7.9	48
192	Serotonin transporter length polymorphism, childhood maltreatment, and chronic depression: a specific gene-environment interaction. <i>Depression and Anxiety</i> , 2013 , 30, 5-13	8.4	48
191	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020 , 25, 1430-1446	15.1	47
190	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. <i>BMC Medicine</i> , 2015 , 13, 86	11.4	45
189	A genome-wide association study of a sustained pattern of antidepressant response. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1157-65	5.2	45
188	Obesity, dyslipidemia and brain age in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2018 , 99, 151-158	5.2	43
187	Self-, parent-report and interview measures of obsessive-compulsive disorder in children and adolescents. <i>Journal of Anxiety Disorders</i> , 2008 , 22, 979-90	10.9	43
186	Brain Age in Early Stages of Bipolar Disorders or Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 190-198	1.3	43
185	Effect of cytochrome CYP2C19 metabolizing activity on antidepressant response and side effects: Meta-analysis of data from genome-wide association studies. <i>European Neuropsychopharmacology</i> , 2018 , 28, 945-954	1.2	43

184	The endogenous and reactive depression subtypes revisited: integrative animal and human studies implicate multiple distinct molecular mechanisms underlying major depressive disorder. <i>BMC Medicine</i> , 2014 , 12, 73	11.4	41
183	Revision of ICD status update on feeding and eating disorders. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2013 , 1, 10-20		41
182	Basing psychiatric classification on scientific foundation: problems and prospects. <i>International Review of Psychiatry</i> , 2012 , 24, 591-605	3.6	41
181	Genome-wide association analysis of copy number variation in recurrent depressive disorder. <i>Molecular Psychiatry</i> , 2013 , 18, 183-9	15.1	40
180	Clinical and genetic correlates of suicidal ideation during antidepressant treatment in a depressed outpatient sample. <i>Pharmacogenomics</i> , 2011 , 12, 365-77	2.6	40
179	Variation in GNB3 predicts response and adverse reactions to antidepressants. <i>Journal of Psychopharmacology</i> , 2011 , 25, 867-74	4.6	40
178	Screening young people for obsessive compulsive disorder. <i>British Journal of Psychiatry</i> , 2007 , 191, 353-4	5.4	40
177	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. <i>Molecular Psychiatry</i> , 2015 , 20, 735-43	15.1	39
176	Integrative mouse and human mRNA studies using WGCNA nominates novel candidate genes involved in the pathogenesis of major depressive disorder. <i>Pharmacogenomics</i> , 2013 , 14, 1979-90	2.6	39
175	Genetic Sensitivity to the Environment: The Case of the Serotonin Transporter Gene and Its Implications for Studying Complex Diseases and Traits. <i>Focus (American Psychiatric Publishing)</i> , 2010 , 8, 398-416	1.1	39
174	Biomarkers predicting treatment outcome in depression: what is clinically significant?. <i>Pharmacogenomics</i> , 2012 , 13, 233-40	2.6	38
173	Symptomatic and Functional Outcomes and Early Prediction of Response to Escitalopram Monotherapy and Sequential Adjunctive Aripiprazole Therapy in Patients With Major Depressive Disorder: A CAN-BIND-1 Report. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	38
172	Interaction between specific forms of childhood maltreatment and the serotonin transporter gene (5-HTT) in recurrent depressive disorder. <i>Journal of Affective Disorders</i> , 2013 , 145, 136-41	6.6	36
171	Neurotrophic factors in depression in response to treatment. <i>Journal of Affective Disorders</i> , 2015 , 183, 287-94	6.6	36
170	Estimating the heritability of reporting stressful life events captured by common genetic variants. <i>Psychological Medicine</i> , 2013 , 43, 1965-71	6.9	36
169	Autism risk following antidepressant medication during pregnancy. <i>Psychological Medicine</i> , 2017 , 47, 2787-2796	6.9	34
168	Functional polymorphism in the brain-derived neurotrophic factor gene interacts with stressful life events but not childhood maltreatment in the etiology of depression. <i>Depression and Anxiety</i> , 2014 , 31, 326-34	8.4	34
167	Evidence of causal effect of major depression on alcohol dependence: findings from the psychiatric genomics consortium. <i>Psychological Medicine</i> , 2019 , 49, 1218-1226	6.9	33

166	Poor decision making in male patients with anorexia nervosa. <i>European Eating Disorders Review</i> , 2012 , 20, 169-73	5.3	33
165	Hair Cortisol in Twins: Heritability and Genetic Overlap with Psychological Variables and Stress-System Genes. <i>Scientific Reports</i> , 2017 , 7, 15351	4.9	33
164	Interaction between the gene, body mass index and depression: meta-analysis of 13701 individuals. <i>British Journal of Psychiatry</i> , 2017 , 211, 70-76	5.4	33
163	Suicidal ideation during treatment of depression with escitalopram and nortriptyline in genome-based therapeutic drugs for depression (GENDEP): a clinical trial. <i>BMC Medicine</i> , 2009 , 7, 60	11.4	33
162	Antidepressant drug-specific prediction of depression treatment outcomes from genetic and clinical variables. <i>Scientific Reports</i> , 2018 , 8, 5530	4.9	31
161	Subliminal food images compromise superior working memory performance in women with restricting anorexia nervosa. <i>Consciousness and Cognition</i> , 2012 , 21, 751-63	2.6	31
160	Predictors of response and drop-out during intensive dialectical behavior therapy. <i>Journal of Personality Disorders</i> , 2010 , 24, 634-50	2.6	31
159	Treatment response classes in major depressive disorder identified by model-based clustering and validated by clinical prediction models. <i>Translational Psychiatry</i> , 2019 , 9, 187	8.6	30
158	Resistance to antidepressant treatment is associated with polymorphisms in the leptin gene, decreased leptin mRNA expression, and decreased leptin serum levels. <i>European Neuropsychopharmacology</i> , 2013 , 23, 653-62	1.2	29
157	Changes in body weight during pharmacological treatment of depression. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 367-75	5.8	29
156	Psychosis Polyrisk Score (PPS) for the Detection of Individuals At-Risk and the Prediction of Their Outcomes. <i>Frontiers in Psychiatry</i> , 2019 , 10, 174	5	28
155	Childhood maltreatment and comorbid anxiety in people with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 192, 22-7	6.6	28
154	Convergent animal and human evidence suggests a role of PPM1A gene in response to antidepressants. <i>Biological Psychiatry</i> , 2011 , 69, 360-5	7.9	28
153	Sexual dysfunction during treatment with serotonergic and noradrenergic antidepressants: clinical description and the role of the 5-HTTLPR. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 528-38	3.8	28
152	The Everyday Feeling Questionnaire: the structure and validation of a measure of general psychological well-being and distress. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 413-23	4.5	28
151	Trends in hospital admissions for eating disorders in a country undergoing a socio-cultural transition, the Czech Republic 1981-2005. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 541-50	4.5	28
150	Brain responses to body image stimuli but not food are altered in women with bulimia nervosa. <i>BMC Psychiatry</i> , 2013 , 13, 302	4.2	27
149	Reactivity of affect and self-esteem during remission in bipolar affective disorder: an experimental investigation. <i>Journal of Affective Disorders</i> , 2011 , 134, 102-11	6.6	27

148	Stressful life events, cognitive symptoms of depression and response to antidepressants in GENDEP. <i>Journal of Affective Disorders</i> , 2010 , 127, 337-42	6.6	27
147	The inability to ignore: distractibility in women with restricting anorexia nervosa. <i>Psychological Medicine</i> , 2008 , 38, 1741-8	6.9	27
146	The Effect of Parental Modeling on Child Pain Responses: The Role of Parent and Child Sex. <i>Journal of Pain</i> , 2017 , 18, 702-715	5.2	26
145	Interaction between childhood maltreatment on immunogenetic risk in depression: Discovery and replication in clinical case-control samples. <i>Brain, Behavior, and Immunity</i> , 2018 , 67, 203-210	16.6	26
144	Dissecting the genetic heterogeneity of depression through age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 859-68	3.5	26
143	New insights into the pharmacogenomics of antidepressant response from the GENDEP and STAR*D studies: rare variant analysis and high-density imputation. <i>Pharmacogenomics Journal</i> , 2018 , 18, 413-421	3.5	26
142	Prevalence of current anxiety disorders in people with bipolar disorder during euthymia: a meta-analysis. <i>Psychological Medicine</i> , 2017 , 47, 1107-1115	6.9	25
141	Association of Antidepressant Medication Use During Pregnancy With Intellectual Disability in Offspring. <i>JAMA Psychiatry</i> , 2017 , 74, 1031-1038	14.5	25
140	Non-steroidal anti-inflammatory drugs and efficacy of antidepressants in major depressive disorder. <i>Psychological Medicine</i> , 2012 , 42, 2027-35	6.9	25
139	Polygenic risk scores for major depressive disorder and neuroticism as predictors of antidepressant response: Meta-analysis of three treatment cohorts. <i>PLoS ONE</i> , 2018 , 13, e0203896	3.7	25
138	The role of loss and danger events in symptom exacerbation in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1584-9	5.2	24
137	Whole-exome sequencing identifies a polymorphism in the BMP5 gene associated with SSRI treatment response in major depression. <i>Journal of Psychopharmacology</i> , 2013 , 27, 915-20	4.6	24
136	Antidepressant-dependent mRNA changes in mouse associated with hippocampal neurogenesis in a mouse model of depression. <i>Pharmacogenetics and Genomics</i> , 2012 , 22, 765-76	1.9	24
135	Genome-wide association study of treatment-resistance in depression and meta-analysis of three independent samples. <i>British Journal of Psychiatry</i> , 2019 , 214, 36-41	5.4	24
134	Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. <i>Pharmacogenomics Journal</i> , 2020 , 20, 329-341	3.5	24
133	Time for united action on depression: a Lancet-World Psychiatric Association Commission.. <i>Lancet, The</i> , 2022 , 399, 957-1022	40	23
132	Prospective Association between Childhood Behavioral Inhibition and Anxiety: a Meta-Analysis. <i>Research on Child and Adolescent Psychopathology</i> , 2020 , 48, 57-66	4	22
131	Brain age in bipolar disorders: Effects of lithium treatment. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 1179-1188	2.6	21

130	Exploring the role of drug-metabolising enzymes in antidepressant side effects. <i>Psychopharmacology</i> , 2015 , 232, 2609-17	4.7	21
129	Interaction between the BDNF gene Val/66/Met polymorphism and morning cortisol levels as a predictor of depression in adult women. <i>British Journal of Psychiatry</i> , 2012 , 201, 313-9	5.4	21
128	Antidepressants, social adversity and outcome of depression in general practice. <i>Journal of Affective Disorders</i> , 2010 , 121, 239-46	6.6	21
127	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depressive disorder		21
126	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. <i>Research Integrity and Peer Review</i> , 2018 , 3, 9	6.1	21
125	Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. <i>World Psychiatry</i> , 2021 , 20, 417-436	14.4	21
124	Stressful life events and the serotonin transporter gene (5-HTT) in recurrent clinical depression. <i>Journal of Affective Disorders</i> , 2012 , 136, 189-193	6.6	20
123	Classification issues and challenges in child and adolescent psychopathology. <i>International Review of Psychiatry</i> , 2012 , 24, 514-29	3.6	20
122	Use of Machine Learning for Predicting Escitalopram Treatment Outcome From Electroencephalography Recordings in Adult Patients With Depression. <i>JAMA Network Open</i> , 2020 , 3, e1918377	10.4	20
121	Cognitive Performance in First-Degree Relatives of Individuals With vs Without Major Depressive Disorder: A Meta-analysis. <i>JAMA Psychiatry</i> , 2019 , 76, 297-305	14.5	20
120	Investigation of blood mRNA biomarkers for suicidality in an independent sample. <i>Translational Psychiatry</i> , 2014 , 4, e474	8.6	19
119	ATP-binding cassette sub-family F member 1 (ABCF1) is identified as a putative therapeutic target of escitalopram in the inflammatory cytokine pathway. <i>Journal of Psychopharmacology</i> , 2013 , 27, 609-15	4.6	19
118	Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder onset in adulthood. <i>British Journal of Psychiatry</i> , 2018 , 213, 555-560	5.4	18
117	Integrated genome-wide methylation and expression analyses reveal functional predictors of response to antidepressants. <i>Translational Psychiatry</i> , 2019 , 9, 254	8.6	18
116	Copy number variants and therapeutic response to antidepressant medication in major depressive disorder. <i>Pharmacogenomics Journal</i> , 2014 , 14, 395-9	3.5	18
115	Familiality and SNP heritability of age at onset and episodicity in major depressive disorder. <i>Psychological Medicine</i> , 2015 , 45, 2215-25	6.9	18
114	Offspring of parents with schizophrenia, bipolar disorder, and depression: a review of familial high-risk and molecular genetics studies. <i>Psychiatric Genetics</i> , 2019 , 29, 160-169	2.9	18
113	Gene-environment interaction: overcoming methodological challenges. <i>Novartis Foundation Symposium</i> , 2008 , 293, 13-26; discussion 26-30, 68-70		18

112	CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. <i>BMJ, The</i> , 2021 , 373, n857	5.9	17
111	A polygenic predictor of treatment-resistant depression using whole exome sequencing and genome-wide genotyping. <i>Translational Psychiatry</i> , 2020 , 10, 50	8.6	16
110	Stimulant Medication and Psychotic Symptoms in Offspring of Parents With Mental Illness. <i>Pediatrics</i> , 2016 , 137,	7.4	16
109	The interaction between child maltreatment, adult stressful life events and the 5-HTTLPR in major depression. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1032-5	5.2	16
108	History of suicide attempts among patients with depression in the GENDEP project. <i>Journal of Affective Disorders</i> , 2010 , 123, 131-7	6.6	16
107	Increasing cognitive load reduces interference from masked appetitive and aversive but not neutral stimuli. <i>PLoS ONE</i> , 2014 , 9, e94417	3.7	16
106	Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. <i>Biological Psychiatry</i> , 2016 , 79, 329-36	7.9	15
105	Clinical, behavioral, and neural measures of reward processing correlate with escitalopram response in depression: a Canadian Biomarker Integration Network in Depression (CAN-BIND-1) Report. <i>Neuropsychopharmacology</i> , 2020 , 45, 1390-1397	8.7	15
104	Transcriptomics and the mechanisms of antidepressant efficacy. <i>European Neuropsychopharmacology</i> , 2016 , 26, 105-112	1.2	15
103	Genome-wide association analysis accounting for environmental factors through propensity-score matching: application to stressful live events in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 521-9	3.5	15
102	Stability of symptoms across major depressive episodes in bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 867-75	3.8	15
101	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019 , 85, 1065-1073	7.9	14
100	Early change in reward and punishment sensitivity as a predictor of response to antidepressant treatment for major depressive disorder: a CAN-BIND-1 report. <i>Psychological Medicine</i> , 2019 , 49, 1629-1638	6.9	14
99	Hot and cold executive functions in youth with psychotic symptoms. <i>Psychological Medicine</i> , 2017 , 47, 2844-2853	6.9	13
98	Disruptive mood dysregulation disorder in offspring of parents with depression and bipolar disorder. <i>British Journal of Psychiatry</i> , 2017 , 210, 408-412	5.4	13
97	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. <i>Psychoneuroendocrinology</i> , 2019 , 106, 284-292	5	13
96	Larger right inferior frontal gyrus volume and surface area in participants at genetic risk for bipolar disorders. <i>Psychological Medicine</i> , 2019 , 49, 1308-1315	6.9	13
95	Genetic predictors of antidepressant side effects: a grouped candidate gene approach in the Genome-Based Therapeutic Drugs for Depression (GENDEP) study. <i>Journal of Psychopharmacology</i> , 2014 , 28, 142-50	4.6	13

94	Genetic susceptibility for bipolar disorder and response to antidepressants in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 77-83	3.5	13
93	Pharmacoproteomic investigation into antidepressant response in two mouse inbred strains. <i>Proteomics</i> , 2012 , 12, 2355-65	4.8	13
92	Genome-wide association study of co-occurring anxiety in major depression. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 611-21	3.8	13
91	Typology of clinical course in bipolar disorder based on 18-month naturalistic follow-up. <i>Psychological Medicine</i> , 2013 , 43, 789-99	6.9	13
90	Genetic disposition to inflammation and response to antidepressants in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2018 , 105, 17-22	5.2	12
89	Functional neuroanatomy of body checking in people with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2013 , 46, 653-62	6.3	12
88	Forum: The case for gene-environment interactions in psychiatry. <i>Current Opinion in Psychiatry</i> , 2008 , 21, 318-21	4.9	12
87	Minimal phenotyping yields GWAS hits of reduced specificity for major depression		12
86	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 91-100	3.4	12
85	The genome-wide expression effects of escitalopram and its relationship to neurogenesis, hippocampal volume, and antidepressant response. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 427-434	3.5	11
84	Genes associated with anhedonia: a new analysis in a large clinical trial (GENDEP). <i>Translational Psychiatry</i> , 2018 , 8, 150	8.6	11
83	Neuroticism mediates the effect of P2RX7 on outcomes of mood disorders. <i>Depression and Anxiety</i> , 2012 , 29, 816-23	8.4	11
82	It would not have happened to me at home: qualitative exploration of sojourns abroad and eating disorders in young Czech women. <i>European Eating Disorders Review</i> , 2008 , 16, 207-14	5.3	11
81	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117	7.9	11
80	Long-term effects of depression treatment. <i>Lancet Psychiatry</i> , 2016 , 3, 95-6	23.3	10
79	Provocation of symmetry/ordering symptoms in Anorexia nervosa: a functional neuroimaging study. <i>PLoS ONE</i> , 2014 , 9, e97998	3.7	10
78	Non-random dropout and the relative efficacy of escitalopram and nortriptyline in treating major depressive disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1333-8	5.2	10
77	Genomics and the classification of mental illness: focus on broader categories. <i>Genome Medicine</i> , 2013 , 5, 97	14.4	10

76	Predicting Worsening Suicidal Ideation With Clinical Features and Peripheral Expression of Messenger RNA and MicroRNA During Antidepressant Treatment. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	10
75	Neurodevelopmental and genetic determinants of exposure to adversity among youth at risk for mental illness. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020 , 61, 536-544	7.9	10
74	Prevalence of attention-deficit/hyperactivity disorder in people with mood disorders: A systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 380-391	6.5	10
73	Anxiety disorders and childhood maltreatment as predictors of outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 225, 337-341	6.6	9
72	Genome-wide approaches to antidepressant treatment: working towards understanding and predicting response. <i>Genome Medicine</i> , 2012 , 4, 52	14.4	9
71	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020 , 87, 419-430	7.9	9
70	Highly polygenic architecture of antidepressant treatment response: Comparative analysis of SSRI and NRI treatment in an animal model of depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 235-250	3.5	8
69	Childhood maltreatment and the medical morbidity in bipolar disorder: a case-control study. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 30	5.4	8
68	Protocol for a scoping review to support development of a CONSORT extension for randomised controlled trials using cohorts and routinely collected health data. <i>BMJ Open</i> , 2018 , 8, e025266	3	8
67	Basic symptoms in offspring of parents with mood and psychotic disorders. <i>BJPsych Open</i> , 2019 , 5, e54	5	7
66	Sleep in Offspring of Parents With Mood Disorders. <i>Frontiers in Psychiatry</i> , 2019 , 10, 225	5	7
65	Neuroanatomical Bases of Eating Disorders 1173-1179		7
64	Observed psychopathology in offspring of parents with major depressive disorder, bipolar disorder and schizophrenia. <i>Psychological Medicine</i> , 2020 , 50, 1050-1056	6.9	7
63	Affective lability in offspring of parents with major depressive disorder, bipolar disorder and schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 445-451	5.5	7
62	The Genetic Architecture of Depression in Individuals of East Asian Ancestry: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2021 , 78, 1258-1269	14.5	7
61	Effect of antidepressant switching between nortriptyline and escitalopram after a failed first antidepressant treatment among patients with major depressive disorder. <i>British Journal of Psychiatry</i> , 2019 , 215, 494-501	5.4	6
60	Assessment of Psychopathology: Is Asking Questions Good Enough?. <i>JAMA Psychiatry</i> , 2020 , 77, 557-558	14.5	6
59	Why negative meta-analyses may be false?. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1307-9	1.2	6

58	Probing the genome to understand suicide. <i>American Journal of Psychiatry</i> , 2010 , 167, 1425-7	11.9	6
57	Do suicidal thoughts or behaviors recur during a second antidepressant treatment trial?. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1439-42	4.6	6
56	Real-world digital implementation of the Psychosis Polyrisk Score (PPS): A pilot feasibility study. <i>Schizophrenia Research</i> , 2020 , 226, 176-183	3.6	6
55	Cognitive-behavioural interventions for prevention and treatment of anxiety in young children: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2020 , 81, 101904	10.8	6
54	Trajectories of Suicidal Ideation During 12 Weeks of Escitalopram or Nortriptyline Antidepressant Treatment Among 811 Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	6
53	Childhood maltreatment and cognitive functioning in patients with major depressive disorder: a CAN-BIND-1 report. <i>Psychological Medicine</i> , 2020 , 50, 2536-2547	6.9	6
52	Review of an innovative approach to practical trials: the cohort multiple RCT design. <i>Trials</i> , 2015 , 16,	2.8	5
51	Symptom Dimension of Interest-Activity Indicates Need for Aripiprazole Augmentation of Escitalopram in Major Depressive Disorder: A CAN-BIND-1 Report. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	5
50	Methods and results used in the development of a consensus-driven extension to the Consolidated Standards of Reporting Trials (CONSORT) statement for trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE). <i>BMJ Open</i> , 2021 , 11, e049093	3	5
49	Person-centered measurement-based care for depression. <i>World Psychiatry</i> , 2016 , 15, 238-239	14.4	5
48	Specific anxiety disorders and subsequent risk for bipolar disorder: a nationwide study. <i>World Psychiatry</i> , 2016 , 15, 187-8	14.4	5
47	Exemplar scoring identifies genetically separable phenotypes of lithium responsive bipolar disorder. <i>Translational Psychiatry</i> , 2021 , 11, 36	8.6	5
46	Biomarkers of treatment outcome in schizophrenia: Defining a benchmark for clinical significance. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1578-85	1.2	4
45	Use of socioeconomic status in health research. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 1770; author reply 1770	27.4	4
44	Reverse translation of major depressive disorder symptoms: A framework for the behavioural phenotyping of putative biomarkers. <i>Journal of Affective Disorders</i> , 2020 , 263, 353-366	6.6	4
43	Like father like daughter: sex-specific parent-of-origin effects in the transmission of liability for psychotic symptoms to offspring. <i>Journal of Developmental Origins of Health and Disease</i> , 2019 , 10, 100-107	2.4	4
42	Association of a brain methylation site with clinical outcomes in depression does not replicate across populations. <i>American Journal of Psychiatry</i> , 2015 , 172, 395-7	11.9	3
41	Machine learning in the prediction of depression treatment outcomes: a systematic review and meta-analysis.. <i>Psychological Medicine</i> , 2021 , 51, 2742-2751	6.9	3

40	A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1342-1350	1.3	3
39	Reliability of multimodal MRI brain measures in youth at risk for mental illness. <i>Brain and Behavior</i> , 2020 , 10, e01609	3.4	3
38	Clinical course predicts long-term outcomes in bipolar disorder. <i>Psychological Medicine</i> , 2019 , 49, 1109-1117	16.7	2
37	Role of Polygenic Risk Score in the Familial Transmission of Bipolar Disorder in Youth.. <i>JAMA Psychiatry</i> , 2021 ,	14.5	2
36	Dimensions of temperament and character as predictors of antidepressant discontinuation, response and adverse reactions during treatment with nortriptyline and escitalopram. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	2
35	Assessing 42 inflammatory markers in 321 control subjects and 887 major depressive disorder cases: BMI and other confounders and overall predictive ability for current depression		2
34	Response to Kunte et al. <i>American Journal of Psychiatry</i> , 2015 , 172, 201	11.9	1
33	Psychotic symptoms are associated with lower cortical folding in youth at risk for mental illness. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 125-133	4.5	1
32	Visual memory in offspring of parents with mental illness. <i>Psychiatry Research</i> , 2020 , 286, 112813	9.9	1
31	Psychological interventions in offspring of parents with bipolar disorder 2018 , 247-264		1
30	No Association Between Antidepressant Efficacy and rs28365143 in Corticotropin-Releasing Hormone Binding Protein in a Large Meta-Analysis. <i>American Journal of Psychiatry</i> , 2018 , 175, 575-576	11.9	1
29	Adversity, Parental Mental Illness, and Risk of Depression in Youth. <i>European Psychiatry</i> , 2017 , 41, S220-S220		1
28	Antidepressant effects of nortriptyline and escitalopram in the GENDEP study: is one better than the other?. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 330	6.5	1
27	Decision-making and gut feeling in males with anorexia nervosa. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2013 , 1, 51-60		1
26	Managing patients' information in a community mental health team. <i>Psychiatric Bulletin</i> , 2006 , 30, 172-174		1
25	Neuroimaging and Eating Disorders 2003 , 171-190		1
24	Genetic variation in the Major Histocompatibility Complex and association with depression		1
23	Dr Uher and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2020 , 82,	4.6	1

22	Active behaviors and screen time in offspring of parents with major depressive disorder, bipolar disorder and schizophrenia. <i>Psychiatry Research</i> , 2020 , 285, 112709	9.9	1
21	Cognition in offspring of parents with psychotic and non-psychotic severe mental illness. <i>Journal of Psychiatric Research</i> , 2020 , 130, 306-312	5.2	1
20	Attention-deficit/hyperactivity disorder and other neurodevelopmental disorders in offspring of parents with depression and bipolar disorder. <i>Psychological Medicine</i> , 2021 , 1-8	6.9	1
19	Replication of machine learning methods to predict treatment outcome with antidepressant medications in patients with major depressive disorder from STAR*D and CAN-BIND-1. <i>PLoS ONE</i> , 2021 , 16, e0253023	3.7	1
18	Youth Experience Tracker Instrument: A self-report measure of developmental antecedents to severe mental illness. <i>Microbial Biotechnology</i> , 2021 , 15, 676-685	3.3	1
17	Treatment-emergent and trajectory-based peripheral gene expression markers of antidepressant response. <i>Translational Psychiatry</i> , 2021 , 11, 439	8.6	1
16	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021 , 46, 2304-2311 ¹	8.7	1
15	Visual memory and psychotic symptoms in youth. <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 231-241	2	0
14	"One Degree of Separation": A Mixed-Methods Evaluation of Canadian Mental Health Care User and Provider Experiences With Remote Care During COVID-19.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437211070656	4.8	0
13	Genetic counselling for the prevention of mental health consequences of cannabis use: A randomized controlled trial-within-cohort. <i>Microbial Biotechnology</i> , 2021 , 15, 1306-1314	3.3	0
12	Parental Overprotection and Sleep Problems in Young Children. <i>Child Psychiatry and Human Development</i> , 2021 , 1	3.3	0
11	Metabolic variables associated with response to cognitive behavioural therapy for depression in females: A Canadian biomarker integration network for depression (CAN-BIND) study. <i>Journal of Psychiatric Research</i> , 2021 , 142, 321-327	5.2	0
10	Hypothalamus volume and DNA methylation of stress axis genes in major depressive disorder: A CAN-BIND study report. <i>Psychoneuroendocrinology</i> , 2021 , 132, 105348	5	0
9	The Text4HealthyAging Program: An Evidence-Based Text Messaging Innovation to Support Healthy Urban Aging in Canada and Australia.. <i>Gerontology and Geriatric Medicine</i> , 2022 , 8, 23337214221031378 ⁰	13.1	0
8	Rating Short-Term Psychodynamic Therapy for the Canadian Network for Mood and Anxiety Treatments Depression Guidelines. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 77-78	4.8	
7	Meta-analysis of CYP2C19 association with efficacy and side effects of citalopram and escitalopram. <i>European Neuropsychopharmacology</i> , 2017 , 27, S582-S583	1.2	
6	Are children of depressed mothers exposed to higher contextual, family and mother-based risks?. <i>European Psychiatry</i> , 2011 , 26, 1193-1193	6	
5	Common Data Elements to Facilitate Sharing and Re-use of Participant-Level Data: Assessment of Psychiatric Comorbidity Across Brain Disorders.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 816465	5	

4	Diagnoses. <i>Mental Health and Illness Worldwide</i> , 2020 , 1-13	0.1
3	Diagnoses. <i>Mental Health and Illness Worldwide</i> , 2020 , 3-15	0.1
2	Interactions between neuroticism and stressful life events predict response to pharmacotherapy for major depression: A CAN-BIND 1 report. <i>Personality and Mental Health</i> , 2021 , 15, 273-282	3.1
1	The association between genetically determined ABO blood types and major depressive disorder. <i>Psychiatry Research</i> , 2021 , 299, 113837	9.9