

Rudolf Uher

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3831220/rudolf-uher-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

291
papers

20,455
citations

75
h-index

136
g-index

392
ext. papers

24,564
ext. citations

6.7
avg, IF

6.86
L-index

#	Paper	IF	Citations
291	Common Data Elements to Facilitate Sharing and Re-use of Participant-Level Data: Assessment of Psychiatric Comorbidity Across Brain Disorders.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 816465	5	
290	"One Degree of Separation": A Mixed-Methods Evaluation of Canadian Mental Health Care User and Provider Experiences With Remote Care During COVID-19.. <i>Canadian Journal of Psychiatry</i> , 2022 , 7067437211070656	4.8	0
289	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117	7.9	11
288	The Text4HealthyAging Program: An Evidence-Based Text Messaging Innovation to Support Healthy Urban Aging in Canada and Australia.. <i>Gerontology and Geriatric Medicine</i> , 2022 , 8, 23337214221081378	2.3	0
287	Time for united action on depression: a Lancet-World Psychiatric Association Commission.. <i>Lancet, The</i> , 2022 , 399, 957-1022	4.0	23
286	Role of Polygenic Risk Score in the Familial Transmission of Bipolar Disorder in Youth.. <i>JAMA Psychiatry</i> , 2021 ,	14.5	2
285	Dimensions of temperament and character as predictors of antidepressant discontinuation, response and adverse reactions during treatment with nortriptyline and escitalopram. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	2
284	Machine learning in the prediction of depression treatment outcomes: a systematic review and meta-analysis.. <i>Psychological Medicine</i> , 2021 , 51, 2742-2751	6.9	3
283	Genetic counselling for the prevention of mental health consequences of cannabis use: A randomized controlled trial-within-cohort. <i>Microbial Biotechnology</i> , 2021 , 15, 1306-1314	3.3	0
282	A Nationwide Cohort Study of Nonrandom Mating in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1342-1350	1.3	3
281	CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. <i>BMJ, The</i> , 2021 , 373, n857	5.9	17
280	Methods and results used in the development of a consensus-driven extension to the Consolidated Standards of Reporting Trials (CONSORT) statement for trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE). <i>BMJ Open</i> , 2021 , 11, e049093	3	5
279	Interactions between neuroticism and stressful life events predict response to pharmacotherapy for major depression: A CAN-BIND 1 report. <i>Personality and Mental Health</i> , 2021 , 15, 273-282	3.1	
278	The association between genetically determined ABO blood types and major depressive disorder. <i>Psychiatry Research</i> , 2021 , 299, 113837	9.9	
277	Attention-deficit/hyperactivity disorder and other neurodevelopmental disorders in offspring of parents with depression and bipolar disorder. <i>Psychological Medicine</i> , 2021 , 1-8	6.9	1
276	Parental Overprotection and Sleep Problems in Young Children. <i>Child Psychiatry and Human Development</i> , 2021 , 1	3.3	0
275	Replication of machine learning methods to predict treatment outcome with antidepressant medications in patients with major depressive disorder from STAR*D and CAN-BIND-1. <i>PLoS ONE</i> , 2021 , 16, e0253023	3.7	1

274	Youth Experience Tracker Instrument: A self-report measure of developmental antecedents to severe mental illness. <i>Microbial Biotechnology</i> , 2021 , 15, 676-685	3.3	1
273	Exemplar scoring identifies genetically separable phenotypes of lithium responsive bipolar disorder. <i>Translational Psychiatry</i> , 2021 , 11, 36	8.6	5
272	Prevalence of attention-deficit/hyperactivity disorder in people with mood disorders: A systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 380-391	6.5	10
271	Treatment-emergent and trajectory-based peripheral gene expression markers of antidepressant response. <i>Translational Psychiatry</i> , 2021 , 11, 439	8.6	1
270	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021 , 46, 2304-2311 ¹	8.7	1
269	Risk and protective factors for mental disorders beyond genetics: an evidence-based atlas. <i>World Psychiatry</i> , 2021 , 20, 417-436	14.4	21
268	The Genetic Architecture of Depression in Individuals of East Asian Ancestry: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2021 , 78, 1258-1269	14.5	7
267	Metabolic variables associated with response to cognitive behavioural therapy for depression in females: A Canadian biomarker integration network for depression (CAN-BIND) study. <i>Journal of Psychiatric Research</i> , 2021 , 142, 321-327	5.2	0
266	Hypothalamus volume and DNA methylation of stress axis genes in major depressive disorder: A CAN-BIND study report. <i>Psychoneuroendocrinology</i> , 2021 , 132, 105348	5	0
265	Psychotic symptoms are associated with lower cortical folding in youth at risk for mental illness. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 125-133	4.5	1
264	Clinical, behavioral, and neural measures of reward processing correlate with escitalopram response in depression: a Canadian Biomarker Integration Network in Depression (CAN-BIND-1) Report. <i>Neuropsychopharmacology</i> , 2020 , 45, 1390-1397	8.7	15
263	Assessment of Psychopathology: Is Asking Questions Good Enough?. <i>JAMA Psychiatry</i> , 2020 , 77, 557-558	14.5	6
262	Visual memory and psychotic symptoms in youth. <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 231-241	2	0
261	Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020 , 52, 437-447	36.3	80
260	Visual memory in offspring of parents with mental illness. <i>Psychiatry Research</i> , 2020 , 286, 112813	9.9	1
259	A polygenic predictor of treatment-resistant depression using whole exome sequencing and genome-wide genotyping. <i>Translational Psychiatry</i> , 2020 , 10, 50	8.6	16
258	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020 , 25, 1430-1446	15.1	47
257	Diagnoses. <i>Mental Health and Illness Worldwide</i> , 2020 , 1-13	0.1	

256	Symptom Dimension of Interest-Activity Indicates Need for Aripiprazole Augmentation of Escitalopram in Major Depressive Disorder: A CAN-BIND-1 Report. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	5
255	Dr Uher and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2020 , 82,	4.6	1
254	Prospective Association between Childhood Behavioral Inhibition and Anxiety: a Meta-Analysis. <i>Research on Child and Adolescent Psychopathology</i> , 2020 , 48, 57-66	4	22
253	Use of Machine Learning for Predicting Escitalopram Treatment Outcome From Electroencephalography Recordings in Adult Patients With Depression. <i>JAMA Network Open</i> , 2020 , 3, e1918377	10.4	20
252	Active behaviors and screen time in offspring of parents with major depressive disorder, bipolar disorder and schizophrenia. <i>Psychiatry Research</i> , 2020 , 285, 112709	9.9	1
251	Reverse translation of major depressive disorder symptoms: A framework for the behavioural phenotyping of putative biomarkers. <i>Journal of Affective Disorders</i> , 2020 , 263, 353-366	6.6	4
250	Neurodevelopmental and genetic determinants of exposure to adversity among youth at risk for mental illness. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2020 , 61, 536-544	7.9	10
249	Cognition in offspring of parents with psychotic and non-psychotic severe mental illness. <i>Journal of Psychiatric Research</i> , 2020 , 130, 306-312	5.2	1
248	Real-world digital implementation of the Psychosis Polyrisk Score (PPS): A pilot feasibility study. <i>Schizophrenia Research</i> , 2020 , 226, 176-183	3.6	6
247	Cognitive-behavioural interventions for prevention and treatment of anxiety in young children: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2020 , 81, 101904	10.8	6
246	Diagnoses. <i>Mental Health and Illness Worldwide</i> , 2020 , 3-15	0.1	
245	Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. <i>Pharmacogenomics Journal</i> , 2020 , 20, 329-341	3.5	24
244	Observed psychopathology in offspring of parents with major depressive disorder, bipolar disorder and schizophrenia. <i>Psychological Medicine</i> , 2020 , 50, 1050-1056	6.9	7
243	Affective lability in offspring of parents with major depressive disorder, bipolar disorder and schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 445-451	5.5	7
242	Childhood maltreatment and cognitive functioning in patients with major depressive disorder: a CAN-BIND-1 report. <i>Psychological Medicine</i> , 2020 , 50, 2536-2547	6.9	6
241	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020 , 87, 419-430	7.9	9
240	Reliability of multimodal MRI brain measures in youth at risk for mental illness. <i>Brain and Behavior</i> , 2020 , 10, e01609	3.4	3
239	F52. WHO CO-PARENT CHILDREN WITH MOTHERS AND FATHERS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER? CHARACTERIZING INDIVIDUALS WHO HAVE CHILDREN TOGETHER WITH INDIVIDUALS WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2019 , 45, S275-S275	1.3	78

238	Basic symptoms in offspring of parents with mood and psychotic disorders. <i>BJPsych Open</i> , 2019 , 5, e54	5	7
237	Effect of antidepressant switching between nortriptyline and escitalopram after a failed first antidepressant treatment among patients with major depressive disorder. <i>British Journal of Psychiatry</i> , 2019 , 215, 494-501	5.4	6
236	Assessment of Bidirectional Relationships Between Physical Activity and Depression Among Adults: A 2-Sample Mendelian Randomization Study. <i>JAMA Psychiatry</i> , 2019 , 76, 399-408	14.5	165
235	Psychosis Polyrisk Score (PPS) for the Detection of Individuals At-Risk and the Prediction of Their Outcomes. <i>Frontiers in Psychiatry</i> , 2019 , 10, 174	5	28
234	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. <i>Psychoneuroendocrinology</i> , 2019 , 106, 284-292	5	13
233	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019 , 85, 1065-1073	7.9	14
232	Sleep in Offspring of Parents With Mood Disorders. <i>Frontiers in Psychiatry</i> , 2019 , 10, 225	5	7
231	Evidence of causal effect of major depression on alcohol dependence: findings from the psychiatric genomics consortium. <i>Psychological Medicine</i> , 2019 , 49, 1218-1226	6.9	33
230	Larger right inferior frontal gyrus volume and surface area in participants at genetic risk for bipolar disorders. <i>Psychological Medicine</i> , 2019 , 49, 1308-1315	6.9	13
229	Clinical course predicts long-term outcomes in bipolar disorder. <i>Psychological Medicine</i> , 2019 , 49, 1109-1117	6.7	2
228	Treatment response classes in major depressive disorder identified by model-based clustering and validated by clinical prediction models. <i>Translational Psychiatry</i> , 2019 , 9, 187	8.6	30
227	Brain age in bipolar disorders: Effects of lithium treatment. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 1179-1188	2.6	21
226	Integrated genome-wide methylation and expression analyses reveal functional predictors of response to antidepressants. <i>Translational Psychiatry</i> , 2019 , 9, 254	8.6	18
225	Symptomatic and Functional Outcomes and Early Prediction of Response to Escitalopram Monotherapy and Sequential Adjunctive Aripiprazole Therapy in Patients With Major Depressive Disorder: A CAN-BIND-1 Report. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	38
224	Predicting Worsening Suicidal Ideation With Clinical Features and Peripheral Expression of Messenger RNA and MicroRNA During Antidepressant Treatment. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	10
223	Trajectories of Suicidal Ideation During 12 Weeks of Escitalopram or Nortriptyline Antidepressant Treatment Among 811 Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	6
222	Brain Age in Early Stages of Bipolar Disorders or Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 190-198	1.3	43
221	Offspring of parents with schizophrenia, bipolar disorder, and depression: a review of familial high-risk and molecular genetics studies. <i>Psychiatric Genetics</i> , 2019 , 29, 160-169	2.9	18

220	Early change in reward and punishment sensitivity as a predictor of response to antidepressant treatment for major depressive disorder: a CAN-BIND-1 report. <i>Psychological Medicine</i> , 2019 , 49, 1629-1638	6.9	14
219	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019 , 4, 91-100	3.4	12
218	Like father like daughter: sex-specific parent-of-origin effects in the transmission of liability for psychotic symptoms to offspring. <i>Journal of Developmental Origins of Health and Disease</i> , 2019 , 10, 100-107	2.4	4
217	Cognitive Performance in First-Degree Relatives of Individuals With vs Without Major Depressive Disorder: A Meta-analysis. <i>JAMA Psychiatry</i> , 2019 , 76, 297-305	14.5	20
216	Genome-wide association study of treatment-resistance in depression and meta-analysis of three independent samples. <i>British Journal of Psychiatry</i> , 2019 , 214, 36-41	5.4	24
215	Antidepressant drug-specific prediction of depression treatment outcomes from genetic and clinical variables. <i>Scientific Reports</i> , 2018 , 8, 5530	4.9	31
214	Obesity, dyslipidemia and brain age in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2018 , 99, 151-158	5.2	43
213	Gene-environment interplay in the etiology of psychosis. <i>Psychological Medicine</i> , 2018 , 48, 1925-1936	6.9	50
212	Association of Maternal Use of Folic Acid and Multivitamin Supplements in the Periods Before and During Pregnancy With the Risk of Autism Spectrum Disorder in Offspring. <i>JAMA Psychiatry</i> , 2018 , 75, 176-184	14.5	71
211	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018 , 50, 668-681	36.3	1301
210	Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 138-147	7.9	48
209	Anxiety disorders and childhood maltreatment as predictors of outcome in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 225, 337-341	6.6	9
208	Interaction between childhood maltreatment on immunogenetic risk in depression: Discovery and replication in clinical case-control samples. <i>Brain, Behavior, and Immunity</i> , 2018 , 67, 203-210	16.6	26
207	Psychological interventions in offspring of parents with bipolar disorder 2018 , 247-264		1
206	Attention-deficit hyperactivity disorder and anxiety disorders as precursors of bipolar disorder onset in adulthood. <i>British Journal of Psychiatry</i> , 2018 , 213, 555-560	5.4	18
205	Genes associated with anhedonia: a new analysis in a large clinical trial (GENDEP). <i>Translational Psychiatry</i> , 2018 , 8, 150	8.6	11
204	Genetic disposition to inflammation and response to antidepressants in major depressive disorder. <i>Journal of Psychiatric Research</i> , 2018 , 105, 17-22	5.2	12
203	Protocol for a scoping review to support development of a CONSORT extension for randomised controlled trials using cohorts and routinely collected health data. <i>BMJ Open</i> , 2018 , 8, e025266	3	8

202	No Association Between Antidepressant Efficacy and rs28365143 in Corticotropin-Releasing Hormone Binding Protein in a Large Meta-Analysis. <i>American Journal of Psychiatry</i> , 2018 , 175, 575-576	11.9	1
201	Protein-altering variants associated with body mass index implicate pathways that control energy intake and expenditure in obesity. <i>Nature Genetics</i> , 2018 , 50, 26-41	36.3	186
200	New insights into the pharmacogenomics of antidepressant response from the GENDEP and STAR*D studies: rare variant analysis and high-density imputation. <i>Pharmacogenomics Journal</i> , 2018 , 18, 413-421	3.5	26
199	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. <i>Research Integrity and Peer Review</i> , 2018 , 3, 9	6.1	21
198	Polygenic risk scores for major depressive disorder and neuroticism as predictors of antidepressant response: Meta-analysis of three treatment cohorts. <i>PLoS ONE</i> , 2018 , 13, e0203896	3.7	25
197	Effect of cytochrome CYP2C19 metabolizing activity on antidepressant response and side effects: Meta-analysis of data from genome-wide association studies. <i>European Neuropsychopharmacology</i> , 2018 , 28, 945-954	1.2	43
196	Rare and low-frequency coding variants alter human adult height. <i>Nature</i> , 2017 , 542, 186-190	50.4	412
195	Pharmacogenetics of antidepressant response: A polygenic approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 75, 128-134	5.5	54
194	The Effect of Parental Modeling on Child Pain Responses: The Role of Parent and Child Sex. <i>Journal of Pain</i> , 2017 , 18, 702-715	5.2	26
193	Association between C-reactive protein (CRP) with depression symptom severity and specific depressive symptoms in major depression. <i>Brain, Behavior, and Immunity</i> , 2017 , 62, 344-350	16.6	128
192	Rating Short-Term Psychodynamic Therapy for the Canadian Network for Mood and Anxiety Treatments Depression Guidelines. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 77-78	4.8	
191	The genome-wide expression effects of escitalopram and its relationship to neurogenesis, hippocampal volume, and antidepressant response. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 427-434	3.5	11
190	Etiology in psychiatry: embracing the reality of poly-gene-environmental causation of mental illness. <i>World Psychiatry</i> , 2017 , 16, 121-129	14.4	119
189	Hot and cold executive functions in youth with psychotic symptoms. <i>Psychological Medicine</i> , 2017 , 47, 2844-2853	6.9	13
188	MicroRNAs 146a/b-5 and 425-3p and 24-3p are markers of antidepressant response and regulate MAPK/Wnt-system genes. <i>Nature Communications</i> , 2017 , 8, 15497	17.4	93
187	Autism risk following antidepressant medication during pregnancy. <i>Psychological Medicine</i> , 2017 , 47, 2787-2796	6.9	34
186	Disruptive mood dysregulation disorder in offspring of parents with depression and bipolar disorder. <i>British Journal of Psychiatry</i> , 2017 , 210, 408-412	5.4	13
185	Prevalence of current anxiety disorders in people with bipolar disorder during euthymia: a meta-analysis. <i>Psychological Medicine</i> , 2017 , 47, 1107-1115	6.9	25

184	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017 , 82, 322-329	7.9	68
183	Highly polygenic architecture of antidepressant treatment response: Comparative analysis of SSRI and NRI treatment in an animal model of depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 235-250	3.5	8
182	Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , 2017 , 74, 1214-1225	14.5	109
181	Childhood maltreatment and the medical morbidity in bipolar disorder: a case-control study. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 30	5.4	8
180	Adversity, Parental Mental Illness, and Risk of Depression in Youth. <i>European Psychiatry</i> , 2017 , 41, S220-S220	3.2	1
179	Hair Cortisol in Twins: Heritability and Genetic Overlap with Psychological Variables and Stress-System Genes. <i>Scientific Reports</i> , 2017 , 7, 15351	4.9	33
178	Interaction between the gene, body mass index and depression: meta-analysis of 13701 individuals. <i>British Journal of Psychiatry</i> , 2017 , 211, 70-76	5.4	33
177	Association of Antidepressant Medication Use During Pregnancy With Intellectual Disability in Offspring. <i>JAMA Psychiatry</i> , 2017 , 74, 1031-1038	14.5	25
176	Meta-analysis of CYP2C19 association with efficacy and side effects of citalopram and escitalopram. <i>European Neuropsychopharmacology</i> , 2017 , 27, S582-S583	1.2	
175	Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. <i>Biological Psychiatry</i> , 2016 , 79, 329-36	7.9	15
174	Absolute Measurements of Macrophage Migration Inhibitory Factor and Interleukin-1 β mRNA Levels Accurately Predict Treatment Response in Depressed Patients. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	77
173	Long-term effects of depression treatment. <i>Lancet Psychiatry</i> , 2016 , 3, 95-6	23.3	10
172	Stimulant Medication and Psychotic Symptoms in Offspring of Parents With Mental Illness. <i>Pediatrics</i> , 2016 , 137,	7.4	16
171	Childhood maltreatment and comorbid anxiety in people with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 192, 22-7	6.6	28
170	Transcriptomics and the mechanisms of antidepressant efficacy. <i>European Neuropsychopharmacology</i> , 2016 , 26, 105-112	1.2	15
169	Polygenic interactions with environmental adversity in the aetiology of major depressive disorder. <i>Psychological Medicine</i> , 2016 , 46, 759-70	6.9	125
168	Combining clinical variables to optimize prediction of antidepressant treatment outcomes. <i>Journal of Psychiatric Research</i> , 2016 , 78, 94-102	5.2	106
167	Person-centered measurement-based care for depression. <i>World Psychiatry</i> , 2016 , 15, 238-239	14.4	5

166	Specific anxiety disorders and subsequent risk for bipolar disorder: a nationwide study. <i>World Psychiatry</i> , 2016 , 15, 187-8	14.4	5
165	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder: Section 3. Pharmacological Treatments. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 540-60	4.8	469
164	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder: Section 2. Psychological Treatments. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 524-39	4.8	160
163	Biomarkers of treatment outcome in schizophrenia: Defining a benchmark for clinical significance. <i>European Neuropsychopharmacology</i> , 2015 , 25, 1578-85	1.2	4
162	Lifetime prevalence of anxiety disorders in people with bipolar disorder: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2015 , 2, 710-717	23.3	84
161	Response to Kunte et al. <i>American Journal of Psychiatry</i> , 2015 , 172, 201	11.9	1
160	Association of a brain methylation site with clinical outcomes in depression does not replicate across populations. <i>American Journal of Psychiatry</i> , 2015 , 172, 395-7	11.9	3
159	Insulin resistance and outcome in bipolar disorder. <i>British Journal of Psychiatry</i> , 2015 , 206, 52-7	5.4	83
158	Familiarity and SNP heritability of age at onset and episodicity in major depressive disorder. <i>Psychological Medicine</i> , 2015 , 45, 2215-25	6.9	18
157	Review of an innovative approach to practical trials: the cohort multiple RCT design. <i>Trials</i> , 2015 , 16,	2.8	5
156	Exploring the role of drug-metabolising enzymes in antidepressant side effects. <i>Psychopharmacology</i> , 2015 , 232, 2609-17	4.7	21
155	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. <i>Molecular Psychiatry</i> , 2015 , 20, 735-43	15.1	39
154	Neurotrophic factors in depression in response to treatment. <i>Journal of Affective Disorders</i> , 2015 , 183, 287-94	6.6	36
153	Evidence-based guidelines for treating depressive disorders with antidepressants: A revision of the 2008 British Association for Psychopharmacology guidelines. <i>Journal of Psychopharmacology</i> , 2015 , 29, 459-525	4.6	381
152	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. <i>BMC Medicine</i> , 2015 , 13, 86	11.4	45
151	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. <i>Neuron</i> , 2015 , 86, 1189-202	13.9	79
150	Interaction between stress and the BDNF Val66Met polymorphism in depression: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2014 , 12, 7	11.4	187
149	Genetic predictors of antidepressant side effects: a grouped candidate gene approach in the Genome-Based Therapeutic Drugs for Depression (GENDEP) study. <i>Journal of Psychopharmacology</i> , 2014 , 28, 142-50	4.6	13

148	Functional polymorphism in the brain-derived neurotrophic factor gene interacts with stressful life events but not childhood maltreatment in the etiology of depression. <i>Depression and Anxiety</i> , 2014 , 31, 326-34	8.4	34
147	Major depressive disorder in DSM-5: implications for clinical practice and research of changes from DSM-IV. <i>Depression and Anxiety</i> , 2014 , 31, 459-71	8.4	158
146	Risk of mental illness in offspring of parents with schizophrenia, bipolar disorder, and major depressive disorder: a meta-analysis of family high-risk studies. <i>Schizophrenia Bulletin</i> , 2014 , 40, 28-38	1.3	364
145	Gene-environment interactions in common mental disorders: an update and strategy for a genome-wide search. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 3-14	4.5	60
144	Genetic differences in cytochrome P450 enzymes and antidepressant treatment response. <i>Journal of Psychopharmacology</i> , 2014 , 28, 133-41	4.6	57
143	Insulin resistance, diabetes mellitus, and brain structure in bipolar disorders. <i>Neuropsychopharmacology</i> , 2014 , 39, 2910-8	8.7	50
142	The endogenous and reactive depression subtypes revisited: integrative animal and human studies implicate multiple distinct molecular mechanisms underlying major depressive disorder. <i>BMC Medicine</i> , 2014 , 12, 73	11.4	41
141	Genetic relationships between suicide attempts, suicidal ideation and major psychiatric disorders: a genome-wide association and polygenic scoring study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 428-37	3.5	70
140	Copy number variants and therapeutic response to antidepressant medication in major depressive disorder. <i>Pharmacogenomics Journal</i> , 2014 , 14, 395-9	3.5	18
139	Provocation of symmetry/ordering symptoms in Anorexia nervosa: a functional neuroimaging study. <i>PLoS ONE</i> , 2014 , 9, e97998	3.7	10
138	Gene-environment interactions in severe mental illness. <i>Frontiers in Psychiatry</i> , 2014 , 5, 48	5	166
137	Genetic susceptibility for bipolar disorder and response to antidepressants in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 77-83	3.5	13
136	An inflammatory biomarker as a differential predictor of outcome of depression treatment with escitalopram and nortriptyline. <i>American Journal of Psychiatry</i> , 2014 , 171, 1278-86	11.9	267
135	Investigation of blood mRNA biomarkers for suicidality in an independent sample. <i>Translational Psychiatry</i> , 2014 , 4, e474	8.6	19
134	A familial risk enriched cohort as a platform for testing early interventions to prevent severe mental illness. <i>BMC Psychiatry</i> , 2014 , 14, 344	4.2	53
133	Neuroprotective effect of lithium on hippocampal volumes in bipolar disorder independent of long-term treatment response. <i>Psychological Medicine</i> , 2014 , 44, 507-17	6.9	88
132	Increasing cognitive load reduces interference from masked appetitive and aversive but not neutral stimuli. <i>PLoS ONE</i> , 2014 , 9, e94417	3.7	16
131	Genome-wide association analysis of copy number variation in recurrent depressive disorder. <i>Molecular Psychiatry</i> , 2013 , 18, 183-9	15.1	40

130	Serotonin transporter length polymorphism, childhood maltreatment, and chronic depression: a specific gene-environment interaction. <i>Depression and Anxiety</i> , 2013 , 30, 5-13	8.4	48
129	Contribution of common genetic variants to antidepressant response. <i>Biological Psychiatry</i> , 2013 , 73, 679-82	7.9	146
128	Genome-wide association analysis accounting for environmental factors through propensity-score matching: application to stressful life events in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 521-9	3.5	15
127	Resistance to antidepressant treatment is associated with polymorphisms in the leptin gene, decreased leptin mRNA expression, and decreased leptin serum levels. <i>European Neuropsychopharmacology</i> , 2013 , 23, 653-62	1.2	29
126	Tumor necrosis factor and its targets in the inflammatory cytokine pathway are identified as putative transcriptomic biomarkers for escitalopram response. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1105-14	1.2	62
125	Why negative meta-analyses may be false?. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1307-9	1.2	6
124	The interaction between child maltreatment, adult stressful life events and the 5-HTTLPR in major depression. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1032-5	5.2	16
123	Interaction between specific forms of childhood maltreatment and the serotonin transporter gene (5-HTT) in recurrent depressive disorder. <i>Journal of Affective Disorders</i> , 2013 , 145, 136-41	6.6	36
122	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , 2013 , 18, 497-511	15.1	853
121	A genome-wide association study of a sustained pattern of antidepressant response. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1157-65	5.2	45
120	Brain structural signature of familial predisposition for bipolar disorder: replicable evidence for involvement of the right inferior frontal gyrus. <i>Biological Psychiatry</i> , 2013 , 73, 144-52	7.9	105
119	Brain responses to body image stimuli but not food are altered in women with bulimia nervosa. <i>BMC Psychiatry</i> , 2013 , 13, 302	4.2	27
118	Role for the kinase SGK1 in stress, depression, and glucocorticoid effects on hippocampal neurogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 8708-13	11.5	209
117	Genome-wide association study of co-occurring anxiety in major depression. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 611-21	3.8	13
116	Fecundity of patients with schizophrenia, autism, bipolar disorder, depression, anorexia nervosa, or substance abuse vs their unaffected siblings. <i>JAMA Psychiatry</i> , 2013 , 70, 22-30	14.5	218
115	Common genetic variation and antidepressant efficacy in major depressive disorder: a meta-analysis of three genome-wide pharmacogenetic studies. <i>American Journal of Psychiatry</i> , 2013 , 170, 207-17	11.9	181
114	Typology of clinical course in bipolar disorder based on 18-month naturalistic follow-up. <i>Psychological Medicine</i> , 2013 , 43, 789-99	6.9	13
113	Genomics and the classification of mental illness: focus on broader categories. <i>Genome Medicine</i> , 2013 , 5, 97	14.4	10

112	Integrative mouse and human mRNA studies using WGCNA nominates novel candidate genes involved in the pathogenesis of major depressive disorder. <i>Pharmacogenomics</i> , 2013 , 14, 1979-90	2.6	39
111	Functional neuroanatomy of body checking in people with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2013 , 46, 653-62	6.3	12
110	Whole-exome sequencing identifies a polymorphism in the BMP5 gene associated with SSRI treatment response in major depression. <i>Journal of Psychopharmacology</i> , 2013 , 27, 915-20	4.6	24
109	DNA methylation in interleukin-11 predicts clinical response to antidepressants in GENDEP. <i>Translational Psychiatry</i> , 2013 , 3, e300	8.6	55
108	Antidepressant effects of nortriptyline and escitalopram in the GENDEP study: is one better than the other?. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 330	6.5	1
107	Revision of ICD status update on feeding and eating disorders. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2013 , 1, 10-20		41
106	Decision-making and gut feeling in males with anorexia nervosa. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2013 , 1, 51-60		1
105	ATP-binding cassette sub-family F member 1 (ABCF1) is identified as a putative therapeutic target of escitalopram in the inflammatory cytokine pathway. <i>Journal of Psychopharmacology</i> , 2013 , 27, 609-15	4.6	19
104	Candidate genes expression profile associated with antidepressants response in the GENDEP study: differentiating between baseline 'predictors' and longitudinal 'targets'. <i>Neuropsychopharmacology</i> , 2013 , 38, 377-85	8.7	318
103	Estimating the heritability of reporting stressful life events captured by common genetic variants. <i>Psychological Medicine</i> , 2013 , 43, 1965-71	6.9	36
102	The impact of phenotypic and genetic heterogeneity on results of genome wide association studies of complex diseases. <i>PLoS ONE</i> , 2013 , 8, e76295	3.7	122
101	Stressful life events and the serotonin transporter gene (5-HTT) in recurrent clinical depression. <i>Journal of Affective Disorders</i> , 2012 , 136, 189-193	6.6	20
100	Poor decision making in male patients with anorexia nervosa. <i>European Eating Disorders Review</i> , 2012 , 20, 169-73	5.3	33
99	Non-random dropout and the relative efficacy of escitalopram and nortriptyline in treating major depressive disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1333-8	5.2	10
98	The role of loss and danger events in symptom exacerbation in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012 , 46, 1584-9	5.2	24
97	Genome-wide approaches to antidepressant treatment: working towards understanding and predicting response. <i>Genome Medicine</i> , 2012 , 4, 52	14.4	9
96	Genome-wide association study of increasing suicidal ideation during antidepressant treatment in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2012 , 12, 68-77	3.5	76
95	Dissecting the genetic heterogeneity of depression through age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 859-68	3.5	26

94	Self-report and clinician-rated measures of depression severity: can one replace the other?. <i>Depression and Anxiety</i> , 2012 , 29, 1043-9	8.4	123
93	Pharmacoproteomic investigation into antidepressant response in two mouse inbred strains. <i>Proteomics</i> , 2012 , 12, 2355-65	4.8	13
92	Subliminal food images compromise superior working memory performance in women with restricting anorexia nervosa. <i>Consciousness and Cognition</i> , 2012 , 21, 751-63	2.6	31
91	Classification of feeding and eating disorders: review of evidence and proposals for ICD-11. <i>World Psychiatry</i> , 2012 , 11, 80-92	14.4	98
90	Biomarkers predicting treatment outcome in depression: what is clinically significant?. <i>Pharmacogenomics</i> , 2012 , 13, 233-40	2.6	38
89	Neuroticism mediates the effect of P2RX7 on outcomes of mood disorders. <i>Depression and Anxiety</i> , 2012 , 29, 816-23	8.4	11
88	Gene-environment interaction in major depression and antidepressant treatment response. <i>Current Psychiatry Reports</i> , 2012 , 14, 129-37	9.1	65
87	Depressive disorder moderates the effect of the FTO gene on body mass index. <i>Molecular Psychiatry</i> , 2012 , 17, 604-11	15.1	59
86	Classification issues and challenges in child and adolescent psychopathology. <i>International Review of Psychiatry</i> , 2012 , 24, 514-29	3.6	20
85	Genetic predictors of response to serotonergic and noradrenergic antidepressants in major depressive disorder: a genome-wide analysis of individual-level data and a meta-analysis. <i>PLoS Medicine</i> , 2012 , 9, e1001326	11.6	94
84	Relative impact of maternal depression and associated risk factors on offspring psychopathology. <i>British Journal of Psychiatry</i> , 2012 , 200, 124-9	5.4	107
83	Interaction between the BDNF gene Val/66/Met polymorphism and morning cortisol levels as a predictor of depression in adult women. <i>British Journal of Psychiatry</i> , 2012 , 201, 313-9	5.4	21
82	CYP2C19 genotype predicts steady state escitalopram concentration in GENDEP. <i>Journal of Psychopharmacology</i> , 2012 , 26, 398-407	4.6	52
81	Therapygenetics: the 5HTTLPR and response to psychological therapy. <i>Molecular Psychiatry</i> , 2012 , 17, 236-7	15.1	119
80	Non-steroidal anti-inflammatory drugs and efficacy of antidepressants in major depressive disorder. <i>Psychological Medicine</i> , 2012 , 42, 2027-35	6.9	25
79	Childhood maltreatment predicts unfavorable course of illness and treatment outcome in depression: a meta-analysis. <i>American Journal of Psychiatry</i> , 2012 , 169, 141-51	11.9	829
78	Basing psychiatric classification on scientific foundation: problems and prospects. <i>International Review of Psychiatry</i> , 2012 , 24, 591-605	3.6	41
77	Depression symptom dimensions as predictors of antidepressant treatment outcome: replicable evidence for interest-activity symptoms. <i>Psychological Medicine</i> , 2012 , 42, 967-80	6.9	229

76	Thinking about eating food activates visual cortex with reduced bilateral cerebellar activation in females with anorexia nervosa: an fMRI study. <i>PLoS ONE</i> , 2012 , 7, e34000	3.7	66
75	Do suicidal thoughts or behaviors recur during a second antidepressant treatment trial?. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 1439-42	4.6	6
74	Antidepressant-dependent mRNA changes in mouse associated with hippocampal neurogenesis in a mouse model of depression. <i>Pharmacogenetics and Genomics</i> , 2012 , 22, 765-76	1.9	24
73	Convergent animal and human evidence suggests a role of PPM1A gene in response to antidepressants. <i>Biological Psychiatry</i> , 2011 , 69, 360-5	7.9	28
72	Clinical and genetic correlates of suicidal ideation during antidepressant treatment in a depressed outpatient sample. <i>Pharmacogenomics</i> , 2011 , 12, 365-77	2.6	40
71	Genes, environment, and individual differences in responding to treatment for depression. <i>Harvard Review of Psychiatry</i> , 2011 , 19, 109-24	4.1	63
70	Differential neural responses to food images in women with bulimia versus anorexia nervosa. <i>PLoS ONE</i> , 2011 , 6, e22259	3.7	157
69	Genomewide association scan of suicidal thoughts and behaviour in major depression. <i>PLoS ONE</i> , 2011 , 6, e20690	3.7	83
68	Melancholic, atypical and anxious depression subtypes and outcome of treatment with escitalopram and nortriptyline. <i>Journal of Affective Disorders</i> , 2011 , 132, 112-20	6.6	81
67	Serotonin transporter gene moderates childhood maltreatment's effects on persistent but not single-episode depression: replications and implications for resolving inconsistent results. <i>Journal of Affective Disorders</i> , 2011 , 135, 56-65	6.6	120
66	Reactivity of affect and self-esteem during remission in bipolar affective disorder: an experimental investigation. <i>Journal of Affective Disorders</i> , 2011 , 134, 102-11	6.6	27
65	The contribution of prenatal and postnatal maternal anxiety and depression to child maladjustment. <i>Depression and Anxiety</i> , 2011 , 28, 696-702	8.4	187
64	Association between bipolar spectrum features and treatment outcomes in outpatients with major depressive disorder. <i>Archives of General Psychiatry</i> , 2011 , 68, 351-60		99
63	Are children of depressed mothers exposed to higher contextual, family and mother-based risks?. <i>European Psychiatry</i> , 2011 , 26, 1193-1193	6	
62	Eating disorders, gene-environment interactions and epigenetics. <i>Neuroscience and Biobehavioral Reviews</i> , 2011 , 35, 784-93	9	85
61	Changes in body weight during pharmacological treatment of depression. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 367-75	5.8	29
60	Variation in GNB3 predicts response and adverse reactions to antidepressants. <i>Journal of Psychopharmacology</i> , 2011 , 25, 867-74	4.6	40
59	Interaction between serotonin transporter gene variants and life events predicts response to antidepressants in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2011 , 11, 138-45	3.5	65

58	Sexual dysfunction during treatment with serotonergic and noradrenergic antidepressants: clinical description and the role of the 5-HTTLPR. <i>World Journal of Biological Psychiatry</i> , 2011 , 12, 528-38	3.8	28
57	Early and delayed onset of response to antidepressants in individual trajectories of change during treatment of major depression: a secondary analysis of data from the Genome-Based Therapeutic Drugs for Depression (GENDEP) study. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1478-84	4.6	87
56	The moderation by the serotonin transporter gene of environmental adversity in the etiology of depression: 2009 update. <i>Molecular Psychiatry</i> , 2010 , 15, 18-22	15.1	338
55	Genome-wide association study of major recurrent depression in the U.K. population. <i>American Journal of Psychiatry</i> , 2010 , 167, 949-57	11.9	194
54	Genetic sensitivity to the environment: the case of the serotonin transporter gene and its implications for studying complex diseases and traits. <i>American Journal of Psychiatry</i> , 2010 , 167, 509-27	11.9	1117
53	Predictors of response and drop-out during intensive dialectical behavior therapy. <i>Journal of Personality Disorders</i> , 2010 , 24, 634-50	2.6	31
52	Trajectories of change in depression severity during treatment with antidepressants. <i>Psychological Medicine</i> , 2010 , 40, 1367-77	6.9	90
51	Genome-wide pharmacogenetics of antidepressant response in the GENDEP project. <i>American Journal of Psychiatry</i> , 2010 , 167, 555-64	11.9	280
50	Genetic Sensitivity to the Environment: The Case of the Serotonin Transporter Gene and Its Implications for Studying Complex Diseases and Traits. <i>Focus (American Psychiatric Publishing)</i> , 2010 , 8, 398-416	1.1	39
49	Probing the genome to understand suicide. <i>American Journal of Psychiatry</i> , 2010 , 167, 1425-7	11.9	6
48	Repetitive transcranial magnetic stimulation reduces cue-induced food craving in bulimic disorders. <i>Biological Psychiatry</i> , 2010 , 67, 793-5	7.9	131
47	The genetics of affective disorder and suicide. <i>European Psychiatry</i> , 2010 , 25, 275-7	6	51
46	The Everyday Feeling Questionnaire: the structure and validation of a measure of general psychological well-being and distress. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 413-23	4.5	28
45	Trends in hospital admissions for eating disorders in a country undergoing a socio-cultural transition, the Czech Republic 1981-2005. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 541-50	4.5	28
44	Neural correlates of body dissatisfaction in anorexia nervosa. <i>Neuropsychologia</i> , 2010 , 48, 2878-85	3.2	104
43	Antidepressants, social adversity and outcome of depression in general practice. <i>Journal of Affective Disorders</i> , 2010 , 121, 239-46	6.6	21
42	History of suicide attempts among patients with depression in the GENDEP project. <i>Journal of Affective Disorders</i> , 2010 , 123, 131-7	6.6	16
41	Stressful life events and the brain-derived neurotrophic factor gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010 , 125, 345-9	6.6	60

40	Stressful life events, cognitive symptoms of depression and response to antidepressants in GENDEP. <i>Journal of Affective Disorders</i> , 2010 , 127, 337-42	6.6	27
39	Adverse reactions to antidepressants. <i>British Journal of Psychiatry</i> , 2009 , 195, 202-10	5.4	162
38	Moderation of antidepressant response by the serotonin transporter gene. <i>British Journal of Psychiatry</i> , 2009 , 195, 30-8	5.4	124
37	Protective effect of CRHR1 gene variants on the development of adult depression following childhood maltreatment: replication and extension. <i>Archives of General Psychiatry</i> , 2009 , 66, 978-85		237
36	Suicidal ideation during treatment of depression with escitalopram and nortriptyline in genome-based therapeutic drugs for depression (GENDEP): a clinical trial. <i>BMC Medicine</i> , 2009 , 7, 60	11.4	33
35	Body weight as a predictor of antidepressant efficacy in the GENDEP project. <i>Journal of Affective Disorders</i> , 2009 , 118, 147-54	6.6	72
34	The role of genetic variation in the causation of mental illness: an evolution-informed framework. <i>Molecular Psychiatry</i> , 2009 , 14, 1072-82	15.1	172
33	Stability of symptoms across major depressive episodes in bipolar disorder. <i>Bipolar Disorders</i> , 2009 , 11, 867-75	3.8	15
32	Genetic predictors of response to antidepressants in the GENDEP project. <i>Pharmacogenomics Journal</i> , 2009 , 9, 225-33	3.5	172
31	An examination of decision making in bulimia nervosa. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2009 , 31, 455-61	2.1	55
30	Genetic predictors of increase in suicidal ideation during antidepressant treatment in the GENDEP project. <i>Neuropsychopharmacology</i> , 2009 , 34, 2517-28	8.7	87
29	Differential efficacy of escitalopram and nortriptyline on dimensional measures of depression. <i>British Journal of Psychiatry</i> , 2009 , 194, 252-9	5.4	150
28	The implications of gene-environment interactions in depression: will cause inform cure?. <i>Molecular Psychiatry</i> , 2008 , 13, 1070-8	15.1	109
27	The moderation by the serotonin transporter gene of environmental adversity in the aetiology of mental illness: review and methodological analysis. <i>Molecular Psychiatry</i> , 2008 , 13, 131-46	15.1	417
26	Self-, parent-report and interview measures of obsessive-compulsive disorder in children and adolescents. <i>Journal of Anxiety Disorders</i> , 2008 , 22, 979-90	10.9	43
25	Measuring depression: comparison and integration of three scales in the GENDEP study. <i>Psychological Medicine</i> , 2008 , 38, 289-300	6.9	193
24	The inability to ignore: distractibility in women with restricting anorexia nervosa. <i>Psychological Medicine</i> , 2008 , 38, 1741-8	6.9	27
23	Forum: The case for gene-environment interactions in psychiatry. <i>Current Opinion in Psychiatry</i> , 2008 , 21, 318-21	4.9	12

22	It would not have happened to me at home: qualitative exploration of sojourns abroad and eating disorders in young Czech women. <i>European Eating Disorders Review</i> , 2008 , 16, 207-14	5.3	11
21	Gene-environment interaction: overcoming methodological challenges. <i>Novartis Foundation Symposium</i> , 2008 , 293, 13-26; discussion 26-30, 68-70		18
20	An investigation of decision making in anorexia nervosa using the Iowa Gambling Task and skin conductance measurements. <i>Journal of the International Neuropsychological Society</i> , 2007 , 13, 635-41	3.1	119
19	Screening young people for obsessive compulsive disorder. <i>British Journal of Psychiatry</i> , 2007 , 191, 353-4	5.4	40
18	I'm not as slim as that girl: neural bases of body shape self-comparison to media images. <i>NeuroImage</i> , 2007 , 37, 674-81	7.9	63
17	Personality pathology among individuals with a lifetime history of anorexia nervosa. <i>Journal of Personality Disorders</i> , 2006 , 20, 417-30	2.6	51
16	Use of socioeconomic status in health research. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 1770; author reply 1770	27.4	4
15	Cerebral processing of food-related stimuli: effects of fasting and gender. <i>Behavioural Brain Research</i> , 2006 , 169, 111-9	3.4	197
14	Managing patients' information in a community mental health team. <i>Psychiatric Bulletin</i> , 2006 , 30, 172-174		1
13	Differential motivational responses to food and pleasurable cues in anorexia and bulimia nervosa: a startle reflex paradigm. <i>Psychological Medicine</i> , 2006 , 36, 1327-35	6.9	119
12	Effect of left prefrontal repetitive transcranial magnetic stimulation on food craving. <i>Biological Psychiatry</i> , 2005 , 58, 840-2	7.9	136
11	Functional neuroanatomy of body shape perception in healthy and eating-disordered women. <i>Biological Psychiatry</i> , 2005 , 58, 990-7	7.9	206
10	Elevated pain threshold in eating disorders: physiological and psychological factors. <i>Journal of Psychiatric Research</i> , 2005 , 39, 431-8	5.2	65
9	Brain lesions and eating disorders. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005 , 76, 852-7	5.5	112
8	Medial prefrontal cortex activity associated with symptom provocation in eating disorders. <i>American Journal of Psychiatry</i> , 2004 , 161, 1238-46	11.9	353
7	Recovery and chronicity in anorexia nervosa: brain activity associated with differential outcomes. <i>Biological Psychiatry</i> , 2003 , 54, 934-42	7.9	180
6	Neuroimaging and Eating Disorders 2003 , 171-190		1
5	Neuroanatomical Bases of Eating Disorders 1173-1179		7

4	Genetic variation in the Major Histocompatibility Complex and association with depression	1
3	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depressive disorder	21
2	Assessing 42 inflammatory markers in 321 control subjects and 887 major depressive disorder cases: BMI and other confounders and overall predictive ability for current depression	2
1	Minimal phenotyping yields GWAS hits of reduced specificity for major depression	12