

Roozbeh Naemi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3831338/roozbeh-naemi-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

732
citations

16
h-index

24
g-index

86
ext. papers

931
ext. citations

2.5
avg, IF

4.4
L-index

#	Paper	IF	Citations
78	Quantifying lumbar-pelvis coordination during gait using a modified vector coding technique. <i>Journal of Biomechanics</i> , 2014 , 47, 1020-6	2.9	82
77	Hydrodynamic glide efficiency in swimming. <i>Journal of Science and Medicine in Sport</i> , 2010 , 13, 444-51	4.4	46
76	A new coordination pattern classification to assess gait kinematics when utilising a modified vector coding technique. <i>Journal of Biomechanics</i> , 2015 , 48, 3506-11	2.9	40
75	Three-dimensional analysis of intracycle velocity fluctuations in frontcrawl swimming. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010 , 20, 128-35	4.6	35
74	The relationship between the mechanical properties of heel-pad and common clinical measures associated with foot ulcers in patients with diabetes. <i>Journal of Diabetes and Its Complications</i> , 2014 , 28, 488-93	3.2	30
73	The effectiveness of footwear as an intervention to prevent or to reduce biomechanical risk factors associated with diabetic foot ulceration: a systematic review. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 391-400	3.2	30
72	Finite element modelling of the foot for clinical application: A systematic review. <i>Medical Engineering and Physics</i> , 2017 , 39, 1-11	2.4	27
71	Repeatability of WalkinSense [®] in shoe pressure measurement system: A preliminary study. <i>Foot</i> , 2012 , 22, 35-9	1.3	26
70	Can plantar soft tissue mechanics enhance prognosis of diabetic foot ulcer?. <i>Diabetes Research and Clinical Practice</i> , 2017 , 126, 182-191	7.4	25
69	A method for subject-specific modelling and optimisation of the cushioning properties of insole materials used in diabetic footwear. <i>Medical Engineering and Physics</i> , 2015 , 37, 531-8	2.4	23
68	Comparison of modes of feedback on glide performance in swimming. <i>Journal of Sports Sciences</i> , 2012 , 30, 43-52	3.6	23
67	Differences in the mechanical characteristics of plantar soft tissue between ulcerated and non-ulcerated foot. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 1293-9	3.2	21
66	A "hydrokinematic" method of measuring the glide efficiency of a human swimmer. <i>Journal of Biomechanical Engineering</i> , 2008 , 130, 061016	2.1	21
65	A clinically applicable non-invasive method to quantitatively assess the visco-hyperelastic properties of human heel pad, implications for assessing the risk of mechanical trauma. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017 , 68, 287-295	4.1	18
64	Multi-segment kinematic model to assess three-dimensional movement of the spine and back during gait. <i>Prosthetics and Orthotics International</i> , 2016 , 40, 624-35	1.5	18
63	Subject Specific Optimisation of the Stiffness of Footwear Material for Maximum Plantar Pressure Reduction. <i>Annals of Biomedical Engineering</i> , 2017 , 45, 1929-1940	4.7	17
62	The effectiveness of footwear and other removable off-loading devices in the treatment of diabetic foot ulcers: a systematic review. <i>Current Diabetes Reviews</i> , 2014 , 10, 215-30	2.7	15

61	A Simulation of the Viscoelastic Behaviour of Heel Pad During Weight-Bearing Activities of Daily Living. <i>Annals of Biomedical Engineering</i> , 2017 , 45, 2750-2761	4.7	14
60	A mathematical method for quantifying in vivo mechanical behaviour of heel pad under dynamic load. <i>Medical and Biological Engineering and Computing</i> , 2016 , 54, 341-50	3.1	13
59	Assessment of lower leg muscle force distribution during isometric ankle dorsi and plantar flexion in patients with diabetes: a preliminary study. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 282-7	3.2	13
58	Manufacturing and finite element assessment of a novel pressure reducing insole for Diabetic Neuropathic patients. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2015 , 38, 63-70	1.9	12
57	The relationship between arch height and foot length: Implications for size grading. <i>Applied Ergonomics</i> , 2017 , 59, 243-250	4.2	12
56	The effects of sport-specific and minimalist footwear on the kinetics and kinematics of three netball-specific movements. <i>Footwear Science</i> , 2015 , 7, 31-36	1.4	12
55	Mathematical models to assess foot-ground interaction: an overview. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 1524-33	1.2	12
54	The key kinematic determinants of undulatory underwater swimming at maximal velocity. <i>Journal of Sports Sciences</i> , 2016 , 34, 1036-43	3.6	11
53	Predicting the risk of future diabetic foot ulcer occurrence: a prospective cohort study of patients with diabetes in Tanzania. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	9
52	Improving data acquisition speed and accuracy in sport using neural networks. <i>Journal of Sports Sciences</i> , 2021 , 39, 513-522	3.6	9
51	Shear wave elastography can assess the in-vivo nonlinear mechanical behavior of heel-pad. <i>Journal of Biomechanics</i> , 2018 , 80, 144-150	2.9	9
50	Analysing patterns of coordination and patterns of control using novel data visualisation techniques in vector coding. <i>Foot</i> , 2020 , 44, 101678	1.3	7
49	Quantification of rear-foot, fore-foot coordination pattern during gait using a new classification. <i>Footwear Science</i> , 2015 , 7, S32-S33	1.4	6
48	Relationships between glide efficiency and swimmersRsize and shape characteristics. <i>Journal of Applied Biomechanics</i> , 2012 , 28, 400-11	1.2	6
47	The effect of three different toe props on plantar pressure and patient comfort. <i>Journal of Foot and Ankle Research</i> , 2012 , 5, 22	3.2	6
46	EFFECTS OF FOOTWEAR VARIATIONS ON THREE-DIMENSIONAL KINEMATICS AND TIBIAL ACCELERATIONS OF SPECIFIC MOVEMENTS IN AMERICAN FOOTBALL. <i>Journal of Mechanics in Medicine and Biology</i> , 2017 , 17, 1750026	0.7	5
45	A Synoptic Overview of Neurovascular Interactions in the Foot. <i>Frontiers in Endocrinology</i> , 2020 , 11, 308	5.7	5
44	Inter-individual similarities and variations in muscle forces acting on the ankle joint during gait. <i>Gait and Posture</i> , 2017 , 58, 166-170	2.6	5

43	The effect of the use of a walkway and the choice of the foot on plantar pressure assessment when using pressure platforms. <i>Foot</i> , 2012 , 22, 100-4	1.3	5
42	Can a combination of lifestyle and clinical characteristics explain the presence of foot ulcer in patients with diabetes?. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 437-444	3.2	4
41	Hallux plantar flexor strength in people with diabetic neuropathy: Validation of a simple clinical test. <i>Diabetes Research and Clinical Practice</i> , 2018 , 144, 1-9	7.4	4
40	An MRI compatible loading device for the reconstruction of clinically relevant plantar pressure distributions and loading scenarios of the forefoot. <i>Medical Engineering and Physics</i> , 2014 , 36, 1205-11	2.4	4
39	Influence of footwear designed to boost energy return on the kinetics and kinematics of running compared to conventional running shoes. <i>Comparative Exercise Physiology</i> , 2014 , 10, 199-206	0.7	4
38	An automated segmentation technique for the processing of foot ultrasound images 2013 ,		4
37	Diabetes Status is Associated With Plantar Soft Tissue Stiffness Measured Using Ultrasound Reverberant Shear Wave Elastography Approach. <i>Journal of Diabetes Science and Technology</i> , 2020 , 1932296820965259	4.1	4
36	The relationship between hallux grip force and balance in people with diabetes. <i>Gait and Posture</i> , 2019 , 70, 109-115	2.6	3
35	Localized pressure stimulation using turf-like structures can improve skin perfusion in the foot. <i>Microcirculation</i> , 2019 , 26, e12543	2.9	3
34	The effects of shoe temperature on the kinetics and kinematics of running. <i>Footwear Science</i> , 2015 , 7, 173-180	1.4	3
33	Gait stability of diabetic patients is altered with the rigid rocker shoes. <i>Clinical Biomechanics</i> , 2019 , 69, 197-204	2.2	3
32	Investigation into the kinetics and kinematics during running in the heelless shoe. <i>Footwear Science</i> , 2014 , 6, 139-145	1.4	3
31	Do foot orthoses replicate the static longitudinal arch angle during midstance in walking?. <i>Foot</i> , 2011 , 21, 129-32	1.3	3
30	Development of Immediate Feedback Software for Optimising Glide Performance and Time of Initiating Post-Glide Actions (P56)291-300		3
29	Development of a method for quantifying the midsole reaction model parameters. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2013 , 16, 1273-7	2.1	2
28	A mathematical model to investigate heat transfer in footwear during walking and jogging. <i>Journal of Thermal Biology</i> , 2021 , 97, 102778	2.9	2
27	Viscoelasticity in Foot-Ground Interaction 2016 ,		1
26	Coordination pattern between the forefoot and rearfoot during walking on an inclined surface. <i>Footwear Science</i> , 2017 , 9, S120-S122	1.4	1

25	Rocker outsole shoes and margin of stability during walking: A preliminary study 2017 ,		1
24	Comments and reply to: Foot plantar pressure measurement system: a review. <i>Sensors</i> 2012, 12, 9884-9912. <i>Sensors</i> , 2013 , 13, 3527-8; discussion 3528-9	3.8	1
23	A Single Center Study of Prescribing and Treatment Outcomes of Patients with Chronic Myeloid Leukemia. <i>International Journal of Hematology-Oncology and Stem Cell Research</i> , 2020 , 14, 11-18	0.5	1
22	Validation of a non-invasive imaging photoplethysmography device to assess plantar skin perfusion, a comparison with laser speckle contrast analysis. <i>Journal of Medical Engineering and Technology</i> , 2021 , 45, 170-176	1.8	1
21	Augmented feedback can change body shape to improve glide efficiency in swimming. <i>Sports Biomechanics</i> , 2021 , 1-20	2.2	1
20	A systematic evaluation of cutaneous microcirculation in the foot using post-occlusive reactive hyperemia. <i>Microcirculation</i> , 2021 , 28, e12692	2.9	1
19	Spine and pelvis coordination variability in rowers with and without chronic low back pain during rowing. <i>Journal of Biomechanics</i> , 2021 , 120, 110356	2.9	1
18	Associations between changes in loading pattern, deformity, and internal stresses at the foot with hammer toe during walking; a finite element approach. <i>Computers in Biology and Medicine</i> , 2021 , 135, 104598	7	1
17	The Role of Cutaneous Microcirculatory Responses in Tissue Injury, Inflammation and Repair at the Foot in Diabetes. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 732753	5.8	1
16	Predicting the risk of amputation and death in patients with diabetic foot ulcer. A long-term prospective cohort study of patients in Tanzania.. <i>Endocrinology, Diabetes and Metabolism</i> , 2022 , e00336	2.7	1
15	THE INFLUENCE OF SLOW RECOVERY INSOLE ON PLANTAR PRESSURE AND CONTACT AREA DURING WALKING. <i>Journal of Mechanics in Medicine and Biology</i> , 2015 , 15, 1540005	0.7	0
14	Peak and average pressure correlations and their ratio at different plantar regions of the foot. <i>Footwear Science</i> , 2013 , 5, S96-S98	1.4	0
13	Plantar Soft Tissue Characterization Using Reverberant Shear Wave Elastography: A Proof-of-Concept Study. <i>Ultrasound in Medicine and Biology</i> , 2022 , 48, 35-46	3.5	0
12	Advancements in data analysis and visualisation techniques to support multiple single-subject analyses: an assessment of movement coordination and coordination variability. <i>Studies in Health Technology and Informatics</i> , 2021 , 280, 146-149	0.5	0
11	The role of tissue biomechanics in improving the clinical management of diabetic foot ulcers 2021 , 123-141		0
10	A quantitative comparison of plantar soft tissue strainability distribution and homogeneity between ulcerated and non-ulcerated patients using ultrasound strain elastography.. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , 2022 , 9544119221074786	1.7	0
9	A Novel Method for Field Measurement of Ankle Joint Stiffness in Hopping. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 12140	2.6	0
8	Shore hardness is a more representative measurement of bulk tissue biomechanics than of skin biomechanics.. <i>Medical Engineering and Physics</i> , 2022 , 103816	2.4	0

- 7 The influence of rocker outsole design on the ground reaction force alignment during walking. *Footwear Science*, **2017**, 9, S108-S109 1.4
- 6 Numerical investigation of the optimum cushioning properties of insole materials: the effect of subject-specific geometry and loading. *Footwear Science*, **2015**, 7, S136-S137 1.4
- 5 The effect of wearing a diabetic sandal in altering standing balance parameters in people with diabetes and neuropathy. *Footwear Science*, **2015**, 7, S34-S35 1.4
- 4 Patellofemoral kinetics during running in heelless and conventional running shoes. *Footwear Science*, **2015**, 7, S111-S112 1.4
- 3 The effect of temperature on the rebound characteristics of material combinations commonly used in diabetic insoles. *Footwear Science*, **2013**, 5, S91-S93 1.4
- 2 Comparison of design features in diabetic footwear and their effect on plantar pressure. *Footwear Science*, **2013**, 5, S67-S69 1.4
- 1 Development of Immediate Feedback Software for Optimising Glide Performance and Time of Initiating Post-Glide Actions (P56) **2009**, 291-300