

# Frank J M Van Kuppeveld

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/383138/publications.pdf>

Version: 2024-02-01

213  
papers

13,783  
citations

17440

63  
h-index

30081

103  
g-index

232  
all docs

232  
docs citations

232  
times ranked

16812  
citing authors

#	ARTICLE	IF	CITATIONS
1	A human monoclonal antibody blocking SARS-CoV-2 infection. <i>Nature Communications</i> , 2020, 11, 2251.	12.8	919
2	Viral Reorganization of the Secretory Pathway Generates Distinct Organelles for RNA Replication. <i>Cell</i> , 2010, 141, 799-811.	28.9	591
3	Coronavirus Cell Entry Occurs through the Endo-/Lysosomal Pathway in a Proteolysis-Dependent Manner. <i>PLoS Pathogens</i> , 2014, 10, e1004502.	4.7	338
4	Human coronaviruses OC43 and HKU1 bind to 9- <i>O</i> -acetylated sialic acids via a conserved receptor-binding site in spike protein domain A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 2681-2690.	7.1	335
5	The life cycle of non-polio enteroviruses and how to target it. <i>Nature Reviews Microbiology</i> , 2018, 16, 368-381.	28.6	275
6	Identification of sialic acid-binding function for the Middle East respiratory syndrome coronavirus spike glycoprotein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E8508-E8517.	7.1	272
7	The Receptor Binding Domain of the New Middle East Respiratory Syndrome Coronavirus Maps to a 231-Residue Region in the Spike Protein That Efficiently Elicits Neutralizing Antibodies. <i>Journal of Virology</i> , 2013, 87, 9379-9383.	3.4	204
8	Itraconazole Inhibits Enterovirus Replication by Targeting the Oxysterol-Binding Protein. <i>Cell Reports</i> , 2015, 10, 600-615.	6.4	201
9	Broad receptor engagement of an emerging global coronavirus may potentiate its diverse cross-species transmissibility. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5135-E5143.	7.1	192
10	MDA5 Detects the Double-Stranded RNA Replicative Form in Picornavirus-Infected Cells. <i>Cell Reports</i> , 2012, 2, 1187-1196.	6.4	190
11	Rhinovirus Uses a Phosphatidylinositol 4-Phosphate/Cholesterol Counter-Current for the Formation of Replication Compartments at the ER-Golgi Interface. <i>Cell Host and Microbe</i> , 2014, 16, 677-690.	11.0	189
12	Early endonuclease-mediated evasion of RNA sensing ensures efficient coronavirus replication. <i>PLoS Pathogens</i> , 2017, 13, e1006195.	4.7	184
13	Enterovirus 2A <sup>pro</sup> Targets MDA5 and MAVS in Infected Cells. <i>Journal of Virology</i> , 2014, 88, 3369-3378.	3.4	182
14	PLA2G16 represents a switch between entry and clearance of Picornaviridae. <i>Nature</i> , 2017, 541, 412-416.	27.8	168
15	GBF1, a Guanine Nucleotide Exchange Factor for Arf, Is Crucial for Coxsackievirus B3 RNA Replication. <i>Journal of Virology</i> , 2009, 83, 11940-11949.	3.4	164
16	Small molecule ISRIB suppresses the integrated stress response within a defined window of activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 2097-2102.	7.1	163
17	Middle East Respiratory Coronavirus Accessory Protein 4a Inhibits PKR-Mediated Antiviral Stress Responses. <i>PLoS Pathogens</i> , 2016, 12, e1005982.	4.7	161
18	Prevalence of xenotropic murine leukaemia virus-related virus in patients with chronic fatigue syndrome in the Netherlands: retrospective analysis of samples from an established cohort. <i>BMJ: British Medical Journal</i> , 2010, 340, c1018-c1018.	2.3	143

#	ARTICLE	IF	CITATIONS
19	A Viral Protein that Blocks Arf1-Mediated COP-I Assembly by Inhibiting the Guanine Nucleotide Exchange Factor GBF1. <i>Developmental Cell</i> , 2006, 11, 191-201.	7.0	138
20	A conserved immunogenic and vulnerable site on the coronavirus spike protein delineated by cross-reactive monoclonal antibodies. <i>Nature Communications</i> , 2021, 12, 1715.	12.8	138
21	Sensing of latent EBV infection through exosomal transfer of 5'â€²pppRNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E587-96.	7.1	136
22	(+)RNA viruses rewire cellular pathways to build replication organelles. <i>Current Opinion in Virology</i> , 2012, 2, 740-747.	5.4	133
23	Mouse Hepatitis Coronavirus RNA Replication Depends on GBF1-Mediated ARF1 Activation. <i>PLoS Pathogens</i> , 2008, 4, e1000088.	4.7	132
24	Cellular entry of the porcine epidemic diarrhea virus. <i>Virus Research</i> , 2016, 226, 117-127.	2.2	128
25	Rhinovirus-Induced Calcium Flux Triggers NLRP3 and NLRC5 Activation in Bronchial Cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2013, 49, 923-934.	2.9	124
26	Saffold Virus, a Human Theiler's-Like Cardiovirus, Is Ubiquitous and Causes Infection Early in Life. <i>PLoS Pathogens</i> , 2009, 5, e1000416.	4.7	118
27	Stress Granules Regulate Double-Stranded RNA-Dependent Protein Kinase Activation through a Complex Containing G3BP1 and Caprin1. <i>MBio</i> , 2015, 6, e02486.	4.1	118
28	Replication and Inhibitors of Enteroviruses and Parechoviruses. <i>Viruses</i> , 2015, 7, 4529-4562.	3.3	117
29	The Coxsackievirus 2B Protein Suppresses Apoptotic Host Cell Responses by Manipulating Intracellular Ca <sup>2+</sup> Homeostasis. <i>Journal of Biological Chemistry</i> , 2004, 279, 18440-18450.	3.4	116
30	Functional Analysis of Picornavirus 2B Proteins: Effects on Calcium Homeostasis and Intracellular Protein Trafficking. <i>Journal of Virology</i> , 2008, 82, 3782-3790.	3.4	110
31	Coxsackievirus mutants that can bypass host factor PI4KIII $\beta$ and the need for high levels of PI4P lipids for replication. <i>Cell Research</i> , 2012, 22, 1576-1592.	12.0	110
32	Effects of Picornavirus 3A Proteins on Protein Transport and GBF1-Dependent COP-I Recruitment. <i>Journal of Virology</i> , 2006, 80, 11852-11860.	3.4	105
33	Proteolytic Activation of the Porcine Epidemic Diarrhea Coronavirus Spike Fusion Protein by Trypsin in Cell Culture. <i>Journal of Virology</i> , 2014, 88, 7952-7961.	3.4	105
34	Building Viral Replication Organelles: Close Encounters of the Membrane Types. <i>PLoS Pathogens</i> , 2016, 12, e1005912.	4.7	104
35	A New Inhibitor of Apoptosis from Vaccinia Virus and Eukaryotes. <i>PLoS Pathogens</i> , 2007, 3, e17.	4.7	103
36	Sialic acid-dependent cell entry of human enterovirus D68. <i>Nature Communications</i> , 2015, 6, 8865.	12.8	101

#	ARTICLE	IF	CITATIONS
37	ATP1A1-Mediated Src Signaling Inhibits Coronavirus Entry into Host Cells. <i>Journal of Virology</i> , 2015, 89, 4434-4448.	3.4	101
38	Kinetic analysis of the influenza A virus HA/NA balance reveals contribution of NA to virus-receptor binding and NA-dependent rolling on receptor-containing surfaces. <i>PLoS Pathogens</i> , 2018, 14, e1007233.	4.7	101
39	The mengovirus leader protein blocks interferon- $\beta$ / $\gamma$ gene transcription and inhibits activation of interferon regulatory factor 3. <i>Cellular Microbiology</i> , 2007, 9, 2921-2930.	2.1	100
40	Towards a solution to MERS: protective human monoclonal antibodies targeting different domains and functions of the MERS-coronavirus spike glycoprotein. <i>Emerging Microbes and Infections</i> , 2019, 8, 516-530.	6.5	99
41	Identification of an LGP2-associated MDA5 agonist in picornavirus-infected cells. <i>ELife</i> , 2014, 3, e01535.	6.0	99
42	A Proline-Rich Region in the Coxsackievirus 3A Protein Is Required for the Protein To Inhibit Endoplasmic Reticulum-to-Golgi Transport. <i>Journal of Virology</i> , 2005, 79, 5163-5173.	3.4	96
43	A Novel, Broad-Spectrum Inhibitor of Enterovirus Replication That Targets Host Cell Factor Phosphatidylinositol 4-Kinase III $\beta$ . <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4971-4981.	3.2	96
44	Nucleocytoplasmic Traffic Disorder Induced by Cardioviruses. <i>Journal of Virology</i> , 2006, 80, 2705-2717.	3.4	93
45	Modulation of the Host Lipid Landscape to Promote RNA Virus Replication: The Picornavirus Encephalomyocarditis Virus Converges on the Pathway Used by Hepatitis C Virus. <i>PLoS Pathogens</i> , 2015, 11, e1005185.	4.7	93
46	Fat(al) attraction: Picornaviruses Usurp Lipid Transfer at Membrane Contact Sites to Create Replication Organelles. <i>Trends in Microbiology</i> , 2016, 24, 535-546.	7.7	92
47	Viral rewiring of cellular lipid metabolism to create membranous replication compartments. <i>Current Opinion in Cell Biology</i> , 2017, 47, 24-33.	5.4	91
48	The Coxsackievirus 2B Protein Increases Efflux of Ions from the Endoplasmic Reticulum and Golgi, thereby Inhibiting Protein Trafficking through the Golgi. <i>Journal of Biological Chemistry</i> , 2006, 281, 14144-14150.	3.4	88
49	Identification of a new dengue virus inhibitor that targets the viral NS4B protein and restricts genomic RNA replication. <i>Antiviral Research</i> , 2013, 99, 165-171.	4.1	86
50	MDA5 Localizes to Stress Granules, but This Localization Is Not Required for the Induction of Type I Interferon. <i>Journal of Virology</i> , 2013, 87, 6314-6325.	3.4	86
51	Enterovirus D68 receptor requirements unveiled by haploid genetics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 1399-1404.	7.1	86
52	Determinants for Membrane Association and Permeabilization of the Coxsackievirus 2B Protein and the Identification of the Golgi Complex as the Target Organelle. <i>Journal of Biological Chemistry</i> , 2003, 278, 1012-1021.	3.4	84
53	Betacoronavirus Adaptation to Humans Involved Progressive Loss of Hemagglutinin-Esterase Lectin Activity. <i>Cell Host and Microbe</i> , 2017, 21, 356-366.	11.0	83
54	Selective Serotonin Reuptake Inhibitor Fluoxetine Inhibits Replication of Human Enteroviruses B and D by Targeting Viral Protein 2C. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 1952-1956.	3.2	81

#	ARTICLE	IF	CITATIONS
55	Structural and functional characterization of the coxsackievirus B3 CRE(2C): role of CRE(2C) in negative- and positive-strand RNA synthesis. <i>Journal of General Virology</i> , 2006, 87, 103-113.	2.9	78
56	Infectious Bronchitis Coronavirus Limits Interferon Production by Inducing a Host Shutoff That Requires Accessory Protein 5b. <i>Journal of Virology</i> , 2016, 90, 7519-7528.	3.4	76
57	Rapid Emergence of Highly Pathogenic Avian Influenza Subtypes from a Subtype H5N1 Hemagglutinin Variant. <i>Emerging Infectious Diseases</i> , 2015, 21, 842-846.	4.3	75
58	Aminopeptidase N is not required for porcine epidemic diarrhea virus cell entry. <i>Virus Research</i> , 2017, 235, 6-13.	2.2	74
59	Direct-acting antivirals and host-targeting strategies to combat enterovirus infections. <i>Current Opinion in Virology</i> , 2017, 24, 1-8.	5.4	73
60	Foot-and-Mouth Disease Virus Leader Protease Cleaves G3BP1 and G3BP2 and Inhibits Stress Granule Formation. <i>Journal of Virology</i> , 2019, 93, .	3.4	72
61	The Thiazolobenzimidazole TBZE-029 Inhibits Enterovirus Replication by Targeting a Short Region Immediately Downstream from Motif C in the Nonstructural Protein 2C. <i>Journal of Virology</i> , 2008, 82, 4720-4730.	3.4	71
62	The Mengovirus Leader Protein Suppresses Alpha/Beta Interferon Production by Inhibition of the Iron/Ferritin-Mediated Activation of NF- $\kappa$ B. <i>Journal of Virology</i> , 2002, 76, 9664-9672.	3.4	70
63	Mutations in the Nonstructural Protein 3A Confer Resistance to the Novel Enterovirus Replication Inhibitor TTP-8307. <i>Antimicrobial Agents and Chemotherapy</i> , 2009, 53, 1850-1857.	3.2	68
64	Irreversible inactivation of ISG15 by a viral leader protease enables alternative infection detection strategies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 2371-2376.	7.1	68
65	Protein synthesis persists during necrotic cell death. <i>Journal of Cell Biology</i> , 2005, 168, 545-551.	5.2	67
66	Detection of Enterovirus RNA in Peripheral Blood Mononuclear Cells of Type 1 Diabetic Patients Beyond the Stage of Acute Infection. <i>Viral Immunology</i> , 2010, 23, 99-104.	1.3	66
67	Enterovirus protein 2B po(u)res out the calcium: a viral strategy to survive?. <i>Trends in Microbiology</i> , 2005, 13, 41-44.	7.7	65
68	Mengovirus-Induced Rearrangement of the Nuclear Pore Complex: Hijacking Cellular Phosphorylation Machinery. <i>Journal of Virology</i> , 2009, 83, 3150-3161.	3.4	65
69	Molecular Determinants of the Interaction between Coxsackievirus Protein 3A and Guanine Nucleotide Exchange Factor GBF1. <i>Journal of Virology</i> , 2007, 81, 5238-5245.	3.4	63
70	SARS-CoV-2 mucosal antibody development and persistence and their relation to viral load and COVID-19 symptoms. <i>Nature Communications</i> , 2021, 12, 5621.	12.8	63
71	Manipulation of the Porcine Epidemic Diarrhea Virus Genome Using Targeted RNA Recombination. <i>PLoS ONE</i> , 2013, 8, e69997.	2.5	62
72	Complexity and Diversity of the Mammalian Sialome Revealed by Nidovirus Virolectins. <i>Cell Reports</i> , 2015, 11, 1966-1978.	6.4	62

#	ARTICLE	IF	CITATIONS
73	Screening of a Library of FDA-Approved Drugs Identifies Several Enterovirus Replication Inhibitors That Target Viral Protein 2C. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 2627-2638.	3.2	62
74	Development of a SARS-CoV-2 Total Antibody Assay and the Dynamics of Antibody Response over Time in Hospitalized and Nonhospitalized Patients with COVID-19. <i>Journal of Immunology</i> , 2020, 205, 3491-3499.	0.8	61
75	Recruitment of PI4KIII <sup>2</sup> to Coxsackievirus B3 Replication Organelles Is Independent of ACBD3, GBF1, and Arf1. <i>Journal of Virology</i> , 2014, 88, 2725-2736.	3.4	60
76	The structure–function relationship of the enterovirus 3′-UTR. <i>Virus Research</i> , 2009, 139, 209-216.	2.2	59
77	Broad-range inhibition of enterovirus replication by OSW-1, a natural compound targeting OSBP. <i>Antiviral Research</i> , 2015, 117, 110-114.	4.1	59
78	Synergistic antiviral activity of gemcitabine and ribavirin against enteroviruses. <i>Antiviral Research</i> , 2015, 124, 1-10.	4.1	59
79	Highly Pathogenic Influenza A(H5Nx) Viruses with Altered H5 Receptor-Binding Specificity. <i>Emerging Infectious Diseases</i> , 2017, 23, 220-231.	4.3	59
80	Induction and suppression of innate antiviral responses by picornaviruses. <i>Cytokine and Growth Factor Reviews</i> , 2014, 25, 577-585.	7.2	55
81	The RNA Template Channel of the RNA-Dependent RNA Polymerase as a Target for Development of Antiviral Therapy of Multiple Genera within a Virus Family. <i>PLoS Pathogens</i> , 2015, 11, e1004733.	4.7	55
82	Antiviral Activity of Broad-Spectrum and Enterovirus-Specific Inhibitors against Clinical Isolates of Enterovirus D68. <i>Antimicrobial Agents and Chemotherapy</i> , 2015, 59, 7782-7785.	3.2	54
83	Feline Calicivirus Infection Disrupts Assembly of Cytoplasmic Stress Granules and Induces G3BP1 Cleavage. <i>Journal of Virology</i> , 2016, 90, 6489-6501.	3.4	54
84	An IFIH1 gene polymorphism associated with risk for autoimmunity regulates canonical antiviral defence pathways in Coxsackievirus infected human pancreatic islets. <i>Scientific Reports</i> , 2016, 6, 39378.	3.3	52
85	An siRNA screen for ATG protein depletion reveals the extent of the unconventional functions of the autophagy proteome in virus replication. <i>Journal of Cell Biology</i> , 2016, 214, 619-635.	5.2	52
86	Origins of Enterovirus Replication Organelles Established by Whole-Cell Electron Microscopy. <i>MBio</i> , 2019, 10, .	4.1	51
87	Serologic Screening of Severe Acute Respiratory Syndrome Coronavirus 2 Infection in Cats and Dogs during First Coronavirus Disease Wave, the Netherlands. <i>Emerging Infectious Diseases</i> , 2021, 27, 1362-1370.	4.3	51
88	Homomultimerization of the Coxsackievirus 2B Protein in Living Cells Visualized by Fluorescence Resonance Energy Transfer Microscopy. <i>Journal of Virology</i> , 2002, 76, 9446-9456.	3.4	50
89	Polyadenylation of genomic RNA and initiation of antigenomic RNA in a positive-strand RNA virus are controlled by the same cis-element. <i>Nucleic Acids Research</i> , 2006, 34, 2953-2965.	14.5	50
90	Fluoxetine Inhibits Enterovirus Replication by Targeting the Viral 2C Protein in a Stereospecific Manner. <i>ACS Infectious Diseases</i> , 2019, 5, 1609-1623.	3.8	50

#	ARTICLE	IF	CITATIONS
91	A plug-and-play platform of ratiometric bioluminescent sensors for homogeneous immunoassays. <i>Nature Communications</i> , 2021, 12, 4586.	12.8	50
92	Cytokine and Chemokine Production by Human Pancreatic Islets Upon Enterovirus Infection. <i>Diabetes</i> , 2012, 61, 2030-2036.	0.6	49
93	Coronavirus hemagglutinin-esterase and spike proteins coevolve for functional balance and optimal virion avidity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25759-25770.	7.1	48
94	Essential Role of Enterovirus 2A Protease in Counteracting Stress Granule Formation and the Induction of Type I Interferon. <i>Journal of Virology</i> , 2019, 93, .	3.4	47
95	Multimerization reactions of coxsackievirus proteins 2B, 2C and 2BC: a mammalian two-hybrid analysis. <i>Journal of General Virology</i> , 2002, 83, 783-793.	2.9	47
96	Characterization of Epitope-Specific Anti-Respiratory Syncytial Virus (Anti-RSV) Antibody Responses after Natural Infection and after Vaccination with Formalin-Inactivated RSV. <i>Journal of Virology</i> , 2016, 90, 5965-5977.	3.4	46
97	ACBD3 Is an Essential Pan-enterovirus Host Factor That Mediates the Interaction between Viral 3A Protein and Cellular Protein PI4KB. <i>MBio</i> , 2019, 10, .	4.1	46
98	Picornavirus infection induces temporal release of multiple extracellular vesicle subsets that differ in molecular composition and infectious potential. <i>PLoS Pathogens</i> , 2019, 15, e1007594.	4.7	46
99	The 2nd sialic acid-binding site of influenza A virus neuraminidase is an important determinant of the hemagglutinin-neuraminidase-receptor balance. <i>PLoS Pathogens</i> , 2019, 15, e1007860.	4.7	45
100	Antiapoptotic Activity of the Cardiovirus Leader Protein, a Viral "Security" Protein. <i>Journal of Virology</i> , 2009, 83, 7273-7284.	3.4	44
101	Mutation of the Second Sialic Acid-Binding Site, Resulting in Reduced Neuraminidase Activity, Preceded the Emergence of H7N9 Influenza A Virus. <i>Journal of Virology</i> , 2017, 91, .	3.4	44
102	Biological Significance of a Human Enterovirus B-Specific RNA Element in the 3' Nontranslated Region. <i>Journal of Virology</i> , 2002, 76, 9900-9909.	3.4	43
103	Differential Effects of the Putative GBF1 Inhibitors Golgicide A and AG1478 on Enterovirus Replication. <i>Journal of Virology</i> , 2010, 84, 7535-7542.	3.4	43
104	Knockout of cGAS and STING Rescues Virus Infection of Plasmid DNA-Transfected Cells. <i>Journal of Virology</i> , 2015, 89, 11169-11173.	3.4	43
105	Uncovering oxysterol-binding protein (OSBP) as a target of the anti-enteroviral compound TTP-8307. <i>Antiviral Research</i> , 2017, 140, 37-44.	4.1	43
106	Role of enhanced receptor engagement in the evolution of a pandemic acute hemorrhagic conjunctivitis virus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 397-402.	7.1	43
107	Coxsackie B virus infection of mice: inoculation by the oral route protects the pancreas from damage, but not from infection. <i>Journal of General Virology</i> , 2005, 86, 3271-3280.	2.9	43
108	Mutational Analysis of Different Regions in the Coxsackievirus 2B Protein. <i>Journal of Biological Chemistry</i> , 2004, 279, 19924-19935.	3.4	42

#	ARTICLE	IF	CITATIONS
109	Structural insights into the cross-neutralization of SARS-CoV and SARS-CoV-2 by the human monoclonal antibody 47D11. <i>Science Advances</i> , 2021, 7, .	10.3	42
110	Escaping Host Factor PI4KB Inhibition: Enterovirus Genomic RNA Replication in the Absence of Replication Organelles. <i>Cell Reports</i> , 2017, 21, 587-599.	6.4	41
111	Cholesterol shuttling is important for <scp>RNA</scp> replication of coxsackievirus <scp>B</scp> 3 and encephalomyocarditis virus. <i>Cellular Microbiology</i> , 2015, 17, 1144-1156.	2.1	39
112	Inhibition of the integrated stress response by viral proteins that block p-eIF2 $\hat{a}$ e-eIF2B association. <i>Nature Microbiology</i> , 2020, 5, 1361-1373.	13.3	39
113	GBF1- and ACBD3-Independent Recruitment of PI4KIII $\hat{I}$ 2 to Replication Sites by Rhinovirus 3A Proteins. <i>Journal of Virology</i> , 2015, 89, 1913-1918.	3.4	38
114	Coronavirus receptor switch explained from the stereochemistry of protein $\hat{a}$ e-carbohydrate interactions and a single mutation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E3111-9.	7.1	38
115	Molecular basis for the acid-initiated uncoating of human enterovirus D68. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E12209-E12217.	7.1	38
116	Phagocytosis of Enterovirus-Infected Pancreatic $\hat{I}$ 2-Cells Triggers Innate Immune Responses in Human Dendritic Cells. <i>Diabetes</i> , 2010, 59, 1182-1191.	0.6	37
117	Evolution of the Hemagglutinin Protein of the New Pandemic H1N1 Influenza Virus: Maintaining Optimal Receptor Binding by Compensatory Substitutions. <i>Journal of Virology</i> , 2013, 87, 13868-13877.	3.4	37
118	Binding of Glutathione to Enterovirus Capsids Is Essential for Virion Morphogenesis. <i>PLoS Pathogens</i> , 2014, 10, e1004039.	4.7	37
119	An ACE2-blocking antibody confers broad neutralization and protection against Omicron and other SARS-CoV-2 variants of concern. <i>Science Immunology</i> , 2022, 7, eabp9312.	11.9	35
120	Identification of Potential Recombination Breakpoints in Human Parechoviruses. <i>Journal of Virology</i> , 2009, 83, 3379-3383.	3.4	33
121	A Single Point Mutation Creating a Furin Cleavage Site in the Spike Protein Renders Porcine Epidemic Diarrhea Coronavirus Trypsin Independent for Cell Entry and Fusion. <i>Journal of Virology</i> , 2015, 89, 8077-8081.	3.4	33
122	Posaconazole inhibits dengue virus replication by targeting oxysterol-binding protein. <i>Antiviral Research</i> , 2018, 157, 68-79.	4.1	32
123	Echovirus infection causes rapid loss-of-function and cell death in human dendritic cells. <i>Cellular Microbiology</i> , 2007, 9, 1507-1518.	2.1	31
124	Identification of Residues That Affect Oligomerization and/or Enzymatic Activity of Influenza Virus H5N1 Neuraminidase Proteins. <i>Journal of Virology</i> , 2016, 90, 9457-9470.	3.4	31
125	Bypassing pan-enterovirus host factor PLA2G16. <i>Nature Communications</i> , 2019, 10, 3171.	12.8	31
126	Substrate Binding by the Second Sialic Acid-Binding Site of Influenza A Virus N1 Neuraminidase Contributes to Enzymatic Activity. <i>Journal of Virology</i> , 2018, 92, .	3.4	30

#	ARTICLE	IF	CITATIONS
127	Structure-Function Analysis of the Coxsackievirus Protein 3A. <i>Journal of Biological Chemistry</i> , 2006, 281, 28232-28243.	3.4	28
128	Random Mutagenesis Defines a Domain of Theiler's Virus Leader Protein That Is Essential for Antagonism of Nucleocytoplasmic Trafficking and Cytokine Gene Expression. <i>Journal of Virology</i> , 2009, 83, 11223-11232.	3.4	28
129	SARS-CoV-2 Neutralizing Human Antibodies Protect Against Lower Respiratory Tract Disease in a Hamster Model. <i>Journal of Infectious Diseases</i> , 2021, 223, 2020-2028.	4.0	28
130	Modification of picornavirus genomic RNA using "click" chemistry shows that unlinking of the VPg peptide is dispensable for translation and replication of the incoming viral RNA. <i>Nucleic Acids Research</i> , 2014, 42, 2473-2482.	14.5	27
131	Identification and Characterization of a Proteolytically Primed Form of the Murine Coronavirus Spike Proteins after Fusion with the Target Cell. <i>Journal of Virology</i> , 2014, 88, 4943-4952.	3.4	27
132	Dynamic remodelling of the human host cell proteome and phosphoproteome upon enterovirus infection. <i>Nature Communications</i> , 2020, 11, 4332.	12.8	27
133	Human-type sialic acid receptors contribute to avian influenza A virus binding and entry by hetero-multivalent interactions. <i>Nature Communications</i> , 2022, 13, .	12.8	27
134	Synthesis and Biological Properties of Novel Brefeldin A Analogues. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 5872-5884.	6.4	26
135	Convergent evolution in the mechanisms of ACBD3 recruitment to picornavirus replication sites. <i>PLoS Pathogens</i> , 2019, 15, e1007962.	4.7	26
136	Dissecting distinct proteolytic activities of FMDV Lpro implicates cleavage and degradation of RLR signaling proteins, not its delSGylase/DUB activity, in type I interferon suppression. <i>PLoS Pathogens</i> , 2020, 16, e1008702.	4.7	26
137	Differential Membrane Association Properties and Regulation of Class I and Class II Arfs. <i>Traffic</i> , 2009, 10, 316-323.	2.7	25
138	Serological Screening for Coronavirus Infections in Cats. <i>Viruses</i> , 2019, 11, 743.	3.3	25
139	Second sialic acid-binding site of influenza A virus neuraminidase: binding receptors for efficient release. <i>FEBS Journal</i> , 2021, 288, 5598-5612.	4.7	25
140	Respiratory mucus as a virus-host range determinant. <i>Trends in Microbiology</i> , 2021, 29, 983-992.	7.7	25
141	Integrative Genomics-Based Discovery of Novel Regulators of the Innate Antiviral Response. <i>PLoS Computational Biology</i> , 2015, 11, e1004553.	3.2	25
142	The Crystal Structure of a Cardiovirus RNA-Dependent RNA Polymerase Reveals an Unusual Conformation of the Polymerase Active Site. <i>Journal of Virology</i> , 2014, 88, 5595-5607.	3.4	24
143	Cryo-EM structure of coronavirus-HKU1 haemagglutinin esterase reveals architectural changes arising from prolonged circulation in humans. <i>Nature Communications</i> , 2020, 11, 4646.	12.8	24
144	Phagocytosis of Picornavirus-Infected Cells Induces an RNA-Dependent Antiviral State in Human Dendritic Cells. <i>Journal of Virology</i> , 2008, 82, 2930-2937.	3.4	23

#	ARTICLE	IF	CITATIONS
145	Structure-activity relationship study of itraconazole, a broad-range inhibitor of picornavirus replication that targets oxysterol-binding protein (OSBP). <i>Antiviral Research</i> , 2018, 156, 55-63.	4.1	22
146	Interferon-beta expression and type I interferon receptor signaling of hepatocytes prevent hepatic necrosis and virus dissemination in Coxsackievirus B3-infected mice. <i>PLoS Pathogens</i> , 2018, 14, e1007235.	4.7	22
147	Cross-Talk between Human Dendritic Cell Subsets Influences Expression of RNA Sensors and Inhibits Picornavirus Infection. <i>Journal of Innate Immunity</i> , 2010, 2, 360-370.	3.8	21
148	Identification of fukinolic acid from <i>Cimicifuga heracleifolia</i> and its derivatives as novel antiviral compounds against enterovirus A71 infection. <i>International Journal of Antimicrobial Agents</i> , 2019, 53, 128-136.	2.5	21
149	Characterization of the c10orf76-PI4KB complex and its necessity for Golgi PI4P levels and enterovirus replication. <i>EMBO Reports</i> , 2020, 21, e48441.	4.5	21
150	Synthesis and antiviral effect of novel fluoxetine analogues as enterovirus 2C inhibitors. <i>Antiviral Research</i> , 2020, 178, 104781.	4.1	21
151	Structure of the Pyrimidine-rich Internal Loop in the Poliovirus 5'-UTR: The Importance of Maintaining Pseudo-2-fold Symmetry in RNA Helices Containing Two Adjacent Non-canonical Base-pairs. <i>Journal of Molecular Biology</i> , 2003, 331, 759-769.	4.2	20
152	Seroepidemiology of Saffold Coronavirus Type 2. <i>Emerging Infectious Diseases</i> , 2011, 17, 1572-3.	4.3	19
153	Deletion of Cytoplasmic Double-Stranded RNA Sensors Does Not Uncover Viral Small Interfering RNA Production in Human Cells. <i>MSphere</i> , 2017, 2, .	2.9	19
154	Mutation of the second sialic acid-binding site of influenza A virus neuraminidase drives compensatory mutations in hemagglutinin. <i>PLoS Pathogens</i> , 2020, 16, e1008816.	4.7	19
155	Intracellular transport, sorting, and proteolytic processing of regulated secretory proteins does not require protein sulfation. <i>Molecular and Cellular Endocrinology</i> , 1997, 136, 29-35.	3.2	18
156	Mutations in Encephalomyocarditis Virus 3A Protein Uncouple the Dependency of Genome Replication on Host Factors Phosphatidylinositol 4-Kinase III $\beta$ and Oxysterol-Binding Protein. <i>MSphere</i> , 2016, 1, .	2.9	18
157	Manipulation of Disulfide Bonds Differentially Affects the Intracellular Transport, Sorting, and Processing of Neuroendocrine Secretory Proteins. <i>Journal of Neurochemistry</i> , 2002, 71, 402-409.	3.9	17
158	Differential IFN- $\alpha$ / $\beta$ production suppressing capacities of the leader proteins of mengovirus and foot-and-mouth disease virus. <i>Cellular Microbiology</i> , 2010, 12, 310-317.	2.1	17
159	Application of a cell-based protease assay for testing inhibitors of picornavirus 3C proteases. <i>Antiviral Research</i> , 2014, 103, 17-24.	4.1	17
160	Structure and Genome Release Mechanism of the Human Coronavirus Saffold Virus 3. <i>Journal of Virology</i> , 2016, 90, 7628-7639.	3.4	17
161	No evidence for viral small RNA production and antiviral function of Argonaute 2 in human cells. <i>Scientific Reports</i> , 2019, 9, 13752.	3.3	17
162	Rational design of highly potent broad-spectrum enterovirus inhibitors targeting the nonstructural protein 2C. <i>PLoS Biology</i> , 2020, 18, e3000904.	5.6	17

#	ARTICLE	IF	CITATIONS
163	An alphavirus replicon-based vaccine expressing a stabilized Spike antigen induces protective immunity and prevents transmission of SARS-CoV-2 between cats. <i>Npj Vaccines</i> , 2021, 6, 122.	6.0	17
164	XMRV and CFS – the sad end of a story. <i>Lancet, The</i> , 2012, 379, e27-e28.	13.7	16
165	In silico structure-based design and synthesis of novel anti-RSV compounds. <i>Antiviral Research</i> , 2015, 122, 46-50.	4.1	16
166	Coxsackievirus Cloverleaf RNA Containing a 5' Triphosphate Triggers an Antiviral Response via RIG-I Activation. <i>PLoS ONE</i> , 2014, 9, e95927.	2.5	16
167	Structural and functional integrity of the coxsackievirus B3 oriR: spacing between coaxial RNA helices. <i>Journal of General Virology</i> , 2006, 87, 689-695.	2.9	15
168	Tyrphostin AG1478 Inhibits Encephalomyocarditis Virus and Hepatitis C Virus by Targeting Phosphatidylinositol 4-Kinase III $\beta$ . <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 6402-6406.	3.2	15
169	Lipid Droplets Grease Enterovirus Replication. <i>Cell Host and Microbe</i> , 2019, 26, 149-151.	11.0	15
170	Identification of the Cell-Surface Protease ADAM9 as an Entry Factor for Encephalomyocarditis Virus. <i>MBio</i> , 2019, 10, .	4.1	15
171	Recombinant Soluble Respiratory Syncytial Virus F Protein That Lacks Heptad Repeat B, Contains a GCN4 Trimerization Motif and Is Not Cleaved Displays Prefusion-Like Characteristics. <i>PLoS ONE</i> , 2015, 10, e0130829.	2.5	15
172	Breaking pseudo-twofold symmetry in the poliovirus 3'-UTR Y-stem by restoring Watson-Crick base pairs. <i>Rna</i> , 2007, 13, 781-792.	3.5	14
173	Dissecting Virus Entry: Replication-Independent Analysis of Virus Binding, Internalization, and Penetration Using Minimal Complementations of $\beta$ -Galactosidase. <i>PLoS ONE</i> , 2014, 9, e101762.	2.5	14
174	Bithiazole Inhibitors of Phosphatidylinositol 4-Kinase (PI4KIII $\beta$ ) as Broad-Spectrum Antivirals Blocking the Replication of SARS-CoV-2, Zika Virus, and Human Rhinoviruses. <i>ChemMedChem</i> , 2021, 16, 3548-3552.	3.2	13
175	Targeting of the Hydrophobic Metabolome by Pathogens. <i>Traffic</i> , 2015, 16, 439-460.	2.7	12
176	Modulation of proteolytic polyprotein processing by coxsackievirus mutants resistant to inhibitors targeting phosphatidylinositol-4-kinase III $\beta$ or oxysterol binding protein. <i>Antiviral Research</i> , 2017, 147, 86-90.	4.1	12
177	Antigenic structure of the human coronavirus OC43 spike reveals exposed and occluded neutralizing epitopes. <i>Nature Communications</i> , 2022, 13, .	12.8	12
178	Host factor prioritization for pan-viral genetic perturbation screens using random intercept models and network propagation. <i>PLoS Computational Biology</i> , 2020, 16, e1007587.	3.2	11
179	Analysis of the Evolution of Pandemic Influenza A(H1N1) Virus Neuraminidase Reveals Entanglement of Different Phenotypic Characteristics. <i>MBio</i> , 2021, 12, .	4.1	11
180	Fluoxetine targets an allosteric site in the enterovirus 2C AAA+ ATPase and stabilizes a ring-shaped hexameric complex. <i>Science Advances</i> , 2022, 8, eabj7615.	10.3	11

#	ARTICLE	IF	CITATIONS
181	The encephalomyocarditis virus Leader promotes the release of virions inside extracellular vesicles via the induction of secretory autophagy. <i>Nature Communications</i> , 2022, 13, .	12.8	11
182	Intra-host emergence of an enterovirus A71 variant with enhanced PSGL1 usage and neurovirulence. <i>Emerging Microbes and Infections</i> , 2019, 8, 1076-1085.	6.5	10
183	Development and Validation of a S1 Protein-Based ELISA for the Specific Detection of Antibodies against Equine Coronavirus. <i>Viruses</i> , 2019, 11, 1109.	3.3	10
184	Serological Screening of Influenza A Virus Antibodies in Cats and Dogs Indicates Frequent Infection with Different Subtypes. <i>Journal of Clinical Microbiology</i> , 2020, 58, .	3.9	10
185	Enterocytes, fibroblasts and myeloid cells synergize in anti-bacterial and anti-viral pathways with IL22 as the central cytokine. <i>Communications Biology</i> , 2021, 4, 631.	4.4	8
186	Differential Susceptibility and Response of Primary Human Myeloid BDCA1+ Dendritic Cells to Infection with Different Enteroviruses. <i>PLoS ONE</i> , 2013, 8, e62502.	2.5	8
187	Enterovirus-Infected $\hat{I}^2$ -Cells Induce Distinct Response Patterns in BDCA1+ and BDCA3+ Human Dendritic Cells. <i>PLoS ONE</i> , 2015, 10, e0121670.	2.5	8
188	Interactions between Viral and Prokaryotic Pathogens in a Mixed Infection with Cardiovirus and Mycoplasma. <i>Journal of Virology</i> , 2009, 83, 9940-9951.	3.4	7
189	Fitness and Virulence of a Coxsackievirus Mutant That Can Circumnavigate the Need for Phosphatidylinositol 4-Kinase Class III Beta. <i>Journal of Virology</i> , 2014, 88, 3048-3051.	3.4	7
190	Enhanced Enterovirus D68 Replication in Neuroblastoma Cells Is Associated with a Cell Culture-Adaptive Amino Acid Substitution in VP1. <i>MSphere</i> , 2020, 5, .	2.9	7
191	Fatal Intrauterine Infection Associated with Mycoplasma hominis. <i>Clinical Infectious Diseases</i> , 1992, 15, 753-754.	5.8	6
192	Saffold cardiovirus and multiple sclerosis: no evidence for an association. <i>Annals of Clinical and Translational Neurology</i> , 2014, 1, 618-621.	3.7	6
193	Immunologic defects in severe mucocutaneous HSV-2 infections: Response to IFN- $\hat{I}^3$ therapy. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 895-898.	2.9	6
194	Neurotropism of Saffold virus in a mouse model. <i>Journal of General Virology</i> , 2016, 97, 1350-1355.	2.9	4
195	Synthesis, Structure-Activity Relationships, and Antiviral Profiling of 1-Heteroaryl-2-Alkoxyphenyl Analogs as Inhibitors of SARS-CoV-2 Replication. <i>Molecules</i> , 2022, 27, 1052.	3.8	4
196	Cholesterol: fa(s)t-food for enterovirus genome replication. <i>Trends in Microbiology</i> , 2013, 21, 560-561.	7.7	3
197	Trans-complementation of a genetic defect in the coxsackie B3 virus 2B protein. <i>Journal of General Virology</i> , 2002, 83, 341-350.	2.9	3
198	Reduction of phospholipase D activity during coxsackievirus infection. <i>Journal of General Virology</i> , 2007, 88, 3027-3030.	2.9	2

#	ARTICLE	IF	CITATIONS
199	Unusual Loop-Sequence Flexibility of the Proximal RNA Replication Element in EMCV. PLoS ONE, 2011, 6, e24818.	2.5	2
200	Immunometabolism pathways as the basis for innovative anti-viral strategies (INITIATE): A Marie Skłodowska-Curie innovative training network. Virus Research, 2020, 287, 198094.	2.2	2
201	Remodeling Cellular Membranes. , 0, , 181-193.		1
202	Rhinoviruses usurp STING for replication. Nature Microbiology, 2022, 7, 605-606.	13.3	1
203	Title is missing!. , 2020, 18, e3000904.		0
204	Title is missing!. , 2020, 18, e3000904.		0
205	Title is missing!. , 2020, 18, e3000904.		0
206	Title is missing!. , 2020, 18, e3000904.		0
207	Title is missing!. , 2020, 18, e3000904.		0
208	Title is missing!. , 2020, 18, e3000904.		0
209	Title is missing!. , 2020, 16, e1007587.		0
210	Title is missing!. , 2020, 16, e1007587.		0
211	Title is missing!. , 2020, 16, e1007587.		0
212	Title is missing!. , 2020, 16, e1007587.		0
213	Proteolytic Activities of Enterovirus 2A Do Not Depend on Its Interaction with SETD3. Viruses, 2022, 14, 1360.	3.3	0