Wen Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3831485/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | 352-Gbit/s single line rate THz wired transmission based on PS-4096QAM employing hollow-core fiber. Digital Communications and Networks, 2023, 9, 717-722. | 5.0 | 5 |
| 2 | Transmission of High-Frequency Terahertz Band Signal Beyond 300 GHz Over Metallic Hollow Core Fiber. Journal of Lightwave Technology, 2022, 40, 700-707. | 4.6 | 8 |
| 3 | Low Complexity Neural Network Equalization Based on Multi-Symbol Output Technique for 200+ Gbps IM/DD Short Reach Optical System. Journal of Lightwave Technology, 2022, 40, 2890-2900. | 4.6 | 26 |
| 4 | 81-GHz W-band 60-Gbps 64-QAM wireless transmission based on a dual-GRU equalizer. Optics Express, 2022, 30, 2364. | 3.4 | 6 |
| 5 | 800-Gb/s/carrier WDM Coherent Transmission Over 2000 km Based on Truncated PS-64QAM Utilizing MIMO Volterra Equalizer. Journal of Lightwave Technology, 2022, 40, 2830-2839. | 4.6 | 24 |
| 6 | Complex-Valued 2D-CNN Equalization for OFDM Signals in a Photonics-Aided MMW Communication System at the D-Band. Journal of Lightwave Technology, 2022, 40, 2791-2798. | 4.6 | 13 |
| 7 | 124.8-Gbit/s PS-256QAM Signal Wireless Delivery Over 104 m in a Photonics-Aided Terahertz-Wave System. IEEE Transactions on Terahertz Science and Technology, 2022, 12, 409-414. | 3.1 | 15 |
| 8 | 104-m Terahertz-Wave Wireless Transmission Employing 124.8-Gbit/s PS-256QAM Signal. , 2022, , . | | 7 |
| 9 | High-Speed Terahertz Band Radio-Over-Fiber System Using Hybrid Time-Frequency Domain Equalization. IEEE Photonics Technology Letters, 2022, 34, 559-562. | 2.5 | 17 |
| 10 | 104 Meters Photonics-Aided Terahertz Wireless Transmission Without Terahertz Amplifier. IEEE Photonics Technology Letters, 2022, 34, 858-861. | 2.5 | 11 |
| 11 | 640-Gbps/Carrier WDM Transmission over 6,400 km Based on PS-16QAM at 106 Gbaud Employing Advanced DSP. Journal of Lightwave Technology, 2021, 39, 55-63. | 4.6 | 18 |
| 12 | Comparison of Real- and Complex-Valued NN Equalizers for Photonics-Aided 90-Gbps D-band PAM-4 Coherent Detection. Journal of Lightwave Technology, 2021, 39, 6858-6868. | 4.6 | 22 |
| 13 | High Spectral Efficiency WDM Transmission Based on Hybrid Probabilistically and Geometrically Shaped 256QAM. Journal of Lightwave Technology, 2021, 39, 5494-5501. | 4.6 | 23 |
| 14 | QAM Vector mm-Wave Signal Generation Based on Optical Orthogonal Polarization SSB Scheme By a Single Modulator. Journal of Lightwave Technology, 2021, 39, 7628-7635. | 4.6 | 3 |
| 15 | Bi-Directional OFDM Truncated PS-4096QAM Signals Transmission in a Full-Duplex MMW-RoF System at E-Band. Journal of Lightwave Technology, 2021, 39, 3412-3419. | 4.6 | 16 |
| 16 | Demonstration of 470 GHz Bandwidth Wireless Transmitter Based on Photo-mixer for Simultaneous Transmission of Photonics-generated Signals in All-Band 6G Systems. , 2021, , . | | 0 |
| 17 | Demonstration of 352-Gbit/s Single Line Rate PS-4096QAM THz Wired Transmission over Hollow-Core Fiber. , 2021, , . | | 4 |
| 18 | Multi-Symbol Output Long Short-Term Memory Neural Network Equalizer For 200+ Gbps IM/DD System. , 2021, , . | | 5 |

Wen Zhou

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | SOA Pre-Amplified 100 Gb/s/λ PAM-4 TDM-PON Downstream Transmission Using 10 Gbps O-Band Transmitters. Journal of Lightwave Technology, 2020, 38, 185-193. | 4.6 | 30 |
| 20 | 200  Gbit/s/λ PDM-PAM-4 PON system based on intensity modulation and coherent detection. Journal of Optical Communications and Networking, 2020, 12, A1. | 4.8 | 37 |
| 21 | Simultaneous Generation of Wired and Wireless Signals Using a DP-MZM in a RoF System. IEEE Photonics Technology Letters, 2020, 32, 905-908. | 2.5 | 8 |
| 22 | 200-Gbit/s PAM4 Generation by a Dual-Polarization Mach-Zehnder Modulator Without DAC. IEEE Photonics Technology Letters, 2020, 32, 1223-1226. | 2.5 | 3 |
| 23 | 135-GHz D-Band 60-Gbps PAM-8 Wireless Transmission Employing a Joint DNN Equalizer With BP and CMMA. Journal of Lightwave Technology, 2020, 38, 3592-3601. | 4.6 | 25 |
| 24 | D-Band mm-Wave SSB Vector Signal Generation Based on Cascaded Intensity Modulators. IEEE Photonics Journal, 2020, 12, 1-11. | 2.0 | 7 |
| 25 | High-Speed PS-PAM8 Transmission in a Four-Lane IM/DD System Using SOA at O-Band for 800G DCI. IEEE Photonics Technology Letters, 2020, 32, 293-296. | 2.5 | 27 |
| 26 | 56 Gbit/s/λ PAM-4 IM/DD Transmission over 120 km SSMF at O-band Using Cascaded Semiconductor Optical Amplifiers for Data Center Interconnects. , 2020, , . | | 2 |
| 27 | Optical comb generator with flat-topped spectral response using one electroabsorption-modulated laser and one phase modulator. Optical Engineering, 2020, 59, 1. | 1.0 | 1 |
| 28 | 280 Gb/s IM/DD PS-PAM-8 Transmission Over 10 km SSMF at O-band For Optical Interconnects. , 2020, , . | | 17 |
| 29 | 120 Gb/s Wireless Terahertz-Wave Signal Delivery by 375 GHz-500 GHz Multi-Carrier in a 2 × 2 MIMO System. Journal of Lightwave Technology, 2019, 37, 606-611. | 4.6 | 53 |
| 30 | 140-Gb/s PS-256-QAM Transmission in an OFDM System Using Kramers–Kronig Detection. IEEE Photonics Technology Letters, 2019, 31, 1405-1408. | 2.5 | 14 |
| 31 | A New Scheme to Generate Multi-Frequency Mm-Wave Signals Based on Cascaded Phase Modulator and I/Q Modulator. IEEE Photonics Journal, 2019, 11, 1-8. | 2.0 | 7 |
| 32 | Four Sub-Channel Single Sideband Generation of Vector mm-Wave Based on an I/Q Modulator. IEEE Photonics Journal, 2019, 11, 1-9. | 2.0 | 14 |
| 33 | 392ÂGHz THz vector signal generation based on ISB and multi-frequency signal generation using cascaded phase modulator and I/Q modulator. Optics Communications, 2019, 452, 181-184. | 2.1 | 5 |
| 34 | W-band PAM-4 wireless delivery employing intensity modulation and coherent detection based on CMMA equalization. , 2019, , . | | 1 |
| 35 | Polar Coded OFDM Signal Transmission at the W-Band in Millimeter-Wave System. IEEE Photonics Journal, 2019, 11, 1-6. | 2.0 | 3 |
| 36 | 1-Tb/s Millimeter-Wave Signal Wireless Delivery at D-Band. Journal of Lightwave Technology, 2019, 37, 196-204. | 4.6 | 77 |

Wen Zhou

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | 100 Gbit/s VSB-PAM-n IM/DD transmission system based on 10 GHz DML with optical filtering and joint nonlinear equalization. Optics Express, 2019, 27, 6098. | 3.4 | 32 |
| 38 | Delivery of 54-Gb/s 8QAM W-Band Signal and 32-Gb/s 16QAM K -Band Signal Over 20-km SMF-28 and 2500-m Wireless Distance. Journal of Lightwave Technology, 2018, 36, 50-56. | 4.6 | 34 |
| 39 | PAM-4 delivery based on pre-distortion and CMMA equalization in a ROF system at 40ÂGHz. Optics Communications, 2018, 416, 61-65. | 2.1 | 10 |
| 40 | Fiber-THz-Fiber Link for THz Signal Transmission. IEEE Photonics Journal, 2018, 10, 1-6. | 2.0 | 17 |
| 41 | Seamless Integration of a Fiber-THz Wireless-Fiber 2X2 MIMO Broadband Network. , 2018, , . | | 6 |
| 42 | Application of Chirp-managed laser and bits-interleaving in digital mobile fronthaul. , 2018, , . | | 0 |
| 43 | Tutorial: Broadband fiber-wireless integration for 5G+ communication. APL Photonics, 2018, 3, . | 5.7 | 53 |
| 44 | 3.5 Gbit/s OOK THz signal delivery over 88 cm freeâ€space at 441.504 GHz. Microwave and Optical Technology Letters, 2018, 60, 1435-1439. | 1.4 | 10 |
| 45 | Probabilistically Shaped 16QAM Signal Transmission in a Photonics-aided Wireless Terahertz-Wave System. , 2018, , . | | 33 |
| 46 | 1-Tb/s Photonics-aided Vector Millimeter-Wave Signal Wireless Delivery at D-Band. , 2018, , . | | 16 |
| 47 | Simultaneous generation of 40, 80 and 120 GHz optical millimeter-wave from one Mach-Zehnder modulator and demonstration of millimeter-wave transmission and down-conversion. Optics Communications, 2017, 398, 101-106. | 2.1 | 25 |
| 48 | Nonlinear Compensation of Multi-CAP VLC System Employing Clustering Algorithm Based Perception Decision. IEEE Photonics Journal, 2017, 9, 1-9. | 2.0 | 30 |
| 49 | Photonics-aided 2 × 2 MIMO wireless terahertz-wave signal transmission system with optical polarization multiplexing. Optics Express, 2017, 25, 33236. | 3.4 | 32 |
| 50 | Pre-coding assisted generation of a frequency quadrupled optical vector D-band millimeter wave with one Mach-Zehnder modulator. Optics Express, 2017, 25, 26483. | 3.4 | 24 |