

Salmah Yaakop

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3831633/publications.pdf>

Version: 2024-02-01

55
papers

233
citations

1163117

8
h-index

1125743

13
g-index

55
all docs

55
docs citations

55
times ranked

262
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Precise identification of different stages of a tick, <i>Ixodes granulatus</i> Supino, 1897 (Acari: Ixodidae). Asian Pacific Journal of Tropical Biomedicine, 2016, 6, 597-604. | 1.2 | 26 |
| 2 | Phylogenetic relationships of Malaysia's long-tailed macaques, <i>Macaca fascicularis</i> , based on cytochrome b sequences. ZooKeys, 2014, 407, 121-139. | 1.1 | 19 |
| 3 | Continental Monophyly and Molecular Divergence of Peninsular Malaysia's <i>Macaca fascicularis</i> fascicularis. BioMed Research International, 2014, 2014, 1-18. | 1.9 | 19 |
| 4 | The molecular phylogenetic signature of Bali cattle revealed by maternal and paternal markers. Molecular Biology Reports, 2013, 40, 5165-5176. | 2.3 | 18 |
| 5 | Molecular identification of blood meal sources of ticks (Acari, Ixodidae) using cytochrome b gene as a genetic marker. ZooKeys, 2015, 478, 27-43. | 1.1 | 14 |
| 6 | Exploring the abundance and DNA barcode information of eight parasitoid wasps species (Hymenoptera), the natural enemies of the important pest of oil palm, bagworm, <i>Metisa plana</i> (Lepidoptera: Psychidae) toward the biocontrol approach and its application in Malaysia. Journal of Asia-Pacific Entomology, 2018, 21, 1359-1365. | 0.9 | 13 |
| 7 | Molecular identification of shark fins in Malaysian Borneo's local markets. Biodiversitas, 2018, 19, 1035-1043. | 0.6 | 13 |
| 8 | Diet Composition of the Wild Stump-Tailed Macaque (<i>Macaca arctoides</i>) in Perlis State Park, Peninsular Malaysia, Using a Chloroplast trnL DNA Metabarcoding Approach: A Preliminary Study. Animals, 2020, 10, 2215. | 2.3 | 12 |
| 9 | DNA barcoding and relationships of eight ladybugs species (Coleoptera: Coccinellidae) that infesting several crops from Peninsular Malaysia. Journal of Asia-Pacific Entomology, 2017, 20, 814-820. | 0.9 | 10 |
| 10 | Metabarcoding in Diet Assessment of <i>Heterotrigna itama</i> Based on trnL Marker towards Domestication Program. Insects, 2021, 12, 205. | 2.2 | 10 |
| 11 | New and interesting <i>Laboulbeniales</i> from southern and southeastern Asia. Mycotaxon, 2015, 129, 439-454. | 0.3 | 8 |
| 12 | Molecular clock analysis on five <i>Bactrocera</i> species flies (Diptera: Tephritidae) based on combination of COI and NADH sequences. Oriental Insects, 2015, 49, 150-164. | 0.3 | 7 |
| 13 | <i>Chremistica ribhoi</i> sp. n. (Hemiptera: Cicadidae) from North-East India and its mass emergence. Zootaxa, 2013, 3702, 493. | 0.5 | 6 |
| 14 | Prevalence and evolutionary history of endosymbiont <i>Wolbachia</i> (Rickettsiales) in <i>Bactrocera</i> flies (Diptera: Tephritidae) infesting carambola. Entomological Science, 2017, 20, 382-395. | 0.6 | 5 |
| 15 | Effect of Irradiating Puparia of Oriental Fruit Fly (Diptera: Tephritidae) on Adult Survival and Fecundity for Sterile Insect Technique and Quarantine Purposes. Journal of Economic Entomology, 2019, 112, 2808-2816. | 1.8 | 4 |
| 16 | Sequence variation data of the mitochondrial DNA D-loop region of the captive Malayan Gaur (<i>Bos</i>). Journal of Economic Entomology, 2010, 103, 103-107. | 1.0 | 4 |
| 17 | Sequence variation of captive Malayan Gaur (<i>Bos gaurus hubbacki</i>) based on mitochondrial D-loop region DNA sequences. Biodiversitas, 2018, 19, 1601-1606. | 0.6 | 4 |
| 18 | Morphological and molecular identification of medically important questing <i>Dermacentor</i> species collected from some recreational areas of Peninsular Malaysia. Systematic Parasitology, 2021, 98, 731-751. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | First report on metabarcoding analysis of gut microbiome in Island Flying Fox (<i>Pteropus hypomelanus</i>) in island populations of Malaysia. <i>Biodiversity Data Journal</i> , 0, 10, . | 0.8 | 4 |
| 20 | Phylogenetic relationships of five Oriental <i>Apanteles</i> species-groups (Hymenoptera: Braconidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 22, 341-352. | 0.9 | 3 |
| 21 | First Record of the Tortoise Tick, <i>Amblyomma geoemydae</i> (Cantor, 1847) (Acari: Ixodidae) Parasitizing a Tree Shrew, <i>Tupaia glis</i> (Scandentia: Tupaiidae) in West Malaysia. <i>Journal of Medical Entomology</i> , 2022, 59, 1473-1478. | 1.8 | 3 |
| 22 | Interactions between <i>Metisa plana</i> , its hyperparasitoids and primary parasitoids from good agriculture practices (GAP) and non-gap oil palm plantations. <i>Community Ecology</i> , 2022, 23, 429-438. | 0.9 | 3 |
| 23 | Phylogeny of economically important insect pests that infesting several crops species in Malaysia. , 2014, , . | | 2 |
| 24 | Phylogenetic relationships of the vulnerable wild cattle, Malayan gaur (<i>Bos gaurus hubbacki</i>), and its hybrid, the selembu, based on maternal markers. <i>Turkish Journal of Zoology</i> , 2016, 40, 369-378. | 0.9 | 2 |
| 25 | Determination of host adaptation for wild highland population of Microgastrinae (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 1 2 | 0.9 | 2 |
| 26 | Two New Species and Seven New Records of Horse Fly (Diptera: Tabanidae) From Malaysia, Including a Description of New Species and Modified Keys. <i>Journal of Medical Entomology</i> , 2018, 55, 112-121. | 1.8 | 2 |
| 27 | Infestation of rice-feeding secondary pests in Klang, Selangor warehouses. <i>AIP Conference Proceedings</i> , 2019, , . | 0.4 | 2 |
| 28 | The diversity and abundance of potential hymenopteran parasitoids assemblage associated with <i>metisa plana</i> (Lepidoptera: Psychidae) in three infested oil palm plantations in Peninsular Malaysia. , 2019, , . | | 2 |
| 29 | Molecular identification and first documentation of seven species of <i>Carpophilus</i> Stephens (Nitidulidae: Carpophilinae) in oil palm ecosystem, Peninsular Malaysia. <i>Journal of Asia-Pacific Entomology</i> , 2019, 22, 619-624. | 0.9 | 2 |
| 30 | Isolation and Characterization of <i>Wolbachia</i> (Rickettsiales: Rickettsiaceae) from Several Economic Importance Parasitoids (Hymenoptera: Braconidae). <i>International Journal of Bioscience, Biochemistry, Bioinformatics (IJBBB)</i> , 2015, 5, 256-263. | 0.2 | 2 |
| 31 | A New Tritrophic Association in Malaysia between <i>Fopius arisanus</i> , <i>Bactrocera carambolae</i> , and <i>Syzygium samarangense</i> , and Species Confirmation using Molecular Data1. <i>Journal of Agricultural and Urban Entomology</i> , 2013, 29, 6-9. | 0.6 | 1 |
| 32 | Dual-target detection using simultaneous amplification of PCR in clarifying interaction between Opiinae species (Hymenoptera: Braconidae) associated with <i>Bactrocera</i> spp. (Diptera: Tephritidae) infesting several crops. <i>Arthropod-Plant Interactions</i> , 2015, 9, 121-131. | 1.1 | 1 |
| 33 | Genetic distance of Malaysian mousedeer based on mitochondrial DNA cytochrome oxidase I (COI) and D-loop region sequences. <i>AIP Conference Proceedings</i> , 2018, , . | 0.4 | 1 |
| 34 | Termite Associated to Oil Palm Stands in Three Types of Soils in Ladang Endau Rompin, Pahang, Malaysia. <i>Sains Malaysiana</i> , 2018, 47, 1961-1967. | 0.5 | 1 |
| 35 | Species Richness of Leaf Roller and Stem Borers (Lepidoptera) Associated with Different Paddy Growth and First Documentation of Its DNA Barcode. <i>Pertanika Journal of Science and Technology</i> , 2020, 43, . | 0.3 | 1 |
| 36 | Metabarcoding of Parasitic Wasp, <i>Dolichogenidea metesae</i> (Nixon) (Hymenoptera: Braconidae) That Parasitizing Bagworm, <i>Metisa plana</i> Walker (Lepidoptera: Psychidae). <i>Tropical Life Sciences Research</i> , 2022, 33, 23-42. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Effect on <i>Sitophilus oryzae</i> infestation on amylose content and weight loss of eight rice varieties. <i>Pakistan Journal of Agricultural Sciences</i> , 2021, 58, 1699-1703. | 0.2 | 1 |
| 38 | Development of <i>Heterotrigena itama</i> (Cockerell, 1918) queens by <i>in vitro</i> culture for conservation purposes. <i>Journal of Apicultural Research</i> , 2024, 63, 153-161. | 1.5 | 1 |
| 39 | Determination of Opiinae parasitoids (Hymenoptera: Braconidae) associated with crop infesting <i>Bactrocera</i> spp. (Diptera: Tephritidae) using COI and Cyt b sequences. , 2013, , . | | 0 |
| 40 | <p class="HeadingRunIn">SUDHANYA RAY HAJONG & SALMAH YAAKOP (2013) Chremistica sp. n. (Hemiptera: Cicadidae) from North-East India and its mass emergence. Zootaxa, 3702(5), 493â€“500.</p><p>Zootaxa, 2013, 3717, 100.</p> | 0.5 | 0 |
| 41 | Diversity and abundance of dung beetles (Coleoptera: Scarabaeidae) at several different ecosystem functions in Peninsular Malaysia. <i>AIP Conference Proceedings</i> , 2015, , . | 0.4 | 0 |
| 42 | Taxonomic notes on assassin bugs (Hemiptera: Heteroptera) from Malaysia. <i>AIP Conference Proceedings</i> , 2016, , . | 0.4 | 0 |
| 43 | Assemblages of braconidae (Hymenoptera) at agricultural and secondary forest ecosystem. <i>AIP Conference Proceedings</i> , 2016, , . | 0.4 | 0 |
| 44 | The effectiveness of 28S and 16S molecular regions in resolving phylogeny of Malaysian microgastrinae (Hymenoptera: Braconidae). <i>AIP Conference Proceedings</i> , 2018, , . | 0.4 | 0 |
| 45 | Subspecies identification of captive Orang Utan in Melaka based on D-loop mitochondria DNA. <i>AIP Conference Proceedings</i> , 2018, , . | 0.4 | 0 |
| 46 | Morphological changes on development of <i>Tenebrio molitor</i> L. (Coleoptera: Tenebrionidae) in rearing room system, free air CO2 enrichment system and open roof ventilation system. <i>AIP Conference Proceedings</i> , 2018, , . | 0.4 | 0 |
| 47 | The role of a novel <i>Wolbachia</i> (Rickettsiales: Anaplasmataceae) synthetic peptide, <i>WolFar</i> , in regulating prostaglandin levels in the hemolymph of <i>Acheta domesticus</i> (Orthoptera: Gryllidae). <i>Turkish Journal of Zoology</i> , 2018, 42, 422-431. | 0.9 | 0 |
| 48 | The effect of different trap height on the diversity of sap beetle (Coleoptera: Nitidulidae). <i>AIP Conference Proceedings</i> , 2018, , . | 0.4 | 0 |
| 49 | Classification of endosymbiont <i>Wolbachia</i> (Rickettsiales: Anaplasmataceae) in opiine wasps (Hymenoptera: Braconidae). <i>AIP Conference Proceedings</i> , 2018, , . | 0.4 | 0 |
| 50 | The diversity and richness of leaf beetle (Coleoptera: Chrysomelidae) at Fraserâ€™s Hill, Pahang, Malaysia. <i>AIP Conference Proceedings</i> , 2019, , . | 0.4 | 0 |
| 51 | Sex determination among <i>Elephas maximus</i> faecal samples collected from selected sampling plots in Taman Negara National Parks, Peninsular Malaysia. , 2019, , . | | 0 |
| 52 | Abnormality and mortality of irradiated immature stages of the oriental fruit fly, <i>Bactrocera dorsalis</i> (Hendel) (Diptera: Tephritidae) by gamma irradiation. <i>AIP Conference Proceedings</i> , 2019, , . | 0.4 | 0 |
| 53 | Haplotype Analysis and Phylogeny of <i>Oryzaephilus surinamensis</i> Populations from Four Regions in Peninsular Malaysia. <i>Pertanika Journal of Science and Technology</i> , 2021, 44, . | 0.3 | 0 |
| 54 | CO2 EFFECTS ON LARVAL DEVELOPMENT AND GENETICS OF MEALWORM BEETLE, <i>TENEBRIO MOLITOR</i> L. (COLEOPTERA: TENEBRIONIDAE) IN TWO DIFFERENT CO2 SYSTEMS. <i>Applied Ecology and Environmental Research</i> , 2018, 16, 1749-1766. | 0.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Dung Beetles (Coleoptera: Scarabaeidae) Composition to Three Different Ecosystem Functions: A Study Case in Malaysia. <i>Tropical Life Sciences Research</i> , 2019, 30, 69-82. | 0.9 | 0 |