

# Salmah Yaakop

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3831633/publications.pdf>

Version: 2024-02-01

55

papers

233

citations

1163117

8

h-index

1125743

13

g-index

55

all docs

55

docs citations

55

times ranked

262

citing authors

#	ARTICLE	IF	CITATIONS
1	Development of <i>&lt; i&gt;Heterotrigona itama&lt;/i&gt;</i> (Cockerell, 1918) queens by <i>&lt; i&gt;inÂvitro&lt;/i&gt;</i> culture for conservation purposes. Journal of Apicultural Research, 2024, 63, 153-161.	1.5	1
2	Metabarcoding of Parasitic Wasp, Dolichogenidea metesae (Nixon) (Hymenoptera: Braconidae) That Parasitizing Bagworm, Metisa plana Walker (Lepidoptera: Psychidae). Tropical Life Sciences Research, 2022, 33, 23-42.	0.9	1
3	First Record of the Tortoise Tick, <i>&lt; i&gt;Amblyomma geoemydae&lt;/i&gt;</i> (Cantor, 1847) (Acari: Ixodidae) Parasitizing a Tree Shrew, <i>&lt; i&gt;Tupaia glis&lt;/i&gt;</i> (Scandentia: Tupaiidae) in West Malaysia. Journal of Medical Entomology, 2022, 59, 1473-1478.	1.8	3
4	Interactions between Metisa plana, its hyperparasitoids and primary parasitoids from good agriculture practices (GAP) and non-gap oil palm plantations. Community Ecology, 2022, 23, 429-438.	0.9	3
5	Metabarcoding in Diet Assessment of Heterotrigona itama Based on trnL Marker towards Domestication Program. Insects, 2021, 12, 205.	2.2	10
6	Haplotype Analysis and Phylogeny of Oryzaephilus surinamensis Populations from Four Regions in Peninsular Malaysia. Pertanika Journal of Science and Technology, 2021, 44, .	0.3	0
7	Morphological and molecular identification of medically important questing Dermacentor species collected from some recreational areas of Peninsular Malaysia. Systematic Parasitology, 2021, 98, 731-751.	1.1	4
8	Effect on Sitophilus oryzae infestation on amylose content and weight loss of eight rice varieties. Pakistan Journal of Agricultural Sciences, 2021, 58, 1699-1703.	0.2	1
9	Diet Composition of the Wild Stump-Tailed Macaque ( <i>Macaca arctoides</i> ) in Perlis State Park, Peninsular Malaysia, Using a Chloroplast tRNl DNA Metabarcoding Approach: A Preliminary Study. Animals, 2020, 10, 2215.	2.3	12
10	Species Richness of Leaf Roller and Stem Borers (Lepidoptera) Associated with Different Paddy Growth and First Documentation of Its DNA Barcode. Pertanika Journal of Science and Technology, 2020, 43, .	0.3	1
11	Effect of Irradiating Puparia of Oriental Fruit Fly (Diptera: Tephritidae) on Adult Survival and Fecundity for Sterile Insect Technique and Quarantine Purposes. Journal of Economic Entomology, 2019, 112, 2808-2816.	1.8	4
12	The diversity and richness of leaf beetle (Coleoptera: Chrysomelidae) at Fraserâ€™s Hill, Pahang, Malaysia. AIP Conference Proceedings, 2019, , .	0.4	0
13	Infestation of rice-feeding secondary pests in Klang, Selangor warehouses. AIP Conference Proceedings, 2019, , .	0.4	2
14	The diversity and abundance of potential hymenopteran parasitoids assemblage associated with metisa plana (Lepidoptera: Psychidae) in three infested oil palm plantations in Peninsular Malaysia. , 2019, , .		2
15	Sex determination among <i>Elephas maximus</i> faecal samples collected from selected sampling plots in Taman Negara National Parks, Peninsular Malaysia. , 2019, , .		0
16	Abnormality and mortality of irradiated immature stages of the oriental fruit fly, <i>Bactrocera dorsalis</i> (Hendel) (Diptera: Tephritidae) by gamma irradiation. AIP Conference Proceedings, 2019, , .	0.4	0
17	Molecular identification and first documentation of seven species of <i>Carpophilus</i> Stephens (Nitidulidae: Carpophilinae) in oil palm ecosystem, Peninsular Malaysia. Journal of Asia-Pacific Entomology, 2019, 22, 619-624.	0.9	2
18	Phylogenetic relationships of five Oriental Apanteles species-groups (Hymenoptera: Braconidae:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622, 341-352.	0.9	3

#	ARTICLE	IF	CITATIONS
19	Sequence variation data of the mitochondrial DNA D-loop region of the captive Malayan Gaur ( <i>Bos</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock	1.0	
20	Dung Beetles (Coleoptera: Scarabaeidae) Composition to Three Different Ecosystem Functions: A Study Case in Malaysia. Tropical Life Sciences Research, 2019, 30, 69-82.	0.9	0
21	Genetic distance of Malaysian mousedeer based on mitochondrial DNA cytochrome oxidase I (COI) and D-loop region sequences. AIP Conference Proceedings, 2018, , .	0.4	1
22	The effectiveness of 28S and 16S molecular regions in resolving phylogeny of Malaysian microgastrinae (Hymenoptera: Braconidae). AIP Conference Proceedings, 2018, , .	0.4	0
23	Subspecies identification of captive Orang Utan in Melaka based on D-loop mitochondria DNA. AIP Conference Proceedings, 2018, , .	0.4	0
24	Morphological changes on development of <i>Tenebrio molitor</i> L. (Coleoptera: Tenebrionidae) in rearing room system, free air CO <sub>2</sub> enrichment system and open roof ventilation system. AIP Conference Proceedings, 2018, , .	0.4	0
25	Two New Species and Seven New Records of Horse Fly (Diptera: Tabanidae) From Malaysia, Including a Description of New Species and Modified Keys. Journal of Medical Entomology, 2018, 55, 112-121.	1.8	2
26	The role of a novel Wo l b a c h i a (Rickettsiales: Anaplasmataceae) synthetic peptide, WolFar, in regulating prostaglandin levels in the hemolymph of <i>Acheta domesticus</i> (Orthoptera: Gryllidae). Turkish Journal of Zoology, 2018, 42, 422-431.	0.9	0
27	Exploring the abundance and DNA barcode information of eight parasitoid wasps species (Hymenoptera), the natural enemies of the important pest of oil palm, bagworm, <i>Metisa plana</i> (Lepidoptera: Psychidae) toward the biocontrol approach and it's application in Malaysia. Journal of Asia-Pacific Entomology, 2018, 21, 1359-1365.	0.9	13
28	The effect of different trap height on the diversity of sap beetle (Coleoptera: Nitidulidae). AIP Conference Proceedings, 2018, , .	0.4	0
29	Classification of endosymbiont <i>Wolbachia</i> (Rickettsiales: Anaplasmataceae) in opine wasps (Hymenoptera: Braconidae). AIP Conference Proceedings, 2018, , .	0.4	0
30	Molecular identification of shark fins in Malaysian Borneoâ€™s local markets. Biodiversitas, 2018, 19, 1035-1043.	0.6	13
31	Sequence variation of captive Malayan Gaur ( <i>Bos gaurus hubbacki</i> ) based on mitochondrial D-loop region DNA sequences. Biodiversitas, 2018, 19, 1601-1606.	0.6	4
32	CO <sub>2</sub> EFFECTS ON LARVAL DEVELOPMENT AND GENETICS OF MEALWORM BEETLE, <i>TENEBRIOS MOLITOR</i> L. (COLEOPTERA: TENEBRIONIDAE) IN TWO DIFFERENT CO <sub>2</sub> SYSTEMS. Applied Ecology and Environmental Research, 2018, 16, 1749-1766.	0.5	0
33	Termite Associated to Oil Palm Stands in Three Types of Soils in Ladang Endau Rompin, Pahang, Malaysia. Sains Malaysiana, 2018, 47, 1961-1967.	0.5	1
34	Prevalence and evolutionary history of endosymbiont <i>Wolbachia</i> (Rickettsiales:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 147 Td (An flies (Diptera: Tephritidae) infesting carambola. Entomological Science, 2017, 20, 382-395.	0.6	5
35	DNA barcoding and relationships of eight ladybugs species (Coleoptera: Coccinellidae) that infesting several crops from Peninsular Malaysia. Journal of Asia-Pacific Entomology, 2017, 20, 814-820.	0.9	10
36	Phylogenetic relationships of the vulnerable wild cattle, Malayan gaur( <i>Bos gaurus hubbacki</i> ), and its hybrid, the selembu, based on maternal markers. Turkish Journal of Zoology, 2016, 40, 369-378.	0.9	2

#	ARTICLE	IF	CITATIONS
37	Determination of host adaptation for wild highland population of Microgastrinae (Hymenoptera) Tj ETQq1 1 0.784314 rgBT <sup>2</sup> /Overlock	0.9	1
38	Precise identification of different stages of a tick, <i>Ixodes granulatus</i> Supino, 1897 (Acari: Ixodidae). Asian Pacific Journal of Tropical Biomedicine, 2016, 6, 597-604.	1.2	26
39	Taxonomic notes on assassin bugs (Hemiptera: Heteroptera) from Malaysia. AIP Conference Proceedings, 2016, , .	0.4	0
40	Assemblages of braconidae (Hymenoptera) at agricultural and secondary forest ecosystem. AIP Conference Proceedings, 2016, , .	0.4	0
41	Diversity and abundance of dung beetles (Coleoptera: Scarabaeidae) at several different ecosystem functions in Peninsular Malaysia. AIP Conference Proceedings, 2015, , .	0.4	0
42	New and interesting <i>Laboulbeniales</i> from southern and southeastern Asia. Mycotaxon, 2015, 129, 439-454.	0.3	8
43	Molecular identification of blood meal sources of ticks (Acari, Ixodidae) using cytochrome b gene as a genetic marker. ZooKeys, 2015, 478, 27-43.	1.1	14
44	Dual-target detection using simultaneous amplification of PCR in clarifying interaction between Opiinae species (Hymenoptera: Braconidae) associated with Bactrocera spp. (Diptera: Tephritidae) infesting several crops. Arthropod-Plant Interactions, 2015, 9, 121-131.	1.1	1
45	Molecular clock analysis on five Bactrocera species flies (Diptera: Tephritidae) based on combination of COI and NADH sequences. Oriental Insects, 2015, 49, 150-164.	0.3	7
46	Isolation and Characterization of Wolbachia (Rickettsiales: Rickettsiaceae) from Several Economic Importance Parasitoids (Hymenoptera: Braconidae). International Journal of Bioscience, Biochemistry, Bioinformatics (IJBBB), 2015, 5, 256-263.	0.2	2
47	Phylogenetic relationships of Malaysia's long-tailed macaques, <i>Macaca fascicularis</i> , based on cytochrome b sequences. ZooKeys, 2014, 407, 121-139.	1.1	19
48	Continental Monophyly and Molecular Divergence of Peninsular Malaysia's <i>Macaca fascicularis fascicularis</i> . BioMed Research International, 2014, 2014, 1-18.	1.9	19
49	Phylogeny of economically important insect pests that infesting several crops species in Malaysia. , 2014, , .	2	
50	The molecular phylogenetic signature of Bali cattle revealed by maternal and paternal markers. Molecular Biology Reports, 2013, 40, 5165-5176.	2.3	18
51	Determination of Opiinae parasitoids (Hymenoptera: Braconidae) associated with crop infesting Bactrocera spp. (Diptera: Tephritidae) using COI and Cyt b sequences. , 2013, , .		0
52	A New Tritrophic Association in Malaysia between Fopius arisanus, Bactrocera carambolae, and Syzygium samarangense, and Species Confirmation using Molecular Data1. Journal of Agricultural and Urban Entomology, 2013, 29, 6-9.	0.6	1
53	<p class="HeadingRunIn"><strong><em>Chremistica ribhoi</em> sp. n. (Hemiptera: Cicadidae) from North-East India and its mass emergence</strong></p>. Zootaxa, 2013, 3702, 493.	0.5	6
54	&lt;p class="HeadingRunIn"&gt;&lt;strong&gt;SUDHANYA RAY HAJONG &amp;amp; SALMAH YAAKOP (2013)&lt;em&gt;Chremistica&lt;/em&gt; &lt;em&gt;ribhoi&lt;/em&gt; sp. n. (Hemiptera: Cicadidae) from North-East India and its mass emergence. &lt;em&gt;Zootaxa&lt;/em&gt;, 3702(5), 493â€“500.&lt;/strong&gt;&lt;/p&gt;. Zootaxa, 2013, 3717, 100.	0.5	0

#	ARTICLE	IF	CITATIONS
55	First report on metabarcoding analysis of gut microbiome in Island Flying Fox ( <i>Pteropus hypomelanus</i> ) in island populations of Malaysia. <i>Biodiversity Data Journal</i> , 0, 10, .	0.8	4