

Carmen Cm Vazquez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3831871/carmen-cm-vazquez-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

1,638
citations

23
h-index

38
g-index

86
ext. papers

1,847
ext. citations

4.7
avg, IF

4.29
L-index

#	Paper	IF	Citations
80	Daily consumption of wild olive (acebuche) oil reduces blood pressure and ameliorates endothelial dysfunction and vascular remodelling in rats with L-NAME-induced hypertension.. <i>British Journal of Nutrition</i> , 2022 , 1-31	3.6	0
79	NADPH oxidase-induced oxidative stress in the eyes of hypertensive rats. <i>Molecular Vision</i> , 2021 , 27, 161-178	2.3	1
78	Lifestyle, Maternal Nutrition and Healthy Pregnancy. <i>Current Vascular Pharmacology</i> , 2021 , 19, 132-140	3.3	5
77	Echinomycin mitigates ocular angiogenesis by transcriptional inhibition of the hypoxia-inducible factor-1. <i>Experimental Eye Research</i> , 2021 , 206, 108518	3.7	1
76	Insulin requires A adenosine receptors to modulate the L-arginine/nitric oxide signalling in the human fetoplacental vascular endothelium from late-onset preeclampsia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021 , 1867, 165993	6.9	4
75	Impact of maternal nutrition in viral infections during pregnancy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021 , 1867, 166231	6.9	1
74	Response to by Briana and Malamitsi-Puchner: Effects of Pregnancy-induced Insulin Resistance on the Fetus and the Future Development of Metabolic Diseases in Adulthood. <i>Current Vascular Pharmacology</i> , 2020 , 18, 423-424	3.3	
73	Retinoprotective Effect of Wild Olive (Acebuche) Oil-Enriched Diet against Ocular Oxidative Stress Induced by Arterial Hypertension. <i>Antioxidants</i> , 2020 , 9,	7.1	2
72	Sunitinib-induced oxidative imbalance and retinotoxic effects in rats. <i>Life Sciences</i> , 2020 , 257, 118072	6.8	4
71	Mechanism of Vascular Toxicity in Rats Subjected to Treatment with a Tyrosine Kinase Inhibitor. <i>Toxics</i> , 2020 , 8,	4.7	2
70	Oxidative stress: Normal pregnancy versus preeclampsia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165354	6.9	76
69	Insulin Therapy in Pregnancy Hypertensive Diseases and its Effect on the Offspring and Mother Later in Life. <i>Current Vascular Pharmacology</i> , 2019 , 17, 455-464	3.3	7
68	Foetoplacental communication via extracellular vesicles in normal pregnancy and preeclampsia. <i>Molecular Aspects of Medicine</i> , 2018 , 60, 69-80	16.7	34
67	Adenosine and preeclampsia. <i>Molecular Aspects of Medicine</i> , 2017 , 55, 126-139	16.7	31
66	l-Carnitine ameliorates the oxidative stress response to angiotensin II by modulating NADPH oxidase through a reduction in protein kinase c activity and NF-B translocation to the nucleus. <i>Food Chemistry</i> , 2017 , 228, 356-366	8.5	4
65	Inflammatory and fibrotic processes are involved in the cardiotoxic effect of sunitinib: Protective role of L-carnitine. <i>Toxicology Letters</i> , 2016 , 241, 9-18	4.4	22
64	Leptin Induces Oxidative Stress Through Activation of NADPH Oxidase in Renal Tubular Cells: Antioxidant Effect of L-Carnitine. <i>Journal of Cellular Biochemistry</i> , 2016 , 117, 2281-8	4.7	27

63	Insulin restores L-arginine transport requiring adenosine receptors activation in umbilical vein endothelium from late-onset preeclampsia. <i>Placenta</i> , 2015 , 36, 287-96	3.4	35
62	L-carnitine attenuates the development of kidney fibrosis in hypertensive rats by upregulating PPAR- α <i>American Journal of Hypertension</i> , 2014 , 27, 460-70	2.3	33
61	Reduced L-carnitine transport in aortic endothelial cells from spontaneously hypertensive rats. <i>PLoS ONE</i> , 2014 , 9, e90339	3.7	6
60	The protective role of l-carnitine against cylindrospermopsin-induced oxidative stress in tilapia (<i>Oreochromis niloticus</i>). <i>Aquatic Toxicology</i> , 2013 , 132-133, 141-50	5.1	24
59	L-Carnitine protects against arterial hypertension-related cardiac fibrosis through modulation of PPAR- β expression. <i>Biochemical Pharmacology</i> , 2013 , 85, 937-44	6	38
58	The renoprotective effect of L-carnitine in hypertensive rats is mediated by modulation of oxidative stress-related gene expression. <i>European Journal of Nutrition</i> , 2013 , 52, 1649-59	5.2	32
57	New therapeutic approaches to treating hypertension in pregnancy. <i>Drug Discovery Today</i> , 2012 , 17, 1307-15	8.8	10
56	Subchronic effects of cyanobacterial cells on the transcription of antioxidant enzyme genes in tilapia (<i>Oreochromis niloticus</i>). <i>Ecotoxicology</i> , 2011 , 20, 479-90	2.9	30
55	Systemic antioxidant properties of L-carnitine in two different models of arterial hypertension. <i>Journal of Physiology and Biochemistry</i> , 2010 , 66, 127-36	5	21
54	Comparative effects of captopril and l-carnitine on blood pressure and antioxidant enzyme gene expression in the heart of spontaneously hypertensive rats. <i>European Journal of Pharmacology</i> , 2010 , 632, 65-72	5.3	51
53	The therapeutic prospects of using L-carnitine to manage hypertension-related organ damage. <i>Drug Discovery Today</i> , 2010 , 15, 484-92	8.8	23
52	Nitric oxide involved in the IL-1 β induced inhibition of fructose intestinal transport. <i>Journal of Cellular Biochemistry</i> , 2010 , 111, 1321-9	4.7	8
51	Captopril reduces cardiac inflammatory markers in spontaneously hypertensive rats by inactivation of NF- κ B. <i>Journal of Inflammation</i> , 2010 , 7, 21	6.7	88
50	The role of inflammatory markers in the cardioprotective effect of L-carnitine in L-NAME-induced hypertension. <i>American Journal of Hypertension</i> , 2008 , 21, 1231-7	2.3	68
49	L-carnitine attenuates oxidative stress in hypertensive rats. <i>Journal of Nutritional Biochemistry</i> , 2007 , 18, 533-40	6.3	42
48	Regulation of sodium-glucose cotransporter SGLT1 in the intestine of hypertensive rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006 , 291, R760-7	3.2	17
47	Antioxidant activity of propionyl-L-carnitine in liver and heart of spontaneously hypertensive rats. <i>Life Sciences</i> , 2006 , 78, 1945-52	6.8	32
46	L-carnitine and propionyl-L-carnitine improve endothelial dysfunction in spontaneously hypertensive rats: different participation of NO and COX-products. <i>Life Sciences</i> , 2005 , 77, 2082-97	6.8	42

45	Antioxidant enzyme activity and lipid peroxidation in liver and kidney of rats exposed to microcystin-LR administered intraperitoneally. <i>Toxicol</i> , 2005 , 45, 395-402	2.8	217
44	Toxic cyanobacterial cells containing microcystins induce oxidative stress in exposed tilapia fish (<i>Oreochromis</i> sp.) under laboratory conditions. <i>Aquatic Toxicology</i> , 2005 , 72, 261-71	5.1	179
43	Regulation of D-fructose transporter GLUT5 in the ileum of spontaneously hypertensive rats. <i>Journal of Membrane Biology</i> , 2004 , 199, 173-9	2.3	5
42	L-carnitine transport in kidney of normotensive, Wistar-Kyoto rats: effect of chronic L-carnitine administration. <i>Pharmaceutical Research</i> , 2003 , 20, 1133-40	4.5	9
41	Influence of microcystin-LR on the activity of membrane enzymes in rat intestinal mucosa. <i>Journal of Physiology and Biochemistry</i> , 2003 , 59, 293-9	5	41
40	In vivo sugar diffusion in the ileal epithelium of spontaneously hypertensive rats. <i>Scandinavian Journal of Gastroenterology</i> , 2003 , 38, 967-71	2.4	3
39	Endothelium-dependent vasorelaxation induced by L-carnitine in isolated aorta from normotensive and hypertensive rats. <i>Journal of Pharmacy and Pharmacology</i> , 2002 , 54, 1423-7	4.8	16
38	Regional differences in transport, lipid composition, and fluidity of apical membranes of small intestine of chicken. <i>Poultry Science</i> , 2002 , 81, 537-45	3.9	6
37	Characterization of D-fructose transport by rat kidney brush-border membrane vesicles: changes in hypertensive rats. <i>Cellular and Molecular Life Sciences</i> , 2001 , 58, 1961-7	10.3	19
36	Liver lipid composition and antioxidant enzyme activities of spontaneously hypertensive rats after ingestion of dietary fats (fish, olive and high-oleic sunflower oils). <i>Bioscience Reports</i> , 2001 , 21, 271-85	4.1	31
35	Morphological and functional abnormalities in the ileum of rats with spontaneous hypertension: studies on SGLT1 protein. <i>Scandinavian Journal of Gastroenterology</i> , 2001 , 36, 494-501	2.4	3
34	Abnormalities in lipid composition of brush-border membranes isolated from renal cortex of spontaneously hypertensive rats. <i>American Journal of Hypertension</i> , 2001 , 14, 578-84	2.3	9
33	Ultrastructural and functional changes in the jejunal epithelium of spontaneously hypertensive rats. <i>Life Sciences</i> , 2001 , 68, 2105-13	6.8	4
32	Effects of two highly monounsaturated oils on lipid composition and enzyme activities in rat jejunum. <i>Bioscience Reports</i> , 2000 , 20, 355-68	4.1	13
31	Decreased monosaccharide transport in renal brush-border membrane vesicles of spontaneously hypertensive rats. <i>Cellular and Molecular Life Sciences</i> , 2000 , 57, 165-74	10.3	11
30	Comparison of effects of two different monounsaturated oils on biliary secretion in rats. <i>Nutrition Research</i> , 1999 , 19, 1097-1112	4	
29	Folate transport by prawn hepatopancreas brush-border membrane vesicles. <i>Bioscience Reports</i> , 1998 , 18, 9-17	4.1	4
28	Taurocholate transport by brush border membrane vesicles from different regions of chicken intestine. <i>Poultry Science</i> , 1998 , 77, 594-9	3.9	6

27	Phospholipid profile and fatty acid composition of rat cecal mucosa in relation to intestinal resection. <i>Digestion</i> , 1997 , 58, 161-7	3.6	3
26	Developmental changes in glucose transport, lipid composition, and fluidity of jejunal BBM. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1997 , 273, R1086-93 ³⁻²		14
25	Increased Na(+)-H+ exchanger activity in the ileal brush-border membrane of spontaneously hypertensive rats. <i>Cellular and Molecular Life Sciences</i> , 1997 , 53, 442-6	10.3	11
24	Intestinal resection and ursodeoxycholic acid: effect on hepatic 3-hydroxy-3-methylglutaryl coenzyme A reductase and acyl-CoA:cholesterol acyltransferase activities in the rat. <i>Research in Experimental Medicine</i> , 1997 , 196, 381-7		
23	Lipid composition and fluidity in the jejunal brush-border membrane of spontaneously hypertensive rats. Effects on activities of membrane-bound proteins. <i>Bioscience Reports</i> , 1996 , 16, 217-26 ⁴⁻¹		18
22	Increased sodium-dependent D-glucose transport in the jejunal brush-border membrane of spontaneously hypertensive rat. <i>Pflugers Archiv European Journal of Physiology</i> , 1996 , 432, 329-35	4.6	4
21	Reproductive Biology of <i>Viscum cruciatum</i> (Viscaceae) in Southern Spain. <i>International Journal of Plant Sciences</i> , 1995 , 156, 42-49	2.6	10
20	Effect of intestinal resection on phospholipid class distribution and fatty acid composition of mucosal cells in the rat large intestine. <i>Journal of Biochemistry</i> , 1994 , 115, 32-6	3.1	4
19	Characterization of the lipid and fatty acid composition of rat caecal mucosa: effect of intestinal resection. <i>Experimental and Toxicologic Pathology</i> , 1993 , 45, 183-8		1
18	Regulation of sugar transport in chicken enterocytes. <i>Biochemical Society Transactions</i> , 1993 , 21, 479S	5.1	6
17	Chloride transport in brush-border membrane vesicles from chick jejunum. <i>Pflugers Archiv European Journal of Physiology</i> , 1993 , 425, 395-400	4.6	7
16	Changes in fatty acid desaturation in hepatic and intestinal tissues induced by intestinal resection. <i>Lipids</i> , 1993 , 28, 471-3	1.6	11
15	Influence of dietary cholesterol on polyunsaturated fatty acid composition, fluidity and membrane-bound enzymes in liver microsomes of rats fed olive and fish oil. <i>Biochimie</i> , 1992 , 74, 551-6	4.6	23
14	Lipid composition, phospholipid profile and fatty acid of rat caecal mucosa. <i>Lipids and Lipid Metabolism</i> , 1992 , 1128, 199-204		6
13	Fatty acid composition and properties of the liver microsomal membrane of rats fed diets enriched with cholesterol. <i>Journal of Biochemistry</i> , 1992 , 112, 562-7	3.1	18
12	Effect of benzyl viologen on the phospholipid fatty acid composition and some properties in hepatic microsomal membrane of rats. <i>Molecular and Cellular Biochemistry</i> , 1991 , 108, 125-31	4.2	4
11	Caecal and colonic uptake of both linoleic acid and cholesterol in rats following intestinal resection. <i>Lipids</i> , 1990 , 25, 594-7	1.6	4
10	Changes in fatty acid composition of rat liver and serum induced by distal small bowel resection. <i>Journal of Nutritional Biochemistry</i> , 1990 , 1, 299-304	6.3	8

9	Effect of distal small bowel resection on ACAT activity and microsomal lipid composition in rat small intestine. <i>International Journal of Biochemistry & Cell Biology</i> , 1990 , 22, 1153-7		8
8	Comparative effects of feeding different fats on fatty acid composition of major individual phospholipids of rat hearts. <i>Annals of Nutrition and Metabolism</i> , 1990 , 34, 350-8	4.5	31
7	Changes in uptake of linoleic acid and cholesterol by jejunal sacs of rats in vitro, after distal small-bowel resection. <i>Scandinavian Journal of Gastroenterology</i> , 1990 , 25, 613-21	2.4	10
6	Role of rat large intestine in reducing diarrhea after 50% or 80% distal small bowel resection. <i>Digestive Diseases and Sciences</i> , 1989 , 34, 1713-9	4	4
5	Changes in both acyl-CoA:cholesterol acyltransferase activity and microsomal lipid composition in rat liver induced by distal-small-bowel resection. <i>Biochemical Journal</i> , 1989 , 260, 115-9	3.8	23
4	Distal small bowel resection does not modify the intestinal 3-hydroxy-3-methylglutaryl CoA reductase activity. <i>Lipids</i> , 1988 , 23, 730-2	1.6	2
3	Distal small bowel resection increases mucosal permeability in the large intestine. <i>Digestion</i> , 1988 , 40, 168-72	3.6	4
2	Adaptation of electrolytes and fluid transport in rat small and large intestine after distal small bowel resection. <i>Revista Española De Fisiología</i> , 1988 , 44, 141-5		2
1	Effect of distal enterectomy on cholesterol and bile salt levels in the rat. <i>Revista Española De Fisiología</i> , 1986 , 42, 289-94		3