
## Natasja J H Raijmakers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3832305/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Validation of the Knee Injury and Osteoarthritis Outcome Score (KOOS) for the treatment of focal cartilage lesions. Osteoarthritis and Cartilage, 2009, 17, 1434-1439.  | 1.3 | 184       |
| 2  | Autologous interleukin-1 receptor antagonist improves function and symptoms in osteoarthritis when compared to placebo in a prospective randomized controlled trial. Osteoarthritis and Cartilage, 2008, 16, 498-505. | 1.3 | 144       |
| 3  | Artificial nutrition and hydration in the last week of life in cancer patients. A systematic literature review of practices and effects. Annals of Oncology, 2011, 22, 1478-1486.                                     | 1.2 | 122       |
| 4  | Opinions of health care professionals and the public after eight years of euthanasia legislation in the<br>Netherlands: A mixed methods approach. Palliative Medicine, 2013, 27, 273-280.                             | 3.1 | 115       |
| 5  | Social consequences of advanced cancer in patients and their informal caregivers: a qualitative study.<br>Supportive Care in Cancer, 2019, 27, 1187-1195.   | 2.2 | 63        |
| 6  | Assistance in dying for older people without a serious medical condition who have a wish to die: a national cross-sectional survey. Journal of Medical Ethics, 2015, 41, 145-150.                                     | 1.8 | 61        |
| 7  | Perceived Care and Well-being of Patients With Cancer and Matched Norm Participants in the COVID-19<br>Crisis. JAMA Oncology, 2021, 7, 279.   | 7.1 | 56        |
| 8  | Validation of the short-form WOMAC function scale for the evaluation of osteoarthritis of the knee.<br>Journal of Bone and Joint Surgery: British Volume, 2007, 89-B, 50-56.  | 3.4 | 49        |
| 9  | Variation in medication use in cancer patients at the end of life: a cross-sectional analysis. Supportive<br>Care in Cancer, 2013, 21, 1003-1011.   | 2.2 | 47        |
| 10 | Opinions about euthanasia and advanced dementia: a qualitative study among Dutch physicians and members of the general public. BMC Medical Ethics, 2015, 16, 7.   | 2.4 | 45        |
| 11 | Quality Indicators for Care of Cancer Patients in Their Last Days of Life: Literature Update and Experts'<br>Evaluation. Journal of Palliative Medicine, 2012, 15, 308-316.   | 1.1 | 41        |
| 12 | Issues and needs in end-of-life decision making: An international modified Delphi study. Palliative<br>Medicine, 2012, 26, 947-953.   | 3.1 | 38        |
| 13 | Measuring health-related quality of life in patients with advanced cancer: a systematic review of self-administered measurement instruments. Quality of Life Research, 2018, 27, 1937-1955.                           | 3.1 | 37        |
| 14 | Involvement of the Dutch General Population in Advance Care Planning: A Cross-Sectional Survey.<br>Journal of Palliative Medicine, 2013, 16, 1055-1061.   | 1.1 | 28        |
| 15 | Variation in attitudes towards artificial hydration at the end of life. Current Opinion in Supportive and Palliative Care, 2011, 5, 265-272.  | 1.3 | 27        |
| 16 | Euthanasia or physician-assisted suicide? A survey from the Netherlands. European Journal of General<br>Practice, 2014, 20, 25-31.  | 2.0 | 24        |
| 17 | Relatives' perceived quality of palliative care: comparisons between care settings in which patients die. BMC Palliative Care, 2017, 16, 41.  | 1.8 | 24        |
| 18 | Health-related quality of life among cancer patients in their last year of life: results from the PROFILES registry. Supportive Care in Cancer, 2018, 26, 3397-3404.  | 2.2 | 24        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Bereaved relatives' perspectives of the patient's oral intake towards the end of life: A qualitative study. Palliative Medicine, 2013, 27, 665-672.  | 3.1 | 22        |
| 20 | Quality of life and quality of care as experienced by patients with advanced cancer and their relatives:<br>A multicentre observational cohort study (eQuiPe). European Journal of Cancer, 2022, 165, 125-135.   | 2.8 | 22        |
| 21 | Prospective cohort study of patients with advanced cancer and their relatives on the experienced quality of care and life (eQuiPe study): a study protocol. BMC Palliative Care, 2020, 19, 139.  | 1.8 | 21        |
| 22 | Osteoarthritis treatment using autologous conditioned serum after placebo. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 114-118.  | 3.3 | 18        |
| 23 | Which patients die in their preferred place? A secondary analysis of questionnaire data from bereaved relatives. Palliative Medicine, 2018, 32, 347-356.   | 3.1 | 17        |
| 24 | News media coverage of euthanasia: a content analysis of Dutch national newspapers. BMC Medical<br>Ethics, 2013, 14, 11.   | 2.4 | 16        |
| 25 | Differences in palliative care quality between patients with cancer, patients with organ failure and frail patients: A study based on measurements with the Consumer Quality Index Palliative Care for bereaved relatives. Palliative Medicine, 2016, 30, 780-788. | 3.1 | 16        |
| 26 | Psychosocial consequences of a reduced ability to eat for patients with cancer and their informal caregivers: A qualitative study. European Journal of Oncology Nursing, 2020, 49, 101838.   | 2.1 | 16        |
| 27 | Opinions of the Dutch public on palliative sedation: a mixed-methods approach. British Journal of<br>General Practice, 2013, 63, e676-e682.  | 1.4 | 15        |
| 28 | Barriers and facilitators to implementation of the Liverpool Care Pathway in the Netherlands: a qualitative study. BMJ Supportive and Palliative Care, 2015, 5, 259-265.   | 1.6 | 15        |
| 29 | Declining oral intake towards the end of life: how to talk about it? A qualitative study. International<br>Journal of Palliative Nursing, 2017, 23, 74-82.   | 0.5 | 15        |
| 30 | Patient characteristics and treatment considerations in pancreatic cancer: a population based study in the Netherlands. Acta Oncológica, 2018, 57, 1185-1191.  | 1.8 | 15        |
| 31 | Self-care, resilience, and caregiver burden in relatives of patients with advanced cancer: results from the eQuiPe study. Supportive Care in Cancer, 2021, 29, 7975-7984.  | 2.2 | 15        |
| 32 | Treatment patterns and associated factors in patients with advanced epithelial ovarian cancer: a population-based study. International Journal of Gynecological Cancer, 2019, 29, 1032-1037.   | 2.5 | 13        |
| 33 | Experiences of patients with cancer with information and support for psychosocial consequences of reduced ability to eat: a qualitative interview study. Supportive Care in Cancer, 2021, 29, 6343-6352.   | 2.2 | 10        |
| 34 | Measuring Clinical, Biological, and Behavioral Variables to Elucidate Trajectories of Patient-Reported<br>Outcomes: The PROFILES Registry. Journal of the National Cancer Institute, 2022, 114, 800-807.   | 6.3 | 10        |
| 35 | The use of thermogravimetry in establishing the Fischer tar of a series of South African coal types.<br>Fuel, 2004, 83, 533-536.   | 6.4 | 8         |
| 36 | Is Information Provision about Benefits and Risks of Treatment Options Associated with Receiving<br>Person-Centered Care?: A Survey among Incurably Ill Cancer Patients. Journal of Palliative Medicine,<br>2019, 22, 797-803.                                     | 1.1 | 6         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Validation of the FACIT‧pâ€12 in a Dutch cohort of patients with advanced cancer. Psycho-Oncology, 2021, 30, 1930-1938.   | 2.3 | 6         |
| 38 | Bereaved relatives' quality of life before and during the COVID-19 pandemic: Results of the prospective,<br>multicenter, observational eQuiPe study. Palliative Medicine, 2021, 35, 1502-1507.                        | 3.1 | 6         |
| 39 | Experienced quality of care and emotional functioning of patients with advanced cancer and their relatives: Results of a multicenter observational cohort study (eQuiPe) Journal of Clinical Oncology, 2021, 39, 3-3. | 1.6 | 6         |
| 40 | Dyadic coping and its association with emotional functioning in couples confronted with advanced cancer: Results of the multicenter observational eQuiPe study. Psycho-Oncology, 2022, 31, 1545-1554.                 | 2.3 | 6         |
| 41 | Spiritual Well-Being and Associated Factors in Dutch Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2022, 63, 404-414.  | 1.2 | 5         |
| 42 | Perceptions of involvement in advance care planning and emotional functioning in patients with advanced cancer. Journal of Cancer Survivorship, 2021, 15, 380-385.  | 2.9 | 4         |
| 43 | Assessing measurement invariance in the EORTC QLQ-C30. Quality of Life Research, 2021, , 1.   | 3.1 | 4         |
| 44 | Sexual health and closeness in couples coping with advanced cancer: Results of a multicenter observational study (eQuiPe). Palliative Medicine, 2022, 36, 698-707.  | 3.1 | 3         |
| 45 | Experiences of healthcare professionals with support for mesothelioma patients and their relatives:<br>Identified gaps and improvements for care. European Journal of Cancer Care, 2021, 30, e13509.                  | 1.5 | 2         |
| 46 | Patients with cancer experience high impact of emotional consequences of reduced ability to eat: A cross sectional survey study. European Journal of Cancer Care, 2022, 31, .   | 1.5 | 2         |
| 47 | 1686P The impact of the COVID-19 crisis on perceived changes in care and wellbeing of cancer patients and norm participants: Results of the PROFILES registry. Annals of Oncology, 2020, 31, S997-S998.               | 1.2 | 1         |
| 48 | The effect of nurse-led pain education of patients with painful bone metastases on pain and quality of life: A multicenter randomized trial Journal of Clinical Oncology, 2017, 35, 203-203.                          | 1.6 | 1         |