

Natasja J H Raijmakers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3832305/publications.pdf>

Version: 2024-02-01

48
papers

1,445
citations

394421

19
h-index

345221

36
g-index

48
all docs

48
docs citations

48
times ranked

1743
citing authors

#	ARTICLE	IF	CITATIONS
1	Spiritual Well-Being and Associated Factors in Dutch Patients With Advanced Cancer. <i>Journal of Pain and Symptom Management</i> , 2022, 63, 404-414.	1.2	5
2	Sexual health and closeness in couples coping with advanced cancer: Results of a multicenter observational study (eQuiPe). <i>Palliative Medicine</i> , 2022, 36, 698-707.	3.1	3
3	Measuring Clinical, Biological, and Behavioral Variables to Elucidate Trajectories of Patient-Reported Outcomes: The PROFILES Registry. <i>Journal of the National Cancer Institute</i> , 2022, 114, 800-807.	6.3	10
4	Quality of life and quality of care as experienced by patients with advanced cancer and their relatives: A multicentre observational cohort study (eQuiPe). <i>European Journal of Cancer</i> , 2022, 165, 125-135.	2.8	22
5	Patients with cancer experience high impact of emotional consequences of reduced ability to eat: A cross sectional survey study. <i>European Journal of Cancer Care</i> , 2022, 31, .	1.5	2
6	Dyadic coping and its association with emotional functioning in couples confronted with advanced cancer: Results of the multicenter observational eQuiPe study. <i>Psycho-Oncology</i> , 2022, 31, 1545-1554.	2.3	6
7	Perceived Care and Well-being of Patients With Cancer and Matched Norm Participants in the COVID-19 Crisis. <i>JAMA Oncology</i> , 2021, 7, 279.	7.1	56
8	Perceptions of involvement in advance care planning and emotional functioning in patients with advanced cancer. <i>Journal of Cancer Survivorship</i> , 2021, 15, 380-385.	2.9	4
9	Experiences of patients with cancer with information and support for psychosocial consequences of reduced ability to eat: a qualitative interview study. <i>Supportive Care in Cancer</i> , 2021, 29, 6343-6352.	2.2	10
10	Assessing measurement invariance in the EORTC QLQ-C30. <i>Quality of Life Research</i> , 2021, , 1.	3.1	4
11	Self-care, resilience, and caregiver burden in relatives of patients with advanced cancer: results from the eQuiPe study. <i>Supportive Care in Cancer</i> , 2021, 29, 7975-7984.	2.2	15
12	Validation of the FACITâ€pâ€12 in a Dutch cohort of patients with advanced cancer. <i>Psycho-Oncology</i> , 2021, 30, 1930-1938.	2.3	6
13	Bereaved relativesâ€™ quality of life before and during the COVID-19 pandemic: Results of the prospective, multicenter, observational eQuiPe study. <i>Palliative Medicine</i> , 2021, 35, 1502-1507.	3.1	6
14	Experiences of healthcare professionals with support for mesothelioma patients and their relatives: Identified gaps and improvements for care. <i>European Journal of Cancer Care</i> , 2021, 30, e13509.	1.5	2
15	Experienced quality of care and emotional functioning of patients with advanced cancer and their relatives: Results of a multicenter observational cohort study (eQuiPe).. <i>Journal of Clinical Oncology</i> , 2021, 39, 3-3.	1.6	6
16	Prospective cohort study of patients with advanced cancer and their relatives on the experienced quality of care and life (eQuiPe study): a study protocol. <i>BMC Palliative Care</i> , 2020, 19, 139.	1.8	21
17	Psychosocial consequences of a reduced ability to eat for patients with cancer and their informal caregivers: A qualitative study. <i>European Journal of Oncology Nursing</i> , 2020, 49, 101838.	2.1	16
18	1686P The impact of the COVID-19 crisis on perceived changes in care and wellbeing of cancer patients and norm participants: Results of the PROFILES registry. <i>Annals of Oncology</i> , 2020, 31, S997-S998.	1.2	1

#	ARTICLE	IF	CITATIONS
19	Is Information Provision about Benefits and Risks of Treatment Options Associated with Receiving Person-Centered Care?: A Survey among Incurably Ill Cancer Patients. <i>Journal of Palliative Medicine</i> , 2019, 22, 797-803.	1.1	6
20	Treatment patterns and associated factors in patients with advanced epithelial ovarian cancer: a population-based study. <i>International Journal of Gynecological Cancer</i> , 2019, 29, 1032-1037.	2.5	13
21	Social consequences of advanced cancer in patients and their informal caregivers: a qualitative study. <i>Supportive Care in Cancer</i> , 2019, 27, 1187-1195.	2.2	63
22	Measuring health-related quality of life in patients with advanced cancer: a systematic review of self-administered measurement instruments. <i>Quality of Life Research</i> , 2018, 27, 1937-1955.	3.1	37
23	Health-related quality of life among cancer patients in their last year of life: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2018, 26, 3397-3404.	2.2	24
24	Which patients die in their preferred place? A secondary analysis of questionnaire data from bereaved relatives. <i>Palliative Medicine</i> , 2018, 32, 347-356.	3.1	17
25	Patient characteristics and treatment considerations in pancreatic cancer: a population based study in the Netherlands. <i>Acta Oncologica</i> , 2018, 57, 1185-1191.	1.8	15
26	Declining oral intake towards the end of life: how to talk about it? A qualitative study. <i>International Journal of Palliative Nursing</i> , 2017, 23, 74-82.	0.5	15
27	Relatives' perceived quality of palliative care: comparisons between care settings in which patients die. <i>BMC Palliative Care</i> , 2017, 16, 41.	1.8	24
28	The effect of nurse-led pain education of patients with painful bone metastases on pain and quality of life: A multicenter randomized trial.. <i>Journal of Clinical Oncology</i> , 2017, 35, 203-203.	1.6	1
29	Differences in palliative care quality between patients with cancer, patients with organ failure and frail patients: A study based on measurements with the Consumer Quality Index Palliative Care for bereaved relatives. <i>Palliative Medicine</i> , 2016, 30, 780-788.	3.1	16
30	Assistance in dying for older people without a serious medical condition who have a wish to die: a national cross-sectional survey. <i>Journal of Medical Ethics</i> , 2015, 41, 145-150.	1.8	61
31	Opinions about euthanasia and advanced dementia: a qualitative study among Dutch physicians and members of the general public. <i>BMC Medical Ethics</i> , 2015, 16, 7.	2.4	45
32	Barriers and facilitators to implementation of the Liverpool Care Pathway in the Netherlands: a qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 259-265.	1.6	15
33	Osteoarthritis treatment using autologous conditioned serum after placebo. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 114-118.	3.3	18
34	Euthanasia or physician-assisted suicide? A survey from the Netherlands. <i>European Journal of General Practice</i> , 2014, 20, 25-31.	2.0	24
35	News media coverage of euthanasia: a content analysis of Dutch national newspapers. <i>BMC Medical Ethics</i> , 2013, 14, 11.	2.4	16
36	Variation in medication use in cancer patients at the end of life: a cross-sectional analysis. <i>Supportive Care in Cancer</i> , 2013, 21, 1003-1011.	2.2	47

#	ARTICLE	IF	CITATIONS
37	Opinions of health care professionals and the public after eight years of euthanasia legislation in the Netherlands: A mixed methods approach. <i>Palliative Medicine</i> , 2013, 27, 273-280.	3.1	115
38	Bereaved relatives' perspectives of the patient's oral intake towards the end of life: A qualitative study. <i>Palliative Medicine</i> , 2013, 27, 665-672.	3.1	22
39	Involvement of the Dutch General Population in Advance Care Planning: A Cross-Sectional Survey. <i>Journal of Palliative Medicine</i> , 2013, 16, 1055-1061.	1.1	28
40	Opinions of the Dutch public on palliative sedation: a mixed-methods approach. <i>British Journal of General Practice</i> , 2013, 63, e676-e682.	1.4	15
41	Quality Indicators for Care of Cancer Patients in Their Last Days of Life: Literature Update and Experts' Evaluation. <i>Journal of Palliative Medicine</i> , 2012, 15, 308-316.	1.1	41
42	Issues and needs in end-of-life decision making: An international modified Delphi study. <i>Palliative Medicine</i> , 2012, 26, 947-953.	3.1	38
43	Variation in attitudes towards artificial hydration at the end of life. <i>Current Opinion in Supportive and Palliative Care</i> , 2011, 5, 265-272.	1.3	27
44	Artificial nutrition and hydration in the last week of life in cancer patients. A systematic literature review of practices and effects. <i>Annals of Oncology</i> , 2011, 22, 1478-1486.	1.2	122
45	Validation of the Knee Injury and Osteoarthritis Outcome Score (KOOS) for the treatment of focal cartilage lesions. <i>Osteoarthritis and Cartilage</i> , 2009, 17, 1434-1439.	1.3	184
46	Autologous interleukin-1 receptor antagonist improves function and symptoms in osteoarthritis when compared to placebo in a prospective randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 498-505.	1.3	144
47	Validation of the short-form WOMAC function scale for the evaluation of osteoarthritis of the knee. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 50-56.	3.4	49
48	The use of thermogravimetry in establishing the Fischer tar of a series of South African coal types. <i>Fuel</i> , 2004, 83, 533-536.	6.4	8