

Chang-Gu Hyun

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3832555/publications.pdf>

Version: 2024-02-01

63
papers

705
citations

567281

15
h-index

642732

23
g-index

63
all docs

63
docs citations

63
times ranked

818
citing authors

#	ARTICLE	IF	CITATIONS
1	Chrysoeriol Enhances Melanogenesis in B16F10 Cells Through the Modulation of the MAPK, AKT, PKA, and Wnt/ β -Catenin Signaling Pathways. <i>Natural Product Communications</i> , 2022, 17, 1934578X2110692.	0.5	3
2	Mechanistic Insights into the Ameliorating Effect of Melanogenesis of Psoralen Derivatives in B16F10 Melanoma Cells. <i>Molecules</i> , 2022, 27, 2613.	3.8	9
3	Anti-Inflammatory Effects of Psoralen Derivatives on RAW264.7 Cells via Regulation of the NF- κ B and MAPK Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5813.	4.1	10
4	Anti-Inflammatory Effects of Spiramycin in LPS-Activated RAW 264.7 Macrophages. <i>Molecules</i> , 2022, 27, 3202.	3.8	9
5	Immunomodulatory effects of <i>Abelmoschus esculentus</i> water extract through MAPK and NF- κ B signaling in RAW 264.7 cells. <i>Biotechnology Notes</i> , 2022, 3, 38-44.	1.2	4
6	Complete Genome Sequence and Cosmetic Potential of <i>Viridibacillus</i> sp. JNUCC6 Isolated from Baengnokdam, the Summit Crater of Mt. Halla. <i>Cosmetics</i> , 2022, 9, 73.	3.3	0
7	Anti-Melanogenic Effects of <i>Paederia foetida</i> L. Extract via MAPK Signaling-Mediated MITF Downregulation. <i>Cosmetics</i> , 2021, 8, 22.	3.3	6
8	Anti-Inflammatory Effects of 6,7-Dihydroxy-4-Methylcoumarin on LPS-Stimulated Macrophage Phosphorylation in MAPK Signaling Pathways. <i>Natural Product Communications</i> , 2021, 16, 1934578X2110209.	0.5	1
9	Genome Analysis of <i>Streptomycesnojiriensis</i> JCM 3382 and Distribution of Gene Clusters for Three Antibiotics and an Azasugar across the Genus <i>Streptomyces</i> . <i>Microorganisms</i> , 2021, 9, 1802.	3.6	5
10	The hyaluronan synthesis inhibitor 7-hydroxy-4-methylcoumarin inhibits LPS-induced inflammatory response in RAW 264.7 macrophage cells. <i>Journal of Applied Biological Chemistry</i> , 2021, 64, 263-268.	0.4	1
11	<i>Carica papaya</i> leaf water extract promotes innate immune response via MAPK signaling pathways. <i>Journal of Applied Biological Chemistry</i> , 2021, 64, 277-284.	0.4	4
12	Anti-Inflammatory Effects of 6-Methylcoumarin in LPS-Stimulated RAW 264.7 Macrophages via Regulation of MAPK and NF- κ B Signaling Pathways. <i>Molecules</i> , 2021, 26, 5351.	3.8	22
13	Lincomycin induces melanogenesis through the activation of MITF via p38 MAPK, AKT, and PKA signaling pathways. <i>Journal of Applied Biological Chemistry</i> , 2021, 64, 323-331.	0.4	3
14	Linarin enhances melanogenesis in B16F10 cells via MAPK and PI3K/AKT signaling pathways. <i>Journal of Applied Biological Chemistry</i> , 2021, 64, 447-451.	0.4	1
15	Inhibitory Effects of Pinostilbene on Adipogenesis in 3T3-L1 Adipocytes: A Study of Possible Mechanisms. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13446.	4.1	15
16	Anti-Inflammatory Effects and Their Correlation with Microbial Community of Shindari, a Traditional Jeju Beverage. <i>Fermentation</i> , 2020, 6, 87.	3.0	4
17	Anti-inflammatory Effect of d-(+)-Cycloserine Through Inhibition of NF- κ B and MAPK Signaling Pathways in LPS-Induced RAW 264.7 Macrophages. <i>Natural Product Communications</i> , 2020, 15, 1934578X2092048.	0.5	7
18	Antioxidant Activities of Jeju Wax Apple (<i>Syzygium samarangense</i>) and Safety of Human Keratinocytes and Primary Skin Irritation Test. <i>Cosmetics</i> , 2020, 7, 39.	3.3	6

#	ARTICLE	IF	CITATIONS
19	Inhibitory Effects of Pinostilbene Hydrate on Melanogenesis in B16F10 Melanoma Cells via ERK and p38 Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4732.	4.1	18
20	Whole-Genome Sequencing of <i>Lentibacillus</i> sp. Strain JNUCC-1, Isolated from Fermented Anchovy Sauce (Myeolchi Aekjeot). <i>Microbiology Resource Announcements</i> , 2020, 9, .	0.6	0
21	Induction of Melanogenesis by Fosfomycin in B16F10 Cells Through the Upregulation of P-JNK and P-p38 Signaling Pathways. <i>Antibiotics</i> , 2020, 9, 172.	3.7	15
22	<i>Bacillus subtilis</i> JNUCC Isolated from Galchisokjeot: Draft Genome Sequence and Î±-glucosidase and Tyrosinase Inhibitory Activities. <i>Journal of Pure and Applied Microbiology</i> , 2020, 14, 189-193.	0.9	1
23	4-Hydroxy-7-Methoxycoumarin Inhibits Inflammation in LPS-activated RAW264.7 Macrophages by Suppressing NF-Î±B and MAPK Activation. <i>Molecules</i> , 2020, 25, 4424.	3.8	19
24	Anti-melanogenic effects of hot-water extracts from via MAPKs and cAMP signaling pathway on B16F10 cells. <i>Die Pharmazie</i> , 2020, 75, 565-570.	0.5	3
25	7,8-Dimethoxycoumarin stimulates melanogenesis via MAPKs mediated MITF upregulation. <i>Die Pharmazie</i> , 2020, 75, 107-111.	0.5	7
26	Anti-Melanogenic Effects of Hydroxyectoine via MITF Inhibition by JNK, p38, and AKT Pathways in B16F10 Melanoma Cells. <i>Natural Product Communications</i> , 2019, 14, 1934578X1985852.	0.5	10
27	7,8-dimethoxycoumarin Attenuates the Expression of IL-6, IL-8, and CCL2/MCP-1 in TNF-Î±-Treated HaCaT Cells by Potentially Targeting the NF-Î±B and MAPK Pathways. <i>Cosmetics</i> , 2019, 6, 41.	3.3	7
28	Anti-Melanogenic Effects of Bergamottin via Mitogen-Activated Protein Kinases and Protein Kinase B Signaling Pathways. <i>Natural Product Communications</i> , 2019, 14, 1934578X1986210.	0.5	2
29	Anti-Inflammatory Effects of Formononetin 7-O-phosphate, a Novel Biorenovation Product, on LPS-Stimulated RAW 264.7 Macrophage Cells. <i>Molecules</i> , 2019, 24, 3910.	3.8	17
30	Tobramycin Promotes Melanogenesis by Upregulating p38 MAPK Protein Phosphorylation in B16F10 Melanoma Cells. <i>Antibiotics</i> , 2019, 8, 140.	3.7	9
31	Biosynthesis of novel daidzein derivatives using <i>Bacillus amyloliquefaciens</i> whole cells. <i>Biocatalysis and Biotransformation</i> , 2018, 36, 469-475.	2.0	10
32	Anti-inflammatory Effect of Pratol in LPS-stimulated RAW 264.7 Cells via NF-Î±B Signaling Pathways. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	1
33	Antimelanogenic Effects of <i>Polygonum tinctorium</i> Flower Extract from Traditional Jeju Fermentation via Upregulation of Extracellular Signal-Regulated Kinase and Protein Kinase B Activation. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2895.	4.1	11
34	Anti-inflammatory activities of <i>Olea europaea</i> extracts from Jeju Island on LPS-induced RAW 264.7 cells. <i>Korean Journal of Food Preservation</i> , 2018, 25, 557-563.	0.5	1
35	Anti-Inflammatory Activity of <i>Sonchus oleraceus</i> Extract in Lipopoly saccharide-Stimulated RAW264.7 Cells. <i>Biomedical and Pharmacology Journal</i> , 2018, 11, 1755-1761.	0.5	0
36	Pratol, an O-Methylated Flavone, Induces Melanogenesis in B16F10 Melanoma Cells via p-p38 and p-JNK Upregulation. <i>Molecules</i> , 2017, 22, 1704.	3.8	28

#	ARTICLE	IF	CITATIONS
37	Anti-melanogenic Activity of Auraptene via ERK-mediated MITF Downregulation. <i>Cosmetics</i> , 2017, 4, 34.	3.3	3
38	Antimelanogenic of <i>Artemisia fukudo</i> Makino Extract in Melanoma Cells. <i>KSBB Journal</i> , 2017, 32, 233-237.	0.2	0
39	Whitening Activities of the Halophyte <i>L. tetragonum</i> (Thunberg) A. A. Bullock Extract in B16F10 Melanoma Cells. <i>KSBB Journal</i> , 2017, 32, 218-223.	0.2	0
40	Effects of <i>Rumex acetosella</i> , <i>Sonchus oleraceus</i> and <i>Euphorbia jolkini</i> Extracts on Melanin Synthesis in Melanoma Cells. <i>KSBB Journal</i> , 2017, 32, 187-192.	0.2	2
41	Anti-inflammatory Activity of Wax apple (<i>Syzygium samarangense</i>) Extract from Jeju Island. <i>KSBB Journal</i> , 2017, 32, 245-250.	0.2	2
42	Comparative Depigmentation Effects of Resveratrol and Its Two Methyl Analogues in α -Melanocyte Stimulating Hormone-Triggered B16/F10 Murine Melanoma Cells. <i>Preventive Nutrition and Food Science</i> , 2016, 21, 155-159.	1.6	12
43	Tangeretin Triggers Melanogenesis through the Activation of Melanogenic Signaling Proteins and Sustained Extracellular Signal-Regulated Kinase in B16/F10 Murine Melanoma Cells. <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.5	4
44	2,4,6-Trihydroxybenzaldehyde, a potential anti-obesity treatment, suppressed adipocyte differentiation in 3T3-L1 cells and fat accumulation induced by high-fat diet in C57BL/6 mice. <i>Environmental Toxicology and Pharmacology</i> , 2015, 39, 962-968.	4.0	13
45	Differential Effects of Methoxylated <i>p</i> -Coumaric Acids on Melanoma in B16/F10 Cells. <i>Preventive Nutrition and Food Science</i> , 2015, 20, 73-77.	1.6	16
46	Anti-inflammatory effects of isoketocharbroic acid from brown alga, <i>Sargassum micracanthum</i> . <i>EXCLI Journal</i> , 2015, 14, 1116-21.	0.7	9
47	Chemical Composition and Anti-inflammation Activity of Essential Oils from <i>Citrus unshiu</i> Flower. <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.5	14
48	Jeju seaweeds suppress lipopolysaccharide-stimulated proinflammatory response in RAW 264.7 murine macrophages. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2014, 4, 529-537.	1.2	22
49	Melanogenesis inhibitory activity of Korean <i>Undaria pinnatifida</i> in mouse B16 melanoma cells. <i>Interdisciplinary Toxicology</i> , 2014, 7, 89-92.	1.0	8
50	<i>Hypochoeris radicata</i> attenuates LPS-induced inflammation by suppressing p38, ERK, and JNK phosphorylation in RAW 264.7 macrophages. <i>EXCLI Journal</i> , 2014, 13, 123-36.	0.7	12
51	Sargachromenol from <i>Sargassum micracanthum</i> Inhibits the Lipopolysaccharide-Induced Production of Inflammatory Mediators in RAW 264.7 Macrophages. <i>Scientific World Journal</i> , The, 2013, 2013, 1-6.	2.1	18
52	Acanthoic Acid Inhibits Melanogenesis through Tyrosinase Down-regulation and Melanogenic Gene Expression in B16 Melanoma Cells. <i>Natural Product Communications</i> , 2013, 8, 1934578X1300801.	0.5	5
53	Chemical composition and anti-inflammatory effects of essential oil from Hallabong flower. <i>EXCLI Journal</i> , 2013, 12, 933-42.	0.7	11
54	Acanthoic acid inhibits melanogenesis through tyrosinase downregulation and melanogenic gene expression in B16 melanoma cells. <i>Natural Product Communications</i> , 2013, 8, 1359-62.	0.5	3

#	ARTICLE	IF	CITATIONS
55	Acanthoic acid induces cell apoptosis through activation of the p38 MAPK pathway in HL-60 human promyelocytic leukaemia. <i>Food Chemistry</i> , 2012, 135, 2112-2117.	8.2	34
56	Sasa quepaertensis Phenylpropanoid Derivative Suppresses Lipopolysaccharide-induced Nitric Oxide Synthase and Cyclo-oxygenase-2 Expressions in RAW 264.7 Cells. <i>Yakugaku Zasshi</i> , 2011, 131, 961-967.	0.2	15
57	Inhibitory effect of Jeju endemic seaweeds on the production of pro-inflammatory mediators in mouse macrophage cell line RAW 264.7. <i>Journal of Zhejiang University: Science B</i> , 2010, 11, 315-322.	2.8	35
58	Acanthopanax koreanum Fruit Waste Inhibits Lipopolysaccharide-Induced Production of Nitric Oxide and Prostaglandin E2 in RAW 264.7 Macrophages. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-10.	3.0	12
59	Chemical Constituents from Sargassum micracanthum and Antioxidant Activity. <i>International Journal of Pharmacology</i> , 2010, 6, 147-151.	0.3	26
60	Oenothera laciniata inhibits lipopolysaccharide induced production of nitric oxide, prostaglandin E2, and proinflammatory cytokines in RAW264.7 macrophages. <i>Journal of Bioscience and Bioengineering</i> , 2009, 107, 429-438.	2.2	52
61	<i>Abies koreana</i> Essential Oil Inhibits Drug-Resistant Skin Pathogen Growth and LPS-Induced Inflammatory Effects of Murine Macrophage. <i>Lipids</i> , 2009, 44, 471-476.	1.7	75
62	Cryptomeria japonica essential oil inhibits the growth of drug-resistant skin pathogens and LPS-induced nitric oxide and pro-inflammatory cytokine production. <i>Polish Journal of Microbiology</i> , 2009, 58, 61-8.	1.7	24
63	Citrus Peel Wastes as Functional Materials for Cosmeceuticals. <i>Journal of Applied Biological Chemistry</i> , 2008, 51, 7-12.	0.4	9