

Yun Cao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3832668/publications.pdf>

Version: 2024-02-01

39
papers

965
citations

430874

18
h-index

477307

29
g-index

39
all docs

39
docs citations

39
times ranked

1758
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of RNAscope and immunohistochemistry for evaluation of the UPK2 status in urothelial carcinoma tissues. <i>Diagnostic Pathology</i> , 2022, 17, 10.	2.0	3
2	What Happens to the Preserved Renal Parenchyma After Clamped Partial Nephrectomy?. <i>European Urology</i> , 2022, 81, 492-500.	1.9	19
3	Single-cell transcriptomics reveals a low CD8 ⁺ T cell infiltrating state mediated by fibroblasts in recurrent renal cell carcinoma. , 2022, 10, e004206.		27
4	Impact of immunohistochemistry-based molecular subtype on predicting chemotherapy response and survival in patients with T1 stage bladder cancer after bladder-preserving treatment. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 424-433.	1.3	11
5	A Zic2/Runx2/NOLC1 signaling axis mediates tumor growth and metastasis in clear cell renal cell carcinoma. <i>Cell Death and Disease</i> , 2021, 12, 319.	6.3	18
6	Genome-Wide Profiling Reveals HPV Integration Pattern and Activated Carcinogenic Pathways in Penile Squamous Cell Carcinoma. <i>Cancers</i> , 2021, 13, 6104.	3.7	9
7	FMNL1 Exhibits Pro-Metastatic Activity via CXCR2 in Clear Cell Renal Cell Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 564614.	2.8	5
8	GYS1 induces glycogen accumulation and promotes tumor progression via the NF- κ B pathway in Clear Cell Renal Carcinoma. <i>Theranostics</i> , 2020, 10, 9186-9199.	10.0	23
9	Immunophenotypes Based on the Tumor Immune Microenvironment Allow for Unsupervised Penile Cancer Patient Stratification. <i>Cancers</i> , 2020, 12, 1796.	3.7	29
10	Vasculogenic mimicry. , 2020, , 89-100.		1
11	PTPN3 Inhibits the Growth and Metastasis of Clear Cell Renal Cell Carcinoma via Inhibition of PI3K/AKT Signaling. <i>Molecular Cancer Research</i> , 2020, 18, 903-912.	3.4	17
12	Prevalence of human papillomavirus and implication on survival in Chinese penile cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 667-675.	2.8	6
13	Along with its favorable prognostic role, CLCA2 inhibits growth and metastasis of nasopharyngeal carcinoma cells via inhibition of FAK/ERK signaling. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 34.	8.6	33
14	Expression and significance of Cystatin-C in clear cell renal cell carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2018, 107, 1237-1245.	5.6	14
15	Preoperative Low Lymphocyte-to-Monocyte Ratio Predicts Poor Clinical Outcomes for Patients with Urothelial Carcinoma of the Upper Urinary Tract. <i>Urology Journal</i> , 2018, 15, 348-354.	0.4	11
16	Sarcomatoid urothelial carcinoma with chondrosarcomatous differentiation of the ureter: A case report and review of the literature. <i>Oncology Letters</i> , 2017, 13, 1331-1337.	1.8	8
17	Promoting tumorigenesis in nasopharyngeal carcinoma, NEDD8 serves as a potential theranostic target. <i>Cell Death and Disease</i> , 2017, 8, e2834-e2834.	6.3	47
18	<sc>WWC</sc>2 is an independent prognostic factor and prevents invasion <i>via</i> Hippo signalling in hepatocellular carcinoma. <i>Journal of Cellular and Molecular Medicine</i> , 2017, 21, 3718-3729.	3.6	28

#	ARTICLE	IF	CITATIONS
19	SPINK6 Promotes Metastasis of Nasopharyngeal Carcinoma via Binding and Activation of Epithelial Growth Factor Receptor. <i>Cancer Research</i> , 2017, 77, 579-589.	0.9	47
20	Loss of CD15 expression in clear cell renal cell carcinoma is correlated with worse prognosis in Chinese patients. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 1182-1188.	1.3	9
21	PDZ binding kinase, regulated by FoxM1, enhances malignant phenotype via activation of β -Catenin signaling in hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 47195-47205.	1.8	31
22	Primary localized amyloidoma of the renal pelvis: A case report and literature review. <i>Oncology Letters</i> , 2016, 11, 1095-1100.	1.8	5
23	miR-634 exhibits anti-tumor activities toward hepatocellular carcinoma via Rab1A and DHX33. <i>Molecular Oncology</i> , 2016, 10, 1532-1541.	4.6	35
24	RNA-binding protein QKI-5 inhibits the proliferation of clear cell renal cell carcinoma via post-transcriptional stabilization of RASA1 mRNA. <i>Cell Cycle</i> , 2016, 15, 3094-3104.	2.6	39
25	Intrahepatic cholangiocarcinoma prognostic determination using pre-operative serum C-reactive protein levels. <i>BMC Cancer</i> , 2016, 16, 792.	2.6	28
26	Revisiting tumor angiogenesis: vessel co-option, vessel remodeling, and cancer cell-derived vasculature formation. <i>Chinese Journal of Cancer</i> , 2016, 35, 10.	4.9	43
27	Prognostic Significance of Preoperative Serum Lactate Dehydrogenase in Upper Urinary Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2016, 14, 341-345.e3.	1.9	18
28	PDZ binding kinase (PBK) is a theranostic target for nasopharyngeal carcinoma: driving tumor growth via ROS signaling and correlating with patient survival. <i>Oncotarget</i> , 2016, 7, 26604-26616.	1.8	23
29	Pseudoepitheliomatous hyperplasia mimicking invasive squamous cell carcinoma in extranodal natural killer/T-cell lymphoma: a report of 34 cases. <i>Histopathology</i> , 2015, 67, 404-409.	2.9	15
30	Tumor necrosis predicts poor clinical outcomes in patients with node-negative upper urinary tract urothelial carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 1069-1075.	1.3	14
31	Quantitative Contrast-Enhanced Ultrasonic Imaging Reflects Microvascularization in Hepatocellular Carcinoma and Prognosis after Resection. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 2621-2630.	1.5	7
32	Decreased Expression of PTPN12 Correlates with Tumor Recurrence and Poor Survival of Patients with Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2014, 9, e85592.	2.5	36
33	Urokinase-type plasminogen activator receptor signaling is critical in nasopharyngeal carcinoma cell growth and metastasis. <i>Cell Cycle</i> , 2014, 13, 1958-1969.	2.6	44
34	RASSF6 promotes p21 ^{Cip1/Waf1} -dependent cell cycle arrest and apoptosis through activation of the JNK/SAPK pathway in clear cell renal cell carcinoma. <i>Cell Cycle</i> , 2014, 13, 1440-1449.	2.6	24
35	Castleman disease of the neck: CT and MR imaging findings. <i>European Journal of Radiology</i> , 2014, 83, 2041-2050.	2.6	19
36	Pericyte coverage of differentiated vessels inside tumor vasculature is an independent unfavorable prognostic factor for patients with clear cell renal cell carcinoma. <i>Cancer</i> , 2013, 119, 313-324.	4.1	43

#	ARTICLE	IF	CITATIONS
37	Serglycin Is a Theranostic Target in Nasopharyngeal Carcinoma that Promotes Metastasis. <i>Cancer Research</i> , 2011, 71, 3162-3172.	0.9	133
38	Polymorphisms of methylenetetrahydrofolate reductase are associated with a high risk of nasopharyngeal carcinoma in a smoking population from southern China. <i>Molecular Carcinogenesis</i> , 2010, 49, 928-934.	2.7	16
39	Polymorphisms of death pathway genes FAS and FASL and risk of nasopharyngeal carcinoma. <i>Molecular Carcinogenesis</i> , 2010, 49, 944-950.	2.7	27