
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3832929/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Evaluation of Quality of Life and Sexual Satisfaction in Women Suffering from Chronic Pelvic Pain<br>With or Without Endometriosis. Journal of Sexual Medicine, 2011, 8, 497-503.   | 0.6 | 145       |
| 2  | Single-Blind, Randomized, Controlled Trial of Pelvic Floor Muscle Training, Electrical Stimulation,<br>Vaginal Cones, and No Active Treatment in the Management of Stress Urinary Incontinence. Clinics,<br>2008, 63, 465-472.  | 1.5 | 137       |
| 3  | Impact of supervised physiotherapeutic pelvic floor exercises for treating female stress urinary incontinence. Sao Paulo Medical Journal, 2007, 125, 265-269.   | 0.9 | 75        |
| 4  | Pelvic floor muscle training for treatment of pelvic organ prolapse: an assessor-blinded randomized controlled trial. International Urogynecology Journal, 2011, 22, 1233-1239.   | 1.4 | 73        |
| 5  | Validação do questionário de qualidade de vida (King's Health Questionnaire) em mulheres brasileiras<br>com incontinência urinária. Revista Brasileira De Ginecologia E Obstetricia, 2005, 27, 235-242.                         | 0.8 | 63        |
| 6  | Prospective randomized comparison of oxybutynin, functional electrostimulation, and pelvic floor<br>training for treatment of detrusor overactivity in women. International Urogynecology Journal,<br>2008, 19, 1055-1061.      | 1.4 | 62        |
| 7  | Analysis of Collagen in Parametrium and Vaginal Apex of Women with and without Uterine Prolapse.<br>International Urogynecology Journal, 2002, 13, 342-345.   | 1.4 | 59        |
| 8  | Anterior vaginal wall prolapse: a randomized controlled trial of SIS graft versus traditional colporrhaphy. International Urogynecology Journal, 2010, 21, 1057-1063.   | 1.4 | 48        |
| 9  | Efficacy of pelvic floor muscle training and hypopressive exercises for treating pelvic organ prolapse<br>in women: randomized controlled trial. Sao Paulo Medical Journal, 2012, 130, 5-9.                                     | 0.9 | 48        |
| 10 | Can hypopressive exercises provide additional benefits to pelvic floor muscle training in women with pelvic organ prolapse?. Neurourology and Urodynamics, 2012, 31, 121-125.   | 1.5 | 45        |
| 11 | Pelvic floor muscle training in female stress urinary incontinence: comparison between group<br>training and individual treatment using PERFECT assessment scheme. International Urogynecology<br>Journal, 2009, 20, 1455-1462. | 1.4 | 43        |
| 12 | Power Doppler of the Urethra in Continent or Incontinent, Pre- and Postmenopausal Women.<br>International Urogynecology Journal, 2000, 11, 148-155.   | 1.4 | 42        |
| 13 | Biofeedback for the treatment of female pelvic floor muscle dysfunction: a systematic review and meta-analysis. International Urogynecology Journal, 2012, 23, 1495-1516.   | 1.4 | 41        |
| 14 | COL1A1 Sp1-binding site polymorphism as a risk factor for genital prolapse. International<br>Urogynecology Journal, 2008, 19, 1471-1475.  | 1.4 | 36        |
| 15 | Pelvic floor muscle training is better than hypopressive exercises in pelvic organ prolapse treatment:<br>An assessorâ€blinded randomized controlled trial. Neurourology and Urodynamics, 2019, 38, 171-179.                    | 1.5 | 34        |
| 16 | Pregnancy after uterine arterial embolization. Clinics, 2011, 66, 807-810.  | 1.5 | 33        |
| 17 | Glycosaminoglycan profile in bladder and urethra of castrated rats treated with estrogen,<br>progestogen, and raloxifene. American Journal of Obstetrics and Gynecology, 2003, 189, 1654-1659.                                  | 1.3 | 31        |
| 18 | Transobturator Sling Compared With Single-Incision Mini-Sling for the Treatment of Stress Urinary<br>Incontinence. Obstetrics and Gynecology, 2014, 123, 553-561.   | 2.4 | 30        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | The use of transvaginal synthetic mesh for anterior vaginal wall prolapse repair: a randomized controlled trial. International Urogynecology Journal, 2013, 24, 1899-1907.   | 1.4 | 29        |
| 20 | Randomized controlled trial comparing TVT-O and TVT-S for the treatment of stress urinary incontinence: 2-year results. International Urogynecology Journal, 2014, 25, 1343-1348.  | 1.4 | 29        |
| 21 | Menopausal genuine stress urinary incontinence treated with conjugated estrogens plus progestogens. International Journal of Gynecology and Obstetrics, 1995, 49, 165-169.   | 2.3 | 27        |
| 22 | Estrogen therapy influence on periurethral vessels in postmenopausal incontinent women using<br>Dopplervelocimetry analysis. Maturitas, 2008, 61, 243-247.   | 2.4 | 26        |
| 23 | Single-incision sling compared with transobturator sling for treating stress urinary incontinence: a randomized controlled trial. International Urogynecology Journal, 2013, 24, 1459-1465.  | 1.4 | 26        |
| 24 | AVALIAÇÃO DO ASSOALHO PÉLVICO DE ATLETAS: EXISTE RELAÇÃO COM A INCONTINÊNCIA URINÃRIA?.<br>Revista Brasileira De Medicina Do Esporte, 2015, 21, 442-446.   | 0.2 | 26        |
| 25 | Doppler Velocimetry Parameters of Periurethral Vessels in Postmenopausal Incontinent Women<br>Receiving Estrogen Replacement. International Urogynecology Journal, 2001, 12, 241-246.  | 1.4 | 24        |
| 26 | Analysis of type I collagen in the parametrium of women with and without uterine prolapse, according to hormonal status. International Urogynecology Journal, 2003, 14, 331-334.   | 1.4 | 24        |
| 27 | Diagnóstico clÃnico e subsidiário da incontinência urinária. Revista Brasileira De Ginecologia E<br>Obstetricia, 2006, 28, 54-62.  | 0.8 | 24        |
| 28 | Twoâ€years results of native tissue versus vaginal mesh repair in the treatment of anterior prolapse according to different success criteria: A randomized controlled trial. Neurourology and Urodynamics, 2016, 35, 509-514.                    | 1.5 | 24        |
| 29 | Urodynamic study and quality of life in patients with fibromyalgia and lower urinary tract symptoms.<br>International Urogynecology Journal, 2008, 19, 1103-1107.  | 1.4 | 22        |
| 30 | Evaluation of demographic, clinical characteristics, and genetic polymorphism as risk factors for pelvic organ prolapse in brazilian women. Neurourology and Urodynamics, 2011, 30, 1325-1328.   | 1.5 | 22        |
| 31 | Prevalence of and quality of life related to anal incontinence in women with urinary incontinence<br>and pelvic organ prolapse. European Journal of Obstetrics, Gynecology and Reproductive Biology,<br>2012, 160, 228-231.                      | 1.1 | 22        |
| 32 | Sexual steroids in urogynecology. Climacteric, 2011, 14, 5-14.   | 2.4 | 21        |
| 33 | A Prospective, Randomized, Controlled Trial of the Treatment of Anterior Vaginal Wall Prolapse:<br>Medium Term Followup. Journal of Urology, 2015, 193, 1298-1304.   | 0.4 | 20        |
| 34 | Metabolic syndrome in women with and without stress urinary incontinence. International<br>Urogynecology Journal, 2020, 31, 173-179.   | 1.4 | 20        |
| 35 | The effects of bethanechol and cisapride on urodynamic parameters in patients undergoing radical hysterectomy for cervical cancer. A randomized, double-blind, placebo-controlled study. International Urogynecology Journal, 2006, 17, 248-252. | 1.4 | 19        |
| 36 | Hormonal influence on periurethral vessels in postmenopausal incontinent women using Doppler velocimetry analysis. Maturitas, 2007, 56, 297-302.   | 2.4 | 19        |

| #  | Article  | IF                | CITATIONS     |
|----|--|-------------------|---------------|
| 37 | The relationship between the Trp 64 Arg polymorphism of the beta 3–adrenoceptor gene and idiopathic overactive bladder. American Journal of Obstetrics and Gynecology, 2011, 205, 82.e10-82.e14.   | 1.3               | 19            |
| 38 | A populational—based survey on the prevalence, incidence, and risk factors of urinary incontinence in older adults—results from the "SABE STUDY― Neurourology and Urodynamics, 2018, 37, 466-477.  | 1.5               | 19            |
| 39 | The catechol-O-methyltransferase (COMT) gene polymorphism and prevalence of uterine fibroids.<br>Maturitas, 2008, 60, 235-238.   | 2.4               | 18            |
| 40 | Portuguese validation of the Urinary Incontinence-Specific Quality-of-Life Instrument: I-QOL.<br>International Urogynecology Journal, 2009, 20, 1183-1189.   | 1.4               | 18            |
| 41 | Pre-participation gynecological evaluation of female athletes: a new proposal. Einstein (Sao Paulo,) Tj ETQq1 1  | 0.784314 r<br>0.7 | gBT {Overlock |
| 42 | Impact of pelvic floor muscle training on the quality of life in women with urinary incontinence.<br>Revista Da Associação Médica Brasileira, 2012, 58, 155-159.   | 0.7               | 18            |
| 43 | Correlation between valsalva leak point pressure and maximal urethral closure pressure in women with stress urinary incontinence. International Urogynecology Journal, 2004, 15, 194-197.  | 1.4               | 17            |
| 44 | Effectiveness of adding voluntary pelvic floor muscle contraction to a Pilates exercise program: an assessor-masked randomized controlled trial. International Urogynecology Journal, 2016, 27, 1743-1752.                                   | 1.4               | 17            |
| 45 | Impact of HTLV-I in quality of life and urogynecologic parameters of women with urinary<br>incontinence. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 147,<br>230-233.   | 1.1               | 16            |
| 46 | Radiofrequency in female external genital cosmetics and sexual function: a randomized clinical trial.<br>International Urogynecology Journal, 2016, 27, 1681-1687.   | 1.4               | 16            |
| 47 | The impact of pregnancy and childbirth in the urethra of female rats. International Urogynecology<br>Journal, 2007, 18, 645-651.   | 1.4               | 15            |
| 48 | Effects of soy isoflavones on the uterus and urethra of ovariectomized rats. International<br>Urogynecology Journal, 2010, 21, 111-116.  | 1.4               | 15            |
| 49 | "Sling" retropúbico e transobturatório no tratamento da incontinênca urinária de esforço. Revista<br>Da Associação Médica Brasileira, 2010, 56, 348-354.   | 0.7               | 15            |
| 50 | Athletic Incontinence: Proposal of a New Term for a New Woman. Revista Brasileira De Ginecologia E<br>Obstetricia, 2017, 39, 441-442.  | 0.8               | 15            |
| 51 | Impact of pelvic floor muscle training on the quality of life in women with urinary incontinence.<br>Revista Da Associação Médica Brasileira (English Edition), 2012, 58, 155-159.   | 0.1               | 14            |
| 52 | Ultrasonographic and Doppler velocimetric evaluation of the levator ani muscle in premenopausal women with and without urinary stress incontinence. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2007, 133, 213-217. | 1.1               | 13            |
| 53 | Validation, reliability, and responsiveness of Prolapse Quality of Life Questionnaire (P-QOL) in a<br>Brazilian population. International Urogynecology Journal, 2011, 22, 751-755.  | 1.4               | 13            |
| 54 | Pelvic floor muscle training for overactive bladder symptoms – A prospective study. Revista Da<br>Associação Médica Brasileira, 2017, 63, 1032-1038.   | 0.7               | 13            |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Hiperatividade do detrusor: comparação entre oxibutinina, eletroestimulação funcional do assoalho<br>pélvico e exercÃcios perineais. Estudo randomizado. Revista Brasileira De Ginecologia E Obstetricia,<br>2007, 29, 452-458.                      | 0.8 | 12        |
| 56 | Pelvic floor disorders among indigenous women living in Xingu Indian Park, Brazil. International<br>Urogynecology Journal, 2009, 20, 1079-1084.  | 1.4 | 12        |
| 57 | Treatment of anterior vaginal wall prolapse with and without polypropylene mesh: a prospective,<br>randomized and controlled trial - Part I. International Braz J Urol: Official Journal of the Brazilian<br>Society of Urology, 2013, 39, 519-530.  | 1.5 | 12        |
| 58 | Assessment of laparoscopic skills of Gynecology and Obstetrics residents after a training program.<br>Einstein (Sao Paulo, Brazil), 2016, 14, 468-472.   | 0.7 | 12        |
| 59 | Correlation between maximum voluntary contraction and endurance measured by digital palpation<br>and manometry: An observational study. Revista Da Associação Médica Brasileira, 2016, 62, 635-640.  | 0.7 | 12        |
| 60 | Can Abdominal Hypopressive Technique Change Levator Hiatus Area?. Ultrasound Quarterly, 2016, 32,<br>175-179.  | 0.8 | 12        |
| 61 | Analysis of Glycosaminoglycans in the Parametrium and Vaginal Apex of Women with and without<br>Uterine Prolapse. Journal of Women's Health, 2010, 19, 1341-1344.  | 3.3 | 11        |
| 62 | Sulfated glycosaminoglycans of the vagina and perineal skin in pre- and postmenopausal women, according to genital prolapse stage. International Urogynecology Journal, 2004, 15, 266-271.   | 1.4 | 10        |
| 63 | Sulfated glycosaminoglycans of the periurethral tissue in women with and without stress urinary<br>incontinence, according to genital prolapse stage. European Journal of Obstetrics, Gynecology and<br>Reproductive Biology, 2006, 126, 250-254.    | 1.1 | 10        |
| 64 | Impact of pregnancy and childbirth on female rats' urethral nerve fibers. International<br>Urogynecology Journal, 2007, 18, 1453-1458.   | 1.4 | 10        |
| 65 | Treatment of anterior vaginal wall prolapse with and without polypropylene mesh: a prospective,<br>randomized and controlled trial - Part II. International Braz J Urol: Official Journal of the Brazilian<br>Society of Urology, 2013, 39, 531-541. | 1.5 | 10        |
| 66 | Incidence of Bacteriuria after Urodynamic Study with or without Antibiotic Prophylaxis in Women<br>with Urinary Incontinence. Revista Brasileira De Ginecologia E Obstetricia, 2017, 39, 534-540.  | 0.8 | 10        |
| 67 | CO2 Laser and radiofrequency compared to a sham control group in treatment of stress urinary incontinence (LARF study arm 3). A randomized controlled trial. International Urogynecology Journal, 2022, 33, 3535-3542.                               | 1.4 | 10        |
| 68 | Rectus fascia colpopexy in posthysterectomy vaginal prolapse: Analysis of 18 cases. International<br>Urogynecology Journal, 1997, 8, 25-29.  | 1.4 | 9         |
| 69 | Changes in the Lower Urinary Tract in Continent Women and in Women with Stress Urinary<br>Incontinence, According to Menopausal Status. International Urogynecology Journal, 2001, 12, 156-160.  | 1.4 | 9         |
| 70 | Sulfated glycosaminoglycans of periurethral tissue in pre- and postmenopausal women. European<br>Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 139, 252-255.   | 1.1 | 9         |
| 71 | Ultrasonographic and doppler velocimetric evaluation of the levator ani muscle according to the<br>hormonal status. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 141,<br>183-185.                                      | 1.1 | 9         |
| 72 | Sexual function after anterior vaginal wall prolapse surgery. Clinics, 2012, 67, 871-875.  | 1.5 | 9         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Role of estrogen receptor alpha on vaginal epithelialization of patients with<br>Mayer–Rokitansky–Kuster–Hauser syndrome submitted to neovaginoplasty using oxidized regenerated<br>cellulose. International Urogynecology Journal, 2012, 23, 467-472. | 1.4 | 9         |
| 74 | The prevalence of fecal incontinence and associated risk factors in older adults participating in the SABE study. Neurourology and Urodynamics, 2016, 35, 959-964.   | 1.5 | 9         |
| 75 | Preoperative fasting abbreviation (Enhanced Recovery After Surgery protocol) and effects on the metabolism of patients undergoing gynecological surgeries under spinal anesthesia: A randomized clinical trial. Nutrition, 2020, 77, 110790.           | 2.4 | 9         |
| 76 | Impact of pelvic floor muscle training on the quality of life in women with urinary incontinence.<br>Revista Da Associação Médica Brasileira, 2012, 58, 155-9.   | 0.7 | 9         |
| 77 | Expression of vascular endothelial growth factor in the lower urinary tract in rats after castration and estrogen administration. Menopause, 2006, 13, 500-505.  | 2.0 | 8         |
| 78 | Effects of tamoxifen on Doppler velocimetry parameters of periurethral vessels in postmenopausal women. International Urogynecology Journal, 2005, 16, 56-59.  | 1.4 | 7         |
| 79 | Influence of ovarian hormones deprivation on gene expression in the lower urinary tract of rats.<br>International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2007, 33, 544-553.  | 1.5 | 7         |
| 80 | Role of glutathione S-transferase (GSTM1) gene polymorphism in development of uterine fibroids.<br>Fertility and Sterility, 2009, 91, 1496-1498.   | 1.0 | 7         |
| 81 | The role of MSP I CYP1A1 gene polymorphism in the development of uterine fibroids. Fertility and Sterility, 2010, 94, 2783-2785.   | 1.0 | 7         |
| 82 | Ultrasound Thickness of Bladder Wall in Continent and Incontinent Women and Its Correlation with<br>Cystometry. Scientific World Journal, The, 2014, 2014, 1-5.  | 2.1 | 7         |
| 83 | Evaluation of pelvic floor muscle strength and its correlation with sexual function in primigravid<br>and nonâ€pregnant women: A crossâ€sectional study. Neurourology and Urodynamics, 2018, 37, 807-814.  | 1.5 | 7         |
| 84 | Preoperative Fasting Abbreviation and its Effects on Postoperative Nausea and Vomiting Incidence in<br>Gynecological Surgery Patients. Revista Brasileira De Ginecologia E Obstetricia, 2020, 42, 468-475.   | 0.8 | 7         |
| 85 | Treatment for vaginal agenesis: A prospective and comparative study between vaginal dilation and surgical neovaginoplasty. International Journal of Gynecology and Obstetrics, 2022, 157, 574-581.   | 2.3 | 7         |
| 86 | Uterine prolapse: evaluation of glycosaminoglycans in postmenopausal women after estrogen therapy. Climacteric, 2011, 14, 121-125.   | 2.4 | 6         |
| 87 | Pelvic Floor 3D Ultrasound of Women with a TVT, TVT-O, or TVT-S for Stress Urinary Incontinence at the Three-year Follow-up. Revista Brasileira De Ginecologia E Obstetricia, 2017, 39, 471-479.   | 0.8 | 6         |
| 88 | Fast-track protocol for perioperative care in gynecological surgery: Cross-sectional study. Taiwanese<br>Journal of Obstetrics and Gynecology, 2019, 58, 359-363.  | 1.3 | 6         |
| 89 | Urodynamic and Ultrasonographic Evaluation after Continence Surgery. International<br>Urogynecology Journal, 1999, 10, 321-324.  | 1.4 | 5         |
| 90 | Comparação entre oxibutinina, eletroestimulação do nervo tibial posterior e exercÃcios perineais no<br>tratamento da sÃndrome da bexiga hiperativa. Fisioterapia E Pesquisa, 2019, 26, 127-136.  | 0.1 | 5         |

| #   | Article  | IF               | CITATIONS     |
|-----|--|------------------|---------------|
| 91  | Comparison between oxybutynin, functional electrical stimulation and pelvic floor training for treatment of detrusor overactivity in women: a review. Current Opinion in Obstetrics and Gynecology, 2009, 21, 412-414. | 2.0              | 4             |
| 92  | Metabolic profile of glycosaminoglycans in bladder and urethra of female rats during and after pregnancy. International Urogynecology Journal, 2010, 21, 241-246.  | 1.4              | 4             |
| 93  | Long-term and short-term effects of simulated birth trauma, cesarean and vaginal delivery on<br>sulfated glycosaminoglycans in the urethra of female rats. International Urogynecology Journal,<br>2010, 21, 705-710.  | 1.4              | 4             |
| 94  | Prevalence of sexually transmitted diseases in female athletes in São Paulo, Brazil. Einstein (Sao) Tj ETQq0 0 0 r   | gBT /Over<br>0.7 | lock 10 Tf 50 |
| 95  | Description and evaluation of experimental models for uterine transplantation in pigs. Einstein (Sao) Tj ETQq1 1   | 0.784314<br>0.7  | rg&T /Overlo  |
| 96  | Contraception and family planning at the extreme of reproductive life – climacteric. Revista Da<br>Associação Médica Brasileira, 2016, 62, 454-457.  | 0.7              | 3             |
| 97  | No mesh versus mesh in the treatment of anterior vaginal wall prolapse: prospective, randomised, controlled trial, long-term follow-up. International Urology and Nephrology, 2020, 52, 1839-1844.                     | 1.4              | 3             |
| 98  | Effect of Estrogen–Progestogen Hormonal Replacement Therapy on Periurethral and Bladder Vessels.<br>International Urogynecology Journal, 2000, 11, 120.  | 1.4              | 3             |
| 99  | Fecal incontinence: incidence and risk factors from the SABE (Health, Wellbeing and Aging) study.<br>International Urogynecology Journal, 2022, 33, 2993-3004.   | 1.4              | 3             |
| 100 | Urinary incontinence, overactive bladder, and quality of life in women submitted to total hip replacement. Neurourology and Urodynamics, 2022, , .   | 1.5              | 3             |
| 101 | Postmenopausal genital bleeding. Sao Paulo Medical Journal, 1995, 113, 987-991.  | 0.9              | 2             |
| 102 | Primary actinomycosis of the urinary bladder. International Journal of Gynecology and Obstetrics, 1995, 49, 65-66.   | 2.3              | 2             |
| 103 | Isoflavone regulates Vascular Endothelial Growth Factor Expression in urinary tract of castrated rats. Maturitas, 2009, 62, 317-320.   | 2.4              | 2             |
| 104 | Influence of estrogen replacement and aging on the expression of nerve growth factor in the urethra of female rats. Neurourology and Urodynamics, 2012, 31, 702-705.   | 1.5              | 2             |
| 105 | The Morphological Aspects of Neovaginoplasty Using Oxidized Cellulose Membrane<br>(Interceed <sup>®</sup> ). Journal of Gynecologic Surgery, 2013, 29, 169-173.  | 0.1              | 2             |
| 106 | Early physical therapy intervention in gynaecological surgery: "Case series― International Journal of<br>Surgery Case Reports, 2018, 52, 95-102.   | 0.6              | 2             |
| 107 | A Decline at Inpatient Benign Hysterectomy is Perceived in Brazil: What are the Strategies to Improve<br>Surgical Resident Training?. Revista Brasileira De Ginecologia E Obstetricia, 2018, 40, 239-241.              | 0.8              | 2             |
| 108 | The Manchesterâ€Fothergill technique: Browsing in the cuttingâ€edge art gallery. International Journal of Gynecology and Obstetrics, 2022, 156, 10-16.   | 2.3              | 2             |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Development of personalized molds for neovagina creation by 3D printer. Revista Da Associação<br>Médica Brasileira, 2020, 66, 1498-1502.   | 0.7 | 2         |
| 110 | Effects of the COVID-19 Pandemic on Gynecological Health: An Integrative Review. Revista Brasileira De<br>Ginecologia E Obstetricia, 2022, 44, 194-200.  | 0.8 | 2         |
| 111 | Burch Procedure: A Historical Perspective. Revista Brasileira De Ginecologia E Obstetricia, 2022, 44,<br>511-518.  | 0.8 | 2         |
| 112 | Prevalence of Urinary Incontinence in CrossFit Practitioners before and during the COVID-19<br>Quarantine and its Relationship with Training Level: An Observational Study. Revista Brasileira De<br>Ginecologia E Obstetricia, 2021, 43, 847-852. | 0.8 | 2         |
| 113 | Avaliação do impacto da correção cirúrgica de distopias genitais sobre a função sexual feminina.<br>Revista Brasileira De Ginecologia E Obstetricia, 2007, 29, .   | 0.8 | 1         |
| 114 | Impact of birth in the presence and absence of simulated birth injury on vaginal glycosaminoglycan content. International Urogynecology Journal, 2011, 22, 1513-1519.  | 1.4 | 1         |
| 115 | Oestrogen receptor alpha expression in neovaginal tissue of women following modified Abbé-McIndoe<br>technique and in premenopausal women. Gynecological Endocrinology, 2015, 31, 327-331.   | 1.7 | 1         |
| 116 | Advanced Stage Breast Sarcoma Treatment in a Third World Country Public Hospital. Case Reports in Obstetrics and Gynecology, 2018, 2018, 1-4.  | 0.3 | 1         |
| 117 | Teratoma congênito de orofaringe: relato de caso. Revista Brasileira De Ginecologia E Obstetricia,<br>2005, 27, 86-91.   | 0.8 | 1         |
| 118 | Peritoneal borderline cystoadenocarcinoma. Sao Paulo Medical Journal, 1998, 116, 1634-1636.  | 0.9 | 0         |
| 119 | Uterine arterial embolization: collagen analysis of endometrial/uterine biopsy pre and after procedure. Gynecological Surgery, 2010, 7, 81-85.   | 0.9 | Ο         |
| 120 | Transobturator Sling Compared With Single-Incision Mini-Sling for the Treatment of Stress Urinary<br>Incontinence. Obstetrical and Gynecological Survey, 2014, 69, 396-397.  | 0.4 | 0         |
| 121 | Infected Diverticulum of the Urethra in Pregnancy. Journal of Gynecologic Surgery, 2019, 35, 318-320.  | 0.1 | Ο         |
| 122 | Transvaginal Mesh Implant Procedures: Use Them or Not?. Journal of Gynecologic Surgery, 2019, 35, 201-204.   | 0.1 | 0         |
| 123 | Adnexal Tumor-Related Neurobehavioral Alterations: A Rare Case Report. Case Reports in Obstetrics and Gynecology, 2020, 2020, 1-3.   | 0.3 | Ο         |
| 124 | Hydronephrosis associated with pelvic organ prolapse: a review study. Revista Da Associação Médica<br>Brasileira, 2021, 67, 1061-1064.   | 0.7 | 0         |
| 125 | Asymptomatic microscopic hematuria in women. Revista Da Associação Médica Brasileira, 2021, 67,<br>900-902.  | 0.7 | 0         |
| 126 | BRAZILIAN OLYMPIC FEMALE ATHLETES' MULTIDISCIPLINARY CARE: AN OBSERVATIONAL STUDY. Revista<br>Brasileira De Medicina Do Esporte, 2022, 28, 281-285.  | 0.2 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Historical perspective of vaginal hysterectomy: the resilience of art and evidence-based medicine in the age of technology. Archives of Gynecology and Obstetrics, 2022, , . | 1.7 | 0         |