

Z Elizabeth Floyd

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3833415/z-elizabeth-floyd-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

4,355
citations

32
h-index

65
g-index

84
ext. papers

4,694
ext. citations

5.4
avg. IF

5.01
L-index

#	Paper	IF	Citations
79	Expression of the preadipocyte marker ZFP423 is dysregulated between well-differentiated and dedifferentiated liposarcoma.. <i>BMC Cancer</i> , 2022 , 22, 300	4.8	
78	Artemisia dracunculus L. Ethanolic Extract and an Isolated Component, DMC2, Ameliorate Inflammatory Signaling in Pancreatic ECells via Inhibition of p38 MAPK. <i>Biomolecules</i> , 2022 , 12, 708	5.9	
77	Designing a Clinical Study With Dietary Supplements: It's All in the Details.. <i>Frontiers in Nutrition</i> , 2021 , 8, 779486	6.2	
76	An Ethanolic Extract of Artemisia dracunculus L. Enhances the Metabolic Benefits of Exercise in Diet-induced Obese Mice. <i>Medicine and Science in Sports and Exercise</i> , 2021 , 53, 712-723	1.2	1
75	Sympathetic Innervation of White Adipose Tissue: to Beige or Not to Beige?. <i>Physiology</i> , 2021 , 36, 246-258	5.8	0
74	SIAH2 is Expressed in Adipocyte Precursor Cells and Interacts with EBF1 and ZFP521 to Promote Adipogenesis. <i>Obesity</i> , 2021 , 29, 98-107	8	4
73	Characterization of PMI-5011 on the Regulation of Deubiquitinating Enzyme Activity in Multiple Myeloma Cell Extracts. <i>Biochemical Engineering Journal</i> , 2021 , 166, 107834-107834	4.2	
72	NT-PGC-1 α deficiency attenuates high-fat diet-induced obesity by modulating food intake, fecal fat excretion and intestinal fat absorption. <i>Scientific Reports</i> , 2021 , 11, 1323	4.9	2
71	The Ubiquitin Ligase SIAH2 Negatively Regulates Glucocorticoid Receptor Activity and Abundance. <i>Biomedicines</i> , 2020 , 9,	4.8	1
70	Adaptive Fat Oxidation Is Coupled with Increased Lipid Storage in Adipose Tissue of Female Mice Fed High Dietary Fat and Sucrose. <i>Nutrients</i> , 2020 , 12,	6.7	2
69	Siah2 modulates sex-dependent metabolic and inflammatory responses in adipose tissue to a high-fat diet challenge. <i>Biology of Sex Differences</i> , 2019 , 10, 19	9.3	6
68	The DESIGNER Approach Helps Decipher the Hypoglycemic Bioactive Principles of (Russian Tarragon). <i>Journal of Natural Products</i> , 2019 , 82, 3321-3329	4.9	9
67	An Extract of Russian Tarragon Prevents Obesity-Related Ectopic Lipid Accumulation. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1700856	5.9	8
66	Isolation of Murine Adipose-Derived Stromal/Stem Cells for Adipogenic Differentiation or Flow Cytometry-Based Analysis. <i>Methods in Molecular Biology</i> , 2018 , 1773, 137-146	1.4	13
65	Isolation of Human Adipose-Derived Stem Cells from Lipoaspirates. <i>Methods in Molecular Biology</i> , 2018 , 1773, 155-165	1.4	13
64	Siah2 Expression in Adipocyte Progenitor Cells. <i>Diabetes</i> , 2018 , 67, 1757-P	0.9	
63	Siah2 in Adipocytes Promotes M2-Like Macrophage Activation in Adipose Tissue. <i>Diabetes</i> , 2018 , 67, 2014-P	0.9	

62	Potential adverse effects of botanical supplementation in high-fat-fed female mice. <i>Biology of Sex Differences</i> , 2018 , 9, 41	9.3	4
61	Estrogens Promote Misfolded Proinsulin Degradation to Protect Insulin Production and Delay Diabetes. <i>Cell Reports</i> , 2018 , 24, 181-196	10.6	36
60	An Extract of L. Promotes Psychological Resilience in a Mouse Model of Depression. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 7418681	6.7	11
59	Oral Corticosterone Administration Reduces Insulinitis but Promotes Insulin Resistance and Hyperglycemia in Male Nonobese Diabetic Mice. <i>American Journal of Pathology</i> , 2017 , 187, 614-626	5.8	19
58	Siah2 Protein Mediates Early Events in Commitment to an Adipogenic Pathway. <i>Journal of Biological Chemistry</i> , 2016 , 291, 27289-27297	5.4	10
57	Aging and Bone 2016 , 23-42		1
56	Ubiquitin Ligase NEDD4 Regulates PPAR δ Stability and Adipocyte Differentiation in 3T3-L1 Cells. <i>Scientific Reports</i> , 2016 , 6, 38550	4.9	24
55	Exchange Factor TBL1 and Arginine Methyltransferase PRMT6 Cooperate in Protecting G Protein Pathway Suppressor 2 (GPS2) from Proteasomal Degradation. <i>Journal of Biological Chemistry</i> , 2015 , 290, 19044-54	5.4	10
54	Prolonged proteasome inhibition cyclically upregulates Oct3/4 and Nanog gene expression, but reduces induced pluripotent stem cell colony formation. <i>Cellular Reprogramming</i> , 2015 , 17, 95-105	2.1	3
53	The ubiquitin ligase Siah2 regulates obesity-induced adipose tissue inflammation. <i>Obesity</i> , 2015 , 23, 2228-32		16
52	An ethanolic extract of <i>Artemisia dracunculus</i> L. regulates gene expression of ubiquitin-proteasome system enzymes in skeletal muscle: potential role in the treatment of sarcopenic obesity. <i>Nutrition</i> , 2014 , 30, S21-5	4.8	7
51	Screening native botanicals for bioactivity: an interdisciplinary approach. <i>Nutrition</i> , 2014 , 30, S11-6	4.8	5
50	Biological aging alters circadian mechanisms in murine adipose tissue depots. <i>Age</i> , 2013 , 35, 533-47		12
49	An extract of <i>Artemisia dracunculus</i> L. inhibits ubiquitin-proteasome activity and preserves skeletal muscle mass in a murine model of diabetes. <i>PLoS ONE</i> , 2013 , 8, e57112	3.7	18
48	Controlling a master switch of adipocyte development and insulin sensitivity: covalent modifications of PPAR α . <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012 , 1822, 1090-5	6.9	64
47	Comparing the effects of nano-sized sugarcane fiber with cellulose and psyllium on hepatic cellular signaling in mice. <i>International Journal of Nanomedicine</i> , 2012 , 7, 2999-3012	7.3	10
46	An improved method for isolation of RNA from bone. <i>BMC Biotechnology</i> , 2012 , 12, 5	3.5	34
45	Gene expression profile in human skeletal muscle cells infected with human adenovirus type 36. <i>Journal of Medical Virology</i> , 2012 , 84, 1254-66	19.7	2

44	The ubiquitin ligase Siah2 regulates PPAR α activity in adipocytes. <i>Endocrinology</i> , 2012 , 153, 1206-18	4.8	47
43	Proteome of human subcutaneous adipose tissue stromal vascular fraction cells versus mature adipocytes based on DIGE. <i>Journal of Proteome Research</i> , 2011 , 10, 1519-27	5.6	26
42	Isolation of human adipose-derived stem cells from lipoaspirates. <i>Methods in Molecular Biology</i> , 2011 , 702, 17-27	1.4	54
41	Prospective influences of circadian clocks in adipose tissue and metabolism. <i>Nature Reviews Endocrinology</i> , 2011 , 7, 98-107	15.2	32
40	Adipogenic differentiation of adipose-derived stem cells. <i>Methods in Molecular Biology</i> , 2011 , 702, 193-200	1.4	45
39	Prospecting for adipose progenitor cell biomarkers: biopanning for gold with in vivo phage display. <i>Cell Stem Cell</i> , 2011 , 9, 1-2	18	4
38	STAT5A expression in Swiss 3T3 cells promotes adipogenesis in vivo in an athymic mice model system. <i>Obesity</i> , 2011 , 19, 1731-4	8	30
37	Bioactives from bitter melon enhance insulin signaling and modulate acyl carnitine content in skeletal muscle in high-fat diet-fed mice. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 1064-73	6.3	57
36	Metabolism: what causes the gut's circadian instincts?. <i>Current Biology</i> , 2011 , 21, R624-6	6.3	4
35	PPAR γ -independent increase in glucose uptake and adiponectin abundance in fat cells. <i>Endocrinology</i> , 2011 , 152, 3648-60	4.8	40
34	Isolation of murine adipose-derived stem cells. <i>Methods in Molecular Biology</i> , 2011 , 702, 29-36	1.4	24
33	Circadian rhythms in adipose tissue: an update. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2011 , 14, 554-61	3.8	16
32	Human adenovirus 36 decreases fatty acid oxidation and increases de novo lipogenesis in primary cultured human skeletal muscle cells by promoting Cidec/FSP27 expression. <i>International Journal of Obesity</i> , 2010 , 34, 1355-64	5.5	37
31	Regulation of adipogenesis by natural and synthetic REV-ERB ligands. <i>Endocrinology</i> , 2010 , 151, 3015-25	4.8	105
30	Poly(ADP-ribose) polymerase (PARP) inhibition counteracts multiple manifestations of kidney disease in long-term streptozotocin-diabetic rat model. <i>Biochemical Pharmacology</i> , 2010 , 79, 1007-14	6	29
29	High efficiency lipid-based siRNA transfection of adipocytes in suspension. <i>PLoS ONE</i> , 2009 , 4, e6940	3.7	47
28	Fat circadian biology. <i>Journal of Applied Physiology</i> , 2009 , 107, 1629-37	3.7	35
27	Modulation of skeletal muscle insulin signaling with chronic caloric restriction in cynomolgus monkeys. <i>Diabetes</i> , 2009 , 58, 1488-98	0.9	36

26	The 4th dimension and adult stem cells: Can timing be everything?. <i>Journal of Cellular Biochemistry</i> , 2009 , 107, 569-78	4.7	25
25	PPAR-gamma AF-2 domain functions as a component of a ubiquitin-dependent degradation signal. <i>Obesity</i> , 2009 , 17, 665-73	8	36
24	Aging and Bone 2009 , 19-33		
23	Modulation of peroxisome proliferator-activated receptor gamma stability and transcriptional activity in adipocytes by resveratrol. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, S32-8	12.7	64
22	Combustion-derived hydrocarbons localize to lipid droplets in respiratory cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2008 , 38, 532-40	5.7	33
21	The epigenetics of adult (somatic) stem cells. <i>Critical Reviews in Eukaryotic Gene Expression</i> , 2008 , 18, 189-206	1.3	18
20	Secretome of primary cultures of human adipose-derived stem cells: modulation of serpins by adipogenesis. <i>Molecular and Cellular Proteomics</i> , 2007 , 6, 18-28	7.6	169
19	Effects of prolyl hydroxylase inhibitors on adipogenesis and hypoxia inducible factor 1 alpha levels under normoxic conditions. <i>Journal of Cellular Biochemistry</i> , 2007 , 101, 1545-57	4.7	29
18	Induction of circadian gene expression in human subcutaneous adipose-derived stem cells. <i>Obesity</i> , 2007 , 15, 2560-70	8	50
17	The modulation of STAT5A/GR complexes during fat cell differentiation and in mature adipocytes. <i>Obesity</i> , 2007 , 15, 583-90	8	21
16	Circadian rhythms and the regulation of metabolic tissue function and energy homeostasis. <i>Obesity</i> , 2007 , 15, 539-43	8	47
15	Degradation of STAT5 proteins in 3T3-L1 adipocytes is induced by TNF- α and cycloheximide in a manner independent of STAT5A activation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 292, E461-8	6	5
14	PPARs, RXRs, and Stem Cells. <i>PPAR Research</i> , 2007 , 2007, 93578	4.3	1
13	Playing with bone and fat. <i>Journal of Cellular Biochemistry</i> , 2006 , 98, 251-66	4.7	426
12	Characterization of peripheral circadian clocks in adipose tissues. <i>Diabetes</i> , 2006 , 55, 962-70	0.9	382
11	Fine-Tuning Reception in the Bone: PPARgamma and Company. <i>PPAR Research</i> , 2006 , 2006, 52950	4.3	3
10	Immunophenotype of human adipose-derived cells: temporal changes in stromal-associated and stem cell-associated markers. <i>Stem Cells</i> , 2006 , 24, 376-85	5.8	908
9	The immunogenicity of human adipose-derived cells: temporal changes in vitro. <i>Stem Cells</i> , 2006 , 24, 1246-53	5.8	425

8	Effect of various freezing parameters on the immediate post-thaw membrane integrity of adipose tissue derived adult stem cells. <i>Biotechnology Progress</i> , 2005 , 21, 1511-24	2.8	54
7	Proteomic analysis of primary cultures of human adipose-derived stem cells: modulation by Adipogenesis. <i>Molecular and Cellular Proteomics</i> , 2005 , 4, 731-40	7.6	118
6	Control of peroxisome proliferator-activated receptor gamma2 stability and activity by SUMOylation. <i>Obesity</i> , 2004 , 12, 921-8		56
5	STAT 5 activators can replace the requirement of FBS in the adipogenesis of 3T3-L1 cells. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 324, 355-9	3.4	48
4	STAT5A promotes adipogenesis in nonprecursor cells and associates with the glucocorticoid receptor during adipocyte differentiation. <i>Diabetes</i> , 2003 , 52, 308-14	0.9	98
3	Interferon-gamma-mediated activation and ubiquitin-proteasome-dependent degradation of PPARgamma in adipocytes. <i>Journal of Biological Chemistry</i> , 2002 , 277, 4062-8	5.4	151
2	Interferon-gamma-induced regulation of peroxisome proliferator-activated receptor gamma and STATs in adipocytes. <i>Journal of Biological Chemistry</i> , 2001 , 276, 7062-8	5.4	114
1	The nuclear ubiquitin-proteasome system degrades MyoD. <i>Journal of Biological Chemistry</i> , 2001 , 276, 22468-75	5.4	59