

Faïk Errouissi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3833566/publications.pdf>

Version: 2024-02-01

13
papers

673
citations

1040056

9
h-index

1281871

11
g-index

13
all docs

13
docs citations

13
times ranked

791
citing authors

#	ARTICLE	IF	CITATIONS
1	First data on the daily and seasonal activity patterns of <i>Stomoxys calcitrans</i> (Diptera: Muscidae) under Mediterranean semiarid climate in a dairy cattle farm in Tunisia. <i>International Journal of Tropical Insect Science</i> , 2022, 42, 1437-1447.	1.0	0
2	Consequences of habitat change in euromediterranean landscapes on the composition and diversity of dung beetle assemblages (Coleoptera, Scarabaeoidea). <i>Journal of Insect Conservation</i> , 2019, 23, 15-28.	1.4	8
3	Diversity and structure of dung beetle assemblages under two contrasted habitats in Tunisia: oases vs. humid pastures. <i>Austral Entomology</i> , 2017, 56, 54-63.	1.4	0
4	A Review on the Toxicity and Non-Target Effects of Macrocyclic Lactones in Terrestrial and Aquatic Environments. <i>Current Pharmaceutical Biotechnology</i> , 2012, 13, 1004-1060.	1.6	260
5	Spatial and Temporal Variation in Species Composition, Diversity, and Structure of Mediterranean Dung Beetle Assemblages (Coleoptera: Scarabaeidae) Across a Bioclimatic Gradient. <i>Environmental Entomology</i> , 2012, 41, 785-801.	1.4	11
6	Dung beetle assemblages organization in two contrasted areas of the Mediterranean region: affinities and divergences. <i>Annales De La Societe Entomologique De France</i> , 2011, 47, 402-417.	0.9	8
7	Soil invertebrates in durum wheat (<i>Triticum durum</i> L.) cropping system under Mediterranean semi arid conditions: A comparison between conventional and no-tillage management. <i>Soil and Tillage Research</i> , 2011, 112, 122-132.	5.6	34
8	Comparative effects of conventional and no-tillage management on some soil properties under Mediterranean semi-arid conditions in northwestern Tunisia. <i>Soil and Tillage Research</i> , 2010, 106, 247-253.	5.6	64
9	Seasonal occurrence and local coexistence within scarabaeid dung beetle guilds (Coleoptera: Tj ETQq1 1 0.784314 1.9 BT /Overlock 10	1.1	22
10	Relative efficiency of extensive grazing vs. wild ungulates management for dung beetle conservation in a heterogeneous landscape from Southern Europe (Scarabaeinae, Aphodiinae, Geotrupinae). <i>Biological Conservation</i> , 2008, 141, 2879-2887.	4.1	47
11	Composition and Structure of Dung Beetle (Coleoptera: Aphodiidae, Geotrupidae, Scarabaeidae) Assemblages in Mountain Grasslands of the Southern Alps. <i>Annals of the Entomological Society of America</i> , 2004, 97, 701-709.	2.5	37
12	Effects of the Attractiveness for Dung Beetles of Dung Pat Origin and Size Along a Climatic Gradient. <i>Environmental Entomology</i> , 2004, 33, 45-53.	1.4	46
13	Use of anthelmintics in herbivores and evaluation of risks for the non target fauna of pastures. <i>Veterinary Research</i> , 2002, 33, 547-562.	3.0	136