

Murugesan Thanabalan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3833674/murugesan-thanabalan-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87 papers	2,346 citations	29 h-index	46 g-index
88 ext. papers	2,650 ext. citations	3.4 avg, IF	5.31 L-index

#	Paper	IF	Citations
87	Oxytetracycline Mineralization inside a UV/H ₂ O ₂ System of Advanced Oxidation Processes: Inorganic By-Product. <i>Bulletin of Chemical Reaction Engineering and Catalysis</i> , 2021 , 16, 302-309	1.7	1
86	Enhanced photocatalytic performance of visible light driven TiO ₂ /g-C ₃ N ₄ for degradation of diclofenac in aqueous solution. <i>Environmental Technology and Innovation</i> , 2021 , 22, 101412	7	19
85	Enhanced lignin extraction and optimisation from oil palm biomass using neural network modelling. <i>Fuel</i> , 2021 , 293, 120485	7.1	18
84	Synthesis, physiochemical properties, colloidal stability evaluation and potential of ionic liquid modified CS-TPP MPs in controlling the release rate of insulin. <i>Journal of Drug Delivery Science and Technology</i> , 2021 , 64, 102575	4.5	1
83	Effective carbonaceous desiccated coconut waste adsorbent for application of heavy metal uptakes by adsorption: Equilibrium, kinetic and thermodynamics analysis. <i>Biomass and Bioenergy</i> , 2020 , 142, 105805	5.3	17
82	Bioethanol Production from Musambi Peel by Acid Catalyzed Steam Pretreatment and Enzymatic Saccharification: Optimization of Delignification Using Taguchi Design. <i>Waste and Biomass Valorization</i> , 2020 , 11, 2631-2643	3.2	11
81	Preparation, characterization and stability evaluation of ionic liquid blended chitosan tripolyphosphate microparticles. <i>Journal of Drug Delivery Science and Technology</i> , 2019 , 50, 217-225	4.5	11
80	Surface modification and characterization of carbonaceous adsorbents for the efficient removal of oil pollutants. <i>Journal of Hazardous Materials</i> , 2019 , 379, 120673	12.8	11
79	Investigation of green functionalization of multiwall carbon nanotubes and its application in adsorption of benzene, toluene & p-xylene from aqueous solution. <i>Journal of Cleaner Production</i> , 2019 , 221, 323-338	10.3	19
78	Production of bioethanol from sweet lime peel via a statistically optimized simultaneous saccharification and fermentation process using isolated enzymes. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2019 , 1-9	1.6	2
77	Investigating the solubility of petroleum asphaltene in ionic liquids and their interaction using COSMO-RS. <i>Journal of Industrial and Engineering Chemistry</i> , 2019 , 79, 194-203	6.3	14
76	Impact of surface modification on adsorptive removal of BTX onto activated carbon. <i>Journal of Molecular Liquids</i> , 2019 , 280, 238-251	6	21
75	A comprehensive review on the recent advances on the petroleum asphaltene aggregation. <i>Journal of Petroleum Science and Engineering</i> , 2019 , 176, 249-268	4.4	49
74	A review on adsorptive removal of oil pollutants (BTEX) from wastewater using carbon nanotubes. <i>Journal of Molecular Liquids</i> , 2019 , 277, 1005-1025	6	33
73	Potential of Chitosan and its derivatives for controlled drug release applications [A review]. <i>Journal of Drug Delivery Science and Technology</i> , 2019 , 49, 642-659	4.5	64
72	Enhanced lignin extraction from different species of oil palm biomass: Kinetics and optimization of extraction conditions. <i>Industrial Crops and Products</i> , 2018 , 116, 122-136	5.9	42
71	Experimental investigation on the effect of wastewater matrix on oxytetracycline mineralization using UV/H ₂ O ₂ system. <i>International Journal of Environmental Science and Technology</i> , 2017 , 14, 1225-1233	2.3	16

70	Solubility of CO ₂ in 20 Wt. % Aqueous Solution of Piperazine. <i>Procedia Engineering</i> , 2016 , 148, 1377-1379	5
69	Selective adsorption of CO ₂ on a regenerable amine-bentonite hybrid adsorbent. <i>Applied Clay Science</i> , 2015 , 107, 213-219	5.2 22
68	The chlor-alkali process: Work in Progress. <i>Clean Technologies and Environmental Policy</i> , 2014 , 16, 225-234	4.3 49
67	Degradation Kinetic of Oxytetracycline Antibiotic inside UV Reactor in the Presence of H ₂ O ₂ . <i>Applied Mechanics and Materials</i> , 2014 , 625, 901-906	0.3
66	Adsorption of Chlorate from Chlor-Alkali Plant Purged Brine Stream. <i>Applied Mechanics and Materials</i> , 2014 , 625, 885-888	0.3 3
65	Polyethersulfone (PES) Membranes for CO ₂ /CH ₄ Separation: Effect of Polymer Blending. <i>Applied Mechanics and Materials</i> , 2014 , 625, 172-175	0.3 13
64	Conversion of Lignocellulose into Fermentable Sugars Using Solid Acid Catalysis [A Review]. <i>Applied Mechanics and Materials</i> , 2014 , 625, 341-344	0.3 0
63	Antioxidant Activity and HPLC Analysis of Gallic Acid Phenolic Compound from Nephelium Lappaceum Leaves. <i>Applied Mechanics and Materials</i> , 2014 , 625, 15-18	0.3 2
62	Carbon Dioxide Retention on Bentonite Clay Adsorbents Modified by Mono-, Di- and Triethanolamine Compounds. <i>Advanced Materials Research</i> , 2014 , 917, 115-122	0.5 7
61	Effect of Aluminium Sol on Silica Nanoparticles Texture and Properties. <i>Advanced Materials Research</i> , 2014 , 917, 56-60	0.5
60	Preparation and Characterization of Hydrophobic Silica Zirconium Nanoparticles. <i>Applied Mechanics and Materials</i> , 2014 , 625, 503-508	0.3
59	UV/H ₂ O ₂ Process for Removal of Total Organic Carbon from Refinery Effluent: Screening of Influence Factors Using Response Surface Methodology. <i>Advanced Materials Research</i> , 2014 , 917, 168-177	0.5 1
58	Phase Diagram of an Aqueous Salt-Polymer System Composed of Poly Ethylene Glycol 4000 + Na ₃ C ₆ H ₅ O ₇ + H ₂ O. <i>Applied Mechanics and Materials</i> , 2014 , 625, 574-577	0.3 3
57	Physical and excess properties of ternary mixtures of 1-butyl-3-methylimidazolium tetrafluoroborate + monoethanolamine + water at temperature from (303.15 to 353.15) K. <i>Journal of Molecular Liquids</i> , 2014 , 190, 23-29	6 3
56	Liquid-Liquid equilibrium of aqueous two-phase system (PEG 2000-Sodium Citrate-Water) using potential difference as a key tool. <i>Physics and Chemistry of Liquids</i> , 2014 , 52, 26-36	1.5 5
55	Characterization of nano-crystalline Mg ₃ Al hydrotalcite derived mixed oxides as hydrogen adsorbent. <i>Materials Chemistry and Physics</i> , 2013 , 142, 213-219	4.4 9
54	Catalytic hydrogen adsorption of nano-crystalline hydrotalcite derived mixed oxides. <i>Chemical Engineering Research and Design</i> , 2013 , 91, 2639-2647	5.5 13
53	Recent Applications of Polymer Blends in Gas Separation Membranes. <i>Chemical Engineering and Technology</i> , 2013 , 36, 1838-1846	2 119

52	Densities, refractive index and excess properties of bis(2-hydroxyethyl)ammonium acetate ([bheaa])+monoethanolamine+water system at temperatures from 303.15 to 353.15K. <i>Journal of Molecular Liquids</i> , 2013 , 181, 121-126	6	9
51	Thermophysical properties of 1-hexyl-3-methylimidazolium tetrafluoroborate [hmim][BF ₄] + N-methyldiethanolamine (MDEA) at temperatures (303.15 to 323.15) K. <i>Journal of Molecular Liquids</i> , 2013 , 177, 54-59	6	32
50	Hydrogen Storage Investigation of Fixed Bed of Nanocrystalline Mg-Ni-Cr Mixed Oxides. <i>Advanced Materials Research</i> , 2013 , 701, 179-183	0.5	0
49	Thermophysical properties for the binary mixtures of 1-hexyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide [hmim][Tf ₂ N]+N-methyldiethanolamine (MDEA) at temperatures (303.15 to 323.15) K. <i>Journal of Molecular Liquids</i> , 2012 , 169, 95-101	6	49
48	Volumetric Properties and Refractive Indices for Binary Mixtures of 1-Propyronitrile-3-hexylimidazolium Bromide + Ethanol at Temperatures from 293.15 to 323.15 K. <i>Journal of Solution Chemistry</i> , 2012 , 41, 100-111	1.8	4
47	Density, Refractive Index, and Excess Properties of 1-Butyl-3-methylimidazolium Tetrafluoroborate with Water and Monoethanolamine. <i>Journal of Chemical & Engineering Data</i> , 2012 , 57, 120-126	2.8	78
46	Densities, viscosities and refractive indices of 1-alkyl-3-propanenitrile imidazolium chloride ionic liquids. <i>Physics and Chemistry of Liquids</i> , 2012 , 50, 152-160	1.5	7
45	Optimization of Oxytetracycline Degradation Inside UV/H ₂ O ₂ Reactor Using Box-Behnken Experimental Design. <i>Journal of Applied Sciences</i> , 2012 , 12, 1154-1159	0.3	8
44	Densities, Viscosities, and Refractive Indices of 1-Hexyl-3-propanenitrile Imidazolium Ionic Liquids Incorporated with Sulfonate-Based Anions. <i>Journal of Chemical & Engineering Data</i> , 2011 , 56, 2343-2348	2.8	27
43	Effect of sulfonate-based anions on the physicochemical properties of 1-alkyl-3-propanenitrile imidazolium ionic liquids. <i>New Journal of Chemistry</i> , 2011 , 35, 1111	3.6	21
42	Interfacial area and mass transfer coefficients in liquid-gas ejectors. <i>Theoretical Foundations of Chemical Engineering</i> , 2011 , 45, 818-823	0.9	2
41	Density and Excess Molar Volume of the Protic Ionic Liquid Bis(2-hydroxyethyl)ammonium Acetate with Alcohols. <i>Journal of Solution Chemistry</i> , 2011 , 40, 470-480	1.8	41
40	Physicochemical Properties of Binary Mixtures of the Protic Ionic Liquid Bis(2-hydroxyethyl)methylammonium Formate with Methanol, Ethanol, and 1-Propanol. <i>Journal of Solution Chemistry</i> , 2011 , 40, 818-831	1.8	30
39	Thermophysical properties of 1-propyronitrile-3-hexylimidazolium bromide+methanol at temperatures (293.15 to 323.15)K. <i>Journal of Molecular Liquids</i> , 2011 , 158, 101-104	6	21
38	Densities, refractive indices and excess molar volumes for binary mixtures of protic ionic liquids with methanol at T=293.15 to 313.15K. <i>Journal of Molecular Liquids</i> , 2011 , 159, 211-219	6	50
37	Prediction of the relative permeability of gases in mixed matrix membranes. <i>Journal of Membrane Science</i> , 2011 , 373, 152-159	9.6	83
36	Biosorption of heavy metals by potassium hydrogen phosphate and sodium oxalate modified lignocellulosic waste 2011 ,		1
35	Thermophysical Properties of Trihexyltetradecyl Phosphonium Octylsulfosuccinate Ionic Liquid. <i>Journal of Applied Sciences</i> , 2011 , 11, 1396-1400	0.3	1

34	Densities and Excess Molar Volumes of Binary Mixtures of Bis(2-hydroxyethyl)ammonium Acetate + Water and Monoethanolamine + Bis(2-hydroxyethyl)ammonium Acetate at Temperatures from (303.15 to 353.15) K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 5910-5913	2.8	26
33	Effect of Feed Spacer Mesh Length Ratio on Unsteady Hydrodynamics in 2D Spiral Wound Membrane (SWM) Channel. <i>Industrial & Engineering Chemistry Research</i> , 2010 , 49, 5834-5845	3.9	12
32	Heat Capacity of Sodium Aminoacetate Solutions before and after CO ₂ Absorption. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 547-550	2.8	4
31	Thermophysical Properties of 1-Propyronitrile-3-alkylimidazolium Bromide Ionic Liquids at Temperatures from (293.15 to 353.15) K. <i>Journal of Chemical & Engineering Data</i> , 2010 , 55, 3886-3890	2.8	52
30	Drag reduction in co-current down flow packed column using xanthan gum. <i>Korean Journal of Chemical Engineering</i> , 2010 , 27, 1205-1212	2.8	4
29	Thermophysical properties of 1-alkylpyridinium bis(trifluoromethylsulfonyl)imide ionic liquids. <i>Journal of Chemical Thermodynamics</i> , 2010 , 42, 491-495	2.9	85
28	Densities and Viscosities of Poly(ethylene glycol) 4000 + Diammonium Hydrogen Phosphate + Water Systems. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1100-1106	2.8	12
27	Thermodynamic properties of CO ₂ absorption in hydroxyl ammonium ionic liquids at pressures of (100-600) kPa. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 1069-1073	2.9	113
26	Optimization of process variables for a biosorption of nickel(II) using response surface method. <i>Korean Journal of Chemical Engineering</i> , 2009 , 26, 364-370	2.8	16
25	Feed spacer mesh angle: 3D modeling, simulation and optimization based on unsteady hydrodynamic in spiral wound membrane channel. <i>Journal of Membrane Science</i> , 2009 , 343, 16-33	9.6	35
24	Thermophysical properties of hydroxyl ammonium ionic liquids. <i>Journal of Chemical Thermodynamics</i> , 2009 , 41, 517-521	2.9	71
23	Phase Compositions, Molar Mass, and Temperature Effect on Densities, Viscosities, and Liquid-Liquid Equilibrium of Polyethylene Glycol and Salt-Based Aqueous Two-Phase Systems. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1359-1366	2.8	33
22	Densities and Viscosities of Polyethylene Glycol 6000 + Triammonium Citrate + Water Systems. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 3291-3295	2.8	27
21	Liquid-Liquid Equilibrium of Poly(ethylene glycol) 6000 + Triammonium Citrate + Water Systems at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 1094-1097	2.8	44
20	Thermophysical Properties of Aqueous Piperazine and Aqueous (N-Methyldiethanolamine + Piperazine) Solutions at Temperatures (298.15 to 338.15) K. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 2317-2321	2.8	50
19	Solubilities of Carbon Dioxide and Densities of Aqueous Sodium Glycinate Solutions before and after CO ₂ Absorption. <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 144-147	2.8	60
18	Liquid-Liquid Equilibrium of Poly(ethylene glycol) 4000 + Diammonium Hydrogen Phosphate + Water at Different Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 1574-1578	2.8	35
17	Density and Excess Properties of Aqueous N-Methyldiethanolamine Solutions from (298.15 to 338.15) K. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 2217-2221	2.8	20

16	Characterization and Process Optimization of Microwave Drying of Plaster of Paris. <i>Drying Technology</i> , 2008 , 26, 1484-1496	2.6	15
15	An Empirical Model for the Estimation of Moisture Ratio During Microwave Drying of Plaster of Paris. <i>Drying Technology</i> , 2008 , 26, 963-978	2.6	18
14	Thermophysical properties of 1-hexyl-3-methyl imidazolium based ionic liquids with tetrafluoroborate, hexafluorophosphate and bis(trifluoromethylsulfonyl)imide anions. <i>Journal of Chemical Thermodynamics</i> , 2008 , 40, 1433-1438	2.9	186
13	Viscosity, Refractive Index, Surface Tension, and Thermal Decomposition of Aqueous N-Methyldiethanolamine Solutions from (298.15 to 338.15) K. <i>Journal of Chemical & Engineering Data</i> , 2008 , 53, 2226-2229	2.8	60
12	Experiment and Correlation of Liquid-Liquid Equilibria of an Aqueous Salt Polymer System Containing PEG6000 + Sodium Citrate. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 1186-1188	2.8	29
11	Liquid-Liquid Equilibrium of Poly(ethylene glycol) 2000 + Potassium Citrate + Water at (25, 35, and 45) °C. <i>Journal of Chemical & Engineering Data</i> , 2007 , 52, 56-59	2.8	41
10	Partition of tannery wastewater proteins in aqueous two-phase poly (ethylene glycol)-magnesium sulfate systems: Effects of molecular weights and pH. <i>Chemical Engineering Science</i> , 2007 , 62, 969-978	4.4	41
9	Phase Equilibrium Compositions, Densities, and Viscosities of Aqueous Two-Phase Poly(ethylene glycol) + Poly(acrylic acid) System at Various Temperatures. <i>Journal of Chemical & Engineering Data</i> , 2006 , 51, 1246-1249	2.8	28
8	Prediction of liquid-liquid equilibria for PEG 2000-sodium citrate based aqueous two-phase systems. <i>Fluid Phase Equilibria</i> , 2006 , 244, 52-61	2.5	44
7	Liquid-Liquid Equilibria of Poly(ethylene glycol) 2000 + Sodium Citrate + Water at (25, 30, 35, 40, and 45) °C. <i>Journal of Chemical & Engineering Data</i> , 2005 , 50, 1392-1395	2.8	67
6	Liquid Holdup and Interfacial Area in Cocurrent Gas-Liquid Upflow through Packed Beds. <i>Journal of Chemical Engineering of Japan</i> , 2005 , 38, 229-242	0.8	5
5	Slip Velocity and Gas Holdup in a Gas-Liquid Co-current Upflow through a Packed Bed. <i>Journal of Chemical Engineering of Japan</i> , 2005 , 38, 243-252	0.8	
4	Prediction of Continuous Phase Axial Mixing in Rotating Disc Contactors. <i>Journal of Chemical Engineering of Japan</i> , 2004 , 37, 1293-1302	0.8	11
3	Mass transfer studies on the biodegradation of phenols in up-flow packed bed reactors. <i>Journal of Hazardous Materials</i> , 2002 , 89, 287-301	12.8	24
2	Critical Impeller Speed for Solid Suspension in Mechanically Agitated Contactors.. <i>Journal of Chemical Engineering of Japan</i> , 2001 , 34, 423-429	0.8	8
1	Pore model for the fibrous collagen matrix in animal skins. <i>Chemical Engineering Science</i> , 1995 , 50, 890-894	2.4	3