
Ann-Christin von Vogelsang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3835129/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	The meaning of person entred care in the perioperative nursing context from the patient's perspective – an integrative review. Journal of Clinical Nursing, 2017, 26, 2527-2544.	3.0	42
2	Patients Experience High Levels of Anxiety 2 Years Following Aneurysmal Subarachnoid Hemorrhage. World Neurosurgery, 2015, 83, 1090-1097.	1.3	34
3	â€~Wouldn't it be easier if you continued to be a guy?' – a qualitative interview study of transsexual persons' experiences of encounters with healthcare professionals. Journal of Clinical Nursing, 2016, 25, 3577-3588.	3.0	34
4	Operating theatre nurse specialist competence to ensure patient safety in the operating theatre: A discursive paper. Nursing Open, 2020, 7, 495-502.	2.4	32
5	Missed nursing care during the COVIDâ€19 pandemic: A comparative observational study. Journal of Nursing Management, 2021, 29, 2343-2352.	3.4	30
6	Patient safety, quality of care and missed nursing care at a cardiology department during the COVIDâ€19 outbreak. Nursing Open, 2022, 9, 385-393.	2.4	26
7	Health-Related Quality of Life 10 Years After Intracranial Aneurysm Rupture. Neurosurgery, 2013, 72, 397-406.	1.1	22
8	Predictive factors for decompressive hemicraniectomy in malignant middle cerebral artery infarction. Acta Neurochirurgica, 2016, 158, 865-873.	1.7	17
9	Missed nursing care in the critical care unit, before and during the COVID-19 pandemic: A comparative cross-sectional study. Intensive and Critical Care Nursing, 2022, 72, 103276.	2.9	16
10	Patient information after ruptured intracranial aneurysm. Journal of Advanced Nursing, 2004, 48, 551-559.	3.3	15
11	Effect of mobile laminar airflow units on airborne bacterial contamination during neurosurgical procedures. Journal of Hospital Infection, 2018, 99, 271-278.	2.9	13
12	Are anxiety levels associated with the decision to participate in a Swedish colorectal cancer screening programme? A nationwide cross-sectional study. BMJ Open, 2018, 8, e025109.	1.9	12
13	Translation, culture adaption and psychometric testing of the MISSCARE Survey—Swedish version. Journal of Clinical Nursing, 2020, 29, 4645-4652.	3.0	12
14	Health-Related Quality of Life and Return to Work after Surgery for Spinal Meningioma: A Population-Based Cohort Study. Cancers, 2021, 13, 6371.	3.7	12
15	Cognitive, Physical, and Psychological Status After Intracranial Aneurysm Rupture: A Cross-Sectional Study of a Stockholm Case Series 1996 to 1999. World Neurosurgery, 2013, 79, 130-135.	1.3	11
16	Health-Related Quality of Life Dynamics 2 Years Following Aneurysmal Subarachnoid Hemorrhage: A Prospective Cohort Study Using EQ-5D. Neurosurgery, 2017, 81, 650-658.	1.1	10
17	Descriptive Epidemiology in Relation to Gender Differences and Treatment Modalities 10 Years After Intracranial Aneurysm Rupture in the Stockholm Cohort 1996–1999. World Neurosurgery, 2013, 80, 328-334.	1.3	8
18	Restraint in a Neurosurgical Setting: A Mixed-Methods Study. World Neurosurgery, 2020, 133, 104-111.	1.3	6

#	Article	IF	CITATIONS
19	Patientâ€reported extremity symptoms after robotâ€assisted laparoscopic cystectomy. Journal of Clinical Nursing, 2019, 28, 1708-1718.	3.0	5
20	First and second cycle nursing students' perceptions of the clinical learning environment in acute care settings - A comparative crossectional study using the CLES+T scale. Nurse Education Today, 2022, 108, 105211.	3.3	4
21	Preoperative antibiotic prophylaxis regimen in brain tumour surgery in Sweden: a quasi-experimental study. Acta Neurochirurgica, 2020, 162, 2849-2856.	1.7	3
22	Transitional experiences in patients following intracranial aneurysm rupture. Journal of Clinical Nursing, 2014, 23, 1263-1273.	3.0	2
23	Nurses' experiences of using restraint in neurosurgical care – A qualitative interview study. Journal of Clinical Nursing, 2022, 31, 2259-2270.	3.0	2
24	"My head feels like it has gone through a mixer―– a qualitative interview study on recovery 1Âyear after aneurysmal subarachnoid hemorrhage. Disability and Rehabilitation, 2023, 45, 1323-1331.	1.8	2
25	Does the Time Trade-Off Method Reflect Health-Related Quality of Life? A Mixed-Methods Analysis of Preference Measures 10 Years After Aneurysmal Subarachnoid Hemorrhage. World Neurosurgery, 2019, 126, 11-20.	1.3	0
26	The Swedish version of the attitude towards pressure ulcer prevention instrument for use in an operating room context (APUP-OR): A nationwide psychometric evaluation. Journal of Tissue Viability, 2022, 31, 46-51.	2.0	0