

# Rosa Magallon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3835261/publications.pdf>

Version: 2024-02-01

89  
papers

1,720  
citations

394286

19  
h-index

360920

35  
g-index

116  
all docs

116  
docs citations

116  
times ranked

2369  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of group acceptance and commitment therapy for fibromyalgia: A 6-month randomized controlled trial (EFFIGACT study). <i>Pain</i> , 2014, 155, 693-702.	2.0	125
2	Localized 1H-NMR spectroscopy in patients with fibromyalgia: a controlled study of changes in cerebral glutamate/glutamine, inositol, choline, and N-acetylaspartate. <i>Arthritis Research and Therapy</i> , 2010, 12, R134.	1.6	91
3	Factors related with symptom duration until diagnosis and treatment of symptomatic colorectal cancer. <i>BMC Cancer</i> , 2013, 13, 87.	1.1	79
4	Lessons learned after a three-year store and forward teledermatology experience using internet: Strengths and limitations. <i>International Journal of Medical Informatics</i> , 2012, 81, 332-343.	1.6	65
5	Efficacy of memantine in the treatment of fibromyalgia: A double-blind, randomised, controlled trial with 6-month follow-up. <i>Pain</i> , 2014, 155, 2517-2525.	2.0	65
6	A meta-analysis of the efficacy of fibromyalgia treatment according to level of care. <i>Arthritis Research and Therapy</i> , 2008, 10, R81.	1.6	60
7	Mortalidad a largo plazo y reingreso hospitalario tras infarto agudo de miocardio: un estudio de seguimiento de ocho años. <i>Revista Espanola De Cardiologia</i> , 2012, 65, 414-420.	0.6	58
8	Interventions to facilitate shared decision-making using decision aids with patients in Primary Health Care. <i>Medicine (United States)</i> , 2020, 99, e21389.	0.4	55
9	Effectiveness of cognitive behaviour therapy for the treatment of catastrophisation in patients with fibromyalgia: a randomised controlled trial. <i>Arthritis Research and Therapy</i> , 2011, 13, R173.	1.6	53
10	Modifiable risk factors associated with prediabetes in men and women: a cross-sectional analysis of the cohort study in primary health care on the evolution of patients with prediabetes (PREDAAPS-Study). <i>BMC Family Practice</i> , 2015, 16, 5.	2.9	46
11	Contribution of Dry Needling to Individualized Physical Therapy Treatment of Shoulder Pain: A Randomized Clinical Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017, 47, 11-20.	1.7	45
12	Differences in the Use of Primary Care Services Between Spanish National and Immigrant Patients. <i>Journal of Immigrant and Minority Health</i> , 2013, 15, 584-590.	0.8	33
13	Percutaneous Electrical Nerve Stimulation Versus Dry Needling: Effectiveness in the Treatment of Chronic Low Back Pain. <i>Journal of Musculoskeletal Pain</i> , 2010, 18, 23-30.	0.3	32
14	The use of flipped classroom as an active learning approach improves academic performance in social work: A randomized trial in a university. <i>PLoS ONE</i> , 2019, 14, e0214623.	1.1	32
15	COVID-19 Inequalities: Individual and Area Socioeconomic Factors (Aragón, Spain). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6607.	1.2	28
16	Long-Term Mortality and Hospital Readmission After Acute Myocardial Infarction: an Eight-Year Follow-Up Study. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2012, 65, 414-420.	0.4	27
17	Effectiveness of the psychological and pharmacological treatment of catastrophization in patients with fibromyalgia: a randomized controlled trial. <i>Trials</i> , 2009, 10, 24.	0.7	23
18	Age differences in presentation, diagnosis pathway and management of colorectal cancer. <i>Cancer Epidemiology</i> , 2014, 38, 346-353.	0.8	23

#	ARTICLE	IF	CITATIONS
19	Controlled clinical trial comparing the effectiveness of a mindfulness and self-compassion 4-session programme versus an 8-session programme to reduce work stress and burnout in family and community medicine physicians and nurses: MINDUDD study protocol. <i>BMC Family Practice</i> , 2019, 20, 24.	2.9	23
20	Low intensity vs. self-guided Internet-delivered psychotherapy for major depression: a multicenter, controlled, randomized study. <i>BMC Psychiatry</i> , 2013, 13, 21.	1.1	22
21	Changes in Metabolites after Treatment with Memantine in Fibromyalgia. A Double-blind Randomized Controlled Trial with Magnetic Resonance Spectroscopy with a 6-month Follow-up. <i>CNS Neuroscience and Therapeutics</i> , 2014, 20, 999-1007.	1.9	22
22	Experience with using second life for medical education in a family and community medicine education unit. <i>BMC Medical Education</i> , 2012, 12, 30.	1.0	21
23	Validation of Five Facets Mindfulness Questionnaire – Short form, in Spanish, general health care services patients sample: Prediction of depression through mindfulness scale. <i>PLoS ONE</i> , 2019, 14, e0214503.	1.1	21
24	<p>Relation of the Psychological Constructs of Resilience, Mindfulness, and Self-Compassion on the Perception of Physical and Mental Health</p>. <i>Psychology Research and Behavior Management</i> , 2019, Volume 12, 1155-1166.	1.3	21
25	Effectiveness of Group Versus Individual Cognitive-Behavioral Therapy in Patients With Abridged Somatization Disorder. <i>Psychosomatic Medicine</i> , 2013, 75, 600-608.	1.3	20
26	Variability of the Prevalence of Depression in Function of Sociodemographic and Environmental Factors: Ecological Model. <i>Frontiers in Psychology</i> , 2018, 9, 2182.	1.1	20
27	Outcomes of hospitalized patients with COVID-19 according to level of frailty. <i>PeerJ</i> , 2021, 9, e11260.	0.9	20
28	Transcultural adaptation and validation of the Celiac Dietary Adherence Test. A simple questionnaire to measure adherence to a gluten-free diet. <i>Revista Espanola De Enfermedades Digestivas</i> , 2016, 108, 138-44.	0.1	20
29	The Spanish version of the FibroFatigue Scale: validation of a questionnaire for the observer's assessment of fibromyalgia and chronic fatigue syndrome. <i>General Hospital Psychiatry</i> , 2006, 28, 154-160.	1.2	17
30	Comparative study of paediatric prescription drug utilization between the spanish and immigrant population. <i>BMC Health Services Research</i> , 2009, 9, 225.	0.9	16
31	Stages of chronicity in fibromyalgia and pain catastrophising: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 251.	0.8	15
32	ICF-Based Disability Survey in a Rural Population of Adults and Older Adults Living in Cinco Villas, Northeastern Spain: Design, Methods and Population Characteristics. <i>Neuroepidemiology</i> , 2010, 35, 72-82.	1.1	15
33	Primary prevention of anxiety disorders in primary care: A systematic review. <i>Preventive Medicine</i> , 2015, 76, S12-S15.	1.6	15
34	The effect of self-efficacy expectations in the adherence to a gluten free diet in celiac disease. <i>Psychology and Health</i> , 2020, 35, 734-749.	1.2	15
35	Efficacy and efficiency of a new therapeutic approach based on activity-oriented proprioceptive antiedema therapy (TAPA) for edema reduction and improved occupational performance in the rehabilitation of breast cancer-related arm lymphedema in women: a controlled, randomized clinical trial. <i>BMC Cancer</i> , 2020, 20, 1074.	1.1	15
36	The Relationship between Adherence to the Mediterranean Diet, Intake of Specific Foods and Depression in an Adult Population (45-75 Years) in Primary Health Care. A Cross-Sectional Descriptive Study. <i>Nutrients</i> , 2021, 13, 2724.	1.7	15

#	ARTICLE	IF	CITATIONS
37	Cardiovascular risk assessment in hypertensive patients with tests recommended by the European Guidelines on Hypertension. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 515-522.	0.8	14
38	Health related quality of life changes in somatising patients after individual versus group cognitive behavioural therapy: A randomized clinical trial. <i>Journal of Psychosomatic Research</i> , 2014, 76, 89-93.	1.2	13
39	Factors related to the development of health-promoting community activities in Spanish primary healthcare: two case-control studies. <i>BMJ Open</i> , 2017, 7, e015934.	0.8	13
40	Complex multiple risk intervention to promote healthy behaviours in people between 45 to 75 years attended in primary health care (EIRA study): study protocol for a hybrid trial. <i>BMC Public Health</i> , 2018, 18, 874.	1.2	13
41	Variability in the performance of preventive services and in the degree of control of identified health problems: A primary care study protocol. <i>BMC Public Health</i> , 2008, 8, 281.	1.2	12
42	Effectiveness of topiramate for tobacco dependence in patients with depression; a randomised, controlled trial. <i>BMC Family Practice</i> , 2008, 9, 28.	2.9	12
43	European Code Against Cancer. <i>European Journal of Cancer Prevention</i> , 2015, 24, 69-75.	0.6	12
44	Psychiatric Morbidity as a Risk Factor for Hospital Readmission for Acute Myocardial Infarction: An 8-Year Follow-up Study in Spain. <i>International Journal of Psychiatry in Medicine</i> , 2012, 44, 63-75.	0.8	11
45	Variables Associated With Negotiation Effectiveness: The Role of Mindfulness. <i>Frontiers in Psychology</i> , 2020, 11, 1214.	1.1	11
46	Effectiveness and cost-effectiveness of a lifestyle modification programme in the prevention and treatment of subclinical, mild and moderate depression in primary care: a randomised clinical trial protocol. <i>BMJ Open</i> , 2020, 10, e038457.	0.8	11
47	Analysis of depressive episodes, their recurrence and pharmacologic treatment in primary care patients: A retrospective descriptive study. <i>PLoS ONE</i> , 2020, 15, e0233454.	1.1	10
48	Cognitive-behaviour therapy for patients with Abridged Somatization Disorder (SSI 4,6) in primary care: a randomized, controlled study. <i>BMC Psychiatry</i> , 2008, 8, 47.	1.1	9
49	Disability, support and long-term social care of an elderly Spanish population, 2008-2009: an epidemiologic analysis. <i>International Journal for Equity in Health</i> , 2017, 16, 4.	1.5	9
50	Imported malaria cases: the connection with the European ex-colonies. <i>Malaria Journal</i> , 2019, 18, 397.	0.8	9
51	Multiple health behaviour change primary care intervention for smoking cessation, physical activity and healthy diet in adults 45 to 75 years old (EIRA study): a hybrid effectiveness-implementation cluster randomised trial. <i>BMC Public Health</i> , 2021, 21, 2208.	1.2	9
52	Evaluation of the efficacy of memantine in the treatment of fibromyalgia: study protocol for a doubled-blind randomized controlled trial with six-month follow-up. <i>Trials</i> , 2013, 14, 3.	0.7	8
53	Development and Validation of a Specific Self-Efficacy Scale in Adherence to a Gluten-Free Diet. <i>Frontiers in Psychology</i> , 2018, 9, 342.	1.1	8
54	Factors Associated With Depressive Episode Recurrences in Primary Care: A Retrospective, Descriptive Study. <i>Frontiers in Psychology</i> , 2020, 11, 1230.	1.1	8

#	ARTICLE	IF	CITATIONS
55	Determinantes de la capacidad funcional en personas mayores según el género. <i>Gerokomos</i> , 2013, 24, 69-73.	0.1	8
56	Gender Differences in the Incidence of Depression Among Immigrants and Natives in Aragón, Spain. <i>Journal of Immigrant and Minority Health</i> , 2017, 19, 1-5.	0.8	7
57	Flipped classroom and role-playing as active learning methods in the social work degree: randomized experimental study. <i>Social Work Education</i> , 2020, 39, 879-892.	0.8	7
58	Influence of Compliance to Diet and Self-Efficacy Expectation on Quality of Life in Patients with Celiac Disease in Spain. <i>Nutrients</i> , 2020, 12, 2672.	1.7	7
59	Mindfulness in primary care healthcare and teaching professionals and its relationship with stress at work: a multicentric cross-sectional study. <i>BMC Family Practice</i> , 2021, 22, 29.	2.9	7
60	Approximation to the Consumption of Healthcare Resources and the Economic Cost of SARS-CoV-2 Patient Management: A Retrospective Study. <i>Frontiers in Public Health</i> , 2022, 10, 843751.	1.3	7
61	Study of perfusion changes in the optic disc of patients with fibromyalgia syndrome using new colorimetric analysis software. <i>Journal Francais D'Ophthalmologie</i> , 2015, 38, 580-587.	0.2	6
62	Prevalence of celiac disease in primary care: the need for its own code. <i>BMC Health Services Research</i> , 2019, 19, 578.	0.9	6
63	Geographic Factors Associated with Poorer Outcomes in Patients Diagnosed with COVID-19 in Primary Health Care. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3842.	1.2	6
64	Effectiveness of a Multicomponent Intervention in Primary Care That Addresses Patients with Diabetes Mellitus with Two or More Unhealthy Habits, Such as Diet, Physical Activity or Smoking: Multicenter Randomized Cluster Trial (EIRA Study). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 5788.	1.2	6
65	Comparing the use of flipped classroom in combination with problem-based learning or with case-based learning for improving academic performance and satisfaction. <i>Active Learning in Higher Education</i> , 2023, 24, 373-388.	3.5	6
66	Short-term memory, attention, and temporal orientation as predictors of the cognitive impairment in older adults: A cross-sectional observational study. <i>PLoS ONE</i> , 2021, 16, e0261313.	1.1	6
67	Differences in Methylphenidate Use Between Immigrants and Spaniards in the Child Population of Aragón, Spain. <i>Journal of Child Neurology</i> , 2011, 26, 1265-1270.	0.7	5
68	Gender differences on functioning in depressive patients. <i>Journal of Affective Disorders</i> , 2014, 166, 292-296.	2.0	5
69	External validation of multidimensional prognostic indices (ADO, BODEx and DOSE) in a primary care international cohort (PROEPOC/COPD cohort). <i>BMC Pulmonary Medicine</i> , 2016, 16, 143.	0.8	5
70	Cost-effectiveness analysis of a multiple health behaviour change intervention in people aged between 45 and 75 years: a cluster randomized controlled trial in primary care (EIRA study). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 88.	2.0	5
71	Protocol development for a scale to assess self-efficacy in adherence to a gluten free diet: Self-Efficacy and Celiac Disease Scale. <i>Revista Española De Nutrición Humana Y Dietética</i> , 2015, 19, 160.	0.1	5
72	Resiliencia: impacto positivo en la salud física y mental. <i>International Journal of Developmental and Educational Psychology Revista INFAD De Psicología</i> , 2018, 2, 231.	0.0	5

#	ARTICLE	IF	CITATIONS
73	Observational study on factors related to health-promoting community activity development in primary care (frAC Project): a study protocol. <i>BMJ Open</i> , 2012, 2, e001287.	0.8	4
74	Variables associated with a higher awareness of gender-based violence by students of the health sciences and social work. <i>Gaceta Sanitaria</i> , 2022, 36, 146-151.	0.6	4
75	Menores que agreden a sus padres: factores psíquicos, sociales y educativos. <i>Revista Sobre La Infancia Y La Adolescencia</i> , 2016, , 19.	0.0	4
76	Clinical effectiveness and bacteriological eradication of three different Short-Course antibiotic regimens and single-dose fosfomycin for uncomplicated lower Urinary Tract infections in adult women (SCOUT study): study protocol for a randomised clinical trial. <i>BMJ Open</i> , 2021, 11, e055898.	0.8	4
77	Mindfulness-Based Program for Anxiety and Depression Treatment in Healthcare Professionals: A Pilot Randomized Controlled Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 5941.	1.0	4
78	Cardiovascular Risk Factors and Lifestyle Associated With Premature Myocardial Infarction Diagnosis. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2011, 64, 527-529.	0.4	3
79	Impact of Activity-Oriented Proprioceptive Antiedema Therapy on the Health-Related Quality of Life of Women with Upper-Limb Lymphedema Secondary to Breast Cancer—A Randomized Clinical Trial. <i>Journal of Clinical Medicine</i> , 2022, 11, 1884.	1.0	3
80	Opinions and beliefs held by Spanish teenagers regarding tobacco and alcohol consumption: a descriptive study. <i>BMC Public Health</i> , 2015, 15, 61.	1.2	2
81	I Can't Eat That! Sticking to a Gluten-Free Diet. , 0, , .		2
82	Perception of the primary health care response capacity by patients with and without mental health problems, and health professionals: qualitative study. <i>BMC Health Services Research</i> , 2021, 21, 285.	0.9	2
83	Activity-Oriented Antiedema Proprioceptive Therapy (TAPA) for Shoulder Mobility Improvement in Women with Upper Limb Lymphedema Secondary to Breast Cancer: A Multicenter Controlled Clinical Trial. <i>Journal of Clinical Medicine</i> , 2022, 11, 2234.	1.0	2
84	Analysis of Clinical Parameters, Drug Consumption and Use of Health Resources in a Southern European Population with Diabetes That Did Not Contract COVID-19: A Longitudinal Big Data Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6835.	1.2	2
85	Síntesis de los procedimientos analíticos recomendados por la evidencia en factores de riesgo cardiovascular. <i>Revista Del Laboratorio Clínico</i> , 2017, 10, 55-59.	0.1	1
86	Fibromyalgia Review. <i>Journal of Musculoskeletal Pain</i> , 2008, 16, 326-332.	0.3	0
87	Variabilidad en adecuación de las peticiones de analíticas por atención primaria para dislipemia, diabetes mellitus e hipertensión arterial. <i>Revista Del Laboratorio Clínico</i> , 2018, 11, 6-14.	0.1	0
88	Mental Health Patients' Expectations about the Non-Medical Care They Receive in Primary Care: A Cross-Sectional Descriptive Study. <i>Healthcare (Switzerland)</i> , 2020, 8, 235.	1.0	0
89	Implementation of the EIRA 3 Intervention by Targeting Primary Health Care Practitioners: Effectiveness in Increasing Physical Activity. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10537.	1.2	0