

Gerhard Adam

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3836190/gerhard-adam-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

6,003
citations

40
h-index

76
g-index

111
ext. papers

7,046
ext. citations

5.1
avg, IF

5.18
L-index

#	Paper	IF	Citations
106	Elucidation of xenoestrogen metabolism by non-targeted, stable isotope-assisted mass spectrometry in breast cancer cells. <i>Environment International</i> , 2021 , 158, 106940	12.9	1
105	Identification and Functional Characterization of the Gene Cluster Responsible for Fusaproliferin Biosynthesis in. <i>Toxins</i> , 2021 , 13,	4.9	4
104	Stable Isotope-Assisted Metabolomics for Deciphering Xenobiotic Metabolism in Mammalian Cell Culture. <i>ACS Chemical Biology</i> , 2020 , 15, 970-981	4.9	13
103	Pro-Inflammatory Effects of NX-3 Toxin Are Comparable to Deoxynivalenol and not Modulated by the Co-Occurring Pro-Oxidant Aurofusarin. <i>Microorganisms</i> , 2020 , 8,	4.9	4
102	Suppression of Trichothecene-Mediated Immune Response by the Secondary Metabolite Butenolide in Human Colon Epithelial Cells. <i>Frontiers in Nutrition</i> , 2020 , 7, 127	6.2	3
101	Biotransformation of the Mycotoxin Zearalenone to its Metabolites Hydrolyzed Zearalenone (HZEN) and Decarboxylated Hydrolyzed Zearalenone (DHZEN) Diminishes its Estrogenicity In Vitro and In Vivo. <i>Toxins</i> , 2019 , 11,	4.9	16
100	Biochemical Characterization of the Candidate ACC-Deaminases and Virulence Testing of Knockout Mutant Strains. <i>Frontiers in Plant Science</i> , 2019 , 10, 1072	6.2	6
99	The Fusarium metabolite culmorin suppresses the in vitro glucuronidation of deoxynivalenol. <i>Archives of Toxicology</i> , 2019 , 93, 1729-1743	5.8	19
98	Metabolism of nivalenol and nivalenol-3-glucoside in rats. <i>Toxicology Letters</i> , 2019 , 306, 43-52	4.4	6
97	Stable Isotope-Assisted Plant Metabolomics: Investigation of Phenylalanine-Related Metabolic Response in Wheat Upon Treatment With the Virulence Factor Deoxynivalenol. <i>Frontiers in Plant Science</i> , 2019 , 10, 1137	6.2	16
96	Stable Isotope-Assisted Plant Metabolomics: Combination of Global and Tracer-Based Labeling for Enhanced Untargeted Profiling and Compound Annotation. <i>Frontiers in Plant Science</i> , 2019 , 10, 1366	6.2	7
95	Zearalenone and Zearalenol But Not Their Glucosides Inhibit Heat Shock Protein 90 ATPase Activity. <i>Frontiers in Pharmacology</i> , 2019 , 10, 1160	5.6	2
94	Cross-reactivity of commercial and non-commercial deoxynivalenol-antibodies to emerging trichothecenes and common deoxynivalenol-derivatives. <i>World Mycotoxin Journal</i> , 2019 , 12, 45-53	2.5	4
93	The role of roughage provision on the absorption and disposition of the mycotoxin deoxynivalenol and its acetylated derivatives in calves: from field observations to toxicokinetics. <i>Archives of Toxicology</i> , 2019 , 93, 293-310	5.8	10
92	Chemical synthesis of culmorin metabolites and their biologic role in culmorin and acetyl-culmorin treated wheat cells. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 2043-2048	3.9	18
91	Less-toxic rearrangement products of NX-toxins are formed during storage and food processing. <i>Toxicology Letters</i> , 2018 , 284, 205-212	4.4	12
90	UDP-Glucosyltransferases from Rice, Brachypodium, and Barley: Substrate Specificities and Synthesis of Type A and B Trichothecene-3-O- β -D-glucosides. <i>Toxins</i> , 2018 , 10,	4.9	12

89	Response of intestinal HT-29 cells to the trichothecene mycotoxin deoxynivalenol and its sulfated conjugates. <i>Toxicology Letters</i> , 2018 , 295, 424-437	4.4	20
88	New Plasmids for Transformation Allowing Positive-Negative Selection and Efficient Cre- Mediated Marker Recycling. <i>Frontiers in Microbiology</i> , 2018 , 9, 1954	5.7	12
87	Impact of glutathione modulation on the toxicity of the Fusarium mycotoxins deoxynivalenol (DON), NX-3 and butenolide in human liver cells. <i>Toxicology Letters</i> , 2018 , 299, 104-117	4.4	12
86	In vivo contribution of deoxynivalenol-3- β -D-glucoside to deoxynivalenol exposure in broiler chickens and pigs: oral bioavailability, hydrolysis and toxicokinetics. <i>Archives of Toxicology</i> , 2017 , 91, 699-712	5.8	58
85	A barley UDP-glucosyltransferase inactivates nivalenol and provides Fusarium Head Blight resistance in transgenic wheat. <i>Journal of Experimental Botany</i> , 2017 , 68, 2187-2197	7	47
84	Synthesis of Mono- and Di-Glucosides of Zearalenone and Zearalenol by Recombinant Barley Glucosyltransferase HvUGT14077. <i>Toxins</i> , 2017 , 9,	4.9	15
83	Determinants and Expansion of Specificity in a Trichothecene UDP-Glucosyltransferase from <i>Oryza sativa</i> . <i>Biochemistry</i> , 2017 , 56, 6585-6596	3.2	14
82	Metabolism of Zearalenone and Its Major Modified Forms in Pigs. <i>Toxins</i> , 2017 , 9,	4.9	94
81	Study on the uptake and deglycosylation of the masked forms of zearalenone in human intestinal Caco-2 cells. <i>Food and Chemical Toxicology</i> , 2016 , 98, 232-239	4.7	20
80	Comparative in Vitro cytotoxicity of modified deoxynivalenol on porcine intestinal epithelial cells. <i>Food and Chemical Toxicology</i> , 2016 , 95, 103-9	4.7	37
79	Identification of a novel human deoxynivalenol metabolite enhancing proliferation of intestinal and urinary bladder cells. <i>Scientific Reports</i> , 2016 , 6, 33854	4.9	36
78	Ribosome quality control is a central protection mechanism for yeast exposed to deoxynivalenol and trichothecin. <i>BMC Genomics</i> , 2016 , 17, 417	4.5	8
77	Crystal Structure of Os79 (Os04g0206600) from <i>Oryza sativa</i> : A UDP-glucosyltransferase Involved in the Detoxification of Deoxynivalenol. <i>Biochemistry</i> , 2016 , 55, 6175-6186	3.2	32
76	Critical evaluation of indirect methods for the determination of deoxynivalenol and its conjugated forms in cereals. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 6009-20	4.4	13
75	Fusarium Mycotoxins and Their Role in Plant-Pathogen Interactions. <i>Fungal Biology</i> , 2015 , 199-233	2.3	5
74	Biotransformation of the mycotoxin deoxynivalenol in fusarium resistant and susceptible near isogenic wheat lines. <i>PLoS ONE</i> , 2015 , 10, e0119656	3.7	65
73	Determination of the Mycotoxin Content in Distiller's Dried Grain with Solubles Using a Multianalyte UHPLC-MS/MS Method. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 9441-51	5.7	26
72	Metabolism of the Fusarium Mycotoxins T-2 Toxin and HT-2 Toxin in Wheat. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 7862-72	5.7	54

71	Tracing the metabolism of HT-2 toxin and T-2 toxin in barley by isotope-assisted untargeted screening and quantitative LC-HRMS analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 8019-33	4.4	46
70	Hydrophilic interaction liquid chromatography coupled with tandem mass spectrometry for the quantification of uridine diphosphate-glucose, uridine diphosphate-glucuronic acid, deoxynivalenol and its glucoside: In-house validation and application to wheat. <i>Journal of Chromatography A</i> , 2015 , 1423, 183-9	4.5	9
69	Deoxynivalenol-sulfates: identification and quantification of novel conjugated (masked) mycotoxins in wheat. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 1033-9	4.4	56
68	New tricks of an old enemy: isolates of <i>Fusarium graminearum</i> produce a type A trichothecene mycotoxin. <i>Environmental Microbiology</i> , 2015 , 17, 2588-600	5.2	111
67	Biochemical Characterization of a Recombinant UDP-glucosyltransferase from Rice and Enzymatic Production of Deoxynivalenol-3-O- β -D-glucoside. <i>Toxins</i> , 2015 , 7, 2685-700	4.9	28
66	The Metabolic Fate of Deoxynivalenol and Its Acetylated Derivatives in a Wheat Suspension Culture: Identification and Detection of DON-15-O-Glucoside, 15-Acetyl-DON-3-O-Glucoside and 15-Acetyl-DON-3-Sulfate. <i>Toxins</i> , 2015 , 7, 3112-26	4.9	25
65	A Versatile Family 3 Glycoside Hydrolase from <i>Bifidobacterium adolescentis</i> Hydrolyzes β -Glucosides of the <i>Fusarium</i> Mycotoxins Deoxynivalenol, Nivalenol, and HT-2 Toxin in Cereal Matrices. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 4885-93	4.8	18
64	Simultaneous determination of major type A and B trichothecenes, zearalenone and certain modified metabolites in Finnish cereal grains with a novel liquid chromatography-tandem mass spectrometric method. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 4745-55	4.4	109
63	GC-MS based targeted metabolic profiling identifies changes in the wheat metabolome following deoxynivalenol treatment. <i>Metabolomics</i> , 2015 , 11, 722-738	4.7	66
62	Identification and Characterization of Carboxylesterases from <i>Brachypodium distachyon</i> Deacetylating Trichothecene Mycotoxins. <i>Toxins</i> , 2015 , 8,	4.9	9
61	Isolation and structure elucidation of pentahydroxyscirpene, a trichothecene <i>Fusarium</i> mycotoxin. <i>Journal of Natural Products</i> , 2014 , 77, 188-92	4.9	9
60	Stereoselective Luche reduction of deoxynivalenol and three of its acetylated derivatives at C8. <i>Toxins</i> , 2014 , 6, 325-36	4.9	9
59	Comparison of anorectic and emetic potencies of deoxynivalenol (vomitoxin) to the plant metabolite deoxynivalenol-3-glucoside and synthetic deoxynivalenol derivatives EN139528 and EN139544. <i>Toxicological Sciences</i> , 2014 , 142, 167-81	4.4	32
58	Zearalenone-16-O-glucoside: a new masked mycotoxin. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 1181-9	5.7	63
57	Metabolism of the masked mycotoxin deoxynivalenol-3-glucoside in pigs. <i>Toxicology Letters</i> , 2014 , 229, 190-7	4.4	116
56	Sulfation of deoxynivalenol, its acetylated derivatives, and T2-toxin. <i>Tetrahedron</i> , 2014 , 70, 5260-5266	2.4	15
55	Individual and combined roles of malonichrome, ferricrocin, and TAFC siderophores in <i>Fusarium graminearum</i> pathogenic and sexual development. <i>Frontiers in Microbiology</i> , 2014 , 5, 759	5.7	35
54	Synthesis of zearalenone-16- β -D-glucoside and zearalenone-16-sulfate: A tale of protecting resorcylic acid lactones for regiocontrolled conjugation. <i>Beilstein Journal of Organic Chemistry</i> , 2014 , 10, 1129-34	2.5	15

53	Methylthio-deoxynivalenol (MTD): insight into the chemistry, structure and toxicity of thia-Michael adducts of trichothecenes. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 5144-50	3.9	18
52	Untargeted profiling of tracer-derived metabolites using stable isotopic labeling and fast polarity-switching LC-ESI-HRMS. <i>Analytical Chemistry</i> , 2014 , 86, 11533-7	7.8	35
51	Effects of oral exposure to naturally-occurring and synthetic deoxynivalenol congeners on proinflammatory cytokine and chemokine mRNA expression in the mouse. <i>Toxicology and Applied Pharmacology</i> , 2014 , 278, 107-15	4.6	39
50	A novel stable isotope labelling assisted workflow for improved untargeted LC-HRMS based metabolomics research. <i>Metabolomics</i> , 2014 , 10, 754-769	4.7	57
49	The <i>Fusarium graminearum</i> genome reveals more secondary metabolite gene clusters and hints of horizontal gene transfer. <i>PLoS ONE</i> , 2014 , 9, e110311	3.7	80
48	Stable isotopic labelling-assisted untargeted metabolic profiling reveals novel conjugates of the mycotoxin deoxynivalenol in wheat. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 5031-6	4.4	88
47	Transcriptomic characterization of two major <i>Fusarium</i> resistance quantitative trait loci (QTLs), Fhb1 and Qfhs.ifa-5A, identifies novel candidate genes. <i>Molecular Plant Pathology</i> , 2013 , 14, 772-85	5.7	85
46	Functional characterization of two clusters of <i>Brachypodium distachyon</i> UDP-glycosyltransferases encoding putative deoxynivalenol detoxification genes. <i>Molecular Plant-Microbe Interactions</i> , 2013 , 26, 781-92	3.6	52
45	Sulfation of p-coumaric acid esters—first synthesis of zearalenone-14-sulfate. <i>Tetrahedron Letters</i> , 2013 , 54, 3290-3293	2	15
44	Assessment of human deoxynivalenol exposure using an LC-MS/MS based biomarker method. <i>Toxicology Letters</i> , 2012 , 211, 85-90	4.4	131
43	Metabolism of the masked mycotoxin deoxynivalenol-3-glucoside in rats. <i>Toxicology Letters</i> , 2012 , 213, 367-73	4.4	107
42	Fast and reproducible chemical synthesis of zearalenone-14- β -D-glucuronide. <i>World Mycotoxin Journal</i> , 2012 , 5, 289-296	2.5	26
41	Development and validation of a rapid multi-biomarker liquid chromatography/tandem mass spectrometry method to assess human exposure to mycotoxins. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 1533-40	2.2	112
40	Transgenic <i>Arabidopsis thaliana</i> expressing a barley UDP-glycosyltransferase exhibit resistance to the mycotoxin deoxynivalenol. <i>Journal of Experimental Botany</i> , 2012 , 63, 4731-40	7	70
39	Synthesis of deoxynivalenol-3- β -D-O-glucuronide for its use as biomarker for dietary deoxynivalenol exposure. <i>World Mycotoxin Journal</i> , 2012 , 5, 127-132	2.5	34
38	Hydrolytic fate of deoxynivalenol-3-glucoside during digestion. <i>Toxicology Letters</i> , 2011 , 206, 264-7	4.4	186
37	Cloning and heterologous expression of candidate DON-inactivating UDP-glycosyltransferases from rice and wheat in yeast. <i>Plant Breeding and Seed Science</i> , 2011 , 64,	0.1	1
36	CESTA, a positive regulator of brassinosteroid biosynthesis. <i>EMBO Journal</i> , 2011 , 30, 1149-61	13	90

35	Direct quantification of deoxynivalenol glucuronide in human urine as biomarker of exposure to the Fusarium mycotoxin deoxynivalenol. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 401, 195-200	4.4	56
34	Isolation and characterization of a new less-toxic derivative of the Fusarium mycotoxin diacetoxyscirpenol after thermal treatment. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 9709-14	5.7	17
33	Transformation system for <i>Hypocrea jecorina</i> (<i>Trichoderma reesei</i>) that favors homologous integration and employs reusable bidirectionally selectable markers. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 114-21	4.8	119
32	FGDB: revisiting the genome annotation of the plant pathogen <i>Fusarium graminearum</i> . <i>Nucleic Acids Research</i> , 2011 , 39, D637-9	20.1	73
31	Cleavage of zearalenone by <i>Trichosporon</i> mycotoxinivorans to a novel nonestrogenic metabolite. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 2353-9	4.8	62
30	Transcriptome analysis of the barley-deoxynivalenol interaction: evidence for a role of glutathione in deoxynivalenol detoxification. <i>Molecular Plant-Microbe Interactions</i> , 2010 , 23, 962-76	3.6	110
29	Validation of a candidate deoxynivalenol-inactivating UDP-glucosyltransferase from barley by heterologous expression in yeast. <i>Molecular Plant-Microbe Interactions</i> , 2010 , 23, 977-86	3.6	98
28	Formation, determination and significance of masked and other conjugated mycotoxins. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 395, 1243-52	4.4	165
27	Engineered bakers yeast as a sensitive bioassay indicator organism for the trichothecene toxin deoxynivalenol. <i>Journal of Microbiological Methods</i> , 2008 , 72, 306-12	2.8	22
26	Ubiquitin and fusarium resistance: Lessons from wheat cDNAs conferring deoxynivalenol resistance in yeast. <i>Cereal Research Communications</i> , 2008 , 36, 437-441	1.1	3
25	Short review: Metabolism of the Fusarium mycotoxins deoxynivalenol and zearalenone in plants. <i>Mycotoxin Research</i> , 2007 , 23, 68-72	4	28
24	Production of zearalenone-4-glucoside, α -zearalenol-4-glucoside and β -zearalenol-4-glucoside. <i>Mycotoxin Research</i> , 2007 , 23, 180-4	4	9
23	Cloning and characterization of the ribosomal protein L3 (RPL3) gene family from <i>Triticum aestivum</i> . <i>Molecular Genetics and Genomics</i> , 2007 , 277, 507-17	3.1	14
22	The <i>Fusarium graminearum</i> genome reveals a link between localized polymorphism and pathogen specialization. <i>Science</i> , 2007 , 317, 1400-2	33.3	668
21	Double mutation in tomato ribosomal protein L3 cDNA confers tolerance to deoxynivalenol (DON) in transgenic tobacco. <i>Pakistan Journal of Biological Sciences</i> , 2007 , 10, 2327-33	0.8	6
20	FGDB: a comprehensive fungal genome resource on the plant pathogen <i>Fusarium graminearum</i> . <i>Nucleic Acids Research</i> , 2006 , 34, D456-8	20.1	69
19	Heterologous expression of Arabidopsis UDP-glucosyltransferases in <i>Saccharomyces cerevisiae</i> for production of zearalenone-4-O-glucoside. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 4404-10	4.8	61
18	Development of a <i>Fusarium graminearum</i> Affymetrix GeneChip for profiling fungal gene expression in vitro and in planta. <i>Fungal Genetics and Biology</i> , 2006 , 43, 316-25	3.9	150

17	The ability to detoxify the mycotoxin deoxynivalenol colocalizes with a major quantitative trait locus for Fusarium head blight resistance in wheat. <i>Molecular Plant-Microbe Interactions</i> , 2005 , 18, 1318-24	3.6	299
16	Masked mycotoxins: determination of a deoxynivalenol glucoside in artificially and naturally contaminated wheat by liquid chromatography-tandem mass spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 3421-5	5.7	317
15	First results of GEN-AU: Cloning of Deoxynivalenol- and Zearalenone-inactivating UDP-glucosyltransferase genes from Arabidopsis thaliana and expression in yeast for production of mycotoxin-glucosides. <i>Mycotoxin Research</i> , 2005 , 21, 108-11	4	1
14	DON-glycosides: Characterisation of synthesis products and screening for their occurrence in DON-treated wheat samples. <i>Mycotoxin Research</i> , 2005 , 21, 123-7	4	19
13	The UGT73C5 of Arabidopsis thaliana glucosylates brassinosteroids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 15253-8	11.5	174
12	Metabolically independent and accurately adjustable Aspergillus sp. expression system. <i>Applied and Environmental Microbiology</i> , 2005 , 71, 672-8	4.8	32
11	Toxin-dependent utilization of engineered ribosomal protein L3 limits trichothecene resistance in transgenic plants. <i>Plant Biotechnology Journal</i> , 2004 , 2, 329-40	11.6	29
10	Synthesis of deoxynivalenol-glucosides and their characterization using a QTrap LC-MS/MS. <i>Mycotoxin Research</i> , 2003 , 19, 47-50	4	16
9	A sensitive and inexpensive yeast bioassay for the mycotoxin zearalenone and other compounds with estrogenic activity. <i>Applied and Environmental Microbiology</i> , 2003 , 69, 805-11	4.8	33
8	Detoxification of the Fusarium mycotoxin deoxynivalenol by a UDP-glucosyltransferase from Arabidopsis thaliana. <i>Journal of Biological Chemistry</i> , 2003 , 278, 47905-14	5.4	396
7	Saccharomyces Cerevisiae and Arabidopsis Thaliana: Useful Model Systems for the Identification of Molecular Mechanisms Involved in Resistance of Plants to Toxins. <i>European Journal of Plant Pathology</i> , 2002 , 108, 699-703	2.1	30
6	Saccharomyces cerevisiae URH1 (encoding uridine-cytidine N-ribohydrolase): functional complementation by a nucleoside hydrolase from a protozoan parasite and by a mammalian uridine phosphorylase. <i>Applied and Environmental Microbiology</i> , 2002 , 68, 1336-43	4.8	33
5	Identification of two GDP-6-deoxy-D-lyxo-4-hexulose reductases synthesizing GDP-D-rhamnose in Aneurinibacillus thermoaerophilus L420-91T. <i>Journal of Biological Chemistry</i> , 2001 , 276, 5577-83	5.4	55
4	Biolistic transfer of large DNA fragments to tobacco cells using YACs retrofitted for plant transformation. <i>Molecular Breeding</i> , 1998 , 4, 449-457	3.4	12
3	Retrofitting YACs for direct DNA transfer into plant cells. <i>Plant Journal</i> , 1997 , 11, 1349-58	6.9	12
2	Control of peroxisome proliferation in Saccharomyces cerevisiae by ADR1, SNF1 (CAT1, CCR1) and SNF4 (CAT3). <i>Yeast</i> , 1992 , 8, 303-9	3.4	86
1	Immunosuppressive effect of the Fusarium secondary metabolite butenolide in human colon epithelial cells		1