

Christian C Abnet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3836401/publications.pdf>

Version: 2024-02-01

421
papers

40,469
citations

4942

84
h-index

3714

179
g-index

429
all docs

429
docs citations

429
times ranked

45851
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Reproducible, interactive, scalable and extensible microbiome data science using QIIME 2. <i>Nature Biotechnology</i> , 2019, 37, 852-857. | 9.4 | 11,167 |
| 2 | Epidemiology of Esophageal Squamous Cell Carcinoma. <i>Gastroenterology</i> , 2018, 154, 360-373. | 0.6 | 1,014 |
| 3 | Global Burden of 5 Major Types of Gastrointestinal Cancer. <i>Gastroenterology</i> , 2020, 159, 335-349.e15. | 0.6 | 893 |
| 4 | Association Between Smoking and Risk of Bladder Cancer Among Men and Women. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 737. | 3.8 | 755 |
| 5 | Prospective study of risk factors for esophageal and gastric cancers in the Linxian general population trial cohort in China. <i>International Journal of Cancer</i> , 2005, 113, 456-463. | 2.3 | 599 |
| 6 | Smoking and Mortality "Beyond Established Causes. <i>New England Journal of Medicine</i> , 2015, 372, 631-640. | 13.9 | 587 |
| 7 | Human oral microbiome and prospective risk for pancreatic cancer: a population-based nested case-control study. <i>Gut</i> , 2018, 67, 120-127. | 6.1 | 536 |
| 8 | Detectable clonal mosaicism and its relationship to aging and cancer. <i>Nature Genetics</i> , 2012, 44, 651-658. | 9.4 | 519 |
| 9 | Association of Coffee Drinking with Total and Cause-Specific Mortality. <i>New England Journal of Medicine</i> , 2012, 366, 1891-1904. | 13.9 | 492 |
| 10 | A shared susceptibility locus in PLCE1 at 10q23 for gastric adenocarcinoma and esophageal squamous cell carcinoma. <i>Nature Genetics</i> , 2010, 42, 764-767. | 9.4 | 453 |
| 11 | Assessment of variation in microbial community amplicon sequencing by the Microbiome Quality Control (MBQC) project consortium. <i>Nature Biotechnology</i> , 2017, 35, 1077-1086. | 9.4 | 400 |
| 12 | Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases. <i>JAMA Oncology</i> , 2017, 3, 636. | 3.4 | 376 |
| 13 | A Prospective Study of Tobacco, Alcohol, and the Risk of Esophageal and Gastric Cancer Subtypes. <i>American Journal of Epidemiology</i> , 2007, 165, 1424-1433. | 1.6 | 360 |
| 14 | Impact of smoking and smoking cessation on cardiovascular events and mortality among older adults: meta-analysis of individual participant data from prospective cohort studies of the CHANCES consortium. <i>BMJ</i> , The, 2015, 350, h1551-h1551. | 3.0 | 349 |
| 15 | Environmental Causes of Esophageal Cancer. <i>Gastroenterology Clinics of North America</i> , 2009, 38, 27-57. | 1.0 | 323 |
| 16 | Early Life Stage Toxicity of 2,3,7,8-Tetrachlorodibenzo-p-dioxin in Zebrafish (<i>Danio rerio</i>). <i>Toxicology and Applied Pharmacology</i> , 1997, 142, 56-68. | 1.3 | 304 |
| 17 | Histological precursors of oesophageal squamous cell carcinoma: results from a 13 year prospective follow up study in a high risk population. <i>Gut</i> , 2005, 54, 187-192. | 6.1 | 296 |
| 18 | Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. <i>Nature Genetics</i> , 2014, 46, 994-1000. | 9.4 | 294 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Total and Cancer Mortality After Supplementation With Vitamins and Minerals: Follow-up of the Linxian General Population Nutrition Intervention Trial. <i>Journal of the National Cancer Institute</i> , 2009, 101, 507-518. | 3.0 | 292 |
| 20 | Opposing Risks of Gastric Cardia and Noncardia Gastric Adenocarcinomas Associated With <i>Helicobacter pylori</i> Seropositivity. <i>Journal of the National Cancer Institute</i> , 2006, 98, 1445-1452. | 3.0 | 291 |
| 21 | Tooth loss is associated with increased risk of total death and death from upper gastrointestinal cancer, heart disease, and stroke in a Chinese population-based cohort. <i>International Journal of Epidemiology</i> , 2005, 34, 467-474. | 0.9 | 271 |
| 22 | Loci associated with skin pigmentation identified in African populations. <i>Science</i> , 2017, 358, . | 6.0 | 260 |
| 23 | Cigarette Smoking and Adenocarcinomas of the Esophagus and Esophagogastric Junction: A Pooled Analysis From the International BEACON Consortium. <i>Journal of the National Cancer Institute</i> , 2010, 102, 1344-1353. | 3.0 | 259 |
| 24 | Serum Vitamin D Concentration and Prostate Cancer Risk: A Nested Case-Control Study. <i>Journal of the National Cancer Institute</i> , 2008, 100, 796-804. | 3.0 | 250 |
| 25 | Opium, tobacco, and alcohol use in relation to oesophageal squamous cell carcinoma in a high-risk area of Iran. <i>British Journal of Cancer</i> , 2008, 98, 1857-1863. | 2.9 | 240 |
| 26 | Long-Term Follow-Up of a Community Assignment, One-Time Endoscopic Screening Study of Esophageal Cancer in China. <i>Journal of Clinical Oncology</i> , 2015, 33, 1951-1957. | 0.8 | 239 |
| 27 | Genome-wide association analyses of esophageal squamous cell carcinoma in Chinese identify multiple susceptibility loci and gene-environment interactions. <i>Nature Genetics</i> , 2012, 44, 1090-1097. | 9.4 | 238 |
| 28 | Tea drinking habits and oesophageal cancer in a high risk area in northern Iran: population based case-control study. <i>BMJ, The</i> , 2009, 338, b929-b929. | 3.0 | 232 |
| 29 | Cigarette smoking and subsequent risk of lung cancer in men and women: analysis of a prospective cohort study. <i>Lancet Oncology, The</i> , 2008, 9, 649-656. | 5.1 | 227 |
| 30 | Prospective study of serum selenium concentrations and esophageal and gastric cardia cancer, heart disease, stroke, and total death. <i>American Journal of Clinical Nutrition</i> , 2004, 79, 80-85. | 2.2 | 224 |
| 31 | Cohort Profile: The Golestan Cohort Study--a prospective study of oesophageal cancer in northern Iran. <i>International Journal of Epidemiology</i> , 2010, 39, 52-59. | 0.9 | 203 |
| 32 | Exposure to Oral Bisphosphonates and Risk of Esophageal Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 657. | 3.8 | 201 |
| 33 | Mortality from different causes associated with meat, heme iron, nitrates, and nitrites in the NIH-AARP Diet and Health Study: population based cohort study. <i>BMJ: British Medical Journal</i> , 2017, 357, j1957. | 2.4 | 201 |
| 34 | The microbiome quality control project: baseline study design and future directions. <i>Genome Biology</i> , 2015, 16, 276. | 3.8 | 196 |
| 35 | Socio-economic status and oesophageal cancer: results from a population-based case-control study in a high-risk area. <i>International Journal of Epidemiology</i> , 2009, 38, 978-988. | 0.9 | 193 |
| 36 | Prospective study of tooth loss and incident esophageal and gastric cancers in China. <i>Cancer Causes and Control</i> , 2001, 12, 847-854. | 0.8 | 185 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Validity and reliability of a new food frequency questionnaire compared to 24-h recalls and biochemical measurements: pilot phase of Golestan cohort study of esophageal cancer. <i>European Journal of Clinical Nutrition</i> , 2006, 60, 971-977. | 1.3 | 181 |
| 38 | Fruit and vegetable intake and head and neck cancer risk in a large United States prospective cohort study. <i>International Journal of Cancer</i> , 2008, 122, 2330-2336. | 2.3 | 177 |
| 39 | Cloning and characterization of the zebrafish (<i>Danio rerio</i>) aryl hydrocarbon receptor. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999, 1444, 35-48. | 2.4 | 163 |
| 40 | Non-steroidal anti-inflammatory drugs and risk of gastric and oesophageal adenocarcinomas: results from a cohort study and a meta-analysis. <i>British Journal of Cancer</i> , 2009, 100, 551-557. | 2.9 | 160 |
| 41 | Meat Consumption and Risk of Esophageal and Gastric Cancer in a Large Prospective Study. <i>American Journal of Gastroenterology</i> , 2011, 106, 432-442. | 0.2 | 154 |
| 42 | Zinc Concentration in Esophageal Biopsy Specimens Measured by X-Ray Fluorescence and Esophageal Cancer Risk. <i>Journal of the National Cancer Institute</i> , 2005, 97, 301-306. | 3.0 | 153 |
| 43 | Coffee intake is associated with lower rates of liver disease progression in chronic hepatitis C. <i>Hepatology</i> , 2009, 50, 1360-1369. | 3.6 | 153 |
| 44 | Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279. | 3.0 | 152 |
| 45 | Polymorphisms in Inflammation-related Genes and Risk of Gastric Cancer (Finland). <i>Cancer Causes and Control</i> , 2006, 17, 117-125. | 0.8 | 149 |
| 46 | International cancer seminars: a focus on esophageal squamous cell carcinoma. <i>Annals of Oncology</i> , 2017, 28, 2086-2093. | 0.6 | 149 |
| 47 | Joint analysis of three genome-wide association studies of esophageal squamous cell carcinoma in Chinese populations. <i>Nature Genetics</i> , 2014, 46, 1001-1006. | 9.4 | 148 |
| 48 | Fruit and vegetable intake and esophageal cancer in a large prospective cohort study. <i>International Journal of Cancer</i> , 2007, 121, 2753-2760. | 2.3 | 147 |
| 49 | Epidemiologic features of upper gastrointestinal tract cancers in Northeastern Iran. <i>British Journal of Cancer</i> , 2004, 90, 1402-1406. | 2.9 | 145 |
| 50 | Cancer Risk After Pernicious Anemia in the US Elderly Population. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 2282-2289.e4. | 2.4 | 143 |
| 51 | Vitamin D-related genes, serum vitamin D concentrations and prostate cancer risk. <i>Carcinogenesis</i> , 2009, 30, 769-776. | 1.3 | 142 |
| 52 | Nonsteroidal Anti-inflammatory Drug Use Reduces Risk of Adenocarcinomas of the Esophagus and Esophagogastric Junction in a Pooled Analysis. <i>Gastroenterology</i> , 2012, 142, 442-452.e5. | 0.6 | 140 |
| 53 | Tooth Loss and Lack of Regular Oral Hygiene Are Associated with Higher Risk of Esophageal Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3062-3068. | 1.1 | 139 |
| 54 | Molecular Characterization of the Human Stomach Microbiota in Gastric Cancer Patients. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 302. | 1.8 | 136 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Opium use and mortality in Golestan Cohort Study: prospective cohort study of 50 000 adults in Iran. <i>BMJ</i> , The, 2012, 344, e2502-e2502. | 3.0 | 135 |
| 56 | <i>Helicobacter pylori</i> and oesophageal and gastric cancers in a prospective study in China. <i>British Journal of Cancer</i> , 2007, 96, 172-176. | 2.9 | 134 |
| 57 | A prospective study of BMI and risk of oesophageal and gastric adenocarcinoma. <i>European Journal of Cancer</i> , 2008, 44, 465-471. | 1.3 | 134 |
| 58 | Identification of squamous cell carcinoma associated proteins by proteomics and loss of beta tropomyosin expression in esophageal cancer. <i>World Journal of Gastroenterology</i> , 2006, 12, 7104. | 1.4 | 132 |
| 59 | Interleukin-1B Polymorphisms and Gastric Cancer Risk--A Meta-analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1920-1928. | 1.1 | 131 |
| 60 | Squamous Dysplasia--The Precursor Lesion for Esophageal Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 540-552. | 1.1 | 131 |
| 61 | Association of Meat and Fat Intake With Liver Disease and Hepatocellular Carcinoma in the NIH-AARP Cohort. <i>Journal of the National Cancer Institute</i> , 2010, 102, 1354-1365. | 3.0 | 128 |
| 62 | Prospective Study of Serum Vitamin E Levels and Esophageal and Gastric Cancers. <i>Journal of the National Cancer Institute</i> , 2003, 95, 1414-1416. | 3.0 | 123 |
| 63 | Individual and Combined Effects of Environmental Risk Factors for Esophageal Cancer Based on Results From the Golestan Cohort Study. <i>Gastroenterology</i> , 2019, 156, 1416-1427. | 0.6 | 123 |
| 64 | A prospective cohort study of obesity and risk of oesophageal and gastric adenocarcinoma in the NIH-AARP Diet and Health Study. <i>Gut</i> , 2012, 61, 1261-1268. | 6.1 | 122 |
| 65 | Serum 25-Hydroxyvitamin D and Cancer Mortality in the NHANES III Study (1988-2006). <i>Cancer Research</i> , 2010, 70, 8587-8597. | 0.4 | 121 |
| 66 | Association between Upper Digestive Tract Microbiota and Cancer-Predisposing States in the Esophagus and Stomach. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 735-741. | 1.1 | 120 |
| 67 | Carcinogenic Food Contaminants. <i>Cancer Investigation</i> , 2007, 25, 189-196. | 0.6 | 118 |
| 68 | Tooth loss is associated with increased risk of gastric non-cardia adenocarcinoma in a cohort of Finnish smokers. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 681-687. | 0.6 | 112 |
| 69 | Comparison of Collection Methods for Fecal Samples in Microbiome Studies. <i>American Journal of Epidemiology</i> , 2017, 185, 115-123. | 1.6 | 112 |
| 70 | Two Forms of Aryl Hydrocarbon Receptor Type 2 in Rainbow Trout (<i>Oncorhynchus mykiss</i>). <i>Journal of Biological Chemistry</i> , 1999, 274, 15159-15166. | 1.6 | 111 |
| 71 | Prevalence, awareness and risk factors of hypertension in a large cohort of Iranian adult population. <i>Journal of Hypertension</i> , 2013, 31, 1364-1371. | 0.3 | 110 |
| 72 | Informing etiologic research priorities for squamous cell esophageal cancer in Africa: A review of setting-specific exposures to known and putative risk factors. <i>International Journal of Cancer</i> , 2017, 140, 259-271. | 2.3 | 109 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Menstrual and reproductive factors and gastric cancer risk in a large prospective study of women. <i>Gut</i> , 2007, 56, 1671-1677. | 6.1 | 105 |
| 74 | Risk factors for oesophageal squamous dysplasia in adult inhabitants of a high risk region of China. <i>Gut</i> , 2005, 54, 759-763. | 6.1 | 101 |
| 75 | Characterization of Large Structural Genetic Mosaicism in Human Autosomes. <i>American Journal of Human Genetics</i> , 2015, 96, 487-497. | 2.6 | 101 |
| 76 | Prospective study of serum 25(OH)-vitamin D concentration and risk of oesophageal and gastric cancers. <i>British Journal of Cancer</i> , 2007, 97, 123-128. | 2.9 | 100 |
| 77 | Genome-wide association study of gastric adenocarcinoma in Asia: a comparison of associations between cardia and non-cardia tumours. <i>Gut</i> , 2016, 65, 1611-1618. | 6.1 | 99 |
| 78 | Transactivation Activity of Human, Zebrafish, and Rainbow Trout Aryl Hydrocarbon Receptors Expressed in COS-7 Cells: Greater Insight into Species Differences in Toxic Potency of Polychlorinated Dibenzo-p-dioxin, Dibenzofuran, and Biphenyl Congeners. <i>Toxicology and Applied Pharmacology</i> , 1999, 159, 41-51. | 1.3 | 97 |
| 79 | Alcohol intake and risk of oesophageal adenocarcinoma: a pooled analysis from the BEACON Consortium. <i>Gut</i> , 2011, 60, 1029-1037. | 6.1 | 95 |
| 80 | High Levels of Carcinogenic Polycyclic Aromatic Hydrocarbons in Mate Drinks. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1262-1268. | 1.1 | 93 |
| 81 | Prospective study of ultraviolet radiation exposure and risk of cancer in the United States. <i>International Journal of Cancer</i> , 2012, 131, E1015-23. | 2.3 | 93 |
| 82 | Fruits, Vegetables, and Antioxidants and Risk of Gastric Cancer among Male Smokers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2087-2092. | 1.1 | 92 |
| 83 | Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633. | 1.4 | 90 |
| 84 | Prospective investigation of the cigarette smokingâ€“head and neck cancer association by sex. <i>Cancer</i> , 2007, 110, 1593-1601. | 2.0 | 89 |
| 85 | Alcohol and head and neck cancer risk in a prospective study. <i>British Journal of Cancer</i> , 2007, 96, 1469-1474. | 2.9 | 88 |
| 86 | Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. <i>Oncotarget</i> , 2016, 7, 66328-66343. | 0.8 | 88 |
| 87 | Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016, 7, 11843. | 5.8 | 86 |
| 88 | Variations of gastric corpus microbiota are associated with early esophageal squamous cell carcinoma and squamous dysplasia. <i>Scientific Reports</i> , 2015, 5, 8820. | 1.6 | 85 |
| 89 | Microbial characterization of esophageal squamous cell carcinoma and gastric cardia adenocarcinoma from a highâ€“risk region of China. <i>Cancer</i> , 2019, 125, 3993-4002. | 2.0 | 85 |
| 90 | Polycyclic aromatic hydrocarbon exposure in oesophageal tissue and risk of oesophageal squamous cell carcinoma in north-eastern Iran. <i>Gut</i> , 2010, 59, 1178-1183. | 6.1 | 80 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Tea, coffee, carbonated soft drinks and upper gastrointestinal tract cancer risk in a large United States prospective cohort study. <i>European Journal of Cancer</i> , 2010, 46, 1873-1881. | 1.3 | 80 |
| 92 | Promoter Methylation in Cytology Specimens as an Early Detection Marker for Esophageal Squamous Dysplasia and Early Esophageal Squamous Cell Carcinoma. <i>Cancer Prevention Research</i> , 2008, 1, 357-361. | 0.7 | 79 |
| 93 | Serum pepsinogens and risk of gastric and oesophageal cancers in the General Population Nutrition Intervention Trial cohort. <i>Gut</i> , 2009, 58, 636-642. | 6.1 | 78 |
| 94 | High exposure to polycyclic aromatic hydrocarbons may contribute to high risk of esophageal cancer in northeastern Iran. <i>Anticancer Research</i> , 2005, 25, 425-8. | 0.5 | 78 |
| 95 | Serum Concentrations of 1,1,1-Trichloro-2,2-bis(p -chlorophenyl)ethane (DDT) and 1,1-Dichloro-2,2-bis() Tj ETQq1 1 0.784314 rgBT /Ov Institute, 2006, 98, 1005-1010. | 3.0 | 77 |
| 96 | Poor oral hygiene and risk of esophageal squamous cell carcinoma in Kashmir. <i>British Journal of Cancer</i> , 2013, 109, 1367-1372. | 2.9 | 75 |
| 97 | Multimorbidity. <i>Medicine (United States)</i> , 2016, 95, e2756. | 0.4 | 74 |
| 98 | Esophageal Cancer in Young People: A Case Series of 109 Cases and Review of the Literature. <i>PLoS ONE</i> , 2010, 5, e14080. | 1.1 | 74 |
| 99 | Index-based Dietary Patterns and Risk of Esophageal and Gastric Cancer in a Large Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 1130-1136.e2. | 2.4 | 73 |
| 100 | Opium: An emerging risk factor for gastric adenocarcinoma. <i>International Journal of Cancer</i> , 2013, 133, 455-461. | 2.3 | 73 |
| 101 | Verbal Autopsy: Reliability and Validity Estimates for Causes of Death in the Golestan Cohort Study in Iran. <i>PLoS ONE</i> , 2010, 5, e11183. | 1.1 | 72 |
| 102 | Circulating 25-Hydroxyvitamin D and Risk of Esophageal and Gastric Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 94-106. | 1.6 | 72 |
| 103 | Diet and Upper Gastrointestinal Malignancies. <i>Gastroenterology</i> , 2015, 148, 1234-1243.e4. | 0.6 | 72 |
| 104 | InterSCOPE Study: Associations Between Esophageal Squamous Cell Carcinoma and Human Papillomavirus Serological Markers. <i>Journal of the National Cancer Institute</i> , 2012, 104, 147-158. | 3.0 | 71 |
| 105 | Human papillomavirus serology and the risk of esophageal and gastric cancers: Results from a cohort in a high-risk region in China. <i>International Journal of Cancer</i> , 2006, 119, 579-584. | 2.3 | 70 |
| 106 | Circulating 25-Hydroxyvitamin D and the Risk of Rarer Cancers: Design and Methods of the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. <i>American Journal of Epidemiology</i> , 2010, 172, 10-20. | 1.6 | 70 |
| 107 | Control region mutations and the 'common deletion' are frequent in the mitochondrial DNA of patients with esophageal squamous cell carcinoma. <i>BMC Cancer</i> , 2004, 4, 30. | 1.1 | 69 |
| 108 | Genetic variants in DNA repair pathway genes and risk of esophageal squamous cell carcinoma and gastric adenocarcinoma in a Chinese population. <i>Carcinogenesis</i> , 2013, 34, 1536-1542. | 1.3 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Genomic Landscape of Somatic Alterations in Esophageal Squamous Cell Carcinoma and Gastric Cancer. <i>Cancer Research</i> , 2016, 76, 1714-1723. | 0.4 | 68 |
| 110 | Identification of new susceptibility loci for gastric non-cardia adenocarcinoma: pooled results from two Chinese genome-wide association studies. <i>Gut</i> , 2017, 66, 581-587. | 6.1 | 68 |
| 111 | Golestan cohort study of oesophageal cancer: feasibility and first results. <i>British Journal of Cancer</i> , 2005, 92, 176-181. | 2.9 | 66 |
| 112 | Cytologic Detection of Esophageal Squamous Cell Carcinoma and Its Precursor Lesions Using Balloon Samplers and Liquid-Based Cytology in Asymptomatic Adults in Linxian, China. <i>Acta Cytologica</i> , 2008, 52, 14-23. | 0.7 | 66 |
| 113 | No role for human papillomavirus in esophageal squamous cell carcinoma in China. <i>International Journal of Cancer</i> , 2010, 127, 93-100. | 2.3 | 66 |
| 114 | Frequent occurrence of esophageal cancer in young people in western Kenya. <i>Ecological Management and Restoration</i> , 2010, 23, 128-135. | 0.2 | 66 |
| 115 | Dietary fat and meat intakes and risk of reflux esophagitis, Barrett's esophagus and esophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2011, 129, 1493-1502. | 2.3 | 66 |
| 116 | Household Fuel Use and Cardiovascular Disease Mortality. <i>Circulation</i> , 2016, 133, 2360-2369. | 1.6 | 66 |
| 117 | Population structure of human gut bacteria in a diverse cohort from rural Tanzania and Botswana. <i>Genome Biology</i> , 2019, 20, 16. | 3.8 | 66 |
| 118 | Prospective study of serum retinol, beta-carotene, beta-cryptoxanthin, and lutein/zeaxanthin and esophageal and gastric cancers in China. <i>Cancer Causes and Control</i> , 2003, 14, 645-655. | 0.8 | 65 |
| 119 | Diabetes Mellitus and Its Correlates in an Iranian Adult Population. <i>PLoS ONE</i> , 2011, 6, e26725. | 1.1 | 65 |
| 120 | The importance of exposure rate on odds ratios by cigarette smoking and alcohol consumption for esophageal adenocarcinoma and squamous cell carcinoma in the Barrett's Esophagus and Esophageal Adenocarcinoma Consortium. <i>Cancer Epidemiology</i> , 2012, 36, 306-316. | 0.8 | 65 |
| 121 | Sphingolipids as biomarkers of fumonisin exposure and risk of esophageal squamous cell carcinoma in china. <i>Cancer Causes and Control</i> , 2001, 12, 821-828. | 0.8 | 64 |
| 122 | Higher urine 1-hydroxy pyrene glucuronide (1-OHPG) is associated with tobacco smoke exposure and drinking mat   in healthy subjects from Rio Grande do Sul, Brazil. <i>BMC Cancer</i> , 2006, 6, 139. | 1.1 | 64 |
| 123 | Prospective Study of Physical Activity and Lung Cancer by Histologic Type in Current, Former, and Never Smokers. <i>American Journal of Epidemiology</i> , 2008, 169, 542-553. | 1.6 | 64 |
| 124 | No association between HPV infection and the neoplastic progression of esophageal squamous cell carcinoma: Result from a cross-sectional study in a high-risk region of China. <i>International Journal of Cancer</i> , 2006, 119, 1354-1359. | 2.3 | 63 |
| 125 | Heme iron from meat and risk of adenocarcinoma of the esophagus and stomach. <i>European Journal of Cancer Prevention</i> , 2012, 21, 134-138. | 0.6 | 63 |
| 126 | Reliability and validity of opiate use self-report in a population at high risk for esophageal cancer in Golestan, Iran. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1068-70. | 1.1 | 63 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | The association of menstrual and reproductive factors with upper gastrointestinal tract cancers in the NIHâ€AARP cohort. <i>Cancer</i> , 2010, 116, 1572-1581. | 2.0 | 62 |
| 128 | Multimorbidity as an important issue among women: results of a gender difference investigation in a large population-based cross-sectional study in West Asia. <i>BMJ Open</i> , 2017, 7, e013548. | 0.8 | 62 |
| 129 | Dietary intake of minerals and risk of esophageal squamous cell carcinoma: results from the Golestan Cohort Study. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 102-108. | 2.2 | 61 |
| 130 | Serum 25(OH)-Vitamin D Concentration and Risk of Esophageal Squamous Dysplasia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1889-1893. | 1.1 | 60 |
| 131 | Extremely High Tp53 Mutation Load in Esophageal Squamous Cell Carcinoma in Golestan Province, Iran. <i>PLoS ONE</i> , 2011, 6, e29488. | 1.1 | 60 |
| 132 | Smoking and All-cause Mortality in Older Adults. <i>American Journal of Preventive Medicine</i> , 2015, 49, e53-e63. | 1.6 | 60 |
| 133 | Opium use and subsequent incidence of cancer: results from the Golestan Cohort Study. <i>The Lancet Global Health</i> , 2020, 8, e649-e660. | 2.9 | 59 |
| 134 | Genotypic variants at 2q33 and risk of esophageal squamous cell carcinoma in China: a meta-analysis of genome-wide association studies. <i>Human Molecular Genetics</i> , 2012, 21, 2132-2141. | 1.4 | 58 |
| 135 | Male predominance of upper gastrointestinal adenocarcinoma cannot be explained by differences in tobacco smoking in men versus women. <i>European Journal of Cancer</i> , 2010, 46, 2473-2478. | 1.3 | 57 |
| 136 | MatÃ© Drinking and Esophageal Squamous Cell Carcinoma in South America: Pooled Results from Two Large Multicenter Caseâ€Control Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 107-116. | 1.1 | 57 |
| 137 | Association of fish and longâ€chain omegaâ€ fatty acids intakes with total and causeâ€specific mortality: prospective analysis of 421 309 individuals. <i>Journal of Internal Medicine</i> , 2018, 284, 399-417. | 2.7 | 57 |
| 138 | A prospective study of tea drinking temperature and risk of esophageal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2020, 146, 18-25. | 2.3 | 57 |
| 139 | Lung Cancer Chemoprevention: A Randomized, Double-Blind Trial in Linxian, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1562-1564. | 1.1 | 56 |
| 140 | Mendelian Randomization: How It Canâ€and Cannotâ€Help Confirm Causal Relations between Nutrition and Cancer. <i>Cancer Prevention Research</i> , 2009, 2, 104-113. | 0.7 | 56 |
| 141 | Physical Activity and Esophageal and Gastric Carcinoma in a Large Prospective Study. <i>American Journal of Preventive Medicine</i> , 2009, 36, 112-119. | 1.6 | 56 |
| 142 | Intakes of folate, methionine, vitamin B6, and vitamin B12 with risk of esophageal and gastric cancer in a large cohort study. <i>British Journal of Cancer</i> , 2014, 110, 1328-1333. | 2.9 | 56 |
| 143 | Association of seropositivity to <i>Helicobacter</i> species and biliary tract cancer in the ATBC study. <i>Hepatology</i> , 2014, 60, 1963-1971. | 3.6 | 56 |
| 144 | White rice intake and incidence of type-2 diabetes: analysis of two prospective cohort studies from Iran. <i>BMC Public Health</i> , 2017, 17, 133. | 1.2 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Common genetic variants in the 9p21 region and their associations with multiple tumours. <i>British Journal of Cancer</i> , 2013, 108, 1378-1386. | 2.9 | 55 |
| 146 | Impact of changing US cigarette smoking patterns on incident cancer: risks of 20 smoking-related cancers among the women and men of the NIH-AARP cohort. <i>International Journal of Epidemiology</i> , 2016, 45, 846-856. | 0.9 | 55 |
| 147 | Dietary Protein Sources and All-Cause and Cause-Specific Mortality: The Golestan Cohort Study in Iran. <i>American Journal of Preventive Medicine</i> , 2017, 52, 237-248. | 1.6 | 54 |
| 148 | Exposure to oral bisphosphonates and risk of cancer. <i>International Journal of Cancer</i> , 2012, 131, E717-25. | 2.3 | 53 |
| 149 | <i>Helicobacter pylori</i> blood biomarker for gastric cancer risk in East Asia. <i>International Journal of Epidemiology</i> , 2016, 45, 774-781. | 0.9 | 53 |
| 150 | Dairy Food Intake and All-Cause, Cardiovascular Disease, and Cancer Mortality. <i>American Journal of Epidemiology</i> , 2017, 185, 697-711. | 1.6 | 53 |
| 151 | Urinary TERT promoter mutations are detectable up to 10 years prior to clinical diagnosis of bladder cancer: Evidence from the Golestan Cohort Study. <i>EBioMedicine</i> , 2020, 53, 102643. | 2.7 | 51 |
| 152 | Variation in oral microbiome is associated with future risk of lung cancer among never-smokers. <i>Thorax</i> , 2021, 76, 256-263. | 2.7 | 51 |
| 153 | Polymorphisms of XRCC1 and risk of esophageal and gastric cardia cancer. <i>Cancer Letters</i> , 2004, 216, 157-164. | 3.2 | 50 |
| 154 | Comparison of Fecal Collection Methods for Microbiota Studies in Bangladesh. <i>Applied and Environmental Microbiology</i> , 2017, 83, . | 1.4 | 50 |
| 155 | Urinary Prostaglandin E2 Metabolite and Gastric Cancer Risk in the Shanghai Women's Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 3075-3078. | 1.1 | 49 |
| 156 | The Relationship Between Serum Ghrelin and the Risk of Gastric and Esophagogastric Junctional Adenocarcinomas. <i>Journal of the National Cancer Institute</i> , 2011, 103, 1123-1129. | 3.0 | 49 |
| 157 | Index-based dietary patterns and risk of head and neck cancer in a large prospective study. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 559-566. | 2.2 | 49 |
| 158 | Dietary components and risk of total, cancer and cardiovascular disease mortality in the Linxian Nutrition Intervention Trials cohort in China. <i>Scientific Reports</i> , 2016, 6, 22619. | 1.6 | 48 |
| 159 | Polymorphic variation of CYP1A1 is associated with the risk of gastric cardia cancer: a prospective case-cohort study of cytochrome P-450 1A1 and GST enzymes. <i>Cancer Causes and Control</i> , 2004, 15, 1077-1083. | 0.8 | 47 |
| 160 | Prospective Study of Self-Reported Diabetes and Risk of Upper Gastrointestinal Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 954-961. | 1.1 | 47 |
| 161 | Opium Use and Risk of Mortality from Digestive Diseases: A Prospective Cohort Study. <i>American Journal of Gastroenterology</i> , 2013, 108, 1757-1765. | 0.2 | 47 |
| 162 | Esophageal Histological Precursor Lesions and Subsequent 8.5-Year Cancer Risk in a Population-Based Prospective Study in China. <i>American Journal of Gastroenterology</i> , 2020, 115, 1036-1044. | 0.2 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Accuracy and Cut-Off Values of Pepsinogens I, II and Gastrin 17 for Diagnosis of Gastric Fundic Atrophy: Influence of Gastritis. <i>PLoS ONE</i> , 2011, 6, e26957. | 1.1 | 46 |
| 164 | Association between serum 25(OH) vitamin D, incident liver cancer and chronic liver disease mortality in the Linxian Nutrition Intervention Trials: a nested case-control study. <i>British Journal of Cancer</i> , 2013, 109, 1997-2004. | 2.9 | 45 |
| 165 | Variants of the IL8 and IL8RB genes and risk for gastric cardia adenocarcinoma and esophageal squamous cell carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 2251-7. | 1.1 | 45 |
| 166 | Patterns of Food and Nutrient Consumption in Northern Iran, a High-Risk Area for Esophageal Cancer. <i>Nutrition and Cancer</i> , 2009, 61, 475-483. | 0.9 | 44 |
| 167 | Association of Tooth Loss and Oral Hygiene with Risk of Gastric Adenocarcinoma. <i>Cancer Prevention Research</i> , 2013, 6, 477-482. | 0.7 | 44 |
| 168 | Mortality and cancer in relation to ABO blood group phenotypes in the Golestan Cohort Study. <i>BMC Medicine</i> , 2015, 13, 8. | 2.3 | 44 |
| 169 | Prospective study of serum cysteine levels and oesophageal and gastric cancers in China. <i>Gut</i> , 2011, 60, 618-623. | 6.1 | 43 |
| 170 | Ecologic study of serum selenium and upper gastrointestinal cancers in Iran. <i>World Journal of Gastroenterology</i> , 2004, 10, 2544. | 1.4 | 43 |
| 171 | Esophageal and gastric cardia cancer risk and folate- and vitamin B(12)-related polymorphisms in Linxian, China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 1222-6. | 1.1 | 43 |
| 172 | Serum pepsinogens and risk of esophageal squamous dysplasia. <i>International Journal of Cancer</i> , 2009, 124, 456-460. | 2.3 | 42 |
| 173 | Smoking water-pipe, chewing nass and prevalence of heart disease: a cross-sectional analysis of baseline data from the Golestan Cohort Study, Iran. <i>Heart</i> , 2013, 99, 272-278. | 1.2 | 42 |
| 174 | PLCE1 mRNA and Protein Expression and Survival of Patients with Esophageal Squamous Cell Carcinoma and Gastric Adenocarcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1579-1588. | 1.1 | 42 |
| 175 | Low vitamin B ₁₂ increases risk of gastric cancer: A prospective study of one-carbon metabolism nutrients and risk of upper gastrointestinal tract cancer. <i>International Journal of Cancer</i> , 2017, 141, 1120-1129. | 2.3 | 42 |
| 176 | Associations Between Prediagnostic Concentrations of Circulating Sex Steroid Hormones and Esophageal/Gastric Cardia Adenocarcinoma Among Men. <i>Journal of the National Cancer Institute</i> , 2019, 111, 34-41. | 3.0 | 42 |
| 177 | Oral microbial community composition is associated with pancreatic cancer: A case-control study in Iran. <i>Cancer Medicine</i> , 2020, 9, 797-806. | 1.3 | 42 |
| 178 | Using lowess to remove systematic trends over time in predictor variables prior to logistic regression with quantile categories. <i>Statistics in Medicine</i> , 2003, 22, 1477-1493. | 0.8 | 41 |
| 179 | Poor oral health as a risk factor for esophageal squamous dysplasia in northeastern Iran. <i>Anticancer Research</i> , 2005, 25, 543-6. | 0.5 | 41 |
| 180 | Effects of Nutrition Intervention on Total and Cancer Mortality: 25-Year Post-trial Follow-up of the 5.25-Year Linxian Nutrition Intervention Trial. <i>Journal of the National Cancer Institute</i> , 2018, 110, 1229-1238. | 3.0 | 40 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Association between tobacco use and the upper gastrointestinal microbiome among Chinese men. <i>Cancer Causes and Control</i> , 2015, 26, 581-588. | 0.8 | 39 |
| 182 | Multiplex <i>H. pylori</i> Serology and Risk of Gastric Cardia and Noncardia Adenocarcinomas. <i>Cancer Research</i> , 2015, 75, 4876-4883. | 0.4 | 39 |
| 183 | ecancermedalscience. <i>Ecancermedalscience</i> , 2012, 6, 254. | 0.6 | 38 |
| 184 | Prediagnostic plasma vitamin C and risk of gastric adenocarcinoma and esophageal squamous cell carcinoma in a Chinese population. <i>American Journal of Clinical Nutrition</i> , 2013, 98, 1289-1297. | 2.2 | 38 |
| 185 | Nut consumption and total and cause-specific mortality: results from the Golestan Cohort Study. <i>International Journal of Epidemiology</i> , 2017, 46, dyv365. | 0.9 | 38 |
| 186 | Hazards of cigarettes, smokeless tobacco and waterpipe in a Middle Eastern Population: a Cohort Study of 50â€¦000 individuals from Iran. <i>Tobacco Control</i> , 2017, 26, 674-682. | 1.8 | 38 |
| 187 | Association between circulating levels of sex steroid hormones and esophageal adenocarcinoma in the FINBAR Study. <i>PLoS ONE</i> , 2018, 13, e0190325. | 1.1 | 38 |
| 188 | Fruit and vegetable intake and gastric cancer risk in a large United States prospective cohort study. <i>Cancer Causes and Control</i> , 2008, 19, 459-467. | 0.8 | 37 |
| 189 | Prospective Study of Serum 25-Hydroxyvitamin D Concentration and Mortality in a Chinese Population. <i>American Journal of Epidemiology</i> , 2012, 176, 1043-1050. | 1.6 | 36 |
| 190 | Mucosal alphaâ€¦papillomaviruses are not associated with esophageal squamous cell carcinomas: Lack of mechanistic evidence from <sc>S</sc>outh <sc>A</sc>frica, <sc>C</sc>hina and <sc>I</sc>ran and from a worldâ€¦wide metaâ€¦analysis. <i>International Journal of Cancer</i> , 2016, 139, 85-98. | 2.3 | 36 |
| 191 | Plasma pepsinogens, antibodies against <i>Helicobacter pylori</i> , and risk of gastric cancer in the Shanghai Women's Health Study Cohort. <i>British Journal of Cancer</i> , 2011, 104, 1511-1516. | 2.9 | 35 |
| 192 | Pilot study of cytological testing for oesophageal squamous cell dysplasia in a high-risk area in Northern Iran. <i>British Journal of Cancer</i> , 2014, 111, 2235-2241. | 2.9 | 35 |
| 193 | p16, MGMT, RARbeta2, CLDN3, CRBP and MT1G gene methylation in esophageal squamous cell carcinoma and its precursor lesions. <i>Oncology Reports</i> , 2006, 15, 1591-7. | 1.2 | 35 |
| 194 | Oesophageal cancer: a common malignancy in young people of Bomet District, Kenya. <i>Lancet, The</i> , 2002, 360, 462-463. | 6.3 | 34 |
| 195 | Prospective Study of Ultraviolet Radiation Exposure and Mortality Risk in the United States. <i>American Journal of Epidemiology</i> , 2013, 178, 521-533. | 1.6 | 34 |
| 196 | Urinary Biomarkers of Carcinogenic Exposure among Cigarette, Waterpipe, and Smokeless Tobacco Users and Never Users of Tobacco in the Golestan Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 337-347. | 1.1 | 34 |
| 197 | Polymorphisms in interleukin -2, -6, and -10 are not associated with gastric cardia or esophageal cancer in a high-risk chinese population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004, 13, 1547-9. | 1.1 | 34 |
| 198 | Alcohol and Acetaldehyde in African Fermented Milk <i>Mursik</i>â€”A Possible Etiologic Factor for High Incidence of Esophageal Cancer in Western Kenya. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 69-75. | 1.1 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | A multi-day environmental study of polycyclic aromatic hydrocarbon exposure in a high-risk region for esophageal cancer in China. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2013, 23, 52-59. | 1.8 | 33 |
| 200 | Esophageal Squamous Dysplasia is Common in Asymptomatic Kenyans: A Prospective, Community-Based, Cross-Sectional Study. <i>American Journal of Gastroenterology</i> , 2016, 111, 500-507. | 0.2 | 33 |
| 201 | Smoking, <i>Helicobacter Pylori</i> Serology, and Gastric Cancer Risk in Prospective Studies from China, Japan, and Korea. <i>Cancer Prevention Research</i> , 2019, 12, 667-674. | 0.7 | 33 |
| 202 | Is Opium a Real Risk Factor for Esophageal Cancer or Just a Methodological Artifact? Hospital and Neighborhood Controls in Case-Control Studies. <i>PLoS ONE</i> , 2012, 7, e32711. | 1.1 | 32 |
| 203 | Circulating 25-hydroxyvitamin D up to 3 decades prior to diagnosis in relation to overall and organ-specific cancer survival. <i>European Journal of Epidemiology</i> , 2018, 33, 1087-1099. | 2.5 | 32 |
| 204 | Chemoprevention of Primary Liver Cancer: A Randomized, Double-Blind Trial in Linxian, China. <i>Journal of the National Cancer Institute</i> , 2007, 99, 1240-1247. | 3.0 | 31 |
| 205 | Large body size and sedentary lifestyle during childhood and early adulthood and esophageal squamous cell carcinoma in a high-risk population. <i>Annals of Oncology</i> , 2012, 23, 1593-1600. | 0.6 | 31 |
| 206 | Genetic variants in sex hormone metabolic pathway genes and risk of esophageal squamous cell carcinoma. <i>Carcinogenesis</i> , 2013, 34, 1062-1068. | 1.3 | 31 |
| 207 | Impact of body size and physical activity during adolescence and adult life on overall and cause-specific mortality in a large cohort study from Iran. <i>European Journal of Epidemiology</i> , 2014, 29, 95-109. | 2.5 | 31 |
| 208 | Association between C-Reactive Protein, Incident Liver Cancer, and Chronic Liver Disease Mortality in the Linxian Nutrition Intervention Trials: A Nested Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 386-392. | 1.1 | 31 |
| 209 | Age-specific risk factor profiles of adenocarcinomas of the esophagus: A pooled analysis from the international BEACON consortium. <i>International Journal of Cancer</i> , 2016, 138, 55-64. | 2.3 | 31 |
| 210 | Polymorphisms in estrogen- and androgen-metabolizing genes and the risk of gastric cancer. <i>Carcinogenesis</i> , 2009, 30, 71-77. | 1.3 | 30 |
| 211 | Serum Pepsinogens and <i>Helicobacter pylori</i> in Relation to the Risk of Esophageal Squamous Cell Carcinoma in the Alpha-Tocopherol, Beta-Carotene Cancer Prevention Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1966-1975. | 1.1 | 30 |
| 212 | Determinants of Gastroesophageal Reflux Disease, Including Hookah Smoking and Opium Use: A Cross-Sectional Analysis of 50,000 Individuals. <i>PLoS ONE</i> , 2014, 9, e89256. | 1.1 | 30 |
| 213 | Association Between Circulating Levels of Sex Steroid Hormones and Barrett's Esophagus in Men: A Case-Control Analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 673-682. | 2.4 | 30 |
| 214 | A Prospective Study of Vitamin and Mineral Supplement Use and the Risk of Upper Gastrointestinal Cancers. <i>PLoS ONE</i> , 2014, 9, e88774. | 1.1 | 30 |
| 215 | The influence of genetic polymorphisms in Ahr, CYP1A1, CYP1A2, CYP1B1, GST M1, GST T1 and UGT1A1 on urine 1-hydroxypyrene glucuronide concentrations in healthy subjects from Rio Grande do Sul, Brazil. <i>Carcinogenesis</i> , 2007, 28, 112-117. | 1.3 | 29 |
| 216 | Beta-diversity metrics of the upper digestive tract microbiome are associated with body mass index. <i>Obesity</i> , 2015, 23, 862-869. | 1.5 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Food preparation methods, drinking water source, and esophageal squamous cell carcinoma in the high-risk area of Golestan, Northeast Iran. <i>European Journal of Cancer Prevention</i> , 2016, 25, 123-129. | 0.6 | 29 |
| 218 | Gastric microbiota features associated with cancer risk factors and clinical outcomes: A pilot study in gastric cardia cancer patients from Shanxi, China. <i>International Journal of Cancer</i> , 2017, 141, 45-51. | 2.3 | 29 |
| 219 | Dietary Flavonoid Intake Reduces the Risk of Head and Neck but Not Esophageal or Gastric Cancer in US Men and Women. <i>Journal of Nutrition</i> , 2017, 147, 1729-1738. | 1.3 | 29 |
| 220 | Serum ghrelin is associated with risk of colorectal adenocarcinomas in the ATBC study. <i>Gut</i> , 2018, 67, 1646-1651. | 6.1 | 29 |
| 221 | The African Esophageal Cancer Consortium: A Call to Action. <i>Journal of Global Oncology</i> , 2018, 4, 1-9. | 0.5 | 29 |
| 222 | Modeling the risk of esophageal squamous cell carcinoma and squamous dysplasia in a high risk area in Iran. <i>Archives of Iranian Medicine</i> , 2012, 15, 18-21. | 0.2 | 29 |
| 223 | Alcohol consumption and risk of gastric cardia adenocarcinoma and gastric noncardia adenocarcinoma: A 16-year prospective analysis from the NIH-AARP diet and health cohort. <i>International Journal of Cancer</i> , 2018, 143, 2749-2757. | 2.3 | 28 |
| 224 | Comparison of Oral Collection Methods for Studies of Microbiota. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 137-143. | 1.1 | 28 |
| 225 | Gene Expression Differences in Normal Esophageal Mucosa Associated with Regression and Progression of Mild and Moderate Squamous Dysplasia in a High-Risk Chinese Population. <i>Cancer Research</i> , 2006, 66, 6851-6860. | 0.4 | 27 |
| 226 | Gastric atrophy and oesophageal squamous cell carcinoma: possible interaction with dental health and oral hygiene habit. <i>British Journal of Cancer</i> , 2012, 107, 888-894. | 2.9 | 27 |
| 227 | The Randomized Linxian Dysplasia Nutrition Intervention Trial After 26 Years of Follow-up. <i>JAMA Internal Medicine</i> , 2013, 173, 1259. | 2.6 | 27 |
| 228 | Oral health and mortality in the Golestan Cohort Study. <i>International Journal of Epidemiology</i> , 2017, 46, 2028-2035. | 0.9 | 27 |
| 229 | Serum gastrin and cholecystokinin are associated with subsequent development of gastric cancer in a prospective cohort of Finnish smokers. <i>International Journal of Epidemiology</i> , 2017, 46, 914-923. | 0.9 | 27 |
| 230 | Association between Cigar or Pipe Smoking and Cancer Risk in Men: A Pooled Analysis of Five Cohort Studies. <i>Cancer Prevention Research</i> , 2017, 10, 704-709. | 0.7 | 27 |
| 231 | Nut and Peanut Butter Consumption and Mortality in the National Institutes of Health-AARP Diet and Health Study. <i>Nutrients</i> , 2019, 11, 1508. | 1.7 | 27 |
| 232 | The application of six dietary scores to a Middle Eastern population: a comparative analysis of mortality in a prospective study. <i>European Journal of Epidemiology</i> , 2019, 34, 371-382. | 2.5 | 27 |
| 233 | Red Meat Consumption and Risk of Nonalcoholic Fatty Liver Disease in a Population With Low Meat Consumption: The Golestan Cohort Study. <i>American Journal of Gastroenterology</i> , 2021, 116, 1667-1675. | 0.2 | 27 |
| 234 | Global Changes in Gene Expression of Barrett's Esophagus Compared to Normal Squamous Esophagus and Gastric Cardia Tissues. <i>PLoS ONE</i> , 2014, 9, e93219. | 1.1 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Global and national trends in the age-specific sex ratio of esophageal cancer and gastric cancer by subtype. <i>International Journal of Cancer</i> , 2022, 151, 1447-1461. | 2.3 | 27 |
| 236 | Genetic polymorphisms in three Iranian populations with different risks of esophageal cancer, an ecologic comparison. <i>Cancer Letters</i> , 2004, 213, 195-202. | 3.2 | 26 |
| 237 | A Follow-up Study of Physical Activity and Incidence of Colorectal Polyps in African-American Women. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1438-1442. | 1.1 | 26 |
| 238 | Dietary fiber and grain consumption in relation to head and neck cancer in the NIH-AARP Diet and Health Study. <i>Cancer Causes and Control</i> , 2011, 22, 1405-1414. | 0.8 | 26 |
| 239 | Toenail trace element status and risk of Barrett's oesophagus and oesophageal adenocarcinoma: Results from the FINBAR study. <i>International Journal of Cancer</i> , 2012, 131, 1882-1891. | 2.3 | 26 |
| 240 | Genetic variants in fas signaling pathway genes and risk of gastric cancer. <i>International Journal of Cancer</i> , 2014, 134, 822-831. | 2.3 | 26 |
| 241 | Tooth loss and liver cancer incidence in a Finnish cohort. <i>Cancer Causes and Control</i> , 2017, 28, 899-904. | 0.8 | 26 |
| 242 | Causes of premature death and their associated risk factors in the Golestan Cohort Study, Iran. <i>BMJ Open</i> , 2018, 8, e021479. | 0.8 | 26 |
| 243 | What have we learned from Linxian esophageal cancer etiological studies?. <i>Thoracic Cancer</i> , 2019, 10, 1036-1042. | 0.8 | 25 |
| 244 | Height, weight, and body mass index associations with gastric cancer subsites. <i>Gastric Cancer</i> , 2014, 17, 463-468. | 2.7 | 24 |
| 245 | Mortality from respiratory diseases associated with opium use: a population-based cohort study. <i>Thorax</i> , 2017, 72, 1028-1034. | 2.7 | 24 |
| 246 | Temporal Variability of Oral Microbiota over 10 Months and the Implications for Future Epidemiologic Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 594-600. | 1.1 | 24 |
| 247 | Population Attributable Risks of Subtypes of Esophageal and Gastric Cancers in the United States. <i>American Journal of Gastroenterology</i> , 2021, 116, 1844-1852. | 0.2 | 24 |
| 248 | Risk of Gastrointestinal Cancers among Patients with Appendectomy: A Large-Scale Swedish Register-Based Cohort Study during 1970-2009. <i>PLoS ONE</i> , 2016, 11, e0151262. | 1.1 | 24 |
| 249 | Vitamin E intake and risk of esophageal and gastric cancers in the NIH-AARP Diet and Health Study. <i>International Journal of Cancer</i> , 2009, 125, 165-170. | 2.3 | 23 |
| 250 | Iron intake and markers of iron status and risk of Barrett's esophagus and esophageal adenocarcinoma. <i>Cancer Causes and Control</i> , 2010, 21, 2269-2279. | 0.8 | 23 |
| 251 | Serum ghrelin is inversely associated with risk of subsequent oesophageal squamous cell carcinoma. <i>Gut</i> , 2012, 61, 1533-1537. | 6.1 | 23 |
| 252 | Significant Variation in the Concentration of Carcinogenic Polycyclic Aromatic Hydrocarbons in Yerba Maté Samples by Brand, Batch, and Processing Method. <i>Environmental Science & Technology</i> , 2012, 46, 13488-13493. | 4.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Do Aspirin and Other NSAIDs Confer a Survival Benefit in Men Diagnosed with Prostate Cancer? A Pooled Analysis of NIH-AARP and PLCO Cohorts. <i>Cancer Prevention Research</i> , 2017, 10, 410-420. | 0.7 | 23 |
| 254 | Nut and peanut butter consumption and the risk of esophageal and gastric cancer subtypes. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 858-864. | 2.2 | 23 |
| 255 | Adherence to the Dietary Approaches to Stop Hypertension (DASH) diet and risk of total and cause-specific mortality: results from the Golestan Cohort Study. <i>International Journal of Epidemiology</i> , 2019, 48, 1824-1838. | 0.9 | 23 |
| 256 | Opiate and Tobacco Use and Exposure to Carcinogens and Toxicants in the Golestan Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 650-658. | 1.1 | 23 |
| 257 | A U-shaped relationship between haematocrit and mortality in a large prospective cohort study. <i>International Journal of Epidemiology</i> , 2013, 42, 601-615. | 0.9 | 22 |
| 258 | Opium Use and Risk of Pancreatic Cancer: A Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 268-273. | 1.1 | 22 |
| 259 | Epstein-Barr virus serology and gastric cancer incidence and survival. <i>British Journal of Cancer</i> , 2007, 97, 1567-1569. | 2.9 | 21 |
| 260 | Serum 25-Hydroxyvitamin D and Risk of Oropharynx and Larynx Cancers in Finnish Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 1178-1184. | 1.1 | 21 |
| 261 | A Prospective Cohort Study of Body Size and Risk of Head and Neck Cancers in the NIH-AARP Diet and Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2422-2429. | 1.1 | 21 |
| 262 | Hypertension and mortality in the Golestan Cohort Study: A prospective study of 50,000 adults in Iran. <i>Journal of Human Hypertension</i> , 2016, 30, 260-267. | 1.0 | 21 |
| 263 | Body mass index and risk of gastric cancer: A 30-year follow-up study in the Linxian general population trial cohort. <i>Cancer Science</i> , 2017, 108, 1667-1672. | 1.7 | 21 |
| 264 | Anatomical subsite can modify the association between meat and meat compounds and risk of colorectal adenocarcinoma: Findings from three large US cohorts. <i>International Journal of Cancer</i> , 2018, 143, 2261-2270. | 2.3 | 21 |
| 265 | Serum ghrelin and esophageal and gastric cancer in two cohorts in China. <i>International Journal of Cancer</i> , 2020, 146, 2728-2735. | 2.3 | 21 |
| 266 | Serum Metabolomics for Biomarker Screening of Esophageal Squamous Cell Carcinoma and Esophageal Squamous Dysplasia Using Gas Chromatography-Mass Spectrometry. <i>ACS Omega</i> , 2020, 5, 26402-26412. | 1.6 | 21 |
| 267 | Physical activity and head and neck cancer risk. <i>Cancer Causes and Control</i> , 2008, 19, 1391-1399. | 0.8 | 20 |
| 268 | Serum pepsinogen 1 and anti- <i>Helicobacter pylori</i> IgG antibodies as predictors of gastric cancer risk in Finnish males. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 494-503. | 1.9 | 20 |
| 269 | Association Between Reductions of Number of Cigarettes Smoked per Day and Mortality Among Older Adults in the United States. <i>American Journal of Epidemiology</i> , 2019, 188, 363-371. | 1.6 | 20 |
| 270 | Variation in PAH-related DNA adduct levels among non-smokers: The role of multiple genetic polymorphisms and nucleotide excision repair phenotype. <i>International Journal of Cancer</i> , 2013, 132, 2738-2747. | 2.3 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Pathway, <i>in silico</i> and tissue-specific expression quantitative analyses of oesophageal squamous cell carcinoma genome-wide association studies data. <i>International Journal of Epidemiology</i> , 2016, 45, 206-220. | 0.9 | 19 |
| 272 | Household Fuel Use and the Risk of Gastrointestinal Cancers: The Golestan Cohort Study. <i>Environmental Health Perspectives</i> , 2020, 128, 67002. | 2.8 | 19 |
| 273 | Endoscopic screening for precancerous lesions of the esophagus in a high risk area in Northern Iran. <i>Archives of Iranian Medicine</i> , 2014, 17, 246-52. | 0.2 | 19 |
| 274 | Self-reported goiter is associated with a significantly increased risk of gastric noncardia adenocarcinoma in a large population-based Chinese cohort. <i>International Journal of Cancer</i> , 2006, 119, 1508-1510. | 2.3 | 18 |
| 275 | Iron in Relation to Gastric Cancer in the Alpha-Tocopherol, Beta-Carotene Cancer Prevention Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2033-2042. | 1.1 | 18 |
| 276 | Fumonisin B1 and risk of hepatocellular carcinoma in two Chinese cohorts. <i>Food and Chemical Toxicology</i> , 2012, 50, 679-683. | 1.8 | 18 |
| 277 | Longitudinal change in blood pressure is associated with cardiovascular disease mortality in a Chinese cohort. <i>Heart</i> , 2018, 104, 1764-1771. | 1.2 | 18 |
| 278 | Investigating tea temperature and content as risk factors for esophageal cancer in an endemic region of Western Kenya: Validation of a questionnaire and analysis of polycyclic aromatic hydrocarbon content. <i>Cancer Epidemiology</i> , 2019, 60, 60-66. | 0.8 | 18 |
| 279 | Risk of Gastric Cancer by Water Source: Evidence from the Golestan Case-Control Study. <i>PLoS ONE</i> , 2015, 10, e0128491. | 1.1 | 18 |
| 280 | Systematic review of zinc biomarkers and esophageal cancer risk. <i>Middle East Journal of Digestive Diseases</i> , 2014, 6, 177-85. | 0.2 | 18 |
| 281 | Using NHANES oral health examination protocols as part of an esophageal cancer screening study conducted in a high-risk region of China. <i>BMC Oral Health</i> , 2007, 7, 10. | 0.8 | 17 |
| 282 | Aryl Hydrocarbon Receptor Expression Is Associated with a Family History of Upper Gastrointestinal Tract Cancer in a High-Risk Population Exposed to Aromatic Hydrocarbons. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2391-2396. | 1.1 | 17 |
| 283 | Association of dietary fat intakes with risk of esophageal and gastric cancer in the NIH AARP diet and health study. <i>International Journal of Cancer</i> , 2012, 131, 1376-1387. | 2.3 | 17 |
| 284 | Genetic Variants in Epidermal Growth Factor Receptor Pathway Genes and Risk of Esophageal Squamous Cell Carcinoma and Gastric Cancer in a Chinese Population. <i>PLoS ONE</i> , 2013, 8, e68999. | 1.1 | 17 |
| 285 | Prediagnostic serum levels of inflammatory biomarkers are correlated with future development of lung and esophageal cancer. <i>Cancer Science</i> , 2014, 105, 1205-1211. | 1.7 | 17 |
| 286 | Comparison of Oral Microbiota Collected Using Multiple Methods and Recommendations for New Epidemiologic Studies. <i>MSystems</i> , 2020, 5, . | 1.7 | 17 |
| 287 | Gastroesophageal reflux disease: A risk factor for laryngeal squamous cell carcinoma and esophageal squamous cell carcinoma in the NIH AARP Diet and Health Study cohort. <i>Cancer</i> , 2021, 127, 1871-1879. | 2.0 | 17 |
| 288 | A prospective study of polymorphisms of DNA repair genes XRCC1, XPD23 and APE/ref-1 and risk of stroke in Linxian, China. <i>Journal of Epidemiology and Community Health</i> , 2007, 61, 737-741. | 2.0 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Reproductive factors and risk of esophageal squamous cell carcinoma in northern Iran. <i>European Journal of Cancer Prevention</i> , 2013, 22, 461-466. | 0.6 | 16 |
| 290 | Physical Activity and Sedentary Behavior in Relation to Esophageal and Gastric Cancers in the NIH-AARP Cohort. <i>PLoS ONE</i> , 2013, 8, e84805. | 1.1 | 16 |
| 291 | Prospective study of <i>Helicobacter pylori</i> antigens and gastric noncardia cancer risk in the nutrition intervention trial cohort. <i>International Journal of Cancer</i> , 2015, 137, 1938-1946. | 2.3 | 16 |
| 292 | Contemporary impact of tobacco use on periodontal disease in the USA. <i>Tobacco Control</i> , 2017, 26, 237-238. | 1.8 | 16 |
| 293 | Toenail mineral concentration and risk of esophageal squamous cell carcinoma, results from the Golestan Cohort Study. <i>Cancer Medicine</i> , 2017, 6, 3052-3059. | 1.3 | 16 |
| 294 | Indoor wood combustion, carcinogenic exposure and esophageal cancer in southwest Kenya. <i>Environment International</i> , 2021, 152, 106485. | 4.8 | 16 |
| 295 | Prospective study of serum B vitamins levels and oesophageal and gastric cancers in China. <i>Scientific Reports</i> , 2016, 6, 35281. | 1.6 | 15 |
| 296 | Research Strategies for Nutritional and Physical Activity Epidemiology and Cancer Prevention. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 233-244. | 1.1 | 15 |
| 297 | Validation of a Blood Biomarker for Identification of Individuals at High Risk for Gastric Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 1472-1479. | 1.1 | 15 |
| 298 | A Comparison of Biopsy and Mucosal Swab Specimens for Examining the Microbiota of Upper Gastrointestinal Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 2030-2037. | 1.1 | 15 |
| 299 | Contact with ruminants is associated with esophageal squamous cell carcinoma risk. <i>International Journal of Cancer</i> , 2015, 136, 1468-1474. | 2.3 | 14 |
| 300 | The Clinical Performance of an Office-Based Risk Scoring System for Fatal Cardiovascular Diseases in North-East of Iran. <i>PLoS ONE</i> , 2015, 10, e0126779. | 1.1 | 14 |
| 301 | Cross sectional study of serum selenium concentration and esophageal squamous dysplasia in western Kenya. <i>BMC Cancer</i> , 2017, 17, 835. | 1.1 | 14 |
| 302 | T cell receptor repertoire among women who cleared and failed to clear cervical human papillomavirus infection: An exploratory proof-of-principle study. <i>PLoS ONE</i> , 2018, 13, e0178167. | 1.1 | 14 |
| 303 | Coffee and tea drinking and risk of cancer of the urinary tract in male smokers. <i>Annals of Epidemiology</i> , 2019, 34, 33-39. | 0.9 | 14 |
| 304 | The U-shaped association between body mass index and gastric cancer risk in the <i>Helicobacter pylori</i> Biomarker Cohort Consortium: A nested case-control study from eight East Asian cohort studies. <i>International Journal of Cancer</i> , 2020, 147, 777-784. | 2.3 | 14 |
| 305 | A Cross-Sectional Study of Human Serum Sphingolipids, Diet and Physiologic Parameters. <i>Journal of Nutrition</i> , 2001, 131, 2748-2752. | 1.3 | 13 |
| 306 | The Gastric Cardia Is Not a Target for Human Papillomavirus-Induced Carcinogenesis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1137-1139. | 1.1 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Common genetic variants in epigenetic machinery genes and risk of upper gastrointestinal cancers. <i>International Journal of Epidemiology</i> , 2015, 44, 1341-1352. | 0.9 | 13 |
| 308 | Long-term opiate use and risk of cardiovascular mortality: results from the Golestan Cohort Study. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 98-106. | 0.8 | 13 |
| 309 | Alcohol Consumption-Related Metabolites in Relation to Colorectal Cancer and Adenoma: Two Case-Control Studies Using Serum Biomarkers. <i>PLoS ONE</i> , 2016, 11, e0150962. | 1.1 | 13 |
| 310 | Potato consumption and the risk of overall and cause specific mortality in the NIH-AARP study. <i>PLoS ONE</i> , 2019, 14, e0216348. | 1.1 | 12 |
| 311 | Dietary quality using four dietary indices and lung cancer risk: the Golestan Cohort Study (GCS). <i>Cancer Causes and Control</i> , 2021, 32, 493-503. | 0.8 | 12 |
| 312 | Dietary acid load and mortality from all causes, CVD and cancer: results from the Golestan Cohort Study. <i>British Journal of Nutrition</i> , 2022, 128, 237-243. | 1.2 | 12 |
| 313 | Real-time telomerase assay of less-invasively collected esophageal cell samples. <i>Cancer Letters</i> , 2006, 244, 91-100. | 3.2 | 11 |
| 314 | Pathogenesis and progression of oesophageal adenocarcinoma varies by prior diagnosis of Barrett's oesophagus. <i>British Journal of Cancer</i> , 2016, 115, 1383-1390. | 2.9 | 11 |
| 315 | GWAS follow-up study of esophageal squamous cell carcinoma identifies potential genetic loci associated with family history of upper gastrointestinal cancer. <i>Scientific Reports</i> , 2017, 7, 4642. | 1.6 | 11 |
| 316 | Association of tooth loss with liver cancer incidence and chronic liver disease mortality in a rural Chinese population. <i>PLoS ONE</i> , 2018, 13, e0203926. | 1.1 | 11 |
| 317 | Nut consumption and the risk of oesophageal squamous cell carcinoma in the Golestan Cohort Study. <i>British Journal of Cancer</i> , 2018, 119, 176-181. | 2.9 | 11 |
| 318 | Epstein-Barr Virus Antibody Titers Are Not Associated with Gastric Cancer Risk in East Asia. <i>Digestive Diseases and Sciences</i> , 2018, 63, 2765-2772. | 1.1 | 11 |
| 319 | Dietary Polyunsaturated Fat Intake in Relation to Head and Neck, Esophageal, and Gastric Cancer Incidence in the National Institutes of Health's AARP Diet and Health Study. <i>American Journal of Epidemiology</i> , 2020, 189, 1096-1113. | 1.6 | 11 |
| 320 | Microbiome and Cancers of the Esophagus: A Review. <i>Microorganisms</i> , 2021, 9, 1764. | 1.6 | 11 |
| 321 | Oral Bisphosphonate Exposure and the Risk of Upper Gastrointestinal Cancers. <i>PLoS ONE</i> , 2015, 10, e0140180. | 1.1 | 11 |
| 322 | The Nail as a Biomonitor of Trace Element Status in Golestan Cohort Study. <i>Middle East Journal of Digestive Diseases</i> , 2016, 8, 19-23. | 0.2 | 11 |
| 323 | Meat consumption and risk of esophageal and gastric cancer in the Golestan Cohort Study, Iran. <i>International Journal of Cancer</i> , 2022, 151, 1005-1012. | 2.3 | 11 |
| 324 | The association between the upper digestive tract microbiota by HOMIM and oral health in a population-based study in Linxian, China. <i>BMC Public Health</i> , 2014, 14, 1110. | 1.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | The Association Between Alcohol Consumption and Lung Carcinoma by Histological Subtype. <i>American Journal of Epidemiology</i> , 2016, 183, kww170. | 1.6 | 10 |
| 326 | Polymorphisms in genes in the androgen pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. <i>International Journal of Cancer</i> , 2016, 138, 1146-1152. | 2.3 | 10 |
| 327 | The association between waterpipe smoking and gastroesophageal reflux disease. <i>International Journal of Epidemiology</i> , 2017, 46, 1968-1977. | 0.9 | 10 |
| 328 | Urinary Concentrations of Polycyclic Aromatic Hydrocarbon Metabolites in Matã© Drinkers in Rio Grande do Sul, Brazil. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018, 27, 331-337. | 1.1 | 10 |
| 329 | Seroprevalence and Determinants of Helicobacter pylori Infection in the Hispanic Community Health Study/Study of Latinos. <i>Clinical Gastroenterology and Hepatology</i> , 2022, 20, e438-e451. | 2.4 | 10 |
| 330 | Oral Health and Risk of Upper Gastrointestinal Cancers in a Large Prospective Study from a High-risk Region: Golestan Cohort Study. <i>Cancer Prevention Research</i> , 2021, 14, 709-718. | 0.7 | 10 |
| 331 | Cigarette Smoking and Opium Use in Relation to the Oral Microbiota in Iran. <i>Microbiology Spectrum</i> , 2021, 9, e0013821. | 1.2 | 10 |
| 332 | Gastroesophageal Reflux Disease and overall and Cause-specific Mortality: A Prospective Study of 50000 Individuals. <i>Middle East Journal of Digestive Diseases</i> , 2014, 6, 65-80. | 0.2 | 10 |
| 333 | Cardiovascular disease mortality and years of life lost attributable to non-optimal systolic blood pressure and hypertension in northeastern Iran. <i>Archives of Iranian Medicine</i> , 2015, 18, 144-52. | 0.2 | 10 |
| 334 | Oesophageal squamous cell carcinoma in high-risk Chinese populations: Possible role for vascular epithelial growth factor A. <i>European Journal of Cancer</i> , 2014, 50, 2855-2865. | 1.3 | 9 |
| 335 | Prospective study of serum cysteine and cysteinylglycine and cancer of the head and neck, esophagus, and stomach in a cohort of male smokers,. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 686-693. | 2.2 | 9 |
| 336 | Sex steroid hormones in relation to Barrett's esophagus: an analysis of the <scp>FINBAR</scp> Study. <i>Andrology</i> , 2017, 5, 240-247. | 1.9 | 9 |
| 337 | Turmeric, Pepper, Cinnamon, and Saffron Consumption and Mortality. <i>Journal of the American Heart Association</i> , 2019, 8, . | 1.6 | 9 |
| 338 | Prediagnostic Serum Vitamin D, Vitamin D Binding Protein Isoforms, and Cancer Survival. <i>JNCI Cancer Spectrum</i> , 2022, 6, . | 1.4 | 9 |
| 339 | Tooth count, untreated caries and mortality in US adults: a population-based cohort study. <i>International Journal of Epidemiology</i> , 2022, 51, 1291-1303. | 0.9 | 9 |
| 340 | Measuring telomere length for the early detection of precursor lesions of esophageal squamous cell carcinoma. <i>BMC Cancer</i> , 2013, 13, 578. | 1.1 | 8 |
| 341 | Common genetic variants related to vitamin D status are not associated with esophageal squamous cell carcinoma risk in China. <i>Cancer Epidemiology</i> , 2015, 39, 157-159. | 0.8 | 8 |
| 342 | Association of plasma vitamin C concentration to total and cause-specific mortality: a 16-year prospective study in China. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 1076-1082. | 2.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Habitual dietary intake of flavonoids and all-cause and cause-specific mortality: Golestan cohort study. <i>Nutrition Journal</i> , 2020, 19, 108. | 1.5 | 8 |
| 344 | Joint effect of diabetes and opiate use on all-cause and cause-specific mortality: the Golestan cohort study. <i>International Journal of Epidemiology</i> , 2021, 50, 314-324. | 0.9 | 8 |
| 345 | ABO genotypes and the risk of esophageal and gastric cancers. <i>BMC Cancer</i> , 2021, 21, 589. | 1.1 | 8 |
| 346 | Colorectal cancer in the Linxian China Nutrition Intervention Trial: Risk factors and intervention results. <i>PLoS ONE</i> , 2021, 16, e0255322. | 1.1 | 8 |
| 347 | Aspirin Use and Mortality in Two Contemporary US Cohorts. <i>Epidemiology</i> , 2018, 29, 126-133. | 1.2 | 7 |
| 348 | Serologic Profile of Antiparietal Cell Antibodies, Pepsinogens, and <i>H. pylori</i> and Risk of Upper Gastrointestinal Cancer: A Nested Case-Control Study in China. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 2022-2029. | 1.1 | 7 |
| 349 | Methylated DNA Markers of Esophageal Squamous Cancer and Dysplasia: An International Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2642-2650. | 1.1 | 7 |
| 350 | A long-term follow-up analysis of associations between tooth loss and multiple cancers in the Linxian General Population cohort. <i>Journal of the National Cancer Center</i> , 2021, 1, 39-43. | 3.0 | 7 |
| 351 | Abstract 4350: Human oral microbiome and prospective risk for pancreatic cancer: a population based, nested case control study. <i>Cancer Research</i> , 2016, 76, 4350-4350. | 0.4 | 7 |
| 352 | The gastro-esophageal malignancies in Northern Iran research project: impact on the health research and health care systems in Iran. <i>Archives of Iranian Medicine</i> , 2013, 16, 46-53. | 0.2 | 7 |
| 353 | Lead poisoning among asymptomatic individuals with a long-term history of opiate use in Golestan Cohort Study. <i>International Journal of Drug Policy</i> , 2022, 104, 103695. | 1.6 | 7 |
| 354 | Tobacco and other risk factors for esophageal squamous cell carcinoma in Lilongwe Malawi: Results from the Lilongwe esophageal cancer case: Control study. <i>PLoS Global Public Health</i> , 2022, 2, e0000135. | 0.5 | 7 |
| 355 | Cellular immune response is not associated with incident cancer or total mortality: a prospective follow-up. <i>European Journal of Cancer Prevention</i> , 2006, 15, 548-550. | 0.6 | 6 |
| 356 | Association between oral leukoplakia and upper gastrointestinal cancers: A 28-year follow-up study in the Linxian General Population Trial. <i>Oral Oncology</i> , 2014, 50, 971-975. | 0.8 | 6 |
| 357 | Comparing Anthropometric Indicators of Visceral and General Adiposity as Determinants of Overall and Cardiovascular Mortality. <i>Archives of Iranian Medicine</i> , 2019, 22, 301-309. | 0.2 | 6 |
| 358 | Independent and Joint Associations between Serum Calcium, 25-Hydroxy Vitamin D, and the Risk of Primary Liver Cancer: A Prospective Nested Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2057-2064. | 1.1 | 5 |
| 359 | Genetics and geography of leukocyte telomere length in sub-Saharan Africans. <i>Human Molecular Genetics</i> , 2020, 29, 3014-3020. | 1.4 | 5 |
| 360 | Red Meat Consumption and Risk of Nonalcoholic Fatty Liver Disease in a Population with Low Red Meat Consumption. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa061_041. | 0.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 361 | Serum Levels of Androgens, Estrogens, and Sex Hormone Binding Globulin and Risk of Primary Gastric Cancer in Chinese Men: A Nested Caseâ€“Control Study. <i>Cancer Prevention Research</i> , 2021, 14, 659-666. | 0.7 | 5 |
| 362 | Associations between Biomarkers of Exposure and Lung Cancer Risk among Exclusive Cigarette Smokers in the Golestan Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7349. | 1.2 | 5 |
| 363 | The Combined Effects of Healthy Lifestyle Behaviors on All-Cause Mortality: The Golestan Cohort Study. <i>Archives of Iranian Medicine</i> , 2016, 19, 752-761. | 0.2 | 5 |
| 364 | Expanding oesophageal cancer research and care in eastern Africa. <i>Nature Reviews Cancer</i> , 2022, 22, 253-254. | 12.8 | 5 |
| 365 | Selenomethionine Treatment Does Not Alter Gene Expression in Normal Squamous Esophageal Mucosa in a High-Risk Chinese Population. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1046-1047. | 1.1 | 4 |
| 366 | Serum thyroglobulin, a biomarker for iodine deficiency, is not associated with increased risk of upper gastrointestinal cancers in a large Chinese cohort. <i>International Journal of Cancer</i> , 2011, 129, 2284-2289. | 2.3 | 4 |
| 367 | Heart Disease Is Associated With Anthropometric Indices and Change in Body Size Perception Over the Life Course: The Golestan Cohort Study. <i>Global Heart</i> , 2015, 10, 245. | 0.9 | 4 |
| 368 | Asian gastric cardia adenocarcinoma: A distinct and understudied cancer with etiologic similarities to both esophageal squamous cell carcinoma and noncardia gastric adenocarcinoma. <i>Journal of the National Cancer Center</i> , 2021, 1, 44-46. | 3.0 | 4 |
| 369 | Spatial environmental factors predict cardiovascular and all-cause mortality: Results of the SPACE study. <i>PLoS ONE</i> , 2022, 17, e0269650. | 1.1 | 4 |
| 370 | Combined risk factors and risk of upper gastrointestinal cancer mortality in the Linxian general population. <i>International Journal of Cancer</i> , 2022, 151, 1462-1473. | 2.3 | 4 |
| 371 | Impediments in foreign collaboration and conducting a high throughput molecular epidemiology research in India, an assessment from a feasibility study. <i>SpringerPlus</i> , 2015, 4, 287. | 1.2 | 3 |
| 372 | Oral bisphosphonates and colorectal cancer. <i>Scientific Reports</i> , 2017, 7, 44177. | 1.6 | 3 |
| 373 | The optimal starting age of endoscopic screening for esophageal squamous cell cancer in high prevalence areas in China. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1761-1768. | 1.4 | 3 |
| 374 | Circulating MicroRNAs in Relation to Esophageal Adenocarcinoma Diagnosis and Survival. <i>Digestive Diseases and Sciences</i> , 2021, 66, 3831-3841. | 1.1 | 3 |
| 375 | Abstract 2204: Joint analysis of three genome-wide association studies of esophageal squamous cell carcinoma in Chinese populations reveals new susceptibility loci. , 2014, , . | | 3 |
| 376 | Urinary nitrate and sodium in a high-risk area for upper gastrointestinal cancers: Golestan Cohort Study†. <i>Environmental Research</i> , 2022, 214, 113906. | 3.7 | 3 |
| 377 | Tobacco Smoking and Bladder Cancerâ€“Reply. <i>JAMA - Journal of the American Medical Association</i> , 2011, 306, 2216. | 3.8 | 2 |
| 378 | Association between serum ferritin, incident primary liver cancer, and chronic liver disease mortality in the Linxian Nutrition Intervention Trials: A nested caseâ€“control study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 3410-3417. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Combined Lifestyle Factors and Risk of All-Cause and Cause-Specific Mortality Among Participants in the Linxian Nutrition Intervention Trial: A Cohort, Observational Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 772617. | 1.1 | 2 |
| 380 | A Predictive Model of Noncardia Gastric Adenocarcinoma Risk Using Antibody Response to <i>Helicobacter pylori</i> Proteins and Pepsinogen. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 811-820. | 1.1 | 2 |
| 381 | <i>fast.adonis</i> : a computationally efficient non-parametric multivariate analysis of microbiome data for large-scale studies. <i>Bioinformatics Advances</i> , 2022, 2, . | 0.9 | 2 |
| 382 | The Authors Reply. <i>American Journal of Epidemiology</i> , 2013, 178, 1762-1763. | 1.6 | 1 |
| 383 | Multivitamin and mineral supplementation is associated with the reduction of fracture risk and hospitalization rate in Chinese adult males: a randomized controlled study. <i>Journal of Bone and Mineral Metabolism</i> , 2015, 33, 294-302. | 1.3 | 1 |
| 384 | Association Between Circulating Levels of Sex Steroid Hormones and Esophageal/Gastric Cardia Adenocarcinoma. <i>Gastroenterology</i> , 2017, 152, S34-S35. | 0.6 | 1 |
| 385 | Effects of vitamin and mineral supplementation on total and cancer mortality (Linxian General) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Lancet, The, 2017, 390, S20. | 6.3 | 1 |
| 386 | Predicting the risk of esophageal high-grade lesions in opportunistic screening. <i>Gastrointestinal Endoscopy</i> , 2020, 92, 1136-1137. | 0.5 | 1 |
| 387 | Association Between Serological Responses to Two Zoonotic Ruminant Pathogens and Esophageal Squamous Cell Carcinoma. <i>Vector-Borne and Zoonotic Diseases</i> , 2021, 21, 125-127. | 0.6 | 1 |
| 388 | Abstract 2529: A prospective cohort study of body size and risk of head and neck cancers in the NIH-AARP Diet and Health Study.., 2013, , . | | 1 |
| 389 | Abstract 634: Coffee and tea drinking and risk of cancer of the urinary tract in male smokers. , 2019, , . | | 1 |
| 390 | Abstract 4301: Serum vitamin B12 and development of non-cardia gastric cancer: a prospective study. <i>Cancer Research</i> , 2016, 76, 4301-4301. | 0.4 | 1 |
| 391 | Prevalence of esophageal squamous dysplasia in relatives of patients with esophageal cancer in Southwestern Kenya. <i>Cancer Epidemiology</i> , 2022, 78, 102141. | 0.8 | 1 |
| 392 | Mortality after multivitamin supplementation: Nearly 35-year follow-up of the randomized Linxian Dysplasia Nutrition Intervention Trial. <i>Cancer</i> , 0, , . | 2.0 | 1 |
| 393 | Prospective study of serum vitamin E levels and esophageal and gastric cancers. <i>Gastroenterology</i> , 2003, 124, A240. | 0.6 | 0 |
| 394 | Esophageal cancer and genetic polymorphisms in carcinogen metabolizing enzymes in Iran. <i>Gastroenterology</i> , 2003, 124, A548. | 0.6 | 0 |
| 395 | Prospective study of serum selenium concentration and mortality from esophageal squamous cell carcinoma, gastric cardia cancer, heart disease, and stroke. <i>Gastroenterology</i> , 2003, 124, A263. | 0.6 | 0 |
| 396 | Squamous dysplasia is the histologic precursor of invasive esophageal squamous cell carcinoma: results from a 13-year prospective follow-up study in a high-risk population. <i>Gastroenterology</i> , 2003, 124, A297-A298. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | IL1B Polymorphisms and Gastric Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 635.2-635. | 1.1 | 0 |
| 398 | Low Serum Ghrelin is Associated With an Increased Risk of Gastric Adenocarcinoma. <i>Gastroenterology</i> , 2011, 140, S-347. | 0.6 | 0 |
| 399 | Three Authors Reply. <i>American Journal of Epidemiology</i> , 2013, 177, 726-727. | 1.6 | 0 |
| 400 | Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 322-323. | 2.4 | 0 |
| 401 | Author's reply to comment on "A prospective study of tea drinking temperature" by Islami et al. <i>International Journal of Cancer</i> , 2019, 145, 2888-2889. | 2.3 | 0 |
| 402 | THE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2019, 188, 1-1. | 1.6 | 0 |
| 403 | Abstract 2803: A pooled analysis of circulating 25(OH)D and upper gastrointestinal cancer risk in the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. , 2010, , . | | 0 |
| 404 | Abstract 2646: Genetic determinants of PAH-DNA adduct level and nucleotide excision repair among non-smokers in a high risk area for esophageal squamous cell carcinoma. , 2012, , . | | 0 |
| 405 | Abstract 2632: Genetic variants of iron-dependent metabolism genes and risk of upper gastrointestinal cancers. , 2012, , . | | 0 |
| 406 | Abstract LB-330: Genetic variants in the 9p21 region in relation to the risk of multiple tumors. , 2012, , . | | 0 |
| 407 | Abstract 1165: Measuring telomere length for the early detection of precursor lesions of esophageal squamous cell carcinoma.. , 2013, , . | | 0 |
| 408 | Abstract 4805: Index-based dietary patterns and risk of esophageal cancer and gastric cancer in the NIH-AARP diet and health study.. , 2013, , . | | 0 |
| 409 | Abstract 2207: An analysis of circulating sex steroid hormones in relation to Barrett's esophagus. , 2014, , . | | 0 |
| 410 | Abstract 890: Serum inflammatory biomarkers predict esophageal and lung cancer risk two years prior to diagnosis in a prospective cohort. , 2014, , . | | 0 |
| 411 | Abstract 2206: Genetic variants in selenoprotein genes and risk of esophageal squamous cell carcinoma and gastric cancer in a Chinese population. , 2014, , . | | 0 |
| 412 | Abstract 2203: Pathway analysis of genome-wide association study data highlights taste transduction and metabolic pathways and esophageal squamous cell carcinoma susceptibility. , 2014, , . | | 0 |
| 413 | Abstract 4622: Common genetic variants in epigenetic machinery genes and risk of upper gastrointestinal cancers. , 2015, , . | | 0 |
| 414 | Abstract 837: Pathogenesis and progression of esophageal adenocarcinoma by prior diagnosis of Barrett's esophagus. , 2015, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Abstract A13: Tooth loss, liver cancer incidence, and chronic liver disease mortality in the ATBC study. , 2017, , . | | 0 |
| 416 | Abstract B26: Pre- and post-diagnostic use of nonsteroidal anti-inflammatory drugs and prostate cancer mortality among men diagnosed with prostate cancer in the NIH-AARP and PLCO cohorts. , 2017, , . | | 0 |
| 417 | Abstract 3257: Molecular characterization of the human stomach microbiota in gastric cancer patients. , 2017, , . | | 0 |
| 418 | Abstract 5260: Alcohol consumption and risk of gastric cardia adenocarcinoma and gastric non-cardia adenocarcinoma: A prospective analysis from the NIH-AARP Diet and Health cohort. , 2018, , . | | 0 |
| 419 | Metabolomics Analysis of Opiate Abusers from Golestan Cohort Study (GCS). FASEB Journal, 2019, 33, lb235. | 0.2 | 0 |
| 420 | Abstract 3393: Tooth count, untreated caries, and all-cause and cause-specific mortality. , 2020, , . | | 0 |
| 421 | Relationships between serum iron and liver diseases in nutrition intervention trials: A nested case-control study. Cancer Epidemiology, 2022, 78, 102157. | 0.8 | 0 |