
Christian C Abnet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3836401/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Seroprevalence and Determinants of Helicobacter pylori Infection in the Hispanic Community Health Study/Study of Latinos. Clinical Gastroenterology and Hepatology, 2022, 20, e438-e451. | 4.4 | 10 |
| 2 | Dietary acid load and mortality from all causes, CVD and cancer: results from the Golestan Cohort Study. British Journal of Nutrition, 2022, 128, 237-243. | 2.3 | 12 |
| 3 | Combined Lifestyle Factors and Risk of All-Cause and Cause-Specific Mortality Among Participants in the Linxian Nutrition Intervention Trial: A Cohort, Observational Study. Frontiers in Cardiovascular Medicine, 2022, 9, 772617. | 2.4 | 2 |
| 4 | A Predictive Model of Noncardia Gastric Adenocarcinoma Risk Using Antibody Response to <i>Helicobacter pylori</i> Proteins and Pepsinogen. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 811-820. | 2.5 | 2 |
| 5 | Prediagnostic Serum Vitamin D, Vitamin D Binding Protein Isoforms, and Cancer Survival. JNCI Cancer Spectrum, 2022, 6, . | 2.9 | 9 |
| 6 | Expanding oesophageal cancer research and care in eastern Africa. Nature Reviews Cancer, 2022, 22, 253-254. | 28.4 | 5 |
| 7 | Tooth count, untreated caries and mortality in US adults: a population-based cohort study. International Journal of Epidemiology, 2022, 51, 1291-1303. | 1.9 | 9 |
| 8 | Prevalence of esophageal squamous dysplasia in relatives of patients with esophageal cancer in Southwestern Kenya. Cancer Epidemiology, 2022, 78, 102141. | 1.9 | 1 |
| 9 | Relationships between serum iron and liver diseases in nutrition intervention trials: A nested case-control study. Cancer Epidemiology, 2022, 78, 102157. | 1.9 | 0 |
| 10 | Meat consumption and risk of esophageal and gastric cancer in the Golestan Cohort Study, Iran. International Journal of Cancer, 2022, 151, 1005-1012. | 5.1 | 11 |
| 11 | Lead poisoning among asymptomatic individuals with a long-term history of opiate use in Golestan Cohort Study. International Journal of Drug Policy, 2022, 104, 103695. | 3.3 | 7 |
| 12 | <i>fast.adonis</i> : a computationally efficient non-parametric multivariate analysis of microbiome data for large-scale studies. Bioinformatics Advances, 2022, 2, . | 2.4 | 2 |
| 13 | Spatial environmental factors predict cardiovascular and all-cause mortality: Results of the SPACE study. PLoS ONE, 2022, 17, e0269650. | 2.5 | 4 |
| 14 | Tobacco and other risk factors for esophageal squamous cell carcinoma in Lilongwe Malawi: Results from the Lilongwe esophageal cancer case: Control study. PLOS Global Public Health, 2022, 2, e0000135. | 1.6 | 7 |
| 15 | Combined risk factors and risk of upper gastrointestinal cancer mortality in the Linxian general population. International Journal of Cancer, 2022, 151, 1462-1473. | 5.1 | 4 |
| 16 | Global and national trends in the ageâ€specific sex ratio of esophageal cancer and gastric cancer by subtype. International Journal of Cancer, 2022, 151, 1447-1461. | 5.1 | 27 |
| 17 | Urinary nitrate and sodium in a high-risk area for upper gastrointestinal cancers: Golestan Cohort Studyâ~†. Environmental Research, 2022, 214, 113906. | 7.5 | 3 |
| 18 | Association Between Serological Responses to Two Zoonotic Ruminant Pathogens and Esophageal Squamous Cell Carcinoma. Vector-Borne and Zoonotic Diseases, 2021, 21, 125-127. | 1.5 | 1 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Joint effect of diabetes and opiate use on all-cause and cause-specific mortality: the Golestan cohort study. International Journal of Epidemiology, 2021, 50, 314-324. | 1.9 | 8 |
| 20 | Circulating MicroRNAs in Relation to Esophageal Adenocarcinoma Diagnosis and Survival. Digestive Diseases and Sciences, 2021, 66, 3831-3841. | 2.3 | 3 |
| 21 | Gastroesophageal reflux disease: A risk factor for laryngeal squamous cell carcinoma and esophageal squamous cell carcinoma in the NIHâ€AARP Diet and Health Study cohort. Cancer, 2021, 127, 1871-1879. | 4.1 | 17 |
| 22 | Dietary quality using four dietary indices and lung cancer risk: the Golestan Cohort Study (GCS). Cancer Causes and Control, 2021, 32, 493-503. | 1.8 | 12 |
| 23 | Oral Health and Risk of Upper Gastrointestinal Cancers in a Large Prospective Study from a High-risk Region: Golestan Cohort Study. Cancer Prevention Research, 2021, 14, 709-718. | 1.5 | 10 |
| 24 | Serum Levels of Androgens, Estrogens, and Sex Hormone Binding Globulin and Risk of Primary Gastric Cancer in Chinese Men: A Nested Case–Control Study. Cancer Prevention Research, 2021, 14, 659-666. | 1.5 | 5 |
| 25 | Red Meat Consumption and Risk of Nonalcoholic Fatty Liver Disease in a Population With Low Meat Consumption: The Golestan Cohort Study. American Journal of Gastroenterology, 2021, 116, 1667-1675. | 0.4 | 27 |
| 26 | ABO genotypes and the risk of esophageal and gastric cancers. BMC Cancer, 2021, 21, 589. | 2.6 | 8 |
| 27 | Association between serum ferritin, incident primary liver cancer, and chronic liver disease mortality in the Linxian Nutrition Intervention Trials: A nested case–control study. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 3410-3417. | 2.8 | 2 |
| 28 | Asian gastric cardia adenocarcinoma: A distinct and understudied cancer with etiologic similarities to both esophageal squamous cell carcinoma and noncardia gastric adenocarcinoma. Journal of the National Cancer Center, 2021, 1, 44-46. | 7.4 | 4 |
| 29 | A long-term follow-up analysis of associations between tooth loss and multiple cancers in the Linxian General Population cohort. Journal of the National Cancer Center, 2021, 1, 39-43. | 7.4 | 7 |
| 30 | Associations between Biomarkers of Exposure and Lung Cancer Risk among Exclusive Cigarette Smokers in the Golestan Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 7349. | 2.6 | 5 |
| 31 | Indoor wood combustion, carcinogenic exposure and esophageal cancer in southwest Kenya. Environment International, 2021, 152, 106485. | 10.0 | 16 |
| 32 | Population Attributable Risks of Subtypes of Esophageal and Gastric Cancers in the United States. American Journal of Gastroenterology, 2021, 116, 1844-1852. | 0.4 | 24 |
| 33 | Microbiome and Cancers of the Esophagus: A Review. Microorganisms, 2021, 9, 1764. | 3.6 | 11 |
| 34 | Colorectal cancer in the Linxian China Nutrition Intervention Trial: Risk factors and intervention results. PLoS ONE, 2021, 16, e0255322. | 2.5 | 8 |
| 35 | Cigarette Smoking and Opium Use in Relation to the Oral Microbiota in Iran. Microbiology Spectrum, 2021, 9, e0013821. | 3.0 | 10 |
| 36 | Long-term opiate use and risk of cardiovascular mortality: results from the Golestan Cohort Study. European Journal of Preventive Cardiology, 2021, 28, 98-106. | 1.8 | 13 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Variation in oral microbiome is associated with future risk of lung cancer among never-smokers. Thorax, 2021, 76, 256-263. | 5.6 | 51 |
| 38 | A prospective study of tea drinking temperature and risk of esophageal squamous cell carcinoma. International Journal of Cancer, 2020, 146, 18-25. | 5.1 | 57 |
| 39 | Serum ghrelin and esophageal and gastric cancer in two cohorts in China. International Journal of Cancer, 2020, 146, 2728-2735. | 5.1 | 21 |
| 40 | The Uâ€shaped association between body mass index and gastric cancer risk in the <i>Helicobacter pylori</i> Biomarker Cohort Consortium: A nested case–control study from eight East Asian cohort studies. International Journal of Cancer, 2020, 147, 777-784. | 5.1 | 14 |
| 41 | Oral microbial community composition is associated with pancreatic cancer: A caseâ€control study in Iran. Cancer Medicine, 2020, 9, 797-806. | 2.8 | 42 |
| 42 | Methylated DNA Markers of Esophageal Squamous Cancer and Dysplasia: An International Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2642-2650. | 2.5 | 7 |
| 43 | Predicting the risk of esophageal high-grade lesions in opportunistic screening. Gastrointestinal Endoscopy, 2020, 92, 1136-1137. | 1.0 | 1 |
| 44 | Serum Metabolomics for Biomarker Screening of Esophageal Squamous Cell Carcinoma and Esophageal Squamous Dysplasia Using Gas Chromatography-Mass Spectrometry. ACS Omega, 2020, 5, 26402-26412. | 3.5 | 21 |
| 45 | Independent and Joint Associations between Serum Calcium, 25-Hydroxy Vitamin D, and the Risk of Primary Liver Cancer: A Prospective Nested Case–Control Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2057-2064. | 2.5 | 5 |
| 46 | Genetics and geography of leukocyte telomere length in sub-Saharan Africans. Human Molecular Genetics, 2020, 29, 3014-3020. | 2.9 | 5 |
| 47 | Habitual dietary intake of flavonoids and all-cause and cause-specific mortality: Golestan cohort study. Nutrition Journal, 2020, 19, 108. | 3.4 | 8 |
| 48 | The optimal starting age of endoscopic screening for esophageal squamous cell cancer in high prevalence areas in China. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 1761-1768. | 2.8 | 3 |
| 49 | Household Fuel Use and the Risk of Gastrointestinal Cancers: The Golestan Cohort Study. Environmental Health Perspectives, 2020, 128, 67002. | 6.0 | 19 |
| 50 | Red Meat Consumption and Risk of Nonalcoholic Fatty Liver Disease in a Population with Low Red Meat Consumption. Current Developments in Nutrition, 2020, 4, nzaa061_041. | 0.3 | 5 |
| 51 | Dietary Polyunsaturated Fat Intake in Relation to Head and Neck, Esophageal, and Gastric Cancer Incidence in the National Institutes of Health–AARP Diet and Health Study. American Journal of Epidemiology, 2020, 189, 1096-1113. | 3.4 | 11 |
| 52 | Comparison of Oral Microbiota Collected Using Multiple Methods and Recommendations for New Epidemiologic Studies. MSystems, 2020, 5, . | 3.8 | 17 |
| 53 | Esophageal Histological Precursor Lesions and Subsequent 8.5-Year Cancer Risk in a Population-Based Prospective Study in China. American Journal of Gastroenterology, 2020, 115, 1036-1044. | 0.4 | 47 |
| 54 | Urinary TERT promoter mutations are detectable up to 10 years prior to clinical diagnosis of bladder cancer: Evidence from the Golestan Cohort Study. EBioMedicine, 2020, 53, 102643. | 6.1 | 51 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Opium use and subsequent incidence of cancer: results from the Golestan Cohort Study. The Lancet Global Health, 2020, 8, e649-e660. | 6.3 | 59 |
| 56 | Global Burden of 5 Major Types of Gastrointestinal Cancer. Gastroenterology, 2020, 159, 335-349.e15. | 1.3 | 893 |
| 57 | Opiate and Tobacco Use and Exposure to Carcinogens and Toxicants in the Golestan Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 650-658. | 2.5 | 23 |
| 58 | Abstract 3393: Tooth count, untreated caries, and all-cause and cause-specific mortality. , 2020, , . | | 0 |
| 59 | Associations Between Prediagnostic Concentrations of Circulating Sex Steroid Hormones and Esophageal/Gastric Cardia Adenocarcinoma Among Men. Journal of the National Cancer Institute, 2019, 111, 34-41. | 6.3 | 42 |
| 60 | Reproducible, interactive, scalable and extensible microbiome data science using QIIME 2. Nature Biotechnology, 2019, 37, 852-857. | 17.5 | 11,167 |
| 61 | Microbial characterization of esophageal squamous cell carcinoma and gastric cardia adenocarcinoma from a highâ€risk region of China. Cancer, 2019, 125, 3993-4002. | 4.1 | 85 |
| 62 | Author's reply to comment on "A prospective study of tea drinking temperature…―by Islami <i>et al</i> International Journal of Cancer, 2019, 145, 2888-2889. | 5.1 | 0 |
| 63 | Nut and Peanut Butter Consumption and Mortality in the National Institutes of Health-AARP Diet and Health Study. Nutrients, 2019, 11, 1508. | 4.1 | 27 |
| 64 | Serologic Profile of Antiparietal Cell Antibodies, Pepsinogens, and <i>H. pylori</i> and Risk of Upper Gastrointestinal Cancer: A Nested Case–Control Study in China. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 2022-2029. | 2.5 | 7 |
| 65 | Turmeric, Pepper, Cinnamon, and Saffron Consumption and Mortality. Journal of the American Heart Association, 2019, 8, . | 3.7 | 9 |
| 66 | THE AUTHORS REPLY. American Journal of Epidemiology, 2019, 188, 1-1. | 3.4 | 0 |
| 67 | Association Between Reductions of Number of Cigarettes Smoked per Day and Mortality Among Older Adults in the United States. American Journal of Epidemiology, 2019, 188, 363-371. | 3.4 | 20 |
| 68 | Population structure of human gut bacteria in a diverse cohort from rural Tanzania and Botswana. Genome Biology, 2019, 20, 16. | 8.8 | 66 |
| 69 | Potato consumption and the risk of overall and cause specific mortality in the NIH-AARP study. PLoS ONE, 2019, 14, e0216348. | 2.5 | 12 |
| 70 | Adherence to the Dietary Approaches to Stop Hypertension (DASH) diet and risk of total and cause-specific mortality: results from the Golestan Cohort Study. International Journal of Epidemiology, 2019, 48, 1824-1838. | 1.9 | 23 |
| 71 | The application of six dietary scores to a Middle Eastern population: a comparative analysis of mortality in a prospective study. European Journal of Epidemiology, 2019, 34, 371-382. | 5.7 | 27 |
| 72 | Individual and Combined Effects of Environmental Risk Factors for Esophageal Cancer Based on Results From theÂGolestan Cohort Study. Gastroenterology, 2019, 156, 1416-1427. | 1.3 | 123 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Investigating tea temperature and content as risk factors for esophageal cancer in an endemic region of Western Kenya: Validation of a questionnaire and analysis of polycyclic aromatic hydrocarbon content. Cancer Epidemiology, 2019, 60, 60-66. | 1.9 | 18 |
| 74 | Coffee and tea drinking and risk of cancer of the urinary tract in male smokers. Annals of Epidemiology, 2019, 34, 33-39. | 1.9 | 14 |
| 75 | What have we learned from Linxian esophageal cancer etiological studies?. Thoracic Cancer, 2019, 10, 1036-1042. | 1.9 | 25 |
| 76 | Smoking, <i>Helicobacter Pylori</i> Serology, and Gastric Cancer Risk in Prospective Studies from China, Japan, and Korea. Cancer Prevention Research, 2019, 12, 667-674. | 1.5 | 33 |
| 77 | A Comparison of Biopsy and Mucosal Swab Specimens for Examining the Microbiota of Upper Gastrointestinal Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 2030-2037. | 2.5 | 15 |
| 78 | Urinary Biomarkers of Carcinogenic Exposure among Cigarette, Waterpipe, and Smokeless Tobacco Users and Never Users of Tobacco in the Golestan Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 337-347. | 2.5 | 34 |
| 79 | Comparison of Oral Collection Methods for Studies of Microbiota. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 137-143. | 2.5 | 28 |
| 80 | Abstract 634: Coffee and tea drinking and risk of cancer of the urinary tract in male smokers. , 2019, , . | | 1 |
| 81 | Metabolomics Analysis of Opiate Abusers from Golestan Cohort Study (GCS). FASEB Journal, 2019, 33, lb235. | 0.5 | 0 |
| 82 | Comparing Anthropometric Indicators of Visceral and General Adiposity as Determinants of Overall and Cardiovascular Mortality. Archives of Iranian Medicine, 2019, 22, 301-309. | 0.6 | 6 |
| 83 | Temporal Variability of Oral Microbiota over 10 Months and the Implications for Future Epidemiologic Studies. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 594-600. | 2.5 | 24 |
| 84 | Longitudinal change in blood pressure is associated with cardiovascular disease mortality in a Chinese cohort. Heart, 2018, 104, 1764-1771. | 2.9 | 18 |
| 85 | Effects of Nutrition Intervention on Total and Cancer Mortality: 25-Year Post-trial Follow-up of the 5.25-Year Linxian Nutrition Intervention Trial. Journal of the National Cancer Institute, 2018, 110, 1229-1238. | 6.3 | 40 |
| 86 | Urinary Concentrations of Polycyclic Aromatic Hydrocarbon Metabolites in Maté Drinkers in Rio Grande do Sul, Brazil. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 331-337. | 2.5 | 10 |
| 87 | Serum pepsinogen 1 and antiâ€∢i>Helicobacter pylori IgG antibodies as predictors of gastric cancer risk in Finnish males. Alimentary Pharmacology and Therapeutics, 2018, 47, 494-503. | 3.7 | 20 |
| 88 | Research Strategies for Nutritional and Physical Activity Epidemiology and Cancer Prevention. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 233-244. | 2.5 | 15 |
| 89 | Opium Use and Risk of Pancreatic Cancer: A Prospective Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 268-273. | 2.5 | 22 |
| 90 | Human oral microbiome and prospective risk for pancreatic cancer: a population-based nested case-control study. Gut, 2018, 67, 120-127. | 12.1 | 536 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | Aspirin Use and Mortality in Two Contemporary US Cohorts. Epidemiology, 2018, 29, 126-133. | 2.7 | 7 |
| 92 | Epidemiology of Esophageal Squamous Cell Carcinoma. Gastroenterology, 2018, 154, 360-373. | 1.3 | 1,014 |
| 93 | Serum ghrelin is associated with risk of colorectal adenocarcinomas in the ATBC study. Gut, 2018, 67, 1646-1651. | 12.1 | 29 |
| 94 | The African Esophageal Cancer Consortium: A Call to Action. Journal of Global Oncology, 2018, 4, 1-9. | 0.5 | 29 |
| 95 | Association of tooth loss with liver cancer incidence and chronic liver disease mortality in a rural Chinese population. PLoS ONE, 2018, 13, e0203926. | 2.5 | 11 |
| 96 | Causes of premature death and their associated risk factors in the Golestan Cohort Study, Iran. BMJ Open, 2018, 8, e021479. | 1.9 | 26 |
| 97 | Validation of a Blood Biomarker for Identification of Individuals at High Risk for Gastric Cancer. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 1472-1479. | 2.5 | 15 |
| 98 | Nut consumption and the risk of oesophageal squamous cell carcinoma in the Golestan Cohort Study. British Journal of Cancer, 2018, 119, 176-181. | 6.4 | 11 |
| 99 | Circulating 25-hydroxyvitamin D up to 3Âdecades prior to diagnosis in relation to overall and organ-specific cancer survival. European Journal of Epidemiology, 2018, 33, 1087-1099. | 5.7 | 32 |
| 100 | Association of fish and longâ€chain omegaâ€3 fatty acids intakes with total and causeâ€specific mortality: prospective analysis of 421 309 individuals. Journal of Internal Medicine, 2018, 284, 399-417. | 6.0 | 57 |
| 101 | Alcohol consumption and risk of gastric cardia adenocarcinoma and gastric noncardia adenocarcinoma: A 16â€year prospective analysis from the NIHâ€AARP diet and health cohort. International Journal of Cancer, 2018, 143, 2749-2757. | 5.1 | 28 |
| 102 | Association of plasma vitamin C concentration to total and cause-specific mortality: a 16-year prospective study in China. Journal of Epidemiology and Community Health, 2018, 72, 1076-1082. | 3.7 | 8 |
| 103 | Anatomical subsite can modify the association between meat and meat compounds and risk of colorectal adenocarcinoma: Findings from three large US cohorts. International Journal of Cancer, 2018, 143, 2261-2270. | 5.1 | 21 |
| 104 | Epstein–Barr Virus Antibody Titers Are Not Associated with Gastric Cancer Risk in East Asia. Digestive Diseases and Sciences, 2018, 63, 2765-2772. | 2.3 | 11 |
| 105 | Association between circulating levels of sex steroid hormones and esophageal adenocarcinoma in the FINBAR Study. PLoS ONE, 2018, 13, e0190325. | 2.5 | 38 |
| 106 | T cell receptor repertoire among women who cleared and failed to clear cervical human papillomavirus infection: An exploratory proof-of-principle study. PLoS ONE, 2018, 13, e0178167. | 2.5 | 14 |
| 107 | Abstract 5260: Alcohol consumption and risk of gastric cardia adenocarcinoma and gastric non-cardia adenocarcinoma: A prospective analysis from the NIH-AARP Diet and Health cohort. , 2018, , . | | 0 |
| 108 | Nut consumption and total and cause-specific mortality: results from the Golestan Cohort Study. International Journal of Epidemiology, 2017, 46, dyv365. | 1.9 | 38 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Identification of new susceptibility loci for gastric non-cardia adenocarcinoma: pooled results from two Chinese genome-wide association studies. Gut, 2017, 66, 581-587. | 12.1 | 68 |
| 110 | Contemporary impact of tobacco use on periodontal disease in the USA. Tobacco Control, 2017, 26, 237-238. | 3.2 | 16 |
| 111 | Dietary Protein Sources and All-Cause and Cause-Specific Mortality: The Golestan Cohort Study in Iran. American Journal of Preventive Medicine, 2017, 52, 237-248. | 3.0 | 54 |
| 112 | White rice intake and incidence of type-2 diabetes: analysis of two prospective cohort studies from Iran. BMC Public Health, 2017, 17, 133. | 2.9 | 56 |
| 113 | Informing etiologic research priorities for squamous cell esophageal cancer in Africa: A review of settingâ€specific exposures to known and putative risk factors. International Journal of Cancer, 2017, 140, 259-271. | 5.1 | 109 |
| 114 | Oral bisphosphonates and colorectal cancer. Scientific Reports, 2017, 7, 44177. | 3.3 | 3 |
| 115 | Association Between Telomere Length and Risk of Cancer and Non-Neoplastic Diseases. JAMA Oncology, 2017, 3, 636. | 7.1 | 376 |
| 116 | Sex steroid hormones in relation to Barrett's esophagus: an analysis of the <scp>FINBAR</scp> Study. Andrology, 2017, 5, 240-247. | 3.5 | 9 |
| 117 | Comparison of Fecal Collection Methods for Microbiota Studies in Bangladesh. Applied and Environmental Microbiology, 2017, 83, . | 3.1 | 50 |
| 118 | Oral health and mortality in the Golestan Cohort Study. International Journal of Epidemiology, 2017, 46, 2028-2035. | 1.9 | 27 |
| 119 | Do Aspirin and Other NSAIDs Confer a Survival Benefit in Men Diagnosed with Prostate Cancer? A Pooled Analysis of NIH-AARP and PLCO Cohorts. Cancer Prevention Research, 2017, 10, 410-420. | 1.5 | 23 |
| 120 | Association Between Circulating Levels of Sex Steroid Hormones and Esophageal/Gastric Cardia Adenocarcinoma. Gastroenterology, 2017, 152, S34-S35. | 1.3 | 1 |
| 121 | Tooth loss and liver cancer incidence in a Finnish cohort. Cancer Causes and Control, 2017, 28, 899-904. | 1.8 | 26 |
| 122 | Low vitamin B ₁₂ increases risk of gastric cancer: A prospective study of one-carbon metabolism nutrients and risk of upper gastrointestinal tract cancer. International Journal of Cancer, 2017, 141, 1120-1129. | 5.1 | 42 |
| 123 | Multimorbidity as an important issue among women: results of a gender difference investigation in a large population-based cross-sectional study in West Asia. BMJ Open, 2017, 7, e013548. | 1.9 | 62 |
| 124 | International cancer seminars: a focus on esophageal squamous cell carcinoma. Annals of Oncology, 2017, 28, 2086-2093. | 1.2 | 149 |
| 125 | Serum gastrin and cholecystokinin are associated with subsequent development of gastric cancer in a prospective cohort of Finnish smokers. International Journal of Epidemiology, 2017, 46, 914-923. | 1.9 | 27 |
| 126 | Dairy Food Intake and All-Cause, Cardiovascular Disease, and Cancer Mortality. American Journal of Epidemiology, 2017, 185, 697-711. | 3.4 | 53 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|------------------|
| 127 | Mortality from respiratory diseases associated with opium use: a population-based cohort study. Thorax, 2017, 72, 1028-1034. | 5.6 | 24 |
| 128 | Gastric microbiota features associated with cancer risk factors and clinical outcomes: A pilot study in gastric cardia cancer patients from Shanxi, China. International Journal of Cancer, 2017, 141, 45-51. | 5.1 | 29 |
| 129 | Comparison of Collection Methods for Fecal Samples in Microbiome Studies. American Journal of Epidemiology, 2017, 185, 115-123. | 3.4 | 112 |
| 130 | Hazards of cigarettes, smokeless tobacco and waterpipe in a Middle Eastern Population: a Cohort Study of 50â€000 individuals from Iran. Tobacco Control, 2017, 26, 674-682. | 3.2 | 38 |
| 131 | Assessment of variation in microbial community amplicon sequencing by the Microbiome Quality Control (MBQC) project consortium. Nature Biotechnology, 2017, 35, 1077-1086. | 17.5 | 400 |
| 132 | Association between Cigar or Pipe Smoking and Cancer Risk in Men: A Pooled Analysis of Five Cohort Studies. Cancer Prevention Research, 2017, 10, 704-709. | 1.5 | 27 |
| 133 | Loci associated with skin pigmentation identified in African populations. Science, 2017, 358, . | 12.6 | 260 |
| 134 | The association between waterpipe smoking and gastroesophageal reflux disease. International Journal of Epidemiology, 2017, 46, 1968-1977. | 1.9 | 10 |
| 135 | Dietary Flavonoid Intake Reduces the Risk of Head and Neck but Not Esophageal or Gastric Cancer in US Men and Women. Journal of Nutrition, 2017, 147, 1729-1738. | 2.9 | 29 |
| 136 | Body mass index and risk of gastric cancer: A 30â€year followâ€up study in the Linxian general population trial cohort. Cancer Science, 2017, 108, 1667-1672. | 3.9 | 21 |
| 137 | Nut and peanut butter consumption and the risk of esophageal and gastric cancer subtypes. American Journal of Clinical Nutrition, 2017, 106, 858-864. | 4.7 | 23 |
| 138 | Toenail mineral concentration and risk of esophageal squamous cell carcinoma, results from the Golestan Cohort Study. Cancer Medicine, 2017, 6, 3052-3059. | 2.8 | 16 |
| 139 | GWAS follow-up study of esophageal squamous cell carcinoma identifies potential genetic loci associated with family history of upper gastrointestinal cancer. Scientific Reports, 2017, 7, 4642. | 3.3 | 11 |
| 140 | Effects of vitamin and mineral supplementation on total and cancer mortality (Linxian General) Tj ETQq0 0 0 rgBT Lancet, The, 2017, 390, S20. | /Overlock 13.7 | 10 Tf 50 22 1 |
| 141 | Molecular Characterization of the Human Stomach Microbiota in Gastric Cancer Patients. Frontiers in Cellular and Infection Microbiology, 2017, 7, 302. | 3.9 | 136 |
| 142 | Cross sectional study of serum selenium concentration and esophageal squamous dysplasia in western Kenya. BMC Cancer, 2017, 17, 835. | 2.6 | 14 |
| 143 | Mortality from different causes associated with meat, heme iron, nitrates, and nitrites in the NIH-AARP Diet and Health Study: population based cohort study. BMJ: British Medical Journal, 2017, 357, j1957. | 2.3 | 201 |
| 144 | Abstract A13: Tooth loss, liver cancer incidence, and chronic liver disease mortality in the ATBC study. , 2017, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Abstract B26: Pre- and post-diagnostic use of nonsteroidal anti-inflammatory drugs and prostate cancer mortality among men diagnosed with prostate cancer in the NIH-AARP and PLCO cohorts. , 2017, , . | | 0 |
| 146 | Abstract 3257: Molecular characterization of the human stomach microbiota in gastric cancer patients. , 2017, , . | | 0 |
| 147 | The Association Between Alcohol Consumption and Lung Carcinoma by Histological Subtype. American Journal of Epidemiology, 2016, 183, kwv170. | 3.4 | 10 |
| 148 | Three new pancreatic cancer susceptibility signals identified on chromosomes 1q32.1, 5p15.33 and 8q24.21. Oncotarget, 2016, 7, 66328-66343. | 1.8 | 88 |
| 149 | Food preparation methods, drinking water source, and esophageal squamous cell carcinoma in the high-risk area of Golestan, Northeast Iran. European Journal of Cancer Prevention, 2016, 25, 123-129. | 1.3 | 29 |
| 150 | Polymorphisms in genes in the androgen pathway and risk of Barrett's esophagus and esophageal adenocarcinoma. International Journal of Cancer, 2016, 138, 1146-1152. | 5.1 | 10 |
| 151 | <i>Helicobacter pylori</i> blood biomarker for gastric cancer risk in East Asia. International Journal of Epidemiology, 2016, 45, 774-781. | 1.9 | 53 |
| 152 | Esophageal Squamous Dysplasia is Common in Asymptomatic Kenyans: A Prospective, Community-Based, Cross-Sectional Study. American Journal of Gastroenterology, 2016, 111, 500-507. | 0.4 | 33 |
| 153 | Age-specific risk factor profiles of adenocarcinomas of the esophagus: A pooled analysis from the international BEACON consortium. International Journal of Cancer, 2016, 138, 55-64. | 5.1 | 31 |
| 154 | Prospective study of serum cysteine and cysteinylglycine and cancer of the head and neck, esophagus, and stomach in a cohort of male smokers,. American Journal of Clinical Nutrition, 2016, 104, 686-693. | 4.7 | 9 |
| 155 | Impact of changing US cigarette smoking patterns on incident cancer: risks of 20 smoking-related cancers among the women and men of the NIH-AARP cohort. International Journal of Epidemiology, 2016, 45, 846-856. | 1.9 | 55 |
| 156 | Dietary components and risk of total, cancer and cardiovascular disease mortality in the Linxian Nutrition Intervention Trials cohort in China. Scientific Reports, 2016, 6, 22619. | 3.3 | 48 |
| 157 | Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. Nature Communications, 2016, 7, 11843. | 12.8 | 86 |
| 158 | Pathogenesis and progression of oesophageal adenocarcinoma varies by prior diagnosis of Barrett's oesophagus. British Journal of Cancer, 2016, 115, 1383-1390. | 6.4 | 11 |
| 159 | Prospective study of serum B vitamins levels and oesophageal and gastric cancers in China. Scientific Reports, 2016, 6, 35281. | 3.3 | 15 |
| 160 | Reply. Clinical Gastroenterology and Hepatology, 2016, 14, 322-323. | 4.4 | 0 |
| 161 | Household Fuel Use and Cardiovascular Disease Mortality. Circulation, 2016, 133, 2360-2369. | 1.6 | 66 |
| 162 | Mucosal alphaâ€papillomaviruses are not associated with esophageal squamous cell carcinomas: Lack of mechanistic evidence from <scp>S</scp> outh <scp>A</scp> frica, <scp>C</scp> hina and <scp>I</scp> ran and from a worldâ€wide metaâ€analysis. International Journal of Cancer, 2016, 139, 85-98. | 5.1 | 36 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Pathway, <i>in silico</i> and tissue-specific expression quantitative analyses of oesophageal squamous cell carcinoma genome-wide association studies data. International Journal of Epidemiology, 2016, 45, 206-220. | 1.9 | 19 |
| 164 | Genomic Landscape of Somatic Alterations in Esophageal Squamous Cell Carcinoma and Gastric Cancer. Cancer Research, 2016, 76, 1714-1723. | 0.9 | 68 |
| 165 | Multimorbidity. Medicine (United States), 2016, 95, e2756. | 1.0 | 74 |
| 166 | Hypertension and mortality in the Golestan Cohort Study: A prospective study of 50 000 adults in Iran. Journal of Human Hypertension, 2016, 30, 260-267. | 2.2 | 21 |
| 167 | Genome-wide association study of gastric adenocarcinoma in Asia: a comparison of associations between cardia and non-cardia tumours. Gut, 2016, 65, 1611-1618. | 12.1 | 99 |
| 168 | Abstract 4350: Human oral microbiome and prospective risk for pancreatic cancer: a population based, nested case control study. Cancer Research, 2016, 76, 4350-4350. | 0.9 | 7 |
| 169 | Alcohol Consumption-Related Metabolites in Relation to Colorectal Cancer and Adenoma: Two Case-Control Studies Using Serum Biomarkers. PLoS ONE, 2016, 11, e0150962. | 2.5 | 13 |
| 170 | Risk of Gastrointestinal Cancers among Patients with Appendectomy: A Large-Scale Swedish Register-Based Cohort Study during 1970-2009. PLoS ONE, 2016, 11, e0151262. | 2.5 | 24 |
| 171 | The Nail as a Biomonitor of Trace Element Status in Golestan Cohort Study. Middle East Journal of Digestive Diseases, 2016, 8, 19-23. | 0.4 | 11 |
| 172 | Abstract 4301: Serum vitamin B12 and development of non-cardia gastric cancer: a prospective study. Cancer Research, 2016, 76, 4301-4301. | 0.9 | 1 |
| 173 | The Combined Effects of Healthy Lifestyle Behaviors on All-Cause Mortality: The Golestan Cohort Study. Archives of Iranian Medicine, 2016, 19, 752-761. | 0.6 | 5 |
| 174 | Contact with ruminants is associated with esophageal squamous cell carcinoma risk. International Journal of Cancer, 2015, 136, 1468-1474. | 5.1 | 14 |
| 175 | Betaâ€diversity metrics of the upper digestive tract microbiome are associated with body mass index. Obesity, 2015, 23, 862-869. | 3.0 | 29 |
| 176 | Variations of gastric corpus microbiota are associated with early esophageal squamous cell carcinoma and squamous dysplasia. Scientific Reports, 2015, 5, 8820. | 3.3 | 85 |
| 177 | Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. Journal of the National Cancer Institute, 2015, 107, djv279. | 6.3 | 152 |
| 178 | The Clinical Performance of an Office-Based Risk Scoring System for Fatal Cardiovascular Diseases in North-East of Iran. PLoS ONE, 2015, 10, e0126779. | 2.5 | 14 |
| 179 | Characterization of Large Structural Genetic Mosaicism in Human Autosomes. American Journal of Human Genetics, 2015, 96, 487-497. | 6.2 | 101 |
| 180 | Mortality and cancer in relation to ABO blood group phenotypes in the Golestan Cohort Study. BMC Medicine, 2015, 13, 8. | 5.5 | 44 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Association between C-Reactive Protein, Incident Liver Cancer, and Chronic Liver Disease Mortality in the Linxian Nutrition Intervention Trials: A Nested Case–Control Study. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 386-392. | 2.5 | 31 |
| 182 | The microbiome quality control project: baseline study design and future directions. Genome Biology, 2015, 16, 276. | 8.8 | 196 |
| 183 | Common genetic variants related to vitamin D status are not associated with esophageal squamous cell carcinoma risk in China. Cancer Epidemiology, 2015, 39, 157-159. | 1.9 | 8 |
| 184 | Smoking and Mortality — Beyond Established Causes. New England Journal of Medicine, 2015, 372, 631-640. | 27.0 | 587 |
| 185 | Diet and Upper Gastrointestinal Malignancies. Gastroenterology, 2015, 148, 1234-1243.e4. | 1.3 | 72 |
| 186 | Association between tobacco use and the upper gastrointestinal microbiome among Chinese men. Cancer Causes and Control, 2015, 26, 581-588. | 1.8 | 39 |
| 187 | Cancer Risk After Pernicious Anemia in the US Elderly Population. Clinical Gastroenterology and Hepatology, 2015, 13, 2282-2289.e4. | 4.4 | 143 |
| 188 | Association Between Circulating Levels of Sex Steroid Hormones and Barrett's Esophagus in Men: A Case–Control Analysis. Clinical Gastroenterology and Hepatology, 2015, 13, 673-682. | 4.4 | 30 |
| 189 | Prospective study of <scp><i>H</i></scp> <i>elicobacter pylori</i> antigens and gastric noncardia cancer risk in the nutrition intervention trial cohort. International Journal of Cancer, 2015, 137, 1938-1946. | 5.1 | 16 |
| 190 | Impact of smoking and smoking cessation on cardiovascular events and mortality among older adults: meta-analysis of individual participant data from prospective cohort studies of the CHANCES consortium. BMJ, The, 2015, 350, h1551-h1551. | 6.0 | 349 |
| 191 | Long-Term Follow-Up of a Community Assignment, One-Time Endoscopic Screening Study of Esophageal Cancer in China. Journal of Clinical Oncology, 2015, 33, 1951-1957. | 1.6 | 239 |
| 192 | Common genetic variants in epigenetic machinery genes and risk of upper gastrointestinal cancers. International Journal of Epidemiology, 2015, 44, 1341-1352. | 1.9 | 13 |
| 193 | Impediments in foreign collaboration and conducting a high throughput molecular epidemiology research in India, an assessment from a feasibility study. SpringerPlus, 2015, 4, 287. | 1.2 | 3 |
| 194 | Dietary intake of minerals and risk of esophageal squamous cell carcinoma: results from the Golestan Cohort Study. American Journal of Clinical Nutrition, 2015, 102, 102-108. | 4.7 | 61 |
| 195 | Multiplex <i>H. pylori</i> Serology and Risk of Gastric Cardia and Noncardia Adenocarcinomas. Cancer Research, 2015, 75, 4876-4883. | 0.9 | 39 |
| 196 | Smoking and All-cause Mortality in Older Adults. American Journal of Preventive Medicine, 2015, 49, e53-e63. | 3.0 | 60 |
| 197 | Multivitamin and mineral supplementation is associated with the reduction of fracture risk and hospitalization rate in Chinese adult males: a randomized controlled study. Journal of Bone and Mineral Metabolism, 2015, 33, 294-302. | 2.7 | 1 |
| 198 | Heart Disease Is Associated With Anthropometric Indices and Change in Body Size Perception Over the Life Course: The Golestan Cohort Study. Global Heart, 2015, 10, 245. | 2.3 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | Risk of Gastric Cancer by Water Source: Evidence from the Golestan Case-Control Study. PLoS ONE, 2015, 10, e0128491. | 2.5 | 18 |
| 200 | Oral Bisphosphonate Exposure and the Risk of Upper Gastrointestinal Cancers. PLoS ONE, 2015, 10, e0140180. | 2.5 | 11 |
| 201 | Abstract 4622: Common genetic variants in epigenetic machinery genes and risk of upper gastrointestinal cancers. , 2015, , . | | Ο |
| 202 | Abstract 837: Pathogenesis and progression of esophageal adenocarcinoma by prior diagnosis of Barrett's esophagus. , 2015, , . | | 0 |
| 203 | Cardiovascular disease mortality and years of life lost attributable to non-optimal systolic blood pressure and hypertension in northeastern Iran. Archives of Iranian Medicine, 2015, 18, 144-52. | 0.6 | 10 |
| 204 | Determinants of Gastroesophageal Reflux Disease, Including Hookah Smoking and Opium Use– A Cross-Sectional Analysis of 50,000 Individuals. PLoS ONE, 2014, 9, e89256. | 2.5 | 30 |
| 205 | Pilot study of cytological testing for oesophageal squamous cell dysplasia in a high-risk area in Northern Iran. British Journal of Cancer, 2014, 111, 2235-2241. | 6.4 | 35 |
| 206 | Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633. | 2.9 | 90 |
| 207 | Prediagnostic serum levels of inflammatory biomarkers are correlated with future development of lung and esophageal cancer. Cancer Science, 2014, 105, 1205-1211. | 3.9 | 17 |
| 208 | The association between the upper digestive tract microbiota by HOMIM and oral health in a population-based study in Linxian, China. BMC Public Health, 2014, 14, 1110. | 2.9 | 10 |
| 209 | A Prospective Cohort Study of Body Size and Risk of Head and Neck Cancers in the NIH–AARP Diet and Health Study. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2422-2429. | 2.5 | 21 |
| 210 | Impact of body size and physical activity during adolescence and adult life on overall and cause-specific mortality in a large cohort study from Iran. European Journal of Epidemiology, 2014, 29, 95-109. | 5.7 | 31 |
| 211 | Height, weight, and body mass index associations with gastric cancer subsites. Gastric Cancer, 2014, 17, 463-468. | 5.3 | 24 |
| 212 | Intakes of folate, methionine, vitamin B6, and vitamin B12 with risk of esophageal and gastric cancer in a large cohort study. British Journal of Cancer, 2014, 110, 1328-1333. | 6.4 | 56 |
| 213 | Association between Upper Digestive Tract Microbiota and Cancer-Predisposing States in the Esophagus and Stomach. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 735-741. | 2.5 | 120 |
| 214 | Genetic variants in fas signaling pathway genes and risk of gastric cancer. International Journal of Cancer, 2014, 134, 822-831. | 5.1 | 26 |
| 215 | Association of seropositivity to <i>Helicobacter</i> species and biliary tract cancer in the ATBC study. Hepatology, 2014, 60, 1963-1971. | 7.3 | 56 |
| 216 | Joint analysis of three genome-wide association studies of esophageal squamous cell carcinoma in Chinese populations. Nature Genetics, 2014, 46, 1001-1006. | 21.4 | 148 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 217 | Genome-wide association study identifies multiple susceptibility loci for pancreatic cancer. Nature Genetics, 2014, 46, 994-1000. | 21.4 | 294 |
| 218 | Index-based dietary patterns and risk of head and neck cancer in a large prospective study. American Journal of Clinical Nutrition, 2014, 99, 559-566. | 4.7 | 49 |
| 219 | Association between oral leukoplakia and upper gastrointestinal cancers: A 28-year follow-up study in the Linxian General Population Trial. Oral Oncology, 2014, 50, 971-975. | 1.5 | 6 |
| 220 | Maté Drinking and Esophageal Squamous Cell Carcinoma in South America: Pooled Results from Two Large Multicenter Case–Control Studies. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 107-116. | 2.5 | 57 |
| 221 | Oesophageal squamous cell carcinoma in high-risk Chinese populations: Possible role for vascular epithelial growth factor A. European Journal of Cancer, 2014, 50, 2855-2865. | 2.8 | 9 |
| 222 | PLCE1 mRNA and Protein Expression and Survival of Patients with Esophageal Squamous Cell Carcinoma and Gastric Adenocarcinoma. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1579-1588. | 2.5 | 42 |
| 223 | Abstract 2204: Joint analysis of three genome-wide association studies of esophageal squamous cell carcinoma in Chinese populations reveals new susceptibility loci. , 2014, , . | | 3 |
| 224 | A Prospective Study of Vitamin and Mineral Supplement Use and the Risk of Upper Gastrointestinal Cancers. PLoS ONE, 2014, 9, e88774. | 2.5 | 30 |
| 225 | Global Changes in Gene Expression of Barrett's Esophagus Compared to Normal Squamous Esophagus and Gastric Cardia Tissues. PLoS ONE, 2014, 9, e93219. | 2.5 | 27 |
| 226 | Abstract 2207: An analysis of circulating sex steroid hormones in relation to Barrett's esophagus. , 2014, , . | | 0 |
| 227 | Abstract 890: Serum inflammatory biomarkers predict esophageal and lung cancer risk two years prior to diagnosis in a prospective cohort. , 2014, , . | | 0 |
| 228 | Abstract 2206: Genetic variants in selenoprotein genes and risk of esophageal squamous cell carcinoma and gastric cancer in a Chinese population. , 2014, , . | | 0 |
| 229 | Abstract 2203: Pathway analysis of genome-wide association study data highlights taste transduction and metabolic pathways and esophageal squamous cell carcinoma susceptibility. , 2014, , . | | 0 |
| 230 | Gastroesophageal Reflux Disease and overall and Cause-specific Mortality: A Prospective Study of 50000 Individuals. Middle East Journal of Digestive Diseases, 2014, 6, 65-80. | 0.4 | 10 |
| 231 | Systematic review of zinc biomarkers and esophageal cancer risk. Middle East Journal of Digestive Diseases, 2014, 6, 177-85. | 0.4 | 18 |
| 232 | Endoscopic screening for precancerous lesions of the esophagus in a high risk area in Northern Iran. Archives of Iranian Medicine, 2014, 17, 246-52. | 0.6 | 19 |
| 233 | Opium Use and Risk of Mortality from Digestive Diseases: A Prospective Cohort Study. American Journal of Gastroenterology, 2013, 108, 1757-1765. | 0.4 | 47 |
| 234 | Prediagnostic plasma vitamin C and risk of gastric adenocarcinoma and esophageal squamous cell carcinoma in a Chinese population. American Journal of Clinical Nutrition, 2013, 98, 1289-1297. | 4.7 | 38 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Genetic variants in DNA repair pathway genes and risk of esophageal squamous cell carcinoma and gastric adenocarcinoma in a Chinese population. Carcinogenesis, 2013, 34, 1536-1542. | 2.8 | 68 |
| 236 | Common genetic variants in the 9p21 region and their associations with multiple tumours. British Journal of Cancer, 2013, 108, 1378-1386. | 6.4 | 55 |
| 237 | Measuring telomere length for the early detection of precursor lesions of esophageal squamous cell carcinoma. BMC Cancer, 2013, 13, 578. | 2.6 | 8 |
| 238 | Index-based Dietary Patterns and Risk of Esophageal and Gastric Cancer in a Large Cohort Study. Clinical Gastroenterology and Hepatology, 2013, 11, 1130-1136.e2. | 4.4 | 73 |
| 239 | Opium: An emerging risk factor for gastric adenocarcinoma. International Journal of Cancer, 2013, 133, 455-461. | 5.1 | 73 |
| 240 | Variation in PAHâ€related DNA adduct levels among nonâ€smokers: The role of multiple genetic polymorphisms and nucleotide excision repair phenotype. International Journal of Cancer, 2013, 132, 2738-2747. | 5.1 | 19 |
| 241 | Smoking water-pipe, chewing nass and prevalence of heart disease: a cross-sectional analysis of baseline data from the Colestan Cohort Study, Iran. Heart, 2013, 99, 272-278. | 2.9 | 42 |
| 242 | The Randomized Linxian Dysplasia Nutrition Intervention Trial After 26 Years of Follow-up. JAMA Internal Medicine, 2013, 173, 1259. | 5.1 | 27 |
| 243 | Squamous Dysplasia—The Precursor Lesion for Esophageal Squamous Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 540-552. | 2.5 | 131 |
| 244 | Genetic variants in sex hormone metabolic pathway genes and risk of esophageal squamous cell carcinoma. Carcinogenesis, 2013, 34, 1062-1068. | 2.8 | 31 |
| 245 | The Authors Reply. American Journal of Epidemiology, 2013, 178, 1762-1763. | 3.4 | 1 |
| 246 | Three Authors Reply. American Journal of Epidemiology, 2013, 177, 726-727. | 3.4 | 0 |
| 247 | Association of Tooth Loss and Oral Hygiene with Risk of Gastric Adenocarcinoma. Cancer Prevention Research, 2013, 6, 477-482. | 1.5 | 44 |
| 248 | Alcohol and Acetaldehyde in African Fermented Milk <i>Mursik</i> —A Possible Etiologic Factor for High Incidence of Esophageal Cancer in Western Kenya. Cancer Epidemiology Biomarkers and Prevention, 2013, 22, 69-75. | 2.5 | 33 |
| 249 | Prospective Study of Ultraviolet Radiation Exposure and Mortality Risk in the United States. American Journal of Epidemiology, 2013, 178, 521-533. | 3.4 | 34 |
| 250 | Reproductive factors and risk of esophageal squamous cell carcinoma in northern Iran. European Journal of Cancer Prevention, 2013, 22, 461-466. | 1.3 | 16 |
| 251 | Association between serum 25(OH) vitamin D, incident liver cancer and chronic liver disease mortality in the Linxian Nutrition Intervention Trials: a nested case–control study. British Journal of Cancer, 2013, 109, 1997-2004. | 6.4 | 45 |
| 252 | Poor oral hygiene and risk of esophageal squamous cell carcinoma in Kashmir. British Journal of Cancer, 2013, 109, 1367-1372. | 6.4 | 75 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 253 | A multi-day environmental study of polycyclic aromatic hydrocarbon exposure in a high-risk region for esophageal cancer in China. Journal of Exposure Science and Environmental Epidemiology, 2013, 23, 52-59. | 3.9 | 33 |
| 254 | A U-shaped relationship between haematocrit and mortality in a large prospective cohort study. International Journal of Epidemiology, 2013, 42, 601-615. | 1.9 | 22 |
| 255 | Prevalence, awareness and risk factors of hypertension in a large cohort of Iranian adult population. Journal of Hypertension, 2013, 31, 1364-1371. | 0.5 | 110 |
| 256 | Genetic Variants in Epidermal Growth Factor Receptor Pathway Genes and Risk of Esophageal Squamous Cell Carcinoma and Gastric Cancer in a Chinese Population. PLoS ONE, 2013, 8, e68999. | 2.5 | 17 |
| 257 | Physical Activity and Sedentary Behavior in Relation to Esophageal and Gastric Cancers in the NIH-AARP Cohort. PLoS ONE, 2013, 8, e84805. | 2.5 | 16 |
| 258 | Abstract 2529: A prospective cohort study of body size and risk of head and neck cancers in the NIH-AARP Diet and Health Study , 2013, , . | | 1 |
| 259 | Abstract 1165: Measuring telomere length for the early detection of precursor lesions of esophageal squamous cell carcinoma , 2013, , . | | 0 |
| 260 | Abstract 4805: Index-based dietary patterns and risk of esophageal cancer and gastric cancer in the NIH-AARP diet and health study , 2013, , . | | 0 |
| 261 | The gastro-esophageal malignancies in Northern Iran research project: impact on the health research and health care systems in Iran. Archives of Iranian Medicine, 2013, 16, 46-53. | 0.6 | 7 |
| 262 | ecancermedicalscience. Ecancermedicalscience, 2012, 6, 254. | 1.1 | 38 |
| 263 | Genotypic variants at 2q33 and risk of esophageal squamous cell carcinoma in China: a meta-analysis of genome-wide association studies. Human Molecular Genetics, 2012, 21, 2132-2141. | 2.9 | 58 |
| 264 | Iron in Relation to Gastric Cancer in the Alpha-Tocopherol, Beta-Carotene Cancer Prevention Study. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 2033-2042. | 2.5 | 18 |
| 265 | Serum ghrelin is inversely associated with risk of subsequent oesophageal squamous cell carcinoma. Gut, 2012, 61, 1533-1537. | 12.1 | 23 |
| 266 | Opium use and mortality in Golestan Cohort Study: prospective cohort study of 50 000 adults in Iran. BMJ, The, 2012, 344, e2502-e2502. | 6.0 | 135 |
| 267 | Heme iron from meat and risk of adenocarcinoma of the esophagus and stomach. European Journal of Cancer Prevention, 2012, 21, 134-138. | 1.3 | 63 |
| 268 | A prospective cohort study of obesity and risk of oesophageal and gastric adenocarcinoma in the NIH–AARP Diet and Health Study. Gut, 2012, 61, 1261-1268. | 12.1 | 122 |
| 269 | Gastric atrophy and oesophageal squamous cell carcinoma: possible interaction with dental health and oral hygiene habit. British Journal of Cancer, 2012, 107, 888-894. | 6.4 | 27 |
| 270 | InterSCOPE Study: Associations Between Esophageal Squamous Cell Carcinoma and Human Papillomavirus Serological Markers. Journal of the National Cancer Institute, 2012, 104, 147-158. | 6.3 | 71 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 271 | Prospective Study of Serum 25-Hydroxyvitamin D Concentration and Mortality in a Chinese Population. American Journal of Epidemiology, 2012, 176, 1043-1050. | 3.4 | 36 |
| 272 | Large body size and sedentary lifestyle during childhood and early adulthood and esophageal squamous cell carcinoma in a high-risk population. Annals of Oncology, 2012, 23, 1593-1600. | 1.2 | 31 |
| 273 | Significant Variation in the Concentration of Carcinogenic Polycyclic Aromatic Hydrocarbons in <i>Yerba Maté</i> Samples by Brand, Batch, and Processing Method. Environmental Science & Technology, 2012, 46, 13488-13493. | 10.0 | 23 |
| 274 | Genome-wide association analyses of esophageal squamous cell carcinoma in Chinese identify multiple susceptibility loci and gene-environment interactions. Nature Genetics, 2012, 44, 1090-1097. | 21.4 | 238 |
| 275 | Fumonisin B1 and risk of hepatocellular carcinoma in two Chinese cohorts. Food and Chemical Toxicology, 2012, 50, 679-683. | 3.6 | 18 |
| 276 | The importance of exposure rate on odds ratios by cigarette smoking and alcohol consumption for esophageal adenocarcinoma and squamous cell carcinoma in the Barrett's Esophagus and Esophageal Adenocarcinoma Consortium. Cancer Epidemiology, 2012, 36, 306-316. | 1.9 | 65 |
| 277 | Nonsteroidal Anti-inflammatory Drug Use Reduces Risk of Adenocarcinomas of the Esophagus and Esophagogastric Junction in a Pooled Analysis. Gastroenterology, 2012, 142, 442-452.e5. | 1.3 | 140 |
| 278 | Association of Coffee Drinking with Total and Cause-Specific Mortality. New England Journal of Medicine, 2012, 366, 1891-1904. | 27.0 | 492 |
| 279 | Is Opium a Real Risk Factor for Esophageal Cancer or Just a Methodological Artifact? Hospital and Neighborhood Controls in Case-Control Studies. PLoS ONE, 2012, 7, e32711. | 2.5 | 32 |
| 280 | Detectable clonal mosaicism and its relationship to aging and cancer. Nature Genetics, 2012, 44, 651-658. | 21.4 | 519 |
| 281 | Association of dietary fat intakes with risk of esophageal and gastric cancer in the NIHâ€AARP diet and health study. International Journal of Cancer, 2012, 131, 1376-1387. | 5.1 | 17 |
| 282 | Exposure to oral bisphosphonates and risk of cancer. International Journal of Cancer, 2012, 131, E717-25. | 5.1 | 53 |
| 283 | Toenail trace element status and risk of Barrett's oesophagus and oesophageal adenocarcinoma: Results from the FINBAR study. International Journal of Cancer, 2012, 131, 1882-1891. | 5.1 | 26 |
| 284 | Prospective study of ultraviolet radiation exposure and risk of cancer in the United States. International Journal of Cancer, 2012, 131, E1015-23. | 5.1 | 93 |
| 285 | Abstract 2646: Genetic determinants of PAH-DNA adduct level and nucleotide excision repair among non-smokers in a high risk area for esophageal squamous cell carcinoma. , 2012, , . | | 0 |
| 286 | Abstract 2632: Genetic variants of iron-dependent metabolism genes and risk of upper gastrointestinal cancers. , 2012, , . | | 0 |
| 287 | Abstract LB-330: Genetic variants in the 9p21 region in relation to the risk of multiple tumors. , 2012, , . | | 0 |
| 288 | Modeling the risk of esophageal squamous cell carcinoma and squamous dysplasia in a high risk area in Iran. Archives of Iranian Medicine, 2012, 15, 18-21. | 0.6 | 29 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 289 | Low Serum Ghrelin is Associated With an Increased Risk of Gastric Adenocarcinoma. Gastroenterology, 2011, 140, S-347. | 1.3 | 0 |
| 290 | Diabetes Mellitus and Its Correlates in an Iranian Adult Population. PLoS ONE, 2011, 6, e26725. | 2.5 | 65 |
| 291 | Prospective Study of Self-Reported Diabetes and Risk of Upper Gastrointestinal Cancers. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 954-961. | 2.5 | 47 |
| 292 | Extremely High Tp53 Mutation Load in Esophageal Squamous Cell Carcinoma in Golestan Province, Iran. PLoS ONE, 2011, 6, e29488. | 2.5 | 60 |
| 293 | Plasma pepsinogens, antibodies against Helicobacter pylori, and risk of gastric cancer in the Shanghai Women's Health Study Cohort. British Journal of Cancer, 2011, 104, 1511-1516. | 6.4 | 35 |
| 294 | Dietary fiber and grain consumption in relation to head and neck cancer in the NIH-AARP Diet and Health Study. Cancer Causes and Control, 2011, 22, 1405-1414. | 1.8 | 26 |
| 295 | Serum thyroglobulin, a biomarker for iodine deficiency, is not associated with increased risk of upper gastrointestinal cancers in a large Chinese cohort. International Journal of Cancer, 2011, 129, 2284-2289. | 5.1 | 4 |
| 296 | Dietary fat and meat intakes and risk of reflux esophagitis, Barrett's esophagus and esophageal adenocarcinoma. International Journal of Cancer, 2011, 129, 1493-1502. | 5.1 | 66 |
| 297 | Prospective study of serum cysteine levels and oesophageal and gastric cancers in China. Gut, 2011, 60, 618-623. | 12.1 | 43 |
| 298 | Accuracy and Cut-Off Values of Pepsinogens I, II and Gastrin 17 for Diagnosis of Gastric Fundic Atrophy: Influence of Gastritis. PLoS ONE, 2011, 6, e26957. | 2.5 | 46 |
| 299 | Tobacco Smoking and Bladder Cancer—Reply. JAMA - Journal of the American Medical Association, 2011, 306, 2216. | 7.4 | 2 |
| 300 | Association Between Smoking and Risk of Bladder Cancer Among Men and Women. JAMA - Journal of the American Medical Association, 2011, 306, 737. | 7.4 | 755 |
| 301 | Meat Consumption and Risk of Esophageal and Gastric Cancer in a Large Prospective Study. American Journal of Gastroenterology, 2011, 106, 432-442. | 0.4 | 154 |
| 302 | The Relationship Between Serum Ghrelin and the Risk of Gastric and Esophagogastric Junctional Adenocarcinomas. Journal of the National Cancer Institute, 2011, 103, 1123-1129. | 6.3 | 49 |
| 303 | Alcohol intake and risk of oesophageal adenocarcinoma: a pooled analysis from the BEACON Consortium. Gut, 2011, 60, 1029-1037. | 12.1 | 95 |
| 304 | Serum 25-Hydroxyvitamin D and Risk of Oropharynx and Larynx Cancers in Finnish Men. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1178-1184. | 2.5 | 21 |
| 305 | Iron intake and markers of iron status and risk of Barrett's esophagus and esophageal adenocarcinoma. Cancer Causes and Control, 2010, 21, 2269-2279. | 1.8 | 23 |
| 306 | The association of menstrual and reproductive factors with upper gastrointestinal tract cancers in the NIHâ€AARP cohort. Cancer, 2010, 116, 1572-1581. | 4.1 | 62 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | No role for human papillomavirus in esophageal squamous cell carcinoma in China. International Journal of Cancer, 2010, 127, 93-100. | 5.1 | 66 |
| 308 | A shared susceptibility locus in PLCE1 at 10q23 for gastric adenocarcinoma and esophageal squamous cell carcinoma. Nature Genetics, 2010, 42, 764-767. | 21.4 | 453 |
| 309 | Frequent occurrence of esophageal cancer in young people in western Kenya. Ecological Management and Restoration, 2010, 23, 128-135. | 0.4 | 66 |
| 310 | Verbal Autopsy: Reliability and Validity Estimates for Causes of Death in the Golestan Cohort Study in Iran. PLoS ONE, 2010, 5, e11183. | 2.5 | 72 |
| 311 | Association of Meat and Fat Intake With Liver Disease and Hepatocellular Carcinoma in the NIH-AARP Cohort. Journal of the National Cancer Institute, 2010, 102, 1354-1365. | 6.3 | 128 |
| 312 | Serum 25-Hydroxyvitamin D and Cancer Mortality in the NHANES III Study (1988–2006). Cancer Research, 2010, 70, 8587-8597. | 0.9 | 121 |
| 313 | The Gastric Cardia Is Not a Target for Human Papillomavirus–Induced Carcinogenesis. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1137-1139. | 2.5 | 13 |
| 314 | Cohort Profile: The Golestan Cohort Studya prospective study of oesophageal cancer in northern Iran. International Journal of Epidemiology, 2010, 39, 52-59. | 1.9 | 203 |
| 315 | Serum Pepsinogens and <i>Helicobacter pylori</i> in Relation to the Risk of Esophageal Squamous Cell Carcinoma in the Alpha-Tocopherol, Beta-Carotene Cancer Prevention Study. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1966-1975. | 2.5 | 30 |
| 316 | Cigarette Smoking and Adenocarcinomas of the Esophagus and Esophagogastric Junction: A Pooled Analysis From the International BEACON Consortium. Journal of the National Cancer Institute, 2010, 102, 1344-1353. | 6.3 | 259 |
| 317 | Exposure to Oral Bisphosphonates and Risk of Esophageal Cancer. JAMA - Journal of the American Medical Association, 2010, 304, 657. | 7.4 | 201 |
| 318 | Circulating 25-Hydroxyvitamin D and the Risk of Rarer Cancers: Design and Methods of the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 10-20. | 3.4 | 70 |
| 319 | Polycyclic aromatic hydrocarbon exposure in oesophageal tissue and risk of oesophageal squamous cell carcinoma in north-eastern Iran. Gut, 2010, 59, 1178-1183. | 12.1 | 80 |
| 320 | Circulating 25-Hydroxyvitamin D and Risk of Esophageal and Gastric Cancer: Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. American Journal of Epidemiology, 2010, 172, 94-106. | 3.4 | 72 |
| 321 | Tea, coffee, carbonated soft drinks and upper gastrointestinal tract cancer risk in a large United States prospective cohort study. European Journal of Cancer, 2010, 46, 1873-1881. | 2.8 | 80 |
| 322 | Male predominance of upper gastrointestinal adenocarcinoma cannot be explained by differences in tobacco smoking in men versus women. European Journal of Cancer, 2010, 46, 2473-2478. | 2.8 | 57 |
| 323 | Esophageal Cancer in Young People: A Case Series of 109 Cases and Review of the Literature. PLoS ONE, 2010, 5, e14080. | 2.5 | 74 |
| 324 | Abstract 2803: A pooled analysis of circulating 25(OH)D and upper gastrointestinal cancer risk in the Cohort Consortium Vitamin D Pooling Project of Rarer Cancers. , 2010, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 325 | Total and Cancer Mortality After Supplementation With Vitamins and Minerals: Follow-up of the Linxian General Population Nutrition Intervention Trial. Journal of the National Cancer Institute, 2009, 101, 507-518. | 6.3 | 292 |
| 326 | Urinary Prostaglandin E2 Metabolite and Gastric Cancer Risk in the Shanghai Women's Health Study. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 3075-3078. | 2.5 | 49 |
| 327 | Non-steroidal anti-inflammatory drugs and risk of gastric and oesophageal adenocarcinomas: results from a cohort study and a meta-analysis. British Journal of Cancer, 2009, 100, 551-557. | 6.4 | 160 |
| 328 | Patterns of Food and Nutrient Consumption in Northern Iran, a High-Risk Area for Esophageal Cancer. Nutrition and Cancer, 2009, 61, 475-483. | 2.0 | 44 |
| 329 | Polymorphisms in estrogen- and androgen-metabolizing genes and the risk of gastric cancer. Carcinogenesis, 2009, 30, 71-77. | 2.8 | 30 |
| 330 | Serum pepsinogens and risk of gastric and oesophageal cancers in the General Population Nutrition Intervention Trial cohort. Gut, 2009, 58, 636-642. | 12.1 | 78 |
| 331 | Tea drinking habits and oesophageal cancer in a high risk area in northern Iran: population based case-control study. BMJ, The, 2009, 338, b929-b929. | 6.0 | 232 |
| 332 | Aryl Hydrocarbon Receptor Expression Is Associated with a Family History of Upper Gastrointestinal Tract Cancer in a High-Risk Population Exposed to Aromatic Hydrocarbons. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 2391-2396. | 2.5 | 17 |
| 333 | Socio-economic status and oesophageal cancer: results from a population-based case–control study in a high-risk area. International Journal of Epidemiology, 2009, 38, 978-988. | 1.9 | 193 |
| 334 | Vitamin D-related genes, serum vitamin D concentrations and prostate cancer risk. Carcinogenesis, 2009, 30, 769-776. | 2.8 | 142 |
| 335 | Mendelian Randomization: How It Can—and Cannot—Help Confirm Causal Relations between Nutrition and Cancer. Cancer Prevention Research, 2009, 2, 104-113. | 1.5 | 56 |
| 336 | Coffee intake is associated with lower rates of liver disease progression in chronic hepatitis C. Hepatology, 2009, 50, 1360-1369. | 7.3 | 153 |
| 337 | Serum pepsinogens and risk of esophageal squamous dysplasia. International Journal of Cancer, 2009, 124, 456-460. | 5.1 | 42 |
| 338 | Vitamin E intake and risk of esophageal and gastric cancers in the NIHâ€AARP Diet and Health Study. International Journal of Cancer, 2009, 125, 165-170. | 5.1 | 23 |
| 339 | Physical Activity and Esophageal and Gastric Carcinoma in a Large Prospective Study. American Journal of Preventive Medicine, 2009, 36, 112-119. | 3.0 | 56 |
| 340 | Environmental Causes of Esophageal Cancer. Gastroenterology Clinics of North America, 2009, 38, 27-57. | 2.2 | 323 |
| 341 | Fruit and vegetable intake and head and neck cancer risk in a large United States prospective cohort study. International Journal of Cancer, 2008, 122, 2330-2336. | 5.1 | 177 |
| 342 | Fruit and vegetable intake and gastric cancer risk in a large United States prospective cohort study. Cancer Causes and Control, 2008, 19, 459-467. | 1.8 | 37 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 343 | Physical activity and head and neck cancer risk. Cancer Causes and Control, 2008, 19, 1391-1399. | 1.8 | 20 |
| 344 | A prospective study of BMI and risk of oesophageal and gastric adenocarcinoma. European Journal of Cancer, 2008, 44, 465-471. | 2.8 | 134 |
| 345 | Cigarette smoking and subsequent risk of lung cancer in men and women: analysis of a prospective cohort study. Lancet Oncology, The, 2008, 9, 649-656. | 10.7 | 227 |
| 346 | Promoter Methylation in Cytology Specimens as an Early Detection Marker for Esophageal Squamous Dysplasia and Early Esophageal Squamous Cell Carcinoma. Cancer Prevention Research, 2008, 1, 357-361. | 1.5 | 79 |
| 347 | High Levels of Carcinogenic Polycyclic Aromatic Hydrocarbons in Mate Drinks. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 1262-1268. | 2.5 | 93 |
| 348 | Opium, tobacco, and alcohol use in relation to oesophageal squamous cell carcinoma in a high-risk area of Iran. British Journal of Cancer, 2008, 98, 1857-1863. | 6.4 | 240 |
| 349 | Prospective Study of Physical Activity and Lung Cancer by Histologic Type in Current, Former, and Never Smokers. American Journal of Epidemiology, 2008, 169, 542-553. | 3.4 | 64 |
| 350 | Serum Vitamin D Concentration and Prostate Cancer Risk: A Nested Case-Control Study. Journal of the National Cancer Institute, 2008, 100, 796-804. | 6.3 | 250 |
| 351 | Tooth Loss and Lack of Regular Oral Hygiene Are Associated with Higher Risk of Esophageal Squamous Cell Carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2008, 17, 3062-3068. | 2.5 | 139 |
| 352 | Cytologic Detection of Esophageal Squamous Cell Carcinoma and Its Precursor Lesions Using Balloon Samplers and Liquid-Based Cytology in Asymptomatic Adults in Linxian, China. Acta Cytologica, 2008, 52, 14-23. | 1.3 | 66 |
| 353 | Helicobacter pylori and oesophageal and gastric cancers in a prospective study in China. British Journal of Cancer, 2007, 96, 172-176. | 6.4 | 134 |
| 354 | Epstein–Barr virus serology and gastric cancer incidence and survival. British Journal of Cancer, 2007, 97, 1567-1569. | 6.4 | 21 |
| 355 | Menstrual and reproductive factors and gastric cancer risk in a large prospective study of women. Gut, 2007, 56, 1671-1677. | 12.1 | 105 |
| 356 | The influence of genetic polymorphisms in Ahr, CYP1A1, CYP1A2, CYP1B1, GST M1, GST T1 and UGT1A1 on urine 1-hydroxypyrene glucuronide concentrations in healthy subjects from Rio Grande do Sul, Brazil. Carcinogenesis, 2007, 28, 112-117. | 2.8 | 29 |
| 357 | Chemoprevention of Primary Liver Cancer: A Randomized, Double-Blind Trial in Linxian, China. Journal of the National Cancer Institute, 2007, 99, 1240-1247. | 6.3 | 31 |
| 358 | Serum 25(OH)-Vitamin D Concentration and Risk of Esophageal Squamous Dysplasia. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 1889-1893. | 2.5 | 60 |
| 359 | A prospective study of polymorphisms of DNA repair genes XRCC1, XPD23 and APE/ref-1 and risk of stroke in Linxian, China. Journal of Epidemiology and Community Health, 2007, 61, 737-741. | 3.7 | 16 |
| 360 | IL1B Polymorphisms and Gastric Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 635.2-635. | 2.5 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|-------------------|
| 361 | A Prospective Study of Tobacco, Alcohol, and the Risk of Esophageal and Gastric Cancer Subtypes. American Journal of Epidemiology, 2007, 165, 1424-1433. | 3.4 | 360 |
| 362 | Carcinogenic Food Contaminants. Cancer Investigation, 2007, 25, 189-196. | 1.3 | 118 |
| 363 | Fruit and vegetable intake and esophageal cancer in a large prospective cohort study. International Journal of Cancer, 2007, 121, 2753-2760. | 5.1 | 147 |
| 364 | Prospective investigation of the cigarette smoking–head and neck cancer association by sex. Cancer, 2007, 110, 1593-1601. | 4.1 | 89 |
| 365 | Using NHANES oral health examination protocols as part of an esophageal cancer screening study conducted in a high-risk region of China. BMC Oral Health, 2007, 7, 10. | 2.3 | 17 |
| 366 | Alcohol and head and neck cancer risk in a prospective study. British Journal of Cancer, 2007, 96, 1469-1474. | 6.4 | 88 |
| 367 | Prospective study of serum 25(OH)-vitamin D concentration and risk of oesophageal and gastric cancers. British Journal of Cancer, 2007, 97, 123-128. | 6.4 | 100 |
| 368 | Real-time telomerase assay of less-invasively collected esophageal cell samples. Cancer Letters, 2006, 244, 91-100. | 7.2 | 11 |
| 369 | Cellular immune response is not associated with incident cancer or total mortality: a prospective follow-up. European Journal of Cancer Prevention, 2006, 15, 548-550. | 1.3 | 6 |
| 370 | Validity and reliability of a new food frequency questionnaire compared to 24 h recalls and biochemical measurements: pilot phase of Golestan cohort study of esophageal cancer. European Journal of Clinical Nutrition, 2006, 60, 971-977. | 2.9 | 181 |
| 371 | Polymorphisms in Inflammation-related Genes and Risk of Gastric Cancer (Finland). Cancer Causes and Control, 2006, 17, 117-125. | 1.8 | 149 |
| 372 | Higher urine 1-hydroxy pyrene glucuronide (1-OHPG) is associated with tobacco smoke exposure and drinking maté in healthy subjects from Rio Grande do Sul, Brazil. BMC Cancer, 2006, 6, 139. | 2.6 | 64 |
| 373 | Human papillomavirus serology and the risk of esophageal and gastric cancers: Results from a cohort in a high-risk region in China. International Journal of Cancer, 2006, 119, 579-584. | 5.1 | 70 |
| 374 | No association between HPV infection and the neoplastic progression of esophageal squamous cell carcinoma: Result from a cross-sectional study in a high-risk region of China. International Journal of Cancer, 2006, 119, 1354-1359. | 5.1 | 63 |
| 375 | Self-reported goiter is associated with a significantly increased risk of gastric noncardia adenocarcinoma in a large population-based Chinese cohort. International Journal of Cancer, 2006, 119, 1508-1510. | 5.1 | 18 |
| 376 | Lung Cancer Chemoprevention: A Randomized, Double-Blind Trial in Linxian, China. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1562-1564. | 2.5 | 56 |
| 377 | Serum Concentrations of 1,1,1-Trichloro-2,2-bis(p -chlorophenyl)ethane (DDT) and 1,1-Dichloro-2,2-bis() Tj ETQq Institute, 2006, 98, 1005-1010. | 1 1 0.784 6.3 | 314 rgBT /C 77 |
| 378 | Gene Expression Differences in Normal Esophageal Mucosa Associated with Regression and Progression of Mild and Moderate Squamous Dysplasia in a High-Risk Chinese Population. Cancer Research, 2006, 66, 6851-6860. | 0.9 | 27 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 379 | A Follow-up Study of Physical Activity and Incidence of Colorectal Polyps in African-American Women. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1438-1442. | 2.5 | 26 |
| 380 | Selenomethionine Treatment Does Not Alter Gene Expression in Normal Squamous Esophageal Mucosa in a High-Risk Chinese Population. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1046-1047. | 2.5 | 4 |
| 381 | Interleukin-1B Polymorphisms and Gastric Cancer Risk—A Meta-analysis. Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 1920-1928. | 2.5 | 131 |
| 382 | Opposing Risks of Gastric Cardia and Noncardia Gastric Adenocarcinomas Associated With Helicobacter pylori Seropositivity. Journal of the National Cancer Institute, 2006, 98, 1445-1452. | 6.3 | 291 |
| 383 | Identification of squamous cell carcinoma associated proteins by proteomics and loss of beta tropomyosin expression in esophageal cancer. World Journal of Gastroenterology, 2006, 12, 7104. | 3.3 | 132 |
| 384 | p16, MGMT, RARbeta2, CLDN3, CRBP and MT1G gene methylation in esophageal squamous cell carcinoma and its precursor lesions. Oncology Reports, 2006, 15, 1591-7. | 2.6 | 35 |
| 385 | Prospective study of risk factors for esophageal and gastric cancers in the Linxian general population trial cohort in China. International Journal of Cancer, 2005, 113, 456-463. | 5.1 | 599 |
| 386 | Zinc Concentration in Esophageal Biopsy Specimens Measured by X-Ray Fluorescence and Esophageal Cancer Risk. Journal of the National Cancer Institute, 2005, 97, 301-306. | 6.3 | 153 |
| 387 | Tooth loss is associated with increased risk of total death and death from upper gastrointestinal cancer, heart disease, and stroke in a Chinese population-based cohort. International Journal of Epidemiology, 2005, 34, 467-474. | 1.9 | 271 |
| 388 | Histological precursors of oesophageal squamous cell carcinoma: results from a 13 year prospective follow up study in a high risk population. Gut, 2005, 54, 187-192. | 12.1 | 296 |
| 389 | Tooth loss is associated with increased risk of gastric non-cardia adenocarcinoma in a cohort of Finnish smokers. Scandinavian Journal of Gastroenterology, 2005, 40, 681-687. | 1.5 | 112 |
| 390 | Golestan cohort study of oesophageal cancer: feasibility and first results. British Journal of Cancer, 2005, 92, 176-181. | 6.4 | 66 |
| 391 | Risk factors for oesophageal squamous dysplasia in adult inhabitants of a high risk region of China. Gut, 2005, 54, 759-763. | 12.1 | 101 |
| 392 | Fruits, Vegetables, and Antioxidants and Risk of Gastric Cancer among Male Smokers. Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 2087-2092. | 2.5 | 92 |
| 393 | High exposure to polycyclic aromatic hydrocarbons may contribute to high risk of esophageal cancer in northeastern Iran. Anticancer Research, 2005, 25, 425-8. | 1.1 | 78 |
| 394 | Poor oral health as a risk factor for esophageal squamous dysplasia in northeastern Iran. Anticancer Research, 2005, 25, 543-6. | 1.1 | 41 |
| 395 | Epidemiologic features of upper gastrointestinal tract cancers in Northeastern Iran. British Journal of Cancer, 2004, 90, 1402-1406. | 6.4 | 145 |
| 396 | Control region mutations and the 'common deletion' are frequent in the mitochondrial DNA of patients with esophageal squamous cell carcinoma. BMC Cancer, 2004, 4, 30. | 2.6 | 69 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 397 | Polymorphic variation of CYP1A1 is associated with the risk of gastric cardia cancer: a prospective case?cohort study of cytochrome P-450 1A1 and CST enzymes. Cancer Causes and Control, 2004, 15, 1077-1083. | 1.8 | 47 |
| 398 | Polymorphisms of XRCC1 and risk of esophageal and gastric cardia cancer. Cancer Letters, 2004, 216, 157-164. | 7.2 | 50 |
| 399 | Genetic polymorphisms in three Iranian populations with different risks of esophageal cancer, an ecologic comparison. Cancer Letters, 2004, 213, 195-202. | 7.2 | 26 |
| 400 | Prospective study of serum selenium concentrations and esophageal and gastric cardia cancer, heart disease, stroke, and total death. American Journal of Clinical Nutrition, 2004, 79, 80-85. | 4.7 | 224 |
| 401 | Ecologic study of serum selenium and upper gastrointestinal cancers in Iran. World Journal of Gastroenterology, 2004, 10, 2544. | 3.3 | 43 |
| 402 | Reliability and validity of opiate use self-report in a population at high risk for esophageal cancer in Golestan, Iran. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1068-70. | 2.5 | 63 |
| 403 | Polymorphisms in interleukin -2, -6, and -10 are not associated with gastric cardia or esophageal cancer in a high-risk chinese population. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1547-9. | 2.5 | 34 |
| 404 | Variants of the IL8 and IL8RB genes and risk for gastric cardia adenocarcinoma and esophageal squamous cell carcinoma. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 2251-7. | 2.5 | 45 |
| 405 | Prospective study of serum retinol, beta-carotene, beta-cryptoxanthin, and lutein/zeaxanthin and esophageal and gastric cancers in China. Cancer Causes and Control, 2003, 14, 645-655. | 1.8 | 65 |
| 406 | Using lowess to remove systematic trends over time in predictor variables prior to logistic regression with quantile categories. Statistics in Medicine, 2003, 22, 1477-1493. | 1.6 | 41 |
| 407 | Prospective study of serum vitamin E levels and esophageal and gastric cancers. Gastroenterology, 2003, 124, A240. | 1.3 | 0 |
| 408 | Esophageal cancer and genetic polymorphisms in carcinogen metabolizing enzymes in Iran. Gastroenterology, 2003, 124, A548. | 1.3 | 0 |
| 409 | Prospective study of serum selenium concentration and mortality from esophageal squamous cell carcinoma, gastric cardia cancer, heart disease, and stroke. Gastroenterology, 2003, 124, A263. | 1.3 | 0 |
| 410 | Squamous dysplasia is the histologic precursor of invasive esophageal squamous cell carcinoma: results from a 13-year prospective follow-up study in a high-risk population. Gastroenterology, 2003, 124, A297-A298. | 1.3 | 0 |
| 411 | Prospective Study of Serum Vitamin E Levels and Esophageal and Gastric Cancers. Journal of the National Cancer Institute, 2003, 95, 1414-1416. | 6.3 | 123 |
| 412 | Esophageal and gastric cardia cancer risk and folate- and vitamin B(12)-related polymorphisms in Linxian, China. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 1222-6. | 2.5 | 43 |
| 413 | Oesophageal cancer: a common malignancy in young people of Bomet District, Kenya. Lancet, The, 2002, 360, 462-463. | 13.7 | 34 |
| 414 | A Cross-Sectional Study of Human Serum Sphingolipids, Diet and Physiologic Parameters. Journal of Nutrition, 2001, 131, 2748-2752. | 2.9 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Sphingolipids as biomarkers of fumonisin exposure and risk of esophageal squamous cell carcinoma in china. Cancer Causes and Control, 2001, 12, 821-828. | 1.8 | 64 |
| 416 | Prospective study of tooth loss and incident esophageal and gastric cancers in China. Cancer Causes and Control, 2001, 12, 847-854. | 1.8 | 185 |
| 417 | Two Forms of Aryl Hydrocarbon Receptor Type 2 in Rainbow Trout (Oncorhynchus mykiss). Journal of Biological Chemistry, 1999, 274, 15159-15166. | 3.4 | 111 |
| 418 | Transactivation Activity of Human, Zebrafish, and Rainbow Trout Aryl Hydrocarbon Receptors Expressed in COS-7 Cells: Greater Insight into Species Differences in Toxic Potency of Polychlorinated Dibenzo-p-dioxin, Dibenzofuran, and Biphenyl Congeners. Toxicology and Applied Pharmacology, 1999, 159, 41-51. | 2.8 | 97 |
| 419 | Cloning and characterization of the zebrafish (Danio rerio) aryl hydrocarbon receptor. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1999, 1444, 35-48. | 2.4 | 163 |
| 420 | Early Life Stage Toxicity of 2,3,7,8-Tetrachlorodibenzo-p-dioxin in Zebrafish (Danio rerio). Toxicology and Applied Pharmacology, 1997, 142, 56-68. | 2.8 | 304 |
| 421 | Mortality after multivitamin supplementation: Nearly 35â€year followâ€up of the randomized Linxian Dysplasia Nutrition Intervention Trial. Cancer, 0, , . | 4.1 | 1 |