

Jung-Hoon Yoon

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3836553/jung-hoon-yoon-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

253
papers

2,721
citations

22
h-index

37
g-index

271
ext. papers

4,319
ext. citations

2.2
avg. IF

5.37
L-index

#	Paper	IF	Citations
253	<i>Psychrobacter jeotgali</i> sp. nov., isolated from jeotgal, a traditional Korean fermented seafood. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003 , 53, 449-454	2.2	250
252	<i>Aestuariivita boseongensis</i> gen. nov., sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 2969-2974	2.2	77
251	<i>Erythrobacter flavus</i> sp. nov., a slight halophile from the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003 , 53, 1169-1174	2.2	60
250	<i>Salinimonas lutimaris</i> sp. nov., a polysaccharide-degrading bacterium isolated from a tidal flat. <i>Antonie Van Leeuwenhoek</i> , 2012 , 101, 803-10	2.1	53
249	<i>Alteromonas marina</i> sp. nov., isolated from sea water of the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003 , 53, 1625-1630	2.2	51
248	<i>Phaeobacter aquaemixtae</i> sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 1378-1383	2.2	47
247	<i>Erythrobacter seohaensis</i> sp. nov. and <i>Erythrobacter gaetbuli</i> sp. nov., isolated from a tidal flat of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2005 , 55, 71-75 ²	2.2	41
246	<i>Erythrobacter aquimaris</i> sp. nov., isolated from sea water of a tidal flat of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 1981-1985	2.2	40
245	<i>Alteromonas litorea</i> sp. nov., a slightly halophilic bacterium isolated from an intertidal sediment of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 1197-1201 ³⁸	2.2	38
244	<i>Mucilaginibacter litoreus</i> sp. nov., isolated from marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 2822-2827	2.2	37
243	<i>Shewanella marisflavi</i> sp. nov. and <i>Shewanella aquimarina</i> sp. nov., slightly halophilic organisms isolated from sea water of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2004 , 54, 2347-2352	2.2	35
242	<i>Mucilaginibacter lutimaris</i> sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 515-519	2.2	32
241	Prdm4 induction by the small molecule butein promotes white adipose tissue browning. <i>Nature Chemical Biology</i> , 2016 , 12, 479-81	11.7	32
240	<i>Ruegeria halocynthiae</i> sp. nov., isolated from the sea squirt <i>Halocynthia roretzi</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 925-930	2.2	31
239	<i>Roseovarius halocynthiae</i> sp. nov., isolated from the sea squirt <i>Halocynthia roretzi</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 931-936	2.2	30
238	<i>Thalassobius maritimus</i> sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 8-12	2.2	27
237	<i>Arenimonas daechungensis</i> sp. nov., isolated from the sediment of a eutrophic reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 484-489	2.2	24

236	Loktanelia litorea sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 175-180	2.2	24
235	Description of Sulfitobacter donghicola sp. nov., isolated from seawater of the East Sea in Korea, transfer of Staleyella guttiformis Labrenz et al. 2000 to the genus Sulfitobacter as Sulfitobacter guttiformis comb. nov. and emended description of the genus Sulfitobacter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 1788-1792	2.2	24
234	Arcobacter acticola sp. nov., isolated from seawater on the East Sea in South Korea. <i>Journal of Microbiology</i> , 2016 , 54, 655-9	3	24
233	Erythrobacter marinus sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 2050-2055	2.2	22
232	Lutibacter aestuarii sp. nov., isolated from a tidal flat sediment, and emended description of the genus Lutibacter Choi and Cho 2006. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 420-424	2.2	22
231	Celeribacter baekdonensis sp. nov., isolated from seawater, and emended description of the genus Celeribacter Ivanova et al. 2010. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 1359-1364	2.2	21
230	Winogradskyella multivorans sp. nov., a polysaccharide-degrading bacterium isolated from seawater of an oyster farm. <i>Antonie Van Leeuwenhoek</i> , 2012 , 102, 231-8	2.1	21
229	Litorisediminicola beolgyonensis gen. nov., sp. nov., isolated from a coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 2025-2031	2.2	20
228	Thalassomonas agariperforans sp. nov., an agarolytic bacterium isolated from marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011 , 61, 2573-2576	2.2	20
227	Algoriphagus namhaensis sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 575-579	2.2	20
226	Muricauda beolgyonensis sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 1134-1139	2.2	20
225	Sulfitobacter marinus sp. nov., isolated from seawater of the East Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007 , 57, 302-305	2.2	20
224	Roseovarius sediminilitoris sp. nov., isolated from seashore sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1741-1745	2.2	19
223	Aestuariihabitans beolgyonensis gen. nov., sp. nov., a novel alphaproteobacterium isolated from tidal flat sediment. <i>Antonie Van Leeuwenhoek</i> , 2013 , 104, 217-24	2.1	18
222	Nitratireductor basaltis sp. nov., isolated from black beach sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009 , 59, 135-8	2.2	18
221	Marinomonas hwangdonensis sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 2062-2067	2.2	18
220	Aliiroseovarius pelagivivens gen. nov., sp. nov., isolated from seawater, and reclassification of three species of the genus Roseovarius as Aliiroseovarius crassostreae comb. nov., Aliiroseovarius halocynthiae comb. nov. and Aliiroseovarius sediminilitoris comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2646-2652	2.2	18
219	Marivita hallyeonensis sp. nov., isolated from seawater, reclassification of Gaetbulicola byunsanensis as Marivita byunsanensis comb. nov. and emended description of the genus Marivita Hwang et al. 2009. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 839-843	2.2	18

218	Paracoccus aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2992-2998	2.2	18
217	Characterization of a Novel Moderately Thermophilic Solvent-Tolerant Esterase Isolated From a Compost Metagenome Library. <i>Frontiers in Microbiology</i> , 2019 , 10, 3069	5.7	17
216	Boseongicola aestuarii gen. nov., sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 2618-2624	2.2	17
215	Gaetbulibacter lutimaris sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 995-1000	2.2	17
214	Altererythrobacter aestiaquae sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3943-3949	2.2	17
213	Algibacter undariae sp. nov., isolated from a brown algae reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 3704-3709	2.2	17
212	Winogradskyella aquimaris sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 1814-1818	2.2	17
211	Thalassotalea ponticola sp. nov., isolated from seawater, reclassification of Thalassomonas fusca as Thalassotalea fusca comb. nov. and emended description of the genus Thalassotalea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3676-3682	2.2	17
210	Octadecabacter jejudonensis sp. nov., isolated from the junction between the ocean and a freshwater spring and emended description of the genus Octadecabacter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 719-724	2.2	16
209	Description of Litoreibacter meonggei sp. nov., isolated from the sea squirt Halocynthia roretzi, reclassification of Thalassobacter arenae as Litoreibacter arenae comb. nov. and emended description of the genus Litoreibacter Romanenko et al. 2011. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 1825-1831	2.2	16
208	Paracoccus lutimaris sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 2763-2769	2.2	15
207	Erythrobacter lutimaris sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 4184-4190	2.2	15
206	Bizionia hallyeonensis sp. nov., isolated from seawater in an oyster farm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 685-690	2.2	15
205	Vitellibacter soesokkakensis sp. nov., isolated from the junction between the ocean and a freshwater spring and emended description of the genus Vitellibacter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 588-593	2.2	14
204	Pseudahrensia aquimaris gen. nov., sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 2056-2061	2.2	14
203	Pseudorhodobacter aquimaris sp. nov., isolated from seawater, and emended description of the genus Pseudorhodobacter Uchino et al. 2002. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 100-105	2.2	14
202	Cohnella boryungensis sp. nov., isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2012 , 101, 769-75	2.1	14
201	Winogradskyella litorisediminis sp. nov., isolated from coastal sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1793-1799	2.2	14

200	Algibacter wandonensis sp. nov., isolated from sediment around a brown algae (<i>Undaria pinnatifida</i>) reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 4771-4776	2.2	14
199	Loktanella sediminilitoris sp. nov., isolated from tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 4118-4123	2.2	14
198	Virgibacillus campisalis sp. nov., from a marine solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 347-351	2.2	14
197	Salinimicrobium gaetbulicola sp. nov., isolated from tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 1027-1031	2.2	14
196	Alteromonas confluentis sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3603-3608	2.2	14
195	Massilia chloroacetimidivorans sp. nov., a chloroacetamide herbicide-degrading bacterium isolated from soil. <i>Antonie Van Leeuwenhoek</i> , 2017 , 110, 751-758	2.1	13
194	Marivita geojedonensis sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 423-427	2.2	13
193	Sphingorhabdus arenilitoris sp. nov., isolated from a coastal sand, and reclassification of <i>Sphingopyxis rigui</i> as <i>Sphingorhabdus rigui</i> comb. nov. and <i>Sphingopyxis wooponensis</i> as <i>Sphingorhabdus wooponensis</i> comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 2551-2557	2.2	13
192	Rheinheimera arenilitoris sp. nov., isolated from seashore sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3749-3754	2.2	13
191	Winogradskyella wandonensis sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 1520-1525	2.2	13
190	Kangiella sediminilitoris sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1001-1006	2.2	13
189	Tenacibaculum geojense sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 18-22	2.2	13
188	Description of <i>Olleya aquimaris</i> sp. nov., isolated from seawater, and emended description of the genus <i>Olleya</i> Mancuso Nichols et al. 2005. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010 , 60, 887-891	2.2	13
187	Marinobacterium aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 1718-1723	2.2	13
186	Altererythrobacter confluentis sp. nov., isolated from water of an estuary environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4002-4008	2.2	13
185	Altererythrobacter aquaemixtae sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3446-3451	2.2	13
184	Winogradskyella crassostreae sp. nov., isolated from an oyster (<i>Crassostrea gigas</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2890-2895	2.2	12
183	Vitellibacter nionensis sp. nov., isolated from a shallow water hydrothermal vent. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 692-697	2.2	12

182	<i>Aestuariispira insulae</i> gen. nov., sp. nov., a lipolytic bacterium isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 1841-1846	2.2	12
181	<i>Cellulophaga geojensis</i> sp. nov., a member of the family Flavobacteriaceae isolated from marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 1354-1358	2.2	12
180	<i>Polaribacter undariae</i> sp. nov., isolated from a brown alga reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1679-1685	2.2	12
179	<i>Colwellia sediminilitoris</i> sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 3258-3263	2.2	12
178	<i>Altererythrobacter sediminis</i> sp. nov., isolated from lagoon sediments. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 5424-5429	2.2	12
177	Marine-Derived Secondary Metabolite, Griseusrazin A, Suppresses Inflammation through Heme Oxygenase-1 Induction in Activated RAW264.7 Macrophages. <i>Journal of Natural Products</i> , 2016 , 79, 1105-1111	4.9	11
176	<i>Halocynthiibacter namhaensis</i> gen. nov., sp. nov., a novel alphaproteobacterium isolated from sea squirt <i>Halocynthia roretzi</i> . <i>Antonie Van Leeuwenhoek</i> , 2014 , 105, 881-9	2.1	11
175	<i>Pseudorhodobacter wandonensis</i> sp. nov., isolated from wood falls, and emended description of the genus <i>Pseudorhodobacter</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1479-1484	2.2	11
174	<i>Maribacter confluentis</i> sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3079-3085	2.2	11
173	<i>Marinobacter confluentis</i> sp. nov., a lipolytic bacterium isolated from a junction between the ocean and a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 4873-4879	2.2	11
172	<i>Sulfitobacter undariae</i> sp. nov., isolated from a brown algae reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1672-1678	2.2	10
171	<i>Pseudoseohaecicola caenipelagi</i> gen. nov., sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1819-1824	2.2	10
170	<i>Pedobacter silvilitoris</i> sp. nov., isolated from wood falls. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1284-1289	2.2	10
169	<i>Pontivivens insulae</i> gen. nov., sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2896-2902	2.2	10
168	<i>Pseudoruegeria sabulilitoris</i> sp. nov., isolated from seashore sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3276-3281	2.2	10
167	<i>Shewanella seohaensis</i> sp. nov., isolated from a tidal flat sediment. <i>Antonie Van Leeuwenhoek</i> , 2012 , 102, 149-56	2.1	10
166	<i>Hirschia litorea</i> sp. nov., isolated from seashore sediment, and emended description of the genus <i>Hirschia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1684-1689	2.2	10
165	<i>Mucilaginibacter sabulilitoris</i> sp. nov., isolated from marine sand in a firth. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 2865-2871	2.2	10

164	Formosa undariae sp. nov., isolated from a reservoir containing the brown algae Undaria pinnatifida. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 4130-4135	2.2	10
163	Lacinutrix undariae sp. nov., isolated from a brown algae reservoir. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2696-2701	2.2	10
162	Reyranella terrae sp. nov., isolated from an agricultural soil, and emended description of the genus Reyranella. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2031-2035	2.2	10
161	PI3Ka-Akt1-mediated Prdm4 induction in adipose tissue increases energy expenditure, inhibits weight gain, and improves insulin resistance in diet-induced obese mice. <i>Cell Death and Disease</i> , 2018 , 9, 876	9.8	10
160	Loktanella variabilis sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 2579-2585	2.2	9
159	Kordia jejudonensis sp. nov., isolated from the junction between the ocean and a freshwater spring, and emended description of the genus Kordia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 657-662	2.2	9
158	Defluviimonas aquaemixtae sp. nov., isolated from the junction between a freshwater spring and the ocean. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 4191-4197	2.2	9
157	Oceanisphaera ostreae sp. nov., isolated from seawater of an oyster farm, and emended description of the genus Oceanisphaera Romanenko et al. 2003. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011 , 61, 2880-2884	2.2	9
156	Mariniflexile aquimaris sp. nov., isolated from seawater, and emended description of the genus Mariniflexile Nedashkovskaya et al. 2006. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 539-544	2.2	9
155	Namhaeicola litoreus gen. nov., sp. nov., a member of the family Flavobacteriaceae isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 2163-2168	2.2	9
154	Mesononia ostreae sp. nov., isolated from seawater of an oyster farm, and emended description of the genus Mesononia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 1804-1808 ²	2.2	9
153	Jannaschia aquimarina sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 2631-2636	2.2	9
152	Gramella aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1262-1267	2.2	9
151	Pseudoalteromonas aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2078-2083	2.2	9
150	Maribacter litorisediminis sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4236-4242	2.2	9
149	Alteromonas aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2791-2797	2.2	9
148	Erythrobacter aquimixticola sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2964-2969 ²	2.2	9
147	Litoreibacter halocynthiae sp. nov., isolated from the sea squirt Halocynthia roretzi. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 3364-3368	2.2	8

146	Mucilaginibacter calamicampi sp. nov., a member of the family Sphingobacteriaceae isolated from soil at a field of reeds. <i>Antonie Van Leeuwenhoek</i> , 2013 , 104, 37-45	2.1	8
145	Description of Lutimonas halocynthiae sp. nov., isolated from a golden sea squirt (Halocynthia aurantium), reclassification of Aestuariicola saemankumensis as Lutimonas saemankumensis comb. nov. and emended description of the genus Lutimonas. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 1984-1990	2.2	8
144	Loktanella ponticola sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3717-3723	2.2	8
143	Hwangdonia seohaensis gen. nov., sp. nov., a member of the family Flavobacteriaceae isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 3186-3191	2.2	8
142	Pseudofulvibacter geojedonensis gen. nov., sp. nov., a polysaccharide-degrading member of the family Flavobacteriaceae isolated from seawater, and emended description of the genus Fulvibacter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1696-1701	2.2	8
141	Olleya namhaensis sp. nov., isolated from wood falls, and emended description of the genus Olleya Mancuso Nichols et al. 2005 emend. Lee et al. 2010. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1610-1615	2.2	8
140	Jannaschia faecimaris sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 945-951	2.2	8
139	Algoriphagus aestuarii sp. nov., a member of the Cyclobacteriaceae isolated from a tidal-flat sediment of the Yellow Sea in Korea. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3439-3446	2.2	8
138	Pedobacter lignilitoris sp. nov., isolated from wood falls. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3481-3486	2.2	8
137	Roseovarius aquimarinus sp. nov., a slightly halophilic bacterium isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 4514-4520	2.2	8
136	Pontibacter litorisediminis sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4172-4178	2.2	8
135	Polaribacter haliotis sp. nov., isolated from the gut of abalone Haliotis discus hannai. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 5562-5567	2.2	8
134	Roseovarius aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 25-30	2.2	8
133	Paracoccus litorisediminis sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4760-4766	2.2	8
132	sp. nov., isolated from isolated from estuary water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2696-2702	2.2	8
131	Lutibacter crassostreae sp. nov., isolated from oyster. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2689-2695	2.2	7
130	Seonamhaeicola aphaedonensis gen. nov., sp. nov., a member of the family Flavobacteriaceae isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 1876-1881	2.2	7
129	Paraperlucidibaca wandonensis sp. nov., isolated from seawater, and emended description of the genus Paraperlucidibaca Oh et al. 2011. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 4113-4117	2.2	7

128	Pedobacter boryungensis sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 13-17	2.2	7
127	Gramella aquimixticola sp. nov., isolated from water of an estuary environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 4244-4249	2.2	7
126	Roseovarius scapharcae sp. nov., isolated from ark shell Scapharca broughtonii. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 4695-4700	2.2	7
125	Salinimicrobium soli sp. nov., isolated from soil of reclaimed land. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 462-467	2.2	7
124	gen. nov., sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 666-672	2.2	7
123	Psychroflexus aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2146-2151	2.2	7
122	Gramella sediminilitoris sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2704-2710	2.2	7
121	Primorskyibacteraestuariivivens sp. nov., isolated from a tidal flat, and emended description of the genus Primorskyibacter. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 5550-5557	2.2	7
120	Polaribacter litorisediminis sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2036-2042	2.2	7
119	Altererythrobacter aquiaggeris sp. nov., isolated from water of an estuary bank. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3410-3416	2.2	7
118	Algoriphagus marisflavi sp. nov., isolated from water of an estuary environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4168-4174	2.2	7
117	Paracoccus alimentarius sp. nov., isolated from a Korean foodstuff, salted pollack. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1238-1243	2.2	7
116	ADM14 Induces Anti-Obesity Effects and Changes in Gut Microbiome in High-Fat Diet-Induced Obese Mice. <i>Nutrients</i> , 2020 , 12,	6.7	7
115	Asciadiaceihabitans donghaensis gen. nov., sp. nov., isolated from the golden sea squirt Halocynthia aurantium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3970-3975	2.2	6
114	Cyclobacterium caenipelagi sp. nov., isolated from a tidal flat sediment, and emended description of the genus Cyclobacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 3158-3163	2.2	6
113	Mariniflexile jejuense sp. nov., isolated from the junction between seawater and a freshwater spring, and emended description of the genus Mariniflexile. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1329-1334	2.2	6
112	Octadecabacter asciadiaceicola sp. nov., isolated from a sea squirt (Halocynthia roretzi). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 296-301	2.2	6
111	Tenacibaculum asciadiaceicola sp. nov., isolated from the golden sea squirt Halocynthia aurantium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 1174-1179	2.2	6

110	Loktanelia marina sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2528-2533	2.2	6
109	Algoriphagus litorisediminis sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 5437-5443	2.2	6
108	Colwellia mytili sp. nov., isolated from mussel Mytilus edulis. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 31-36	2.2	6
107	Tenacibaculum haliotis sp. nov., isolated from the gut of an abalone Haliotis discus hannai. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3268-3273	2.2	6
106	Altererythrobacter insulae sp. nov., a lipolytic bacterium isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 1009-1015	2.2	6
105	Pseudohalocynthiibacter aestuariivivens gen. nov., sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1509-1514	2.2	6
104	Algoriphagus confluentis sp. nov., isolated from the junction between the ocean and a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 118-124	2.2	6
103	Characterization of a novel carboxylesterase belonging to family VIII hydrolyzing β -lactam antibiotics from a compost metagenomic library. <i>International Journal of Biological Macromolecules</i> , 2020 , 164, 4650-4661	7.9	6
102	Simiduia curdlanivorans sp. nov., a curdlan-degrading bacterium isolated from the junction between the ocean and a freshwater spring, and emended description of the genus Simiduia. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3695-3700	2.2	5
101	Pseudopelagicola gijangensis gen. nov., sp. nov., isolated from the sea squirt Halocynthia roretzi. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3447-3452	2.2	5
100	Sphingomicrobium aestuariivivum sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2678-2683	2.2	5
99	Limibacillus halophilus gen. nov., sp. nov., a moderately halophilic bacterium in the family Rhodospirillaceae isolated from reclaimed land. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3155-3161	2.2	5
98	Primorskyibacter insulae sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 3971-3976	2.2	5
97	sp. nov., a member of the isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 1131-1137	2.2	5
96	Maliponia aquimaris gen. nov., sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2271-2277	2.2	5
95	Devosia confluentis sp. nov., isolated from the junction between the ocean and a freshwater lake, and reclassification of two Vasilyevaea species as Devosia enhydra comb. nov. and Devosia mishustinii comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 3935-3941	2.2	5
94	Lewinella aquimaris sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 3989-3994	2.2	5
93	Marimonas arenosa gen. nov., sp. nov., isolated from sea sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 121-126	2.2	5

92	Spingomonas carri sp. nov., isolated from a car air-conditioning system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4069-4074	2.2	5
91	Spirosoma metallilatum sp. nov., isolated from an automotive air conditioning system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 523-528	2.2	5
90	Flavobacterium sediminilitoris sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 630-635	2.2	5
89	Bizionia berychis sp. nov., isolated from intestinal tract of a splendid alfonsino (Beryx splendens). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1227-1232	2.2	5
88	Jindonia aestuariivivens gen. nov., sp. nov., isolated from a tidal flat on the south-western sea in Republic of Korea. <i>Journal of Microbiology</i> , 2017 , 55, 421-427	3	4
87	Demequina activiva sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 2042-2047	2.2	4
86	Cellulosimicrobium arenosum sp. nov., Isolated from Marine Sediment Sand. <i>Current Microbiology</i> , 2018 , 75, 901-906	2.4	4
85	Amphritea ceti sp. nov., isolated from faeces of Beluga whale (Delphinapterus leucas). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 4068-4072	2.2	4
84	Wenxinia saemankumensis sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 1958-1963	2.2	4
83	gen. nov., sp. nov., isolated from the junction between the ocean and a freshwater lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 868-873	2.2	4
82	Tenacibaculum sediminilitoris sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2610-2616	2.2	4
81	Taeaniamaliponensis gen. nov., sp. nov., a member of the family Flavobacteriaceae isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 3552-3557	2.2	4
80	Demequina litorisediminis sp. nov., isolated from a tidal flat, and emended description of the genus Demequina. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4197-4203	2.2	4
79	Microbulbifer aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 1436-1441	2.2	4
78	Roseobacter ponti sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2189-2194	2.2	4
77	Flaviramulus aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2337-2342	2.2	4
76	Algoriphagus aquaemixtae sp. nov., isolated from water in an estuary environment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3231-3236	2.2	4
75	Loktanella acticola sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4175-4180	2.2	4

74	Jannaschia confluentis sp. nov., isolated from the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 669-674	2.2	4
73	Arenimonas halophila sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 2188-2193	2.2	4
72	Croceicoccus ponticola sp. nov., a lipolytic bacterium isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 1551-1556	2.2	4
71	Deinococcus multflagellatus sp. nov., isolated from a car air-conditioning system. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 619-627	2.1	4
70	Spirosoma metallicus sp. nov., isolated from an automobile air conditioning system. <i>Journal of Microbiology</i> , 2017 , 55, 673-677	3	3
69	Genome sequence of Lysobacter dokdonensis DS-58(T), a gliding bacterium isolated from soil in Dokdo, Korea. <i>Standards in Genomic Sciences</i> , 2015 , 10, 123		3
68	Litoreibacter ponti sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3810-3815	2.2	3
67	Sungkyunkwania multivorans gen. nov., sp. nov., a member of the family Flavobacteriaceae isolated from seawater from a seaweed farm. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013 , 63, 1995-2001	2.2	3
66	Chungangia koreensis gen. nov., sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 1914-1920	2.2	3
65	Vitellibacter todarodis sp. nov., isolated from intestinal tract of a squid (Todarodes pacificus). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1233-1237	2.2	3
64	sp. nov., isolated from marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 246-250	2.2	3
63	Paraglaucicola aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4754-4759	2.2	3
62	Tenacibaculum insulae sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 228-233	2.2	3
61	Pseudomaribius aestuariivivens gen. nov., sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1344-1349	2.2	3
60	sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 1470-1477	2.2	3
59	Complete genome sequence of acetate-producing L5-2 isolated from infant feces. <i>3 Biotech</i> , 2019 , 9, 84	2.8	3
58	Dokdonia ponticola sp. nov., A Carrageenan-Degrading Bacterium of the Family Flavobacteriaceae Isolated from Seawater. <i>Current Microbiology</i> , 2018 , 75, 1126-1132	2.4	3
57	Zhongshania ponticola sp. nov., a novel lipolytic bacterium of the class Gammaproteobacteria isolated from seawater. <i>Archives of Microbiology</i> , 2018 , 200, 1177-1182	3	2

56	Litoreibacter ascidiaceicola sp. nov., isolated from the golden sea squirt Halocynthia aurantium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 2545-2550	2.2	2
55	Litorivivens lipolytica gen. nov., sp. nov., a lipolytic bacterium isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 141-146	2.2	2
54	Mesoflavibacter sabulilitoris sp. nov., isolated from seashore sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 3743-3748	2.2	2
53	Gryllotalpicola soli sp. nov., isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014 , 64, 4079-4083	2.2	2
52	Aestuariiimonas insulae gen. nov., sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1365-1371	2.2	2
51	sp. nov., isolated from a marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 909-914	2.2	2
50	Pseudoroseicyclus aestuarii gen. nov., sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2165-2171	2.2	2
49	Roseivirga maritima sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2664-2670	2.2	2
48	Nonlabens aestuariivivens sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 1535-1539	2.2	2
47	Pseudorhodobacter ponti sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 1855-1860	2.2	2
46	Polaribacter insulae sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4013-4019	2.2	2
45	Spirosoma carri sp. nov., isolated from an automobile air conditioning system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4195-4199	2.2	2
44	Tenacibaculum aestuariivivum sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 4612-4618	2.2	2
43	Pseudobizionia ponticola gen. nov., sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1467-1473	2.2	2
42	Altererythrobacter aquimixticola sp. nov., isolated from sediment sampled at the junction between the ocean and a freshwater spring. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2408-2414	2.2	2
41	sp. nov., isolated from a salt marsh. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2750-2754	2.2	2
40	sp. nov., isolated from marine sand. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3230-3236	2.2	2
39	sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 6301-6306	2.2	2

38	gen. nov., sp. nov., a halotolerant bacterium in the family isolated from a coastal sand dune. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 6323-6330	2.2	2
37	Octadecabacterponticola sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4179-4184	2.2	2
36	Litorisediminivivensgilvus gen. nov., sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4681-4685	2.2	2
35	Lutibacter litorisediminis sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 583-588	2.2	2
34	Complete Genome Sequence of the Proteorhodopsin-Containing Marine Flavobacterium Dokdonia donghaensis DSW-1T, Isolated from Seawater off Dokdo in the East Sea (Sea of Korea). <i>Genome Announcements</i> , 2016 , 4,		2
33	Roseovarius ponticola sp. nov., a novel lipolytic bacterium of the family Rhodobacteraceae isolated from seawater. <i>Archives of Microbiology</i> , 2019 , 201, 215-222	3	2
32	Tardibacter chloracetimidivorans gen. nov., sp. nov., a novel member of the family Sphingomonadaceae isolated from an agricultural soil from Jeju Island in Republic of Korea. <i>Journal of Microbiology</i> , 2018 , 56, 324-330	3	2
31	Polyphasic taxonomic analysis of Sinimarinibacterium arenosum sp. nov., a halophilic bacterium isolated from marine sediment. <i>FEMS Microbiology Letters</i> , 2020 , 367,	2.9	1
30	Pseudoruegeria litorisediminis sp. nov., a novel lipolytic bacterium of the family Rhodobacteraceae isolated from a tidal flat. <i>Archives of Microbiology</i> , 2018 , 200, 1183-1189	3	1
29	Paenibacillus arenosi sp. nov., a siderophore-producing bacterium isolated from coastal sediment.. <i>Archives of Microbiology</i> , 2022 , 204, 113	3	1
28	Oral Administration of ADM14 Improves Lipid Metabolism and Fecal Microbiota Profile Associated With Metabolic Dysfunction in a High-Fat Diet Mouse Model. <i>Frontiers in Microbiology</i> , 2021 , 12, 746601	5.7	1
27	Dokdonia flava sp. nov., isolated from the seaweed Zostera marina. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 899-904	2.2	1
26	sp. nov., isolated from an automobile air conditioning system. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 776-781	2.2	1
25	Dokdonia aurantiaca sp. nov., isolated from seaweed Zostera marina. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1697-1701	2.2	1
24	Sphingomicrobium arenosum sp. nov., isolated from marine sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 2551-2556	2.2	1
23	Pseudoruegeria insulae sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 3587-3592	2.2	1
22	sp. nov., isolated from an intestine of Nile tilapia (). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 2781-2786	2.2	1
21	sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3062-3067	2.2	1

20	Umboniibacter caenipelagi sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2959-2963	2.2	1
19	Thalassotalea insulae sp. nov., isolated from tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1321-1326	2.2	1
18	Aestuariibius insulae gen. nov., sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018 , 68, 1350-1355	2.2	1
17	sp. nov., a gammaproteobacterium isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 6396-6401	2.2	1
16	Aestuariivivens insulae gen. nov., sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015 , 65, 1883-1888	2.2	1
15	Fulvivirga lutimaris sp. nov., isolated from a tidal flat sediment. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 2604-2609	2.2	1
14	Puniceibacterium confluentis sp. nov., isolated from the junction between the ocean and a freshwater spring, and emended description of the genus Puniceibacterium. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3480-3484	2.2	1
13	Echinicola arenosa sp. nov., isolated from marine sand. <i>Archives of Microbiology</i> , 2021 , 203, 5675-5681	3	1
12	Arenibacterium arenosum sp. nov., isolated from sea sand.. <i>Archives of Microbiology</i> , 2022 , 204, 147	3	0
11	sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 3872-3877	2.2	0
10	gen. nov., sp. nov., a bacterium in the family isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020 , 70, 4562-4568	2.2	0
9	gen. nov., sp. nov., isolated from a tidal flat. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3049-3055	2.2	0
8	gen. nov., sp. nov., isolated from seawater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 3109-3115	2.2	0
7	Enzymatic characterization of a soluble aggregate induced by N-terminal extension to a lipolytic enzyme. <i>Journal of Biotechnology</i> , 2018 , 281, 130-136	3-7	
6	Marinobacter arenosus sp. nov., a halotolerant bacterium isolated from a tidal flat.. <i>Archives of Microbiology</i> , 2022 , 204, 155	3	
5	Cohnella pontilimi sp. nov., isolated from tidal-flat mud. <i>Archives of Microbiology</i> , 2021 , 203, 2445-2451	3	
4	Spirosoma metallum sp. nov., isolated from an automobile air conditioning system. <i>Archives of Microbiology</i> , 2018 , 200, 91-96	3	
3	Pseudopontivivens aestuariicola gen. nov., sp. nov., a Novel Bacterium of the Class Alphaproteobacteria Isolated from a Tidal Flat. <i>Current Microbiology</i> , 2018 , 75, 1516-1522	2.4	

2 *Snuella sedimenti* sp. nov., isolated from marine sediment. *Archives of Microbiology*, **2021**, 203, 5437-5443

1 *Marinobacterium arenosum* sp. nov., isolated from a coastal sand.. *Archives of Microbiology*, **2022**, 204, 276

3