

# Dale Godfrey

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3836807/publications.pdf>

Version: 2024-02-01

272  
papers

34,897  
citations

2795

94  
h-index

3815

178  
g-index

306  
all docs

306  
docs citations

306  
times ranked

26078  
citing authors

#	ARTICLE	IF	CITATIONS
1	MR1 presents microbial vitamin B metabolites to MAIT cells. <i>Nature</i> , 2012, 491, 717-723.	13.7	1,158
2	NKT cells: what's in a name?. <i>Nature Reviews Immunology</i> , 2004, 4, 231-237.	10.6	1,097
3	NKT cells: facts, functions and fallacies. <i>Trends in Immunology</i> , 2000, 21, 573-583.	7.5	771
4	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019, 49, 1457-1973.	1.6	766
5	Hobit and Blimp1 instruct a universal transcriptional program of tissue residency in lymphocytes. <i>Science</i> , 2016, 352, 459-463.	6.0	721
6	Differential Tumor Surveillance by Natural Killer (Nk) and Nkt Cells. <i>Journal of Experimental Medicine</i> , 2000, 191, 661-668.	4.2	720
7	BH3-only Bcl-2 family member Bim is required for apoptosis of autoreactive thymocytes. <i>Nature</i> , 2002, 415, 922-926.	13.7	713
8	Going both ways: Immune regulation via CD1d-dependent NKT cells. <i>Journal of Clinical Investigation</i> , 2004, 114, 1379-1388.	3.9	673
9	IL-21 regulates germinal center B cell differentiation and proliferation through a B cell-intrinsic mechanism. <i>Journal of Experimental Medicine</i> , 2010, 207, 365-378.	4.2	661
10	The burgeoning family of unconventional T cells. <i>Nature Immunology</i> , 2015, 16, 1114-1123.	7.0	655
11	A fresh look at tumor immunosurveillance and immunotherapy. <i>Nature Immunology</i> , 2001, 2, 293-299.	7.0	650
12	T Cell Antigen Receptor Recognition of Antigen-Presenting Molecules. <i>Annual Review of Immunology</i> , 2015, 33, 169-200.	9.5	603
13	Raising the NKT cell family. <i>Nature Immunology</i> , 2010, 11, 197-206.	7.0	573
14	A developmental pathway involving four phenotypically and functionally distinct subsets of CD3-CD4-CD8- triple-negative adult mouse thymocytes defined by CD44 and CD25 expression. <i>Journal of Immunology</i> , 1993, 150, 4244-52.	0.4	560
15	CD1d-lipid-antigen recognition by the semi-invariant NKT T-cell receptor. <i>Nature</i> , 2007, 448, 44-49.	13.7	533
16	Antigen-loaded MR1 tetramers define T cell receptor heterogeneity in mucosal-associated invariant T cells. <i>Journal of Experimental Medicine</i> , 2013, 210, 2305-2320.	4.2	516
17	Perforin-Mediated Cytotoxicity Is Critical for Surveillance of Spontaneous Lymphoma. <i>Journal of Experimental Medicine</i> , 2000, 192, 755-760.	4.2	481
18	Î±Î² T Cell Receptor (TCR)+CD4 <sup>+</sup> CD8 <sup>-</sup> (NKT) Thymocytes Prevent Insulin-dependent Diabetes Mellitus in Nonobese Diabetic (NOD)/Lt Mice by the Influence of Interleukin (IL)-4 and/or IL-10. <i>Journal of Experimental Medicine</i> , 1998, 187, 1047-1056.	4.2	441

#	ARTICLE	IF	CITATIONS
19	The thymic microenvironment. <i>Trends in Immunology</i> , 1993, 14, 445-459.	7.5	430
20	Diverse cytokine production by NKT cell subsets and identification of an IL-17 <sup>+</sup> producing CD4 <sup>+</sup> NK1.1 <sup>+</sup> NKT cell population. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 11287-11292.	3.3	410
21	Humoral and circulating follicular helper T cell responses in recovered patients with COVID-19. <i>Nature Medicine</i> , 2020, 26, 1428-1434.	15.2	400
22	Going both ways: Immune regulation via CD1d-dependent NKT cells. <i>Journal of Clinical Investigation</i> , 2004, 114, 1379-1388.	3.9	400
23	Control points in early T-cell development. <i>Trends in Immunology</i> , 1993, 14, 547-553.	7.5	394
24	Recognition of CD1d-restricted antigens by natural killer T cells. <i>Nature Reviews Immunology</i> , 2012, 12, 845-857.	10.6	382
25	NK cells and NKT cells collaborate in host protection from methylcholanthrene-induced fibrosarcoma. <i>International Immunology</i> , 2001, 13, 459-463.	1.8	365
26	The biology and functional importance of MAIT cells. <i>Nature Immunology</i> , 2019, 20, 1110-1128.	7.0	364
27	Sequential production of interferon- $\gamma$ by NK1.1 <sup>+</sup> T cells and natural killer cells is essential for the antimetastatic effect of $\alpha$ -galactosylceramide. <i>Blood</i> , 2002, 99, 1259-1266.	0.6	362
28	CD4 <sup>+</sup> CD25 <sup>+</sup> T Regulatory Cells Suppress NK Cell-Mediated Immunotherapy of Cancer. <i>Journal of Immunology</i> , 2006, 176, 1582-1587.	0.4	362
29	Differential antitumor immunity mediated by NKT cell subsets in vivo. <i>Journal of Experimental Medicine</i> , 2005, 202, 1279-1288.	4.2	349
30	Identification of phenotypically and functionally heterogeneous mouse mucosal-associated invariant T cells using MR1 tetramers. <i>Journal of Experimental Medicine</i> , 2015, 212, 1095-1108.	4.2	348
31	Liver-Resident Memory CD8 <sup>+</sup> T Cells Form a Front-Line Defense against Malaria Liver-Stage Infection. <i>Immunity</i> , 2016, 45, 889-902.	6.6	341
32	IL-21 Is Produced by NKT Cells and Modulates NKT Cell Activation and Cytokine Production. <i>Journal of Immunology</i> , 2007, 178, 2827-2834.	0.4	338
33	A Natural Killer T (NKT) Cell Developmental Pathway Involving a Thymus-dependent NK1.1 <sup>+</sup> CD4 <sup>+</sup> CD1d-dependent Precursor Stage. <i>Journal of Experimental Medicine</i> , 2002, 195, 835-844.	4.2	332
34	A Critical Role for Natural Killer T Cells in Immunosurveillance of Methylcholanthrene-induced Sarcomas. <i>Journal of Experimental Medicine</i> , 2002, 196, 119-127.	4.2	322
35	Induction of tumor-specific T cell memory by NK cell-mediated tumor rejection. <i>Nature Immunology</i> , 2002, 3, 83-90.	7.0	319
36	Regulatory iNKT cells lack expression of the transcription factor PLZF and control the homeostasis of Treg cells and macrophages in adipose tissue. <i>Nature Immunology</i> , 2015, 16, 85-95.	7.0	315

#	ARTICLE	IF	CITATIONS
37	A three-stage intrathymic development pathway for the mucosal-associated invariant T cell lineage. <i>Nature Immunology</i> , 2016, 17, 1300-1311.	7.0	288
38	Butyrophilin 2A1 is essential for phosphoantigen reactivity by $\gamma\delta$ T cells. <i>Science</i> , 2020, 367, .	6.0	275
39	Glycolipid Antigen Drives Rapid Expansion and Sustained Cytokine Production by NK T Cells. <i>Journal of Immunology</i> , 2003, 171, 4020-4027.	0.4	273
40	NKT cells â€” conductors of tumor immunity?. <i>Current Opinion in Immunology</i> , 2002, 14, 165-171.	2.4	270
41	Control points in NKT-cell development. <i>Nature Reviews Immunology</i> , 2007, 7, 505-518.	10.6	265
42	A nonclassical non- $\alpha$ 14 $\beta$ 18 CD1d-restricted (type II) NKT cell is sufficient for down-regulation of tumor immunosurveillance. <i>Journal of Experimental Medicine</i> , 2005, 202, 1627-1633.	4.2	262
43	CD1d-lipid antigen recognition by the $\gamma\delta$ TCR. <i>Nature Immunology</i> , 2013, 14, 1137-1145.	7.0	256
44	$\gamma\delta$ T cells producing interleukin-17A regulate adipose regulatory T cell homeostasis and thermogenesis. <i>Nature Immunology</i> , 2018, 19, 464-474.	7.0	255
45	Association Between $\alpha$ 14 $\beta$ 18 TCR+CD4 $\alpha$ CD8 $\alpha$ T-Cell Deficiency and IDDM in NOD/Lt Mice. <i>Diabetes</i> , 1997, 46, 572-582.	0.3	250
46	Identification of Bcl-6-dependent follicular helper NKT cells that provide cognate help for B cell responses. <i>Nature Immunology</i> , 2012, 13, 35-43.	7.0	249
47	A molecular basis underpinning the T cell receptor heterogeneity of mucosal-associated invariant T cells. <i>Journal of Experimental Medicine</i> , 2014, 211, 1585-1600.	4.2	245
48	Unconventional T Cell Targets for Cancer Immunotherapy. <i>Immunity</i> , 2018, 48, 453-473.	6.6	242
49	Innate Immune Surveillance of Spontaneous B Cell Lymphomas by Natural Killer Cells and $\gamma\delta$ T Cells. <i>Journal of Experimental Medicine</i> , 2004, 199, 879-884.	4.2	227
50	NKT cells are phenotypically and functionally diverse. <i>European Journal of Immunology</i> , 1999, 29, 3768-3781.	1.6	224
51	Mucosal-associated invariant T-cell activation and accumulation after in vivo infection depends on microbial riboflavin synthesis and co-stimulatory signals. <i>Mucosal Immunology</i> , 2017, 10, 58-68.	2.7	216
52	Human blood MAIT cell subsets defined using MR1 tetramers. <i>Immunology and Cell Biology</i> , 2018, 96, 507-525.	1.0	205
53	Alternative cross-priming through CCL17-CCR4-mediated attraction of CTLs toward NKT cellâ€”licensed DCs. <i>Nature Immunology</i> , 2010, 11, 313-320.	7.0	204
54	CD1d-Restricted NKT Cells: An Interstrain Comparison. <i>Journal of Immunology</i> , 2001, 167, 1164-1173.	0.4	200

#	ARTICLE	IF	CITATIONS
55	Differential Recognition of CD1d-Î±-Galactosyl Ceramide by the VÎ²8.2 and VÎ²7 Semi-invariant NKT T Cell Receptors. <i>Immunity</i> , 2009, 31, 47-59.	6.6	198
56	T cell protein tyrosine phosphatase attenuates T cell signaling to maintain tolerance in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 4758-4774.	3.9	198
57	Guidelines for the use of flow cytometry and cell sorting in immunological studies (third edition). <i>European Journal of Immunology</i> , 2021, 51, 2708-3145.	1.6	198
58	NKT cells and tumor immunityâ€™a double-edged sword. <i>Nature Immunology</i> , 2000, 1, 459-460.	7.0	188
59	A conserved human T cell population targets mycobacterial antigens presented by CD1b. <i>Nature Immunology</i> , 2013, 14, 706-713.	7.0	187
60	MAIT cells protect against pulmonary <i>Legionella longbeachae</i> infection. <i>Nature Communications</i> , 2018, 9, 3350.	5.8	177
61	Drugs and drug-like molecules can modulate the function of mucosal-associated invariant T cells. <i>Nature Immunology</i> , 2017, 18, 402-411.	7.0	175
62	Thymic emigration: conveyor belts or lucky dips?. <i>Trends in Immunology</i> , 1995, 16, 268-273.	7.5	170
63	Diversity of T Cells Restricted by the MHC Class I-Related Molecule MR1 Facilitates Differential Antigen Recognition. <i>Immunity</i> , 2016, 44, 32-45.	6.6	169
64	NKT Cell Stimulation with Glycolipid Antigen In Vivo: Costimulation-Dependent Expansion, Bim-Dependent Contraction, and Hyporesponsiveness to Further Antigenic Challenge. <i>Journal of Immunology</i> , 2005, 175, 3092-3101.	0.4	163
65	MAIT cells contribute to protection against lethal influenza infection in vivo. <i>Nature Communications</i> , 2018, 9, 4706.	5.8	160
66	Structural insight into MR1-mediated recognition of the mucosal associated invariant T cell receptor. <i>Journal of Experimental Medicine</i> , 2012, 209, 761-774.	4.2	159
67	Sequential activation of NKT cells and NK cells provides effective innate immunotherapy of cancer. <i>Journal of Experimental Medicine</i> , 2005, 201, 1973-1985.	4.2	157
68	Suppressor of Cytokine Signaling-1 Is a Critical Regulator of Interleukin-7-Dependent CD8+ T Cell Differentiation. <i>Immunity</i> , 2003, 18, 475-487.	6.6	155
69	Cutting Edge: IL-21 Is Not Essential for Th17 Differentiation or Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2008, 180, 7097-7101.	0.4	154
70	A central role for thymic emigrants in peripheral T cell homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 9787-9791.	3.3	152
71	Phenotypic and functional characterization of c-kit expression during intrathymic T cell development. <i>Journal of Immunology</i> , 1992, 149, 2281-5.	0.4	143
72	Cytometric and functional analyses of NK and NKT cell deficiencies in NOD mice. <i>International Immunology</i> , 2001, 13, 887-896.	1.8	133

#	ARTICLE	IF	CITATIONS
73	Recognition of microbial and mammalian phospholipid antigens by NKT cells with diverse TCRs. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1827-1832.	3.3	129
74	Combined NKT cell activation and influenza virus vaccination boosts memory CTL generation and protective immunity. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 3330-3335.	3.3	123
75	Recognition of Vitamin B Precursors and Byproducts by Mucosal Associated Invariant T Cells. Journal of Biological Chemistry, 2015, 290, 30204-30211.	1.6	123
76	Cytokine production by mature and immature CD4-CD8- T cells. Alpha beta-T cell receptor+ CD4-CD8- T cells produce IL-4. Journal of Immunology, 1992, 149, 1211-5.	0.4	123
77	Lipid and small-molecule display by CD1 and MR1. Nature Reviews Immunology, 2015, 15, 643-654.	10.6	120
78	A Molecular Basis for NKT Cell Recognition of CD1d-Self-Antigen. Immunity, 2011, 34, 315-326.	6.6	118
79	T cell receptor reversed polarity recognition of a self-antigen major histocompatibility complex. Nature Immunology, 2015, 16, 1153-1161.	7.0	115
80	Integrated immune dynamics define correlates of COVID-19 severity and antibody responses. Cell Reports Medicine, 2021, 2, 100208.	3.3	115
81	NKT cell-dependent leukemia eradication following stem cell mobilization with potent G-CSF analogs. Journal of Clinical Investigation, 2005, 115, 3093-3103.	3.9	114
82	$\hat{I}\pm\hat{I}^2$ T cell antigen receptor recognition of CD1a presenting self lipid ligands. Nature Immunology, 2015, 16, 258-266.	7.0	112
83	Recognition of $\hat{I}^2$ -linked self glycolipids mediated by natural killer T cell antigen receptors. Nature Immunology, 2011, 12, 827-833.	7.0	111
84	Nanobody cocktails potently neutralize SARS-CoV-2 D614G N501Y variant and protect mice. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	3.3	109
85	A Molecular Basis for the Exquisite CD1d-Restricted Antigen Specificity and Functional Responses of Natural Killer T Cells. Immunity, 2011, 34, 327-339.	6.6	107
86	Intrathymic T Cell Development and Selection Proceeds Normally in the Absence of Glucocorticoid Receptor Signaling. Immunity, 2000, 13, 179-186.	6.6	106
87	Recognition of CD1d-sulfatide mediated by a type II natural killer T cell antigen receptor. Nature Immunology, 2012, 13, 857-863.	7.0	106
88	The Influence of CD1d in Postselection NKT Cell Maturation and Homeostasis. Journal of Immunology, 2005, 175, 3762-3768.	0.4	105
89	A structural basis for selection and cross-species reactivity of the semi-invariant NKT cell receptor in CD1d/glycolipid recognition. Journal of Experimental Medicine, 2006, 203, 661-673.	4.2	105
90	Recent thymic emigrants are distinct from most medullary thymocytes. European Journal of Immunology, 1997, 27, 2010-2015.	1.6	104

#	ARTICLE	IF	CITATIONS
91	Humans Lack iGb3 Due to the Absence of Functional iGb3-Synthase: Implications for NKT Cell Development and Transplantation. PLoS Biology, 2008, 6, e172.	2.6	102
92	Thymic regeneration: teaching an old immune system new tricks. Trends in Molecular Medicine, 2002, 8, 469-476.	3.5	101
93	Limited correlation between human thymus and blood NKT?cell content revealed by an ontogeny study of paired tissue samples. European Journal of Immunology, 2005, 35, 1399-1407.	1.6	100
94	Antigen recognition by CD1d-restricted NKT T cell receptors. Seminars in Immunology, 2010, 22, 61-67.	2.7	100
95	Type I natural killer T cells suppress tumors caused by p53 loss in mice. Blood, 2009, 113, 6382-6385.	0.6	99
96	A class of Î³Î³ T cell receptors recognize the underside of the antigen-presenting molecule MR1. Science, 2019, 366, 1522-1527.	6.0	98
97	Flow Cytometric Study of T Cell Development in NOD Mice Reveals a Deficiency in Î±Î²TCR+CD4âˆ™CD8âˆ™Thymocytes. Journal of Autoimmunity, 1997, 10, 279-285.	3.0	97
98	A semi-invariant VÎ±10+ T cell antigen receptor defines a population of natural killer T cells with distinct glycolipid antigenâ€“recognition properties. Nature Immunology, 2011, 12, 616-623.	7.0	97
99	Long-Term Retention of Mature NK1.1+ NKT Cells in the Thymus. Journal of Immunology, 2006, 176, 4059-4065.	0.4	95
100	The Fidelity, Occasional Promiscuity, and Versatility of T Cell Receptor Recognition. Immunity, 2008, 28, 304-314.	6.6	92
101	T Cell Receptor CDR2Î² and CDR3Î² Loops Collaborate Functionally to Shape the iNKT Cell Repertoire. Immunity, 2009, 31, 60-71.	6.6	90
102	MAIT cells are depleted early but retain functional cytokine expression in HIV infection. Immunology and Cell Biology, 2015, 93, 177-188.	1.0	90
103	A cell line that can induce thymocyte positive selection. Nature, 1992, 360, 679-682.	13.7	87
104	Human autoreactive T cells recognize CD1b and phospholipids. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 380-385.	3.3	85
105	A minimal binding footprint on CD1d-glycolipid is a basis for selection of the unique human NKT TCR. Journal of Experimental Medicine, 2008, 205, 939-949.	4.2	83
106	Genetic Control of NKT Cell Numbers Maps to Major Diabetes and Lupus Loci. Journal of Immunology, 2003, 171, 2873-2878.	0.4	82
107	Natural Killer T cell obsession with self-antigens. Current Opinion in Immunology, 2013, 25, 168-173.	2.4	82
108	GRKO mice express an aberrant dexamethasone-binding glucocorticoid receptor, but are profoundly glucocorticoid resistant. Molecular and Cellular Endocrinology, 2001, 173, 193-202.	1.6	81

#	ARTICLE	IF	CITATIONS
109	The phenotypic heterogeneity of mouse thymic stromal cells. <i>Immunology</i> , 1990, 70, 66-74.	2.0	80
110	Enumeration, functional responses and cytotoxic capacity of MAIT cells in newly diagnosed and relapsed multiple myeloma. <i>Scientific Reports</i> , 2018, 8, 4159.	1.6	79
111	CD8 <sup>+</sup> T Cell Activation Leads to Constitutive Formation of Liver Tissue-Resident Memory T Cells that Seed a Large and Flexible Niche in the Liver. <i>Cell Reports</i> , 2018, 25, 68-79.e4.	2.9	79
112	Expression of the Glucocorticoid Receptor from the 1A Promoter Correlates with T Lymphocyte Sensitivity to Glucocorticoid-Induced Cell Death. <i>Journal of Immunology</i> , 2004, 173, 3816-3824.	0.4	77
113	Discordant Regulation of Granzyme H and Granzyme B Expression in Human Lymphocytes. <i>Journal of Biological Chemistry</i> , 2004, 279, 26581-26587.	1.6	75
114	A divergent transcriptional landscape underpins the development and functional branching of MAIT cells. <i>Science Immunology</i> , 2019, 4, .	5.6	75
115	Galactosylceramide: Potential Immunomodulatory Activity and Future Application [General Articles]. <i>Current Medicinal Chemistry</i> , 2004, 11, 241-252.	1.2	74
116	Diverse MR1-restricted T cells in mice and humans. <i>Nature Communications</i> , 2019, 10, 2243.	5.8	74
117	A non-canonical function of Ezh2 preserves immune homeostasis. <i>EMBO Reports</i> , 2017, 18, 619-631.	2.0	73
118	Normal Thymocyte Negative Selection in TRAIL-deficient Mice. <i>Journal of Experimental Medicine</i> , 2003, 198, 491-496.	4.2	71
119	Negative selection of semimature CD4 <sup>+</sup> 8-HSA <sup>+</sup> thymocytes requires the BH3-only protein Bim but is independent of death receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 7052-7057.	3.3	71
120	Suppressor of Cytokine Signaling-1 Has IFN- $\gamma$ -Independent Actions in T Cell Homeostasis. <i>Journal of Immunology</i> , 2003, 170, 878-886.	0.4	70
121	Association between alpha $\beta$ TCR <sup>+</sup> CD4 <sup>+</sup> CD8 <sup>-</sup> T-cell deficiency and IDDM in NOD/Lt mice. <i>Diabetes</i> , 1997, 46, 572-582.	0.3	70
122	The structural basis for autonomous dimerization of the pre-T-cell antigen receptor. <i>Nature</i> , 2010, 467, 844-848.	13.7	68
123	DOCK8 is critical for the survival and function of NKT cells. <i>Blood</i> , 2013, 122, 2052-2061.	0.6	68
124	IL-17-producing NKT cells depend exclusively on IL-7 for homeostasis and survival. <i>Mucosal Immunology</i> , 2014, 7, 1058-1067.	2.7	68
125	CD3 <sup>bright</sup> signals on $\gamma\delta$ T cells identify IL-7A $\beta$ -producing V $\beta$ 6V $\delta$ 1 <sup>+</sup> T cells. <i>Immunology and Cell Biology</i> , 2015, 93, 198-212.	1.0	68
126	NKT cells: Potential targets for autoimmune disease therapy?. <i>Tissue Antigens</i> , 2002, 59, 353-363.	1.0	67



#	ARTICLE	IF	CITATIONS
127	Functional Analysis of Granzyme M and Its Role in Immunity to Infection. <i>Journal of Immunology</i> , 2005, 175, 3235-3243.	0.4	66
128	CD1-Restricted T Cells and Tumor Immunity. , 2007, 314, 293-323.		66
129	Induction of natural killer T cell–dependent alloreactivity by administration of granulocyte colony–stimulating factor after bone marrow transplantation. <i>Nature Medicine</i> , 2009, 15, 436-441.	15.2	64
130	TCR Bias and Affinity Define Two Compartments of the CD1–Glycolipid-Specific T Cell Repertoire. <i>Journal of Immunology</i> , 2014, 192, 4054-4060.	0.4	64
131	NKT TCR Recognition of CD1d–Galactosylceramide. <i>Journal of Immunology</i> , 2011, 187, 4705-4713.	0.4	62
132	Thymic T cell export is not influenced by the peripheral T cell pool. <i>European Journal of Immunology</i> , 1997, 27, 2986-2993.	1.6	61
133	Peripheral NK1.1+ NKT Cells Are Mature and Functionally Distinct from Their Thymic Counterparts. <i>Journal of Immunology</i> , 2007, 179, 6630-6637.	0.4	60
134	An overview on the identification of MAIT cell antigens. <i>Immunology and Cell Biology</i> , 2018, 96, 573-587.	1.0	60
135	Intrathymic NKT cell development is blocked by the presence of –galactosylceramide. <i>European Journal of Immunology</i> , 2003, 33, 1816-1823.	1.6	56
136	Invariant NKT Cells in Hyperplastic Skin Induce a Local Immune Suppressive Environment by IFN– $\gamma$ Production. <i>Journal of Immunology</i> , 2010, 184, 1242-1250.	0.4	56
137	IL-12 influences intrathymic T cell development. <i>Journal of Immunology</i> , 1994, 152, 2729-35.	0.4	55
138	Regulation of antitumour immunity by CD1d-restricted NKT cells. <i>Immunology and Cell Biology</i> , 2004, 82, 323-331.	1.0	54
139	Activation of Invariant NKT Cells Exacerbates Experimental Visceral Leishmaniasis. <i>PLoS Pathogens</i> , 2008, 4, e1000028.	2.1	53
140	The molecular bases of – $\gamma$ – $\gamma$ 2 T cell–mediated antigen recognition. <i>Journal of Experimental Medicine</i> , 2014, 211, 2599-2615.	4.2	52
141	T cell autoreactivity directed toward CD1c itself rather than toward carried self lipids. <i>Nature Immunology</i> , 2018, 19, 397-406.	7.0	52
142	Ex-vivo analysis of human Natural Killer T cells demonstrates heterogeneity between tissues and within established CD4+ and CD4+ subsets. <i>Clinical and Experimental Immunology</i> , 2013, 172, 129-137.	1.1	51
143	Systemic NKT cell deficiency in NOD mice is not detected in peripheral blood: implications for human studies. <i>Immunology and Cell Biology</i> , 2004, 82, 247-252.	1.0	49
144	TCF-1 limits the formation of Tc17 cells via repression of the MAF–ROR–t axis. <i>Journal of Experimental Medicine</i> , 2019, 216, 1682-1699.	4.2	48

#	ARTICLE	IF	CITATIONS
145	Stress-free T-cell development: glucocorticoids are not obligatory. <i>Trends in Immunology</i> , 2000, 21, 606-611.	7.5	47
146	Linear ubiquitin chain assembly complex coordinates late thymic T-cell differentiation and regulatory T-cell homeostasis. <i>Nature Communications</i> , 2016, 7, 13353.	5.8	47
147	Chronically stimulated human MAIT cells are unexpectedly potent IL-13 producers. <i>Immunology and Cell Biology</i> , 2019, 97, 689-699.	1.0	47
148	Adaptability of the semi-invariant natural killer T-cell receptor towards structurally diverse CD1d-restricted ligands. <i>EMBO Journal</i> , 2009, 28, 3579-3590.	3.5	45
149	MAIT cells regulate NK cell-mediated tumor immunity. <i>Nature Communications</i> , 2021, 12, 4746.	5.8	45
150	Glycolipid-peptide vaccination induces liver-resident memory CD8 <sup>+</sup> T cells that protect against rodent malaria. <i>Science Immunology</i> , 2020, 5, .	5.6	43
151	Antigen-induced tolerance by intrathymic modulation of self-recognizing inhibitory receptors. <i>Nature Immunology</i> , 2004, 5, 590-596.	7.0	42
152	CD1d antigen presentation: treats for NKT cells. <i>Nature Immunology</i> , 2005, 6, 754-756.	7.0	42
153	Development of mucosal-associated invariant T cells. <i>Immunology and Cell Biology</i> , 2018, 96, 598-606.	1.0	42
154	Infrared Based Saliva Screening Test for COVID-19. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 17102-17107.	7.2	42
155	Glucocorticoid receptor deficient thymic and peripheral T cells develop normally in adult mice. <i>European Journal of Immunology</i> , 2002, 32, 3546-3555.	1.6	41
156	Parallels and distinctions between T and NKT cell development in the thymus. <i>Immunology and Cell Biology</i> , 2004, 82, 269-275.	1.0	41
157	Working with NKT cells – pitfalls and practicalities. <i>Current Opinion in Immunology</i> , 2005, 17, 448-454.	2.4	40
158	Perforin-mediated suppression of B-cell lymphoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 2723-2728.	3.3	40
159	Identification of a Potent Microbial Lipid Antigen for Diverse NKT Cells. <i>Journal of Immunology</i> , 2015, 195, 2540-2551.	0.4	40
160	Structural determination of lipid antigens captured at the CD1d-T-cell receptor interface. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 8348-8353.	3.3	40
161	DX5/CD49b-Positive T Cells Are Not Synonymous with CD1d-Dependent NKT Cells. <i>Journal of Immunology</i> , 2005, 175, 4416-4425.	0.4	39
162	TCR-mediated activation promotes GITR upregulation in T cells and resistance to glucocorticoid-induced death. <i>International Immunology</i> , 2004, 16, 1315-1321.	1.8	38

#	ARTICLE	IF	CITATIONS
163	PTPN2 regulates T cell lineage commitment and $\hat{1}\hat{2}$ versus $\hat{3}\hat{1}$ specification. Journal of Experimental Medicine, 2017, 214, 2733-2758.	4.2	38
164	Differential surface phenotype and contextâ€dependent reactivity of functionally diverse NKT cells. Immunology and Cell Biology, 2018, 96, 759-771.	1.0	38
165	NKT cells are not critical for HSVâ€1 disease resolution. Immunology and Cell Biology, 2006, 84, 13-19.	1.0	37
166	ZBTB7B (Th-POK) Regulates the Development of IL-17â€Producing CD1d-Restricted Mouse NKT Cells. Journal of Immunology, 2012, 189, 5240-5249.	0.4	37
167	Peripheral NKT Cells in Simian Immunodeficiency Virus-Infected Macaques. Journal of Virology, 2009, 83, 1617-1624.	1.5	36
168	Testing the NKT cell hypothesis in lenalidomide-treated myelodysplastic syndrome patients. Leukemia, 2010, 24, 592-600.	3.3	36
169	VÎ2 natural killer T cell antigen receptor-mediated recognition of CD1d-glycolipid antigen. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 19007-19012.	3.3	36
170	Antigen Specificity of Type I NKT Cells Is Governed by TCR $\hat{2}$ -Chain Diversity. Journal of Immunology, 2015, 195, 4604-4614.	0.4	36
171	Human Mucosal-Associated Invariant T Cells in Older Individuals Display Expanded TCR $\hat{1}\hat{2}$ Clonotypes with Potent Antimicrobial Responses. Journal of Immunology, 2020, 204, 1119-1133.	0.4	36
172	Natural killer T cell defects in multiple myeloma and the impact of lenalidomide therapy. Clinical and Experimental Immunology, 2013, 175, 49-58.	1.1	35
173	CD38 expression on mouse T cells: CD38 defines functionally distinct subsets of $\hat{1}\hat{2}$ TCR+CD4â€CD8â€thymocytes. International Immunology, 1995, 7, 213-221.	1.8	34
174	Human and Mouse Type I Natural Killer T Cell Antigen Receptors Exhibit Different Fine Specificities for CD1d-Antigen Complex. Journal of Biological Chemistry, 2012, 287, 39139-39148.	1.6	34
175	Effective functional maturation of invariant natural killer T cells is constrained by negative selection and T-cell antigen receptor affinity. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E119-28.	3.3	34
176	NKT cell depletion in humans during early HIV infection. Immunology and Cell Biology, 2014, 92, 578-590.	1.0	34
177	Atypical natural killer T-cell receptor recognition of CD1dâ€lipid antigens. Nature Communications, 2016, 7, 10570.	5.8	34
178	Strain-Dependent Differences in Bone Development, Myeloid Hyperplasia, Morbidity and Mortality in Ptpn2-Deficient Mice. PLoS ONE, 2012, 7, e36703.	1.1	33
179	Simultaneous evaluation of antibodies that inhibit SARS-CoV-2 variants via multiplex assay. JCI Insight, 2021, 6, .	2.3	33
180	Congenic Analysis of the NKT Cell Control Gene <i>Nkt2</i> Implicates the Peroxisomal Protein Pxmp4. Journal of Immunology, 2008, 181, 3400-3412.	0.4	32

#	ARTICLE	IF	CITATIONS
181	The Elusive NKT Cell Antigen—Is the Search Over?. <i>Science</i> , 2004, 306, 1687-1689.	6.0	31
182	The Diverse Family of MR1-Restricted T Cells. <i>Journal of Immunology</i> , 2018, 201, 2862-2871.	0.4	31
183	Cysteine and hydrophobic residues in CDR3 serve as distinct T-cell self-reactivity indices. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 333-336.	1.5	31
184	A point-of-care lateral flow assay for neutralising antibodies against SARS-CoV-2. <i>EBioMedicine</i> , 2021, 74, 103729.	2.7	29
185	Without peripheral interference, thymic deletion is mediated in a cohort of double-positive cells without classical activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 1197-1202.	3.3	27
186	Augmenting Influenza-Specific T Cell Memory Generation with a Natural Killer T Cell-Dependent Glycolipid–Peptide Vaccine. <i>ACS Chemical Biology</i> , 2017, 12, 2898-2905.	1.6	27
187	Dual Modifications of $\alpha$ -Galactosylceramide Synergize to Promote Activation of Human Invariant Natural Killer T Cells and Stimulate Anti-tumor Immunity. <i>Cell Chemical Biology</i> , 2018, 25, 571-584.e8.	2.5	27
188	Chewing the fat on natural killer T cell development. <i>Journal of Experimental Medicine</i> , 2006, 203, 2229-2232.	4.2	26
189	Immune characterization of an individual with an exceptionally high natural killer T cell frequency and her immediate family. <i>Clinical and Experimental Immunology</i> , 2009, 156, 238-245.	1.1	25
190	Temporal Regulation of Natural Killer T Cell Interferon Gamma Responses by $\beta$ -Catenin-Dependent and -Independent Wnt Signaling. <i>Frontiers in Immunology</i> , 2018, 9, 483.	2.2	25
191	Influenza, but not SARS-CoV-2, infection induces a rapid interferon response that wanes with age and diminished tissue-resident memory CD8 <sup>+</sup> T cells. <i>Clinical and Translational Immunology</i> , 2021, 10, e1242.	1.7	25
192	Expression and Functional Analysis of Murine B7 Delineated by a Novel Monoclonal Antibody. <i>Cellular Immunology</i> , 1994, 153, 298-311.	1.4	24
193	CD1d protein structure determines species-selective antigenicity of isoglobotrihexosylceramide (iGb3) to invariant NKT cells. <i>European Journal of Immunology</i> , 2013, 43, 815-825.	1.6	24
194	Distinct roles in NKT cell maturation and function for the different transcription factors in the classical NF- $\kappa$ B pathway. <i>Immunology and Cell Biology</i> , 2011, 89, 294-303.	1.0	23
195	CD1b Tetramers Identify T Cells that Recognize Natural and Synthetic Diacylated Sulfoglycolipids from <i>Mycobacterium tuberculosis</i> . <i>Cell Chemical Biology</i> , 2018, 25, 392-402.e14.	2.5	23
196	$\gamma$ T Cells in Merkel Cell Carcinomas Have a Proinflammatory Profile Prognostic of Patient Survival. <i>Cancer Immunology Research</i> , 2021, 9, 612-623.	1.6	22
197	Recognition of the antigen-presenting molecule MR1 by a $\gamma$ T cell receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	22
198	The NF- $\kappa$ B1 transcription factor prevents the intrathymic development of CD8 T cells with memory properties. <i>EMBO Journal</i> , 2012, 31, 692-706.	3.5	21

#	ARTICLE	IF	CITATIONS
199	Ex-vivo Î±-Galactosylceramide activation of NKT cells in humans and macaques. <i>Journal of Immunological Methods</i> , 2012, 382, 150-159.	0.6	21
200	Nfil3 Is a Glucocorticoid-Regulated Gene Required for Glucocorticoid-Induced Apoptosis in Male Murine T Cells. <i>Endocrinology</i> , 2013, 154, 1540-1552.	1.4	21
201	Spontaneous onset and transplant models of the VÎ±*MYC mouse show immunological sequelae comparable to human multiple myeloma. <i>Journal of Translational Medicine</i> , 2016, 14, 259.	1.8	21
202	A single-domain bispecific antibody targeting CD1d and the NKT T-cell receptor induces a potent antitumor response. <i>Nature Cancer</i> , 2020, 1, 1054-1065.	5.7	21
203	SARS-CoV-2 infection results in immune responses in the respiratory tract and peripheral blood that suggest mechanisms of disease severity. <i>Nature Communications</i> , 2022, 13, 2774.	5.8	21
204	Divergent <sc>SATB</sc>1 expression across human life span and tissue compartments. <i>Immunology and Cell Biology</i> , 2019, 97, 498-511.	1.0	20
205	ER-MP12 antigen, a new cell surface marker on mouse bone marrow cells with thymus-repopulating ability: II. Thymus-homing ability and phenotypic characterization of ER-MP12-positive bone marrow cells. <i>International Immunology</i> , 1993, 5, 1099-1107.	1.8	19
206	Regulation of antitumour immunity by CD1d-restricted NKT cells. <i>Immunology and Cell Biology</i> , 2004, 82, 323-331.	1.0	19
207	IL-21 Modulates Activation of NKT Cells in Patients with Stage IV Malignant Melanoma. <i>Clinical and Translational Immunology</i> , 2013, 2, e6.	1.7	19
208	MAIT and VÎ±2 unconventional T cells are supported by a diverse intestinal microbiome and correlate with favorable patient outcome after allogeneic HCT. <i>Science Translational Medicine</i> , 2022, 14, .	5.8	19
209	Endogenous IL-21 Restricts CD8+ T Cell Expansion and Is not Required for Tumor Immunity. <i>Journal of Immunology</i> , 2009, 183, 7326-7336.	0.4	18
210	Immune recognition of phosphoantigen-Î±butyrophilin molecular complexes by Î±Î± T cells. <i>Immunological Reviews</i> , 2020, 298, 74-83.	2.8	18
211	Increased Thymic B Cells but Maintenance of Thymic Structure, T Cell Differentiation and Negative Selection in Lymphotoxin-Î± and TNF Gene-Targeted Mice. <i>Autoimmunity</i> , 2000, 8, 61-74.	0.6	17
212	Distinct CD1d docking strategies exhibited by diverse Type II NKT cell receptors. <i>Nature Communications</i> , 2019, 10, 5242.	5.8	17
213	Flow cytometric analysis reveals unexpected shared antigens between histologically defined populations of thymic stromal cells. <i>International Immunology</i> , 1994, 6, 31-39.	1.8	16
214	Natural killer T cells are targets for human immunodeficiency virus infection. <i>Immunology</i> , 2003, 108, 1-2.	2.0	16
215	Rapid loss of group 1 innate lymphoid cells during blood stage Plasmodium infection. <i>Clinical and Translational Immunology</i> , 2018, 7, e1003.	1.7	16
216	Five novel antigens illustrate shared phenotype between mouse thymic stromal cells, thymocytes, and peripheral lymphocytes. <i>International Immunology</i> , 1992, 4, 1021-1030.	1.8	15

#	ARTICLE	IF	CITATIONS
217	Localization of Idd11 Is Not Associated With Thymus and NKT Cell Abnormalities in NOD Mice. <i>Diabetes</i> , 2005, 54, 3453-3457.	0.3	15
218	Antigen Challenge Inhibits Thymic Emigration. <i>Journal of Immunology</i> , 2006, 176, 4553-4561.	0.4	15
219	Infrared Based Saliva Screening Test for COVID-19. <i>Angewandte Chemie</i> , 2021, 133, 17239-17244.	1.6	15
220	NKT cell development in the absence of the autoimmune regulator gene (Aire). <i>European Journal of Immunology</i> , 2008, 38, 2689-2696.	1.6	14
221	<i>In-vivo</i> stimulation of macaque natural killer T cells with $\beta$ -galactosylceramide. <i>Clinical and Experimental Immunology</i> , 2013, 173, 480-492.	1.1	14
222	Thymic Stromal Elements Defined by M.Abs: Ontogeny, and Modulation in Vivo By Immunosuppression. <i>Advances in Experimental Medicine and Biology</i> , 1988, 237, 269-275.	0.8	14
223	Antibody responses to glycolipid-borne carbohydrates require CD4 <sup>+</sup> T cells but not CD1 or NKT cells. <i>Immunology and Cell Biology</i> , 2011, 89, 502-510.	1.0	13
224	Total Synthesis of <i>Mycobacterium tuberculosis</i> Dideoxymycobactin <sub>838</sub> and Stereoisomers: Diverse CD1a-Restricted T Cells Display a Common Hierarchy of Lipopeptide Recognition. <i>Chemistry - A European Journal</i> , 2017, 23, 1694-1701.	1.7	13
225	Characterization and Purification of Mouse Mucosal-Associated Invariant T (MAIT) Cells. <i>Current Protocols in Immunology</i> , 2019, 127, e89.	3.6	12
226	Characterization of Human Mucosal-Associated Invariant T (MAIT) Cells. <i>Current Protocols in Immunology</i> , 2019, 127, e90.	3.6	11
227	$\beta$ -Glucuronosyl and $\beta$ -glucosyl diacylglycerides, natural killer T cell-activating lipids from bacteria and fungi. <i>Chemical Science</i> , 2020, 11, 2161-2168.	3.7	11
228	Glucocorticoids and the thymus: the view from the middle of the road. <i>Trends in Immunology</i> , 2001, 22, 243.	2.9	10
229	No requirement for TRAIL in intrathymic negative selection. <i>International Immunology</i> , 2008, 20, 267-276.	1.8	10
230	Fighting infection with your MAITs. <i>Nature Immunology</i> , 2010, 11, 693-695.	7.0	10
231	NKT cells – an early warning system for HBV infection. <i>Nature Medicine</i> , 2012, 18, 1014-1016.	15.2	10
232	Enhancing T cell responses and tumour immunity by vaccination with peptides conjugated to a weak NKT cell agonist. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 1225-1237.	1.5	10
233	CD1b presents self and <i>Borrelia burgdorferi</i> diacylglycerols to human T cells. <i>European Journal of Immunology</i> , 2019, 49, 737-746.	1.6	10
234	Expression, purification and characterisation of recombinant <i>Escherichia coli</i> derived chicken interleukin-12. <i>Veterinary Immunology and Immunopathology</i> , 2008, 126, 403-406.	0.5	9

#	ARTICLE	IF	CITATIONS
235	Differential Requirement for the CD45 Splicing Regulator hnRNPLL for Accumulation of NKT and Conventional T Cells. <i>PLoS ONE</i> , 2011, 6, e26440.	1.1	9
236	Are NKT cells a useful predictor of COVID-19 severity?. <i>Immunity</i> , 2022, 55, 185-187.	6.6	9
237	Benzofuran sulfonates and small self-lipid antigens activate type II NKT cells via CD1d. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	8
238	A Complementary Union of SARS-CoV2 Natural and Vaccine Induced Immune Responses. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	8
239	The Effect of Antigen Stimulation on the Migration of Mature T Cells from the Peripheral Lymphoid Tissues to the Thymus. <i>Autoimmunity</i> , 2001, 8, 123-131.	0.6	7
240	Lymphotoxin controls $\alpha E \beta 7$ integrin expression by peripheral CD8 + T cells. <i>Immunology and Cell Biology</i> , 2001, 79, 323-331.	1.0	7
241	OMIP-021: Simultaneous quantification of human conventional and innate-like T cell subsets. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2014, 85, 573-575.	1.1	7
242	CD36 family members are TCR-independent ligands for CD1 antigen-presenting molecules. <i>Science Immunology</i> , 2021, 6, .	5.6	7
243	Intratumoural administration of an NKT cell agonist with CpG promotes NKT cell infiltration associated with an enhanced antitumour response and abscopal effect. <i>OncolImmunology</i> , 2022, 11, .	2.1	7
244	Intrathymic Glucocorticoid Production and Thymocyte Survival: Another Piece in the Puzzle. <i>Endocrinology</i> , 2005, 146, 2499-2500.	1.4	6
245	Developing NKT cells need their calcium. <i>Nature Immunology</i> , 2009, 10, 231-233.	7.0	6
246	Beta-testing NKT cell self-reactivity. <i>Nature Immunology</i> , 2011, 12, 1135-1137.	7.0	6
247	The glucocorticoid receptor 1A3 promoter correlates with high sensitivity to glucocorticoid-induced apoptosis in human lymphocytes. <i>Immunology and Cell Biology</i> , 2014, 92, 825-836.	1.0	6
248	Blister fluid as a cellular input for ex vivo diagnostics in drug-induced severe cutaneous adverse reactions improves sensitivity and explores immunopathogenesis. , 2022, 1, 16-21.		6
249	NKT cells join the war on Lyme disease. <i>Nature Immunology</i> , 2006, 7, 904-906.	7.0	5
250	The Efficacy of Common Household Cleaning Agents for SARS-CoV-2 Infection Control. <i>Viruses</i> , 2022, 14, 715.	1.5	5
251	Reply to Ashwell, Vacchio and Galon. <i>Trends in Immunology</i> , 2000, 21, 645-646.	7.5	4
252	Directing traffic on the NKT cell highway: A key role for ThPOK. <i>European Journal of Immunology</i> , 2010, 40, 2372-2375.	1.6	4



#	ARTICLE	IF	CITATIONS
253	Glucocorticoid-mediated repression of T cell receptor signalling is impaired in glucocorticoid receptor exon 2-disrupted mice. <i>Immunology and Cell Biology</i> , 2014, 92, 148-155.	1.0	4
254	MicroRNA-managing the development of MAIT cells. <i>Immunology and Cell Biology</i> , 2019, 97, 121-123.	1.0	4
255	Developing NKT cells need their (E) protein. <i>Immunology and Cell Biology</i> , 2010, 88, 507-509.	1.0	3
256	NKT cells: the smoking gun in fungal-induced asthma?. <i>Nature Medicine</i> , 2013, 19, 1210-1211.	15.2	3
257	Differential antigenic requirements by diverse MR1-restricted T cells. <i>Immunology and Cell Biology</i> , 2022, 100, 112-126.	1.0	3
258	Are We Really on the Right TRAIL?. <i>Immunologic Research</i> , 2005, 31, 161-164.	1.3	2
259	German Society for Immunology and Australasian Society for Immunology joint Workshop 3-4 December 2015 Meeting report. <i>European Journal of Immunology</i> , 2016, 46, 265-268.	1.6	2
260	An unconventional view of COVID-19 T cell immunity. <i>Journal of Experimental Medicine</i> , 2020, 217, .	4.2	2
261	Re: Integrated Immune Dynamics Define Correlates of COVID-19 Severity and Antibody Responses. <i>SSRN Electronic Journal</i> , 0, , .	0.4	2
262	MAIT and V $\alpha$ 2 Unconventional T Cells Predict Favorable Outcome after Allogeneic HCT and Are Supported by a Diverse Intestinal Microbiome. <i>Blood</i> , 2021, 138, 331-331.	0.6	2
263	Comment on Ultrarapid On-Site Detection of SARS-CoV-2 Infection Using Simple ATR-FTIR Spectroscopy and an Analysis Algorithm: High Sensitivity and Specificity. <i>Analytical Chemistry</i> , 2021, 93, 16974-16976.	3.2	2
264	Differential location of NKT and MAIT cells within lymphoid tissue. <i>Scientific Reports</i> , 2022, 12, 4034.	1.6	2
265	The NKT cell TCR repertoire can accommodate structural modifications to the lipid and orientation of the terminal carbohydrate of iGb3. <i>RSC Advances</i> , 2022, 12, 18493-18500.	1.7	2
266	Taming pathogenic T $\beta$ 1 T cells with vitamin A. <i>Immunology and Cell Biology</i> , 2016, 94, 715-716.	1.0	1
267	Nonhuman primate models for evaluation of SARS-CoV-2 vaccines. <i>Expert Review of Vaccines</i> , 2022, 21, 1055-1070.	2.0	1
268	Antibody responses to glycolipid-borne carbohydrates require CD4 <sup>+</sup> T cells but not CD1 or NKT cells. <i>Immunology and Cell Biology</i> , 2011, 89, 574-574.	1.0	0
269	DYNAMICS OF HUMAN MUCOSAL-ASSOCIATED INVARIANT T CELL REPERTOIRES ACROSS THE HUMAN LIFE SPAN. <i>Innovation in Aging</i> , 2019, 3, S769-S769.	0.0	0
270	Chewing the fat on natural killer T cell development. <i>Journal of Cell Biology</i> , 2006, 175, i4-i4.	2.3	0



#	ARTICLE	IF	CITATIONS
271	Induction of Invariant NKT Cell-Dependent Alloreactivity by Administration of G-CSF after Bone Marrow Transplantation. <i>Blood</i> , 2008, 112, 3499-3499.	0.6	0
272	Letter to the editor RE: Lake etÂal., 2022 comment on Fulford etÂal., 2021 â€A point-of-care lateral flow assay for neutralizing antibodies against SARS-CoV-2â€™. <i>EBioMedicine</i> , 2022, 77, 103899.	2.7	0