

# Michał, Słowiński

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3837617/publications.pdf>

Version: 2024-02-01

70  
papers

1,917  
citations

270111

25  
h-index

325983

40  
g-index

80  
all docs

80  
docs citations

80  
times ranked

2457  
citing authors

#	ARTICLE	IF	CITATIONS
1	Searching for an ecological baseline: Long-term ecology of a post-extraction restored bog in Northern Estonia. <i>Quaternary International</i> , 2022, 607, 65-78.	0.7	5
2	Long-term microclimate study of a peatland in Central Europe to understand microrefugia. <i>International Journal of Biometeorology</i> , 2022, 66, 817-832.	1.3	7
3	Palaeoecological data indicates land-use changes across Europe linked to spatial heterogeneity in mortality during the Black Death pandemic. <i>Nature Ecology and Evolution</i> , 2022, 6, 297-306.	3.4	33
4	Climatic and hydrological variability as a driver of the Lake GoÅciÄ...Å¼ biota during the Younger Dryas. <i>Catena</i> , 2022, 212, 106049.	2.2	7
5	Tracking fire activity and post-fire limnological responses using the varved sedimentary sequence of Lake Jaczno, Poland. <i>Holocene</i> , 2022, 32, 515-528.	0.9	6
6	Fires, vegetation, and humanâThe history of critical transitions during the last 1000 years in Northeastern Mongolia. <i>Science of the Total Environment</i> , 2022, 838, 155660.	3.9	4
7	Varve microfacies and chronology from a new sediment record of Lake GoÅciÄ...Å¼ (Poland). <i>Quaternary Science Reviews</i> , 2021, 251, 106715.	1.4	15
8	On the border between land and water: The environmental conditions of the Neolithic occupation from 4.3 until 1.6âka BC at Serteya, Western Russia. <i>Geoarchaeology - an International Journal</i> , 2021, 36, 173-202.	0.7	12
9	Chironomidae Morphological Types and Functional Feeding Groups as a Habitat Complexity Vestige. <i>Frontiers in Ecology and Evolution</i> , 2021, 8, .	1.1	18
10	Advances in understanding calcite varve formation: new insights from a dual lake monitoring approach in the southern Baltic lowlands. <i>Boreas</i> , 2021, 50, 419-440.	1.2	21
11	Toward a Generalizable Framework of Disturbance Ecology Through Crowdsourced Science. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	34
12	Effects of experimental warming on <i>Betula nana</i> epidermal cell growth tested over its maximum climatological growth range. <i>PLoS ONE</i> , 2021, 16, e0251625.	1.1	5
13	Small peatland with a big story: 600-year paleoecological and historical data from a kettle-hole peatland in Western Russia. <i>Holocene</i> , 2021, 31, 1761-1776.	0.9	4
14	Stages of soil development in the coastal zone of a disappearing lakeâa case study from central Poland. <i>Journal of Soils and Sediments</i> , 2021, 21, 1420-1436.	1.5	7
15	New insights into lake responses to rapid climate change: the Younger Dryas in Lake GoÅciÄ...Å¼, central Poland. <i>Boreas</i> , 2021, 50, 535-555.	1.2	21
16	The role of Medieval road operation on cultural landscape transformation. <i>Scientific Reports</i> , 2021, 11, 20876.	1.6	12
17	The palaeoenvironment and settlement history of a lakeshore setting: An interdisciplinary study from the multi-layered archaeological site of Serteya II, Western Russia. <i>Journal of Archaeological Science: Reports</i> , 2021, 40, 103219.	0.2	3
18	Pine Forest Management and Disturbance in Northern Poland: Combining High-Resolution 100-Year-Old Paleoecological and Remote Sensing Data. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	5

#	ARTICLE	IF	CITATIONS
19	The Late Glacial pedogenesis interrupted by aeolian activity in Central Poland – records from the Lake Gołcziński catchment. <i>Catena</i> , 2020, 185, 104286.	2.2	16
20	Historical human impact on productivity and biodiversity in a subalpine oligotrophic lake in Scandinavia. <i>Journal of Paleolimnology</i> , 2020, 63, 1-20.	0.8	6
21	Disturbance and resilience of a <i>Sphagnum</i> peatland in western Russia (Western Dvina Lakeland) during the last 300 years: A multiproxy, high-resolution study. <i>Holocene</i> , 2020, 30, 1552-1566.	0.9	17
22	Biological and geochemical indicators of climatic oscillations during the Last Glacial Termination, the Kaniewo palaeolake (Central Poland). <i>Ecological Indicators</i> , 2020, 114, 106301.	2.6	8
23	Searching for the 4.2ka climate event at Lake Spore, Poland. <i>Catena</i> , 2020, 191, 104565.	2.2	18
24	Fire hazard modulation by long-term dynamics in land cover and dominant forest type in eastern and central Europe. <i>Biogeosciences</i> , 2020, 17, 1213-1230.	1.3	52
25	Assessing the responses of <i>Sphagnum</i> micro-eukaryotes to climate changes using high throughput sequencing. <i>PeerJ</i> , 2020, 8, e9821.	0.9	13
26	Znaczenie wysokorozdzielczych wieloskałnikowych (multi-proxy) badań, paleoekologicznych dla geografii historycznej i historii gospodarczej. , 2020, , 30.	0.0	1
27	Always on the tipping point – A search for signals of past societies and related peatland ecosystem critical transitions during the last 6500 years in N Poland. <i>Quaternary Science Reviews</i> , 2019, 225, 105954.	1.4	32
28	Human-induced fire regime shifts during 19th century industrialization: A robust fire regime reconstruction using northern Polish lake sediments. <i>PLoS ONE</i> , 2019, 14, e0222011.	1.1	23
29	Hypolimnetic oxygen conditions influence varve preservation and $\delta^{13}C$ of sediment organic matter in Lake Tiefer See, NE Germany. <i>Journal of Paleolimnology</i> , 2019, 62, 181-194.	0.8	11
30	Abrupt <i>Alnus</i> population decline at the end of the first millennium CE in Europe – The event ecology, possible causes and implications. <i>Holocene</i> , 2019, 29, 1335-1349.	0.9	34
31	Unveiling tipping points in long-term ecological records from <i>Sphagnum</i> -dominated peatlands. <i>Biology Letters</i> , 2019, 15, 20190043.	1.0	47
32	Paleoecological and historical data as an important tool in ecosystem management. <i>Journal of Environmental Management</i> , 2019, 236, 755-768.	3.8	38
33	Ecohydrological Changes and Resilience of a Shallow Lake Ecosystem under Intense Human Pressure and Recent Climate Change. <i>Water (Switzerland)</i> , 2019, 11, 32.	1.2	9
34	Dystrophication of lake Suchar IV (NE Poland): an alternative way of lake development. , 2019, 38, 391-416.		18
35	The Impact of Experimental Temperature and Water Level Manipulation on Carbon Dioxide Release in a Poor Fen in Northern Poland. <i>Wetlands</i> , 2018, 38, 551-563.	0.7	31
36	Tipping point in plant-fungal interactions under severe drought causes abrupt rise in peatland ecosystem respiration. <i>Global Change Biology</i> , 2018, 24, 972-986.	4.2	98

#	ARTICLE	IF	CITATIONS
37	An 810-year history of cold season temperature variability for northern Poland. <i>Boreas</i> , 2018, 47, 443-453.	1.2	18
38	Site-specific sediment responses to climate change during the last 140 years in three varved lakes in Northern Poland. <i>Holocene</i> , 2018, 28, 464-477.	0.9	22
39	Cascading effects between climate, vegetation, and macroinvertebrate fauna in 14,000-year palaeoecological investigations of a shallow lake in eastern Poland. <i>Ecological Indicators</i> , 2018, 85, 329-341.	2.6	20
40	Leaf wax $\alpha$ -long-chain n-alkane distributions record ecological changes during the Younger Dryas at Trzechowskie paleolake (northern Poland) without temporal delay. <i>Climate of the Past</i> , 2018, 14, 1607-1624.	1.3	20
41	Synchronizing $^{10}\text{Be}$ in two varved lake sediment records to IntCal13 $^{14}\text{C}$ during three grand solar minima. <i>Climate of the Past</i> , 2018, 14, 687-696.	1.3	18
42	Holocene fire activity during low-natural flammability periods reveals scale-dependent cultural human-fire relationships in Europe. <i>Quaternary Science Reviews</i> , 2018, 201, 44-56.	1.4	67
43	Predator-prey mass ratio drives microbial activity under dry conditions in <i>Sphagnum</i> peatlands. <i>Ecology and Evolution</i> , 2018, 8, 5752-5764.	0.8	33
44	Assessing the links between resilience, disturbance and functional traits in paleoecological datasets. <i>Past Global Change Magazine</i> , 2018, 26, 87-87.	0.4	2
45	Differential proxy responses to late Allerød and early Younger Dryas climatic change recorded in varved sediments of the Trzechowskie paleolake in Northern Poland. <i>Quaternary Science Reviews</i> , 2017, 158, 94-106.	1.4	36
46	Comment on the paper "Impact of volcanic eruptions on the environment and climatic conditions in the area of Poland (Central Europe)" by A. Gałus. <i>Earth-Science Reviews</i> , 2017, 172, 248-250.	4.0	1
47	Widespread, episodic decline of alder ( <i>Alnus</i> ) during the medieval period in the boreal forest of Europe. <i>Journal of Quaternary Science</i> , 2017, 32, 903-907.	1.1	19
48	First discovery of Holocene Alaskan and Icelandic tephra in Polish peatlands. <i>Journal of Quaternary Science</i> , 2017, 32, 457-462.	1.1	13
49	Climate variability and lake ecosystem responses in western Scandinavia (Norway) during the last Millennium. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 466, 231-239.	1.0	17
50	Constraining the time span between the Early Holocene Håsseldalen and Askja Tephra through varve counting in the Lake Czechowskie sediment record, Poland. <i>Journal of Quaternary Science</i> , 2016, 31, 103-113.	1.1	31
51	A novel testate amoebae trait-based approach to infer environmental disturbance in <i>Sphagnum</i> peatlands. <i>Scientific Reports</i> , 2016, 6, 33907.	1.6	57
52	Anthropogenic- and natural sources of dust in peatland during the Anthropocene. <i>Scientific Reports</i> , 2016, 6, 38731.	1.6	34
53	Multiple drivers of Holocene lake level changes at a lowland lake in northeastern Germany. <i>Boreas</i> , 2016, 45, 828-845.	1.2	27
54	Impact of large water level fluctuations on geomorphological processes and their interactions in the shore zone of a dam reservoir. <i>Journal of Great Lakes Research</i> , 2016, 42, 926-941.	0.8	21

#	ARTICLE	IF	CITATIONS
55	Drought as a stress driver of ecological changes in peatland - A palaeoecological study of peatland development between 3500 BCE and 200 BCE in central Poland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 461, 272-291.	1.0	43
56	Spontaneous self-combustion of organic-rich lateglacial lake sediments after freeze-drying. <i>Journal of Paleolimnology</i> , 2016, 55, 185-194.	0.8	8
57	Holocene tephrostratigraphy of varved sediment records from Lakes Tiefer See (NE Germany) and Czechowskie (N Poland). <i>Quaternary Science Reviews</i> , 2016, 132, 1-14.	1.4	61
58	Minimum winter temperature reconstruction from average earlywood vessel area of European oak ( <i>Quercus robur</i> ) in N-Poland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 449, 520-530.	1.0	38
59	Hydrological dynamics and fire history of the last 1300 years in western Siberia reconstructed from a high-resolution, ombrotrophic peat archive. <i>Quaternary Research</i> , 2015, 84, 312-325.	1.0	41
60	Solar cycles and depositional processes in annual 10 Be from two varved lake sediment records. <i>Earth and Planetary Science Letters</i> , 2015, 428, 44-51.	1.8	24
61	Long-term hydrological dynamics and fire history over the last 2000 years in CE Europe reconstructed from a high-resolution peat archive. <i>Quaternary Science Reviews</i> , 2015, 112, 138-152.	1.4	82
62	The role of melting dead ice on landscape transformation in the early Holocene in Tuchola Pinewoods, North Poland. <i>Quaternary International</i> , 2015, 388, 64-75.	0.7	43
63	Climatic and morphological controls on diachronous postglacial lake and river valley evolution in the area of Last Glaciation, northern Poland. <i>Quaternary Science Reviews</i> , 2015, 109, 13-27.	1.4	51
64	The response of a shallow lake and its catchment to Late Glacial climate changes – A case study from eastern Poland. <i>Catena</i> , 2015, 126, 1-10.	2.2	41
65	Geology, permafrost, and lake level changes as factors initiating landslides on Olkhon Island (Lake Tj ETQq1 1 0.784314 rgBT /Overlock	2.7	10
66	Mass movements in an isolated area of permafrost in the era of climate change (Olkhon, East Siberia). <i>Przegląd Geograficzny</i> , 2015, 87, 457-476.	0.2	0
67	Seasonal changes in <i>Sphagnum</i> peatland testate amoeba communities along a hydrological gradient. <i>European Journal of Protistology</i> , 2014, 50, 445-455.	0.5	54
68	Climate variability and associated vegetation response throughout Central and Eastern Europe (CEE) between 60 and 8 Åka. <i>Quaternary Science Reviews</i> , 2014, 106, 206-224.	1.4	188
69	Tracing the Laacher See Tephra in the varved sediment record of the Trzechowskie palaeolake in central Northern Poland. <i>Quaternary Science Reviews</i> , 2013, 76, 129-139.	1.4	72
70	Charakterystyka Årodowisk depozycyjnych Jeziora Czechowskiego i jego otoczenia. <i>Landform Analysis</i> , 0, 25, 55-75.	0.0	2