David A W Miller

List of Publications by Citations

Source: https://exaly.com/author-pdf/3837665/david-a-w-miller-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

2,249
citations

26
h-index

84
ext. papers

2,914
ext. citations

2,914
ext. citations

26
h-index

5.17
L-index

#	Paper	IF	Citations
77	Improving occupancy estimation when two types of observational error occur: non-detection and species misidentification. <i>Ecology</i> , 2011 , 92, 1422-8	4.6	236
76	Quantitative evidence for the effects of multiple drivers on continental-scale amphibian declines. <i>Scientific Reports</i> , 2016 , 6, 25625	4.9	139
75	Trends in amphibian occupancy in the United States. <i>PLoS ONE</i> , 2013 , 8, e64347	3.7	111
74	Integrating multiple data sources in species distribution modeling: a framework for data fusion. <i>Ecology</i> , 2017 , 98, 840-850	4.6	110
73	Large-scale recovery of an endangered amphibian despite ongoing exposure to multiple stressors. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 11889-1189	4 ^{11.5}	92
72	Modeling false positive detections in species occurrence data under different study designs. <i>Ecology</i> , 2015 , 96, 332-9	4.6	78
71	Using camera trapping and hierarchical occupancy modelling to evaluate the spatial ecology of an African mammal community. <i>Journal of Applied Ecology</i> , 2016 , 53, 1225-1235	5.8	78
70	Joint estimation of habitat dynamics and species interactions: disturbance reduces co-occurrence of non-native predators with an endangered toad. <i>Journal of Animal Ecology</i> , 2012 , 81, 1288-1297	4.7	71
69	The recent past and promising future for data integration methods to estimate species distributions. <i>Methods in Ecology and Evolution</i> , 2019 , 10, 22-37	7.7	70
68	Determining Occurrence Dynamics when False Positives Occur: Estimating the Range Dynamics of Wolves from Public Survey Data. <i>PLoS ONE</i> , 2013 , 8, e65808	3.7	65
67	Experimental investigation of false positive errors in auditory species occurrence surveys 2012 , 22, 166	65-74	60
66	Assessing global patterns in mammalian carnivore occupancy and richness by integrating local camera trap surveys. <i>Global Ecology and Biogeography</i> , 2017 , 26, 918-929	6.1	58
65	Individual variation in baseline and stress-induced corticosterone and prolactin levels predicts parental effort by nesting mourning doves. <i>Hormones and Behavior</i> , 2009 , 56, 457-64	3.7	56
64	Decades of field data reveal that turtles senesce in the wild. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 6502-7	11.5	55
63	Estimating patterns and drivers of infection prevalence and intensity when detection is imperfect and sampling error occurs. <i>Methods in Ecology and Evolution</i> , 2012 , 3, 850-859	7.7	51
62	Quantifying climate sensitivity and climate-driven change in North American amphibian communities. <i>Nature Communications</i> , 2018 , 9, 3926	17.4	50
61	Predator functional response and prey survival: direct and indirect interactions affecting a marked prey population. <i>Journal of Animal Ecology</i> , 2006 , 75, 101-10	4.7	46

(2015-2011)

60	Stochastic population dynamics in populations of western terrestrial garter snakes with divergent life histories. <i>Ecology</i> , 2011 , 92, 1658-71	4.6	44
59	Ecological correlates of the spatial co-occurrence of sympatric mammalian carnivores worldwide. <i>Ecology Letters</i> , 2018 , 21, 1401-1412	10	43
58	Performance of species occurrence estimators when basic assumptions are not met: a test using field data where true occupancy status is known. <i>Methods in Ecology and Evolution</i> , 2015 , 6, 557-565	7.7	39
57	Effects of Abdominally Implanted Radiotransmitters with Percutaneous Antennas on Migration, Reproduction, and Survival of Canada Geese. <i>Journal of Wildlife Management</i> , 2006 , 70, 812-822	1.9	32
56	The diversity of population responses to environmental change. <i>Ecology Letters</i> , 2019 , 22, 342-353	10	31
55	Accounting for false positives improves estimates of occupancy from key informant interviews. <i>Diversity and Distributions</i> , 2014 , 20, 223-235	5	30
54	Range position and climate sensitivity: The structure of among-population demographic responses to climatic variation. <i>Global Change Biology</i> , 2018 , 24, 439-454	11.4	29
53	Spatial Capture R ecapture: A Promising Method for Analyzing Data Collected Using Artificial Cover Objects. <i>Herpetologica</i> , 2016 , 72, 6	1.9	27
52	Monitoring gray wolf populations using multiple survey methods. <i>Journal of Wildlife Management</i> , 2014 , 78, 335-346	1.9	27
51	A new framework for analysing automated acoustic species detection data: Occupancy estimation and optimization of recordings post-processing. <i>Methods in Ecology and Evolution</i> , 2018 , 9, 560-570	7.7	26
50	Species interactions and the effects of climate variability on a wetland amphibian metacommunity 2017 , 27, 285-296		24
49	Optimizing Nest Survival and Female Survival: Consequences of Nest Site Selection for Canada Geese. <i>Condor</i> , 2007 , 109, 769-780	2.1	24
48	The untapped potential of reptile biodiversity for understanding how and why animals age. <i>Functional Ecology</i> , 2020 , 34, 38-54	5.6	24
47	Optimizing Nest Survival and Female Survival: Consequences of Nest Site Selection for Canada GeeseOptimizaci De La Supervivencia De Nidos Y Hembras: Consecuencias De La Selecci De Sitios De Nidificaci Para Branta CanadensisConsequences of Nest Site Selection. <i>Condor</i> , 2007 ,	2.1	23
46	Evaluating within-population variability in behavior and demography for the adaptive potential of a dispersal-limited species to climate change. <i>Ecology and Evolution</i> , 2016 , 6, 8740-8755	2.8	22
45	Sampling design and analytical advances allow for simultaneous density estimation of seven sympatric carnivore species from camera trap data. <i>Biological Conservation</i> , 2019 , 233, 12-20	6.2	22
44	Resolving misaligned spatial data with integrated species distribution models. <i>Ecology</i> , 2019 , 100, e0270	049 .6	21
43	Estimating occupancy dynamics for large-scale monitoring networks: amphibian breeding occupancy across protected areas in the northeast United States. <i>Ecology and Evolution</i> , 2015 , 5, 4735-4	2 .8	21

42	Nest Survival in Dusky Canada Geese (Branta Canadensis Occidentalis): Use of Discrete-Time Models. <i>Auk</i> , 2006 , 123, 198-210	2.1	21
41	Using Spatial Capture R ecapture to Elucidate Population Processes and Space-Use in Herpetological Studies. <i>Journal of Herpetology</i> , 2016 , 50, 570-581	1.1	21
40	Morphological plasticity reduces the effect of poor developmental conditions on fledging age in mourning doves. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010 , 277, 1659-65	4.4	17
39	A Synthesis of Evidence of Drivers of Amphibian Declines. <i>Herpetologica</i> , 2020 , 76, 101	1.9	16
38	Influence of biotic interactions on the distribution of Canada lynx (Lynx canadensis) at the southern edge of their range. <i>Journal of Mammalogy</i> , 2018 , 99, 760-772	1.8	15
37	Ruffed grouse population declines after introduction of West Nile virus. <i>Journal of Wildlife Management</i> , 2018 , 82, 165-172	1.9	14
36	Renesting by Dusky Canada Geese on the Copper River Delta, Alaska. <i>Journal of Wildlife Management</i> , 2006 , 70, 955-964	1.9	14
35	NEST SURVIVAL IN DUSKY CANADA GEESE (BRANTA CANADENSIS OCCIDENTALIS): USE OF DISCRETE-TIME MODELS. <i>Auk</i> , 2006 , 123, 198	2.1	14
34	What Have Long-Term Field Studies Taught Us About Population Dynamics?. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2019 , 50, 261-278	13.5	13
33	Swimming against the tide: resilience of a riverine turtle to recurrent extreme environmental events. <i>Biology Letters</i> , 2014 , 10, 20130782	3.6	13
32	Population Size, Survival, Growth, and Movements of Rana sierrae. <i>Herpetologica</i> , 2013 , 69, 147-162	1.9	13
31	Techniques for identifying predators of goose nests. Wildlife Biology, 2006, 12, 249-256	1.7	13
30	Joint estimation of growth and survival from mark-recapture data to improve estimates of senescence in wild populations. <i>Ecology</i> , 2020 , 101, e02877	4.6	11
29	Successful molecular detection studies require clear communication among diverse research partners. <i>Frontiers in Ecology and the Environment</i> , 2020 , 18, 43-51	5.5	11
28	Will Lynx Lose Their Edge? Canada Lynx Occupancy in Washington. <i>Journal of Wildlife Management</i> , 2020 , 84, 705-725	1.9	8
27	General methods for sensitivity analysis of equilibrium dynamics in patch occupancy models. <i>Ecology</i> , 2012 , 93, 1204-13	4.6	8
26	Migratory strategy drives species-level variation in bird sensitivity to vegetation green-up. <i>Nature Ecology and Evolution</i> , 2021 , 5, 987-994	12.3	8
25	Two-species occupancy modelling accounting for species misidentification and non-detection. <i>Methods in Ecology and Evolution</i> , 2018 , 9, 1468-1477	7.7	7

(2021-2011)

24	Immediate and delayed effects of poor developmental conditions on growth and flight ability of juvenile mourning doves Zenaida macroura. <i>Journal of Avian Biology</i> , 2011 , 42, 151-158	1.9	7
23	Calibrating Recruitment Estimates for Mourning Doves From Harvest Age Ratios. <i>Journal of Wildlife Management</i> , 2010 , 74, 1070-1079	1.9	7
22	Shifts in vegetation and avian community structure following the decline of a foundational forest species, the eastern hemlock. <i>Condor</i> , 2018 , 120, 489-506	2.1	7
21	Evidence for sex-specific reproductive senescence in monogamous cooperatively breeding red wolves. <i>Behavioral Ecology and Sociobiology</i> , 2017 , 71, 1	2.5	6
20	Use of ambiguous detections to improve estimates from species distribution models. <i>Conservation Biology</i> , 2019 , 33, 185-195	6	6
19	ESTIMATING OCCURRENCE, PREVALENCE, AND DETECTION OF AMPHIBIAN PATHOGENS: INSIGHTS FROM OCCUPANCY MODELS. <i>Journal of Wildlife Diseases</i> , 2019 , 55, 563-575	1.3	6
18	Linking variability in climate to wetland habitat suitability: is it possible to forecast regional responses from simple climate measures?. <i>Wetlands Ecology and Management</i> , 2019 , 27, 39-53	2.1	6
17	The influence of spatial and temporal scale on the relative importance of biotic vs. abiotic factors for species distributions. <i>Diversity and Distributions</i> , 2021 , 27, 327-343	5	6
16	Use of field-portable ultrasonography reveals differences in developmental phenology and maternal egg provisioning in two sympatric viviparous snakes. <i>Ecology and Evolution</i> , 2018 , 8, 3330-3340	o ^{2.8}	4
15	Survival of Dusky Canada Goose Goslings in Relation to Weather and Annual Nest Success 2008 , 72, 161	14-162 ⁻	14
14	Population Trends, Survival, and Sampling Methodologies for a Population of Rana draytonii. <i>Journal of Herpetology</i> , 2017 , 51, 567	1.1	3
		1.1	
13	Integrating citizen-science and planned-survey data improves species distribution estimates. Diversity and Distributions,	5	3
13			
	Diversity and Distributions, Life history plasticity does not confer resilience to environmental change in the mole salamander	5	3
12	Diversity and Distributions, Life history plasticity does not confer resilience to environmental change in the mole salamander (Ambystoma talpoideum). Oecologia, 2017, 183, 739-749 Sex-related differences in aging rate are associated with sex chromosome system in amphibians.	5 2.9	2
12	Diversity and Distributions, Life history plasticity does not confer resilience to environmental change in the mole salamander (Ambystoma talpoideum). Oecologia, 2017, 183, 739-749 Sex-related differences in aging rate are associated with sex chromosome system in amphibians. Evolution; International Journal of Organic Evolution, 2021, Human-dominated land cover corresponds to spatial variation in Mourning Dove (Zenaida	5 2.9 3.8	2
12 11 10	Life history plasticity does not confer resilience to environmental change in the mole salamander (Ambystoma talpoideum). <i>Oecologia</i> , 2017 , 183, 739-749 Sex-related differences in aging rate are associated with sex chromosome system in amphibians. <i>Evolution; International Journal of Organic Evolution</i> , 2021 , Human-dominated land cover corresponds to spatial variation in Mourning Dove (Zenaida macroura) reproductive output across the United States. <i>Condor</i> , 2020 , 122, Joint estimation of growth and survival from mark-recapture data to improve estimates of	5 2.9 3.8 2.1	3221

6	Current and time-lagged effects of climate on innate immunity in two sympatric snake species. <i>Ecology and Evolution</i> , 2021 , 11, 3239-3250	2.8	1
5	Endemic and Threatened Amazona Parrots of the Atlantic Forest: An Overview of Their Geographic Range and Population Size. <i>Diversity</i> , 2021 , 13, 416	2.5	1
4	Predators of Dusky Canada Goose goslings and the effect of transmitters on gosling survival. Journal of Field Ornithology, 2008 , 79, 399-407	0.9	0
3	Over a decade of field physiology reveals life-history specific strategies to drought in garter snakes () <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022 , 289, 20212187	4.4	0
2	Geographic variation and thermal plasticity shape salamander metabolic rates under current and future climates <i>Ecology and Evolution</i> , 2022 , 12, e8433	2.8	
1	Accommodating the role of site memory in dynamic species distribution models. <i>Ecology</i> , 2021 , 102, e03315	4.6	