

Guilherme Pagin SÃ£o JuliÃ£o

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3837797/publications.pdf>

Version: 2024-02-01

85
papers

4,769
citations

159358

30
h-index

98622

67
g-index

87
all docs

87
docs citations

87
times ranked

3408
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Long-term outcomes of clinical complete responders after neoadjuvant treatment for rectal cancer in the International Watch & Wait Database (IWWD): an international multicentre registry study. <i>Lancet, The</i> , 2018, 391, 2537-2545. | 6.3 | 677 |
| 2 | Local Recurrence After Complete Clinical Response and Watch and Wait in Rectal Cancer After Neoadjuvant Chemoradiation: Impact of Salvage Therapy on Local Disease Control. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 88, 822-828. | 0.4 | 470 |
| 3 | Watch and Wait Approach Following Extended Neoadjuvant Chemoradiation for Distal Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 1109-1117. | 0.7 | 393 |
| 4 | Transanal Total Mesorectal Excision. <i>Annals of Surgery</i> , 2017, 266, 111-117. | 2.1 | 377 |
| 5 | Increasing the Rates of Complete Response to Neoadjuvant Chemoradiotherapy for Distal Rectal Cancer: Results of a Prospective Study Using Additional Chemotherapy During the Resting Period. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 1927-1934. | 0.7 | 193 |
| 6 | Oncological and Survival Outcomes in Watch and Wait Patients With a Clinical Complete Response After Neoadjuvant Chemoradiotherapy for Rectal Cancer. <i>Annals of Surgery</i> , 2018, 268, 955-967. | 2.1 | 189 |
| 7 | Transanal Endoscopic Microsurgery for Residual Rectal Cancer After Neoadjuvant Chemoradiation Therapy Is Associated With Significant Immediate Pain and Hospital Readmission Rates. <i>Diseases of the Colon and Rectum</i> , 2011, 54, 545-551. | 0.7 | 143 |
| 8 | Factors affecting local regrowth after watch and wait for patients with a clinical complete response following chemoradiotherapy in rectal cancer (InterCoRe consortium): an individual participant data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 825-836. | 3.7 | 125 |
| 9 | Consensus on structured training curriculum for transanal total mesorectal excision (TaTME). <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 2711-2719. | 1.3 | 123 |
| 10 | Conditional recurrence-free survival of clinical complete responders managed by watch and wait after neoadjuvant chemoradiotherapy for rectal cancer in the International Watch & Wait Database: a retrospective, international, multicentre registry study. <i>Lancet Oncology, The</i> , 2021, 22, 43-50. | 5.1 | 122 |
| 11 | Organ Preservation in cT2N0 Rectal Cancer After Neoadjuvant Chemoradiation Therapy. <i>Annals of Surgery</i> , 2019, 269, 102-107. | 2.1 | 112 |
| 12 | Accuracy of positron emission tomography/computed tomography and clinical assessment in the detection of complete rectal tumor regression after neoadjuvant chemoradiation. <i>Cancer</i> , 2012, 118, 3501-3511. | 2.0 | 111 |
| 13 | Characteristics of Early-Onset vs Late-Onset Colorectal Cancer. <i>JAMA Surgery</i> , 2021, 156, 865. | 2.2 | 110 |
| 14 | Transanal Endoscopic Microsurgery for Residual Rectal Cancer (ypT0-2) Following Neoadjuvant Chemoradiation Therapy. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 6-13. | 0.7 | 108 |
| 15 | Impact of Organ-Preserving Strategies on Anorectal Function in Patients with Distal Rectal Cancer Following Neoadjuvant Chemoradiation. <i>Diseases of the Colon and Rectum</i> , 2016, 59, 264-269. | 0.7 | 104 |
| 16 | The Role of Carcinoembriogenic Antigen in Predicting Response and Survival to Neoadjuvant Chemoradiotherapy for Distal Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 1137-1143. | 0.7 | 102 |
| 17 | Nonoperative Approaches to Rectal Cancer: A Critical Evaluation. <i>Seminars in Radiation Oncology</i> , 2011, 21, 234-239. | 1.0 | 101 |
| 18 | Achieving a Complete Clinical Response After Neoadjuvant Chemoradiation That Does Not Require Surgical Resection: It May Take Longer Than You Think!. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 802-808. | 0.7 | 91 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Optimal Timing for Assessment of Tumor Response to Neoadjuvant Chemoradiation in Patients With Rectal Cancer: Do All Patients Benefit From Waiting Longer Than 6 Weeks?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 1159-1165. | 0.4 | 76 |
| 20 | Lymph Node Size in Rectal Cancer Following Neoadjuvant Chemoradiationâ€”Can We Rely on Radiologic Nodal Staging After Chemoradiation?. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 1278-1284. | 0.7 | 66 |
| 21 | Baseline T Classification Predicts Early Tumor Regrowth After Nonoperative Management in Distal Rectal Cancer After Extended Neoadjuvant Chemoradiation and Initial Complete Clinical Response. <i>Diseases of the Colon and Rectum</i> , 2017, 60, 586-594. | 0.7 | 63 |
| 22 | Nonoperative Management of Rectal Cancer. <i>Hematology/Oncology Clinics of North America</i> , 2015, 29, 135-151. | 0.9 | 62 |
| 23 | Intratumoral Genetic Heterogeneity in Rectal Cancer. <i>Annals of Surgery</i> , 2017, 265, e4-e6. | 2.1 | 56 |
| 24 | Transanal Endoscopic Microsurgery (TEM) Following Neoadjuvant Chemoradiation for Rectal Cancer: Outcomes of Salvage Resection for Local Recurrence. <i>Annals of Surgical Oncology</i> , 2016, 23, 1143-1148. | 0.7 | 53 |
| 25 | Predicting complete response to neoadjuvant CRT for distal rectal cancer using sequential PET/CT imaging. <i>Techniques in Coloproctology</i> , 2014, 18, 699-708. | 0.8 | 51 |
| 26 | Carbon Dioxide Embolism Associated With Total Mesorectal Excision Surgery: A Report From the International Registries. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 794-801. | 0.7 | 48 |
| 27 | Consolidation chemotherapy during neoadjuvant chemoradiation (CRT) for distal rectal cancer leads to sustained decrease in tumor metabolism when compared to standard CRT regimen. <i>Radiation Oncology</i> , 2016, 11, 24. | 1.2 | 42 |
| 28 | Fragmented pattern of tumor regression and lateral intramural spread may influence margin appropriateness after TEM for rectal cancer following neoadjuvant CRT. <i>Journal of Surgical Oncology</i> , 2014, 109, 853-858. | 0.8 | 38 |
| 29 | New Strategies in Rectal Cancer. <i>Surgical Clinics of North America</i> , 2017, 97, 587-604. | 0.5 | 38 |
| 30 | Lateral Node Dissection in Rectal Cancer in the Era of Minimally Invasive Surgery: A Step-by-Step Description for the Surgeon Unacquainted with This Complex Procedure with the Use of the Laparoscopic Approach. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 1237-1240. | 0.7 | 34 |
| 31 | Conditional Survival in Patients With Rectal Cancer and Complete Clinical Response Managed by Watch and Wait After Chemoradiation. <i>Annals of Surgery</i> , 2020, 272, 138-144. | 2.1 | 34 |
| 32 | Semiquantitative Volumetry by Sequential PET/CT May Improve Prediction of Complete Response to Neoadjuvant Chemoradiation in Patients With Distal Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2016, 59, 805-812. | 0.7 | 30 |
| 33 | Is neoadjuvant chemoradiation with dose-escalation and consolidation chemotherapy sufficient to increase surgery-free and distant metastases-free survival in baseline T3 rectal cancer?. <i>European Journal of Surgical Oncology</i> , 2018, 44, 93-99. | 0.5 | 29 |
| 34 | Salvage Surgery With Organ Preservation for Patients With Local Regrowth After Watch and Wait: Is It Still Possible?. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1053-1062. | 0.7 | 26 |
| 35 | Extralevator Abdominal Perineal Excision Versus Standard Abdominal Perineal Excision: Impact on Quality of the Resected Specimen and Postoperative Morbidity. <i>World Journal of Surgery</i> , 2017, 41, 2160-2167. | 0.8 | 25 |
| 36 | Organ Preservation Among Patients With Clinically Node-Positive Rectal Cancer: Is It Really More Dangerous?. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 675-683. | 0.7 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Transanal Local Excision for Distal Rectal Cancer and Incomplete Response to Neoadjuvant Chemoradiation â Does Baseline Staging Matter?. <i>Diseases of the Colon and Rectum</i> , 2014, 57, 1253-1259. | 0.7 | 23 |
| 38 | Management of the Complete Clinical Response. <i>Clinics in Colon and Rectal Surgery</i> , 2017, 30, 387-394. | 0.5 | 21 |
| 39 | Effect of Akt activation and experimental pharmacological inhibition on responses to neoadjuvant chemoradiotherapy in rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, e192-e203. | 0.1 | 20 |
| 40 | The Effects of Neoadjuvant Chemoradiation in Locally Advanced Rectal CancerâThe Impact in Intratumoral Heterogeneity. <i>Frontiers in Oncology</i> , 2019, 9, 974. | 1.3 | 20 |
| 41 | ¹⁸ F-FDG uptake by rectal cancer is similar in mucinous and nonmucinous histological subtypes. <i>Annals of Nuclear Medicine</i> , 2016, 30, 513-517. | 1.2 | 17 |
| 42 | Correspondence. <i>Techniques in Coloproctology</i> , 2008, 12, 73-78. | 0.8 | 15 |
| 43 | Pitfalls of transanal endoscopic microsurgery for rectal cancer following neoadjuvant chemoradiation therapy. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2014, 23, 63-69. | 0.6 | 15 |
| 44 | Factors affecting management decisions in rectal cancer in clinical practice: results from a national survey. <i>Techniques in Coloproctology</i> , 2011, 15, 45-51. | 0.8 | 13 |
| 45 | Quality of Life in Patients With Rectal Cancer After Chemoradiation: Watch-and-Wait Policy Versus Standard ResectionâAre We Comparing Apples to Oranges?. <i>Diseases of the Colon and Rectum</i> , 2018, 61, e21-e21. | 0.7 | 13 |
| 46 | Should We Give Up The Search for a Clinically Useful Gene Signature for the Prediction of Response of Rectal Cancer to Neoadjuvant Chemoradiation?. <i>Diseases of the Colon and Rectum</i> , 2016, 59, 895-897. | 0.7 | 12 |
| 47 | Magnetic resonance imaging following neoadjuvant chemoradiation and transanal endoscopic microsurgery for rectal cancer. <i>Colorectal Disease</i> , 2017, 19, O196-O203. | 0.7 | 12 |
| 48 | Local Excision and Endoscopic Resections for Early Rectal Cancer. <i>Clinics in Colon and Rectal Surgery</i> , 2017, 30, 313-323. | 0.5 | 11 |
| 49 | Clinical relevance of positron emission tomography/computed tomography-positive inguinal nodes in rectal cancer after neoadjuvant chemoradiation. <i>Colorectal Disease</i> , 2013, 15, 674-682. | 0.7 | 10 |
| 50 | The good, the bad and the ugly: rectal cancers in the twenty-first century. <i>Techniques in Coloproctology</i> , 2017, 21, 573-575. | 0.8 | 10 |
| 51 | InstalaÃ§Ã£o e resultados preliminares de programa de rastreamento populacional de cÃ¢ncer colorretal em municÃ­pio brasileiro. <i>Arquivos Brasileiros De Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery</i> , 2008, 21, 12-15. | 0.5 | 10 |
| 52 | Opinions have changed on the management of rectal cancer with a complete clinical response to neoadjuvant chemoradiotherapy. <i>Colorectal Disease</i> , 2014, 16, 392-394. | 0.7 | 9 |
| 53 | Microsatellite instability in young patients with rectal cancer: molecular findings and treatment response. <i>British Journal of Surgery</i> , 2022, 109, 251-255. | 0.1 | 9 |
| 54 | Prediction of Poor Response to Neoadjuvant Chemoradiation in Patients With Rectal Cancer Using a DNA Repair Deregulation Score: Picking the Losers Instead of the Winners. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 300-309. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Nonoperative Management of Rectal Cancer. <i>Surgical Oncology Clinics of North America</i> , 2022, 31, 171-182. | 0.6 | 8 |
| 56 | The need for effective radiosensitizing agents. <i>Anti-Cancer Drugs</i> , 2011, 22, 308-310. | 0.7 | 7 |
| 57 | Management of adenomas within the area of rectal cancer that develop complete pathological response. <i>International Journal of Colorectal Disease</i> , 2015, 30, 1285-1287. | 1.0 | 7 |
| 58 | Laparoscopic colorectal surgery and discharge within 24 hâ€”who is at risk for readmission?. <i>Colorectal Disease</i> , 2021, 23, 2714-2722. | 0.7 | 7 |
| 59 | Impact of microsatellite status in early-onset colonic cancer. <i>British Journal of Surgery</i> , 2022, 109, 632-636. | 0.1 | 7 |
| 60 | Rectal sparing approach after preoperative radio- and/or chemotherapy (RESARCH) in patients with rectal cancer: potential pitfalls of a multicentre observational study. <i>Techniques in Coloproctology</i> , 2018, 22, 141-142. | 0.8 | 6 |
| 61 | Transanal Local Excision of Rectal Cancer after Neoadjuvant Chemoradiation: Is There a Place for It or Should Be Avoided at All Costs?. <i>Clinics in Colon and Rectal Surgery</i> , 2022, 35, 122-128. | 0.5 | 6 |
| 62 | Total mesorectal excision and sphincter preservation â€” the early steps of rectal cancer surgery. <i>Journal of Coloproctology</i> , 2014, 34, 041-047. | 0.1 | 5 |
| 63 | Alternative treatment to surgery for rectal cancer. <i>Annals of Laparoscopic and Endoscopic Surgery</i> , 2018, 3, 50-50. | 0.5 | 4 |
| 64 | Nonoperative Management for T2 Low Rectal Cancer: A Western Approach. <i>Clinics in Colon and Rectal Surgery</i> , 2020, 33, 366-371. | 0.5 | 3 |
| 65 | Local Excisionâ€”Better Than All (TME) or Nothing (Watch and Wait) in Complete Clinical Response Following Neoadjuvant Chemoradiation for Rectal Cancer?. <i>Diseases of the Colon and Rectum</i> , 2022, 65, 466-467. | 0.7 | 3 |
| 66 | Selective non-operative management of distal rectal cancer: The Watch & Wait Protocol. , 2012, , 43-53. | | 2 |
| 67 | Anal cancer: leading the way. <i>Lancet Oncology</i> , The, 2017, 18, 276-277. | 5.1 | 2 |
| 68 | Nodal status and survival in anal cancer. <i>Lancet Oncology</i> , The, 2017, 18, 1292-1293. | 5.1 | 2 |
| 69 | The influence of metastatic lymph nodes at the circumferential resection margin of rectal cancerâ€”Do these lymph nodes require any special attention?. <i>Techniques in Coloproctology</i> , 2019, 23, 81-82. | 0.8 | 2 |
| 70 | Rectal eversion for direct access to the distal resection margin: do we need another tool in the toolbox of rectal cancer surgery?. <i>Techniques in Coloproctology</i> , 2020, 24, 989-990. | 0.8 | 2 |
| 71 | In Regard to Sun Myint etÂal. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 101, 742-743. | 0.4 | 1 |
| 72 | Current Surgical Strategies in the Management of Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2019, 15, 18-27. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Complete Clinical Response after Neoadjuvant Chemoradiotherapy Managed Nonoperatively Results in Better Anorectal Function When Compared with Other Sphincter-Saving Alternatives for Distal Rectal Cancer. <i>Journal of the American College of Surgeons</i> , 2015, 221, S29-S30. | 0.2 | 0 |
| 74 | Inferior Survival Rates After Chemoradiation for Rectal Cancer Without Surgery. <i>JAMA Oncology</i> , 2017, 3, 859. | 3.4 | 0 |
| 75 | Es tiempo de reconsiderar la microcirugÃŁa endoscÃŁpica transanal tras quimio-radioterapia neoadyuvante para el cÃŁncer rectal en pacientes altamente seleccionados. <i>CirurgÃŁa EspaÃŁola</i> , 2017, 95, 179-180. | 0.1 | 0 |
| 76 | The Proper Treatment for the Complete Responder After Neoadjuvant Therapy. , 2018, , 77-95. | | 0 |
| 77 | Management of Low Rectal Cancer After Complete Clinical Response. , 2018, , 289-299. | | 0 |
| 78 | The Estimate of the Impact of Coccyx Resection in Surgical Field Exposure During Abdominal Perineal Resection Using Preoperative High-Resolution Magnetic Resonance. <i>World Journal of Surgery</i> , 2018, 42, 3765-3770. | 0.8 | 0 |
| 79 | Tumour response to neoadjuvant chemoradiation within lateral pelvic nodes: another step towards precision surgery. <i>Techniques in Coloproctology</i> , 2018, 22, 323-324. | 0.8 | 0 |
| 80 | The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2019, 62, e29-e30. | 0.7 | 0 |
| 81 | Response to Comment on "Organ Preservation for cT2N0 Distal Rectal Cancer" "Are There Any Better Surgical Alternatives Without Chemoradiation?" <i>Annals of Surgery</i> , 2019, 270, e119-e120. | 2.1 | 0 |
| 82 | The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2021, 64, e97-e98. | 0.7 | 0 |
| 83 | Neoadjuvant Chemoradiation and Complete Clinical Response for Distal Rectal Cancer. <i>Radiation Medicine Rounds</i> , 2010, 1, 335-348. | 0.0 | 0 |
| 84 | Neoadjuvant chemoradiation therapy for rectal cancer: current status and perspectives for the surgeon. <i>Annals of Laparoscopic and Endoscopic Surgery</i> , 0, 2, 87-87. | 0.5 | 0 |
| 85 | Rectal Cancer: Watch and Wait. , 2020, , 321-325. | | 0 |