

Guilherme Pagin SÃ£o JuliÃ£o

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3837797/publications.pdf>

Version: 2024-02-01

85
papers

4,769
citations

159358

30
h-index

98622

67
g-index

87
all docs

87
docs citations

87
times ranked

3408
citing authors

#	ARTICLE	IF	CITATIONS
1	Microsatellite instability in young patients with rectal cancer: molecular findings and treatment response. <i>British Journal of Surgery</i> , 2022, 109, 251-255.	0.1	9
2	Impact of microsatellite status in early-onset colonic cancer. <i>British Journal of Surgery</i> , 2022, 109, 632-636.	0.1	7
3	Transanal Local Excision of Rectal Cancer after Neoadjuvant Chemoradiation: Is There a Place for It or Should Be Avoided at All Costs?. <i>Clinics in Colon and Rectal Surgery</i> , 2022, 35, 122-128.	0.5	6
4	Local Excisionâ€”Better Than All (TME) or Nothing (Watch and Wait) in Complete Clinical Response Following Neoadjuvant Chemoradiation for Rectal Cancer?. <i>Diseases of the Colon and Rectum</i> , 2022, 65, 466-467.	0.7	3
5	Nonoperative Management of Rectal Cancer. <i>Surgical Oncology Clinics of North America</i> , 2022, 31, 171-182.	0.6	8
6	Conditional recurrence-free survival of clinical complete responders managed by watch and wait after neoadjuvant chemoradiotherapy for rectal cancer in the International Watch & Wait Database: a retrospective, international, multicentre registry study. <i>Lancet Oncology</i> , The, 2021, 22, 43-50.	5.1	122
7	The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2021, 64, e97-e98.	0.7	0
8	Laparoscopic colorectal surgery and discharge within 24 hâ€”who is at risk for readmission?. <i>Colorectal Disease</i> , 2021, 23, 2714-2722.	0.7	7
9	Characteristics of Early-Onset vs Late-Onset Colorectal Cancer. <i>JAMA Surgery</i> , 2021, 156, 865.	2.2	110
10	Conditional Survival in Patients With Rectal Cancer and Complete Clinical Response Managed by Watch and Wait After Chemoradiation. <i>Annals of Surgery</i> , 2020, 272, 138-144.	2.1	34
11	Prediction of Poor Response to Neoadjuvant Chemoradiation in Patients With Rectal Cancer Using a DNA Repair Deregulation Score: Picking the Losers Instead of the Winners. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 300-309.	0.7	8
12	Salvage Surgery With Organ Preservation for Patients With Local Regrowth After Watch and Wait: Is It Still Possible?. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1053-1062.	0.7	26
13	Rectal eversion for direct access to the distal resection margin: do we need another tool in the toolbox of rectal cancer surgery?. <i>Techniques in Coloproctology</i> , 2020, 24, 989-990.	0.8	2
14	Nonoperative Management for T2 Low Rectal Cancer: A Western Approach. <i>Clinics in Colon and Rectal Surgery</i> , 2020, 33, 366-371.	0.5	3
15	Rectal Cancer: Watch and Wait. , 2020, , 321-325.		0
16	The Effects of Neoadjuvant Chemoradiation in Locally Advanced Rectal Cancerâ€”The Impact in Intratumoral Heterogeneity. <i>Frontiers in Oncology</i> , 2019, 9, 974.	1.3	20
17	The influence of metastatic lymph nodes at the circumferential resection margin of rectal cancerâ€”Do these lymph nodes require any special attention?. <i>Techniques in Coloproctology</i> , 2019, 23, 81-82.	0.8	2
18	Current Surgical Strategies in the Management of Rectal Cancer. <i>Current Colorectal Cancer Reports</i> , 2019, 15, 18-27.	1.0	1

#	ARTICLE	IF	CITATIONS
19	Organ Preservation Among Patients With Clinically Node-Positive Rectal Cancer: Is It Really More Dangerous?. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 675-683.	0.7	24
20	Carbon Dioxide Embolism Associated With Total Mesorectal Excision Surgery: A Report From the International Registries. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 794-801.	0.7	48
21	Achieving a Complete Clinical Response After Neoadjuvant Chemoradiation That Does Not Require Surgical Resection: It May Take Longer Than You Think!. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 802-808.	0.7	91
22	The Authors Reply. <i>Diseases of the Colon and Rectum</i> , 2019, 62, e29-e30.	0.7	0
23	Response to Comment on "Organ Preservation for cT2N0 Distal Rectal Cancer" Are There Any Better Surgical Alternatives Without Chemoradiation?. <i>Annals of Surgery</i> , 2019, 270, e119-e120.	2.1	0
24	Organ Preservation in cT2N0 Rectal Cancer After Neoadjuvant Chemoradiation Therapy. <i>Annals of Surgery</i> , 2019, 269, 102-107.	2.1	112
25	The Proper Treatment for the Complete Responder After Neoadjuvant Therapy. , 2018, , 77-95.		0
26	Management of Low Rectal Cancer After Complete Clinical Response. , 2018, , 289-299.		0
27	Effect of Akt activation and experimental pharmacological inhibition on responses to neoadjuvant chemoradiotherapy in rectal cancer. <i>British Journal of Surgery</i> , 2018, 105, e192-e203.	0.1	20
28	Quality of Life in Patients With Rectal Cancer After Chemoradiation: Watch-and-Wait Policy Versus Standard Resection" Are We Comparing Apples to Oranges?. <i>Diseases of the Colon and Rectum</i> , 2018, 61, e21-e21.	0.7	13
29	Rectal sparing approach after preoperative radio- and/or chemotherapy (RESARCH) in patients with rectal cancer: potential pitfalls of a multicentre observational study. <i>Techniques in Coloproctology</i> , 2018, 22, 141-142.	0.8	6
30	Is neoadjuvant chemoradiation with dose-escalation and consolidation chemotherapy sufficient to increase surgery-free and distant metastases-free survival in baseline cT3 rectal cancer?. <i>European Journal of Surgical Oncology</i> , 2018, 44, 93-99.	0.5	29
31	Lateral Node Dissection in Rectal Cancer in the Era of Minimally Invasive Surgery: A Step-by-Step Description for the Surgeon Unacquainted with This Complex Procedure with the Use of the Laparoscopic Approach. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 1237-1240.	0.7	34
32	Factors affecting local regrowth after watch and wait for patients with a clinical complete response following chemoradiotherapy in rectal cancer (InterCoRe consortium): an individual participant data meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 825-836.	3.7	125
33	The Estimate of the Impact of Coccyx Resection in Surgical Field Exposure During Abdominal Perineal Resection Using Preoperative High-Resolution Magnetic Resonance. <i>World Journal of Surgery</i> , 2018, 42, 3765-3770.	0.8	0
34	Long-term outcomes of clinical complete responders after neoadjuvant treatment for rectal cancer in the International Watch & Wait Database (IWWD): an international multicentre registry study. <i>Lancet</i> , The, 2018, 391, 2537-2545.	6.3	677
35	Oncological and Survival Outcomes in Watch and Wait Patients With a Clinical Complete Response After Neoadjuvant Chemoradiotherapy for Rectal Cancer. <i>Annals of Surgery</i> , 2018, 268, 955-967.	2.1	189
36	Tumour response to neoadjuvant chemoradiation within lateral pelvic nodes: another step towards precision surgery. <i>Techniques in Coloproctology</i> , 2018, 22, 323-324.	0.8	0

#	ARTICLE	IF	CITATIONS
37	In Regard to Sun Myint etÂal. International Journal of Radiation Oncology Biology Physics, 2018, 101, 742-743.	0.4	1
38	Alternative treatment to surgery for rectal cancer. Annals of Laparoscopic and Endoscopic Surgery, 2018, 3, 50-50.	0.5	4
39	Anal cancer: leading the way. Lancet Oncology, The, 2017, 18, 276-277.	5.1	2
40	Transanal Total Mesorectal Excision. Annals of Surgery, 2017, 266, 111-117.	2.1	377
41	Intratumoral Genetic Heterogeneity in Rectal Cancer. Annals of Surgery, 2017, 265, e4-e6.	2.1	56
42	Baseline T Classification Predicts Early Tumor Regrowth After Nonoperative Management in Distal Rectal Cancer After Extended Neoadjuvant Chemoradiation and Initial Complete Clinical Response. Diseases of the Colon and Rectum, 2017, 60, 586-594.	0.7	63
43	Extralevator Abdominal Perineal Excision Versus Standard Abdominal Perineal Excision: Impact on Quality of the Resected Specimen and Postoperative Morbidity. World Journal of Surgery, 2017, 41, 2160-2167.	0.8	25
44	Consensus on structured training curriculum for transanal total mesorectal excision (TaTME). Surgical Endoscopy and Other Interventional Techniques, 2017, 31, 2711-2719.	1.3	123
45	Inferior Survival Rates After Chemoradiation for Rectal Cancer Without Surgery. JAMA Oncology, 2017, 3, 859.	3.4	0
46	Magnetic resonance imaging following neoadjuvant chemoradiation and transanal endoscopic microsurgery for rectal cancer. Colorectal Disease, 2017, 19, O196-O203.	0.7	12
47	New Strategies in Rectal Cancer. Surgical Clinics of North America, 2017, 97, 587-604.	0.5	38
48	The good, the bad and the ugly: rectal cancers in the twenty-first century. Techniques in Coloproctology, 2017, 21, 573-575.	0.8	10
49	Es tiempo de reconsiderar la microcirugÃa endoscÃpica transanal tras quimio-radioterapia neoadyuvante para el cÃncer rectal en pacientes altamente seleccionados. CirugÃa EspaÃola, 2017, 95, 179-180.	0.1	0
50	Nodal status and survival in anal cancer. Lancet Oncology, The, 2017, 18, 1292-1293.	5.1	2
51	Local Excision and Endoscopic Resections for Early Rectal Cancer. Clinics in Colon and Rectal Surgery, 2017, 30, 313-323.	0.5	11
52	Management of the Complete Clinical Response. Clinics in Colon and Rectal Surgery, 2017, 30, 387-394.	0.5	21
53	Impact of Organ-Preserving Strategies on Anorectal Function in Patients with Distal Rectal Cancer Following Neoadjuvant Chemoradiation. Diseases of the Colon and Rectum, 2016, 59, 264-269.	0.7	104
54	Semiquantitative Volumetry by Sequential PET/CT May Improve Prediction of Complete Response to Neoadjuvant Chemoradiation in Patients With Distal Rectal Cancer. Diseases of the Colon and Rectum, 2016, 59, 805-812.	0.7	30

#	ARTICLE	IF	CITATIONS
55	Should We Give Up The Search for a Clinically Useful Gene Signature for the Prediction of Response of Rectal Cancer to Neoadjuvant Chemoradiation?. <i>Diseases of the Colon and Rectum</i> , 2016, 59, 895-897.	0.7	12
56	18F-FDG uptake by rectal cancer is similar in mucinous and nonmucinous histological subtypes. <i>Annals of Nuclear Medicine</i> , 2016, 30, 513-517.	1.2	17
57	Consolidation chemotherapy during neoadjuvant chemoradiation (CRT) for distal rectal cancer leads to sustained decrease in tumor metabolism when compared to standard CRT regimen. <i>Radiation Oncology</i> , 2016, 11, 24.	1.2	42
58	Transanal Endoscopic Microsurgery (TEM) Following Neoadjuvant Chemoradiation for Rectal Cancer: Outcomes of Salvage Resection for Local Recurrence. <i>Annals of Surgical Oncology</i> , 2016, 23, 1143-1148.	0.7	53
59	Complete Clinical Response after Neoadjuvant Chemoradiotherapy Managed Nonoperatively Results in Better Anorectal Function When Compared with Other Sphincter-Saving Alternatives for Distal Rectal Cancer. <i>Journal of the American College of Surgeons</i> , 2015, 221, S29-S30.	0.2	0
60	Management of adenomas within the area of rectal cancer that develop complete pathological response. <i>International Journal of Colorectal Disease</i> , 2015, 30, 1285-1287.	1.0	7
61	Nonoperative Management of Rectal Cancer. <i>Hematology/Oncology Clinics of North America</i> , 2015, 29, 135-151.	0.9	62
62	Transanal Local Excision for Distal Rectal Cancer and Incomplete Response to Neoadjuvant Chemoradiation â Does Baseline Staging Matter?. <i>Diseases of the Colon and Rectum</i> , 2014, 57, 1253-1259.	0.7	23
63	Opinions have changed on the management of rectal cancer with a complete clinical response to neoadjuvant chemoradiotherapy. <i>Colorectal Disease</i> , 2014, 16, 392-394.	0.7	9
64	Local Recurrence After Complete Clinical Response and Watch and Wait in Rectal Cancer After Neoadjuvant Chemoradiation: Impact of Salvage Therapy on Local Disease Control. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 88, 822-828.	0.4	470
65	Predicting complete response to neoadjuvant CRT for distal rectal cancer using sequential PET/CT imaging. <i>Techniques in Coloproctology</i> , 2014, 18, 699-708.	0.8	51
66	Total mesorectal excision and sphincter preservation â the early steps of rectal cancer surgery. <i>Journal of Coloproctology</i> , 2014, 34, 041-047.	0.1	5
67	Pitfalls of transanal endoscopic microsurgery for rectal cancer following neoadjuvant chemoradiation therapy. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2014, 23, 63-69.	0.6	15
68	Fragmented pattern of tumor regression and lateral intramural spread may influence margin appropriateness after TEM for rectal cancer following neoadjuvant CRT. <i>Journal of Surgical Oncology</i> , 2014, 109, 853-858.	0.8	38
69	Watch and Wait Approach Following Extended Neoadjuvant Chemoradiation for Distal Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 1109-1117.	0.7	393
70	Clinical relevance of positron emission tomography/computed tomography-positive inguinal nodes in rectal cancer after neoadjuvant chemoradiation. <i>Colorectal Disease</i> , 2013, 15, 674-682.	0.7	10
71	Transanal Endoscopic Microsurgery for Residual Rectal Cancer (ypT0-2) Following Neoadjuvant Chemoradiation Therapy. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 6-13.	0.7	108
72	Selective non-operative management of distal rectal cancer: The Watch & Wait Protocol. , 2012, , 43-53.		2

#	ARTICLE	IF	CITATIONS
73	Optimal Timing for Assessment of Tumor Response to Neoadjuvant Chemoradiation in Patients With Rectal Cancer: Do All Patients Benefit From Waiting Longer Than 6 Weeks?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 1159-1165.	0.4	76
74	Accuracy of positron emission tomography/computed tomography and clinical assessment in the detection of complete rectal tumor regression after neoadjuvant chemoradiation. <i>Cancer</i> , 2012, 118, 3501-3511.	2.0	111
75	The need for effective radiosensitizing agents. <i>Anti-Cancer Drugs</i> , 2011, 22, 308-310.	0.7	7
76	Transanal Endoscopic Microsurgery for Residual Rectal Cancer After Neoadjuvant Chemoradiation Therapy Is Associated With Significant Immediate Pain and Hospital Readmission Rates. <i>Diseases of the Colon and Rectum</i> , 2011, 54, 545-551.	0.7	143
77	Nonoperative Approaches to Rectal Cancer: A Critical Evaluation. <i>Seminars in Radiation Oncology</i> , 2011, 21, 234-239.	1.0	101
78	Factors affecting management decisions in rectal cancer in clinical practice: results from a national survey. <i>Techniques in Coloproctology</i> , 2011, 15, 45-51.	0.8	13
79	Neoadjuvant Chemoradiation and Complete Clinical Response for Distal Rectal Cancer. <i>Radiation Medicine Rounds</i> , 2010, 1, 335-348.	0.0	0
80	The Role of Carcinoembriogenic Antigen in Predicting Response and Survival to Neoadjuvant Chemoradiotherapy for Distal Rectal Cancer. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 1137-1143.	0.7	102
81	Lymph Node Size in Rectal Cancer Following Neoadjuvant ChemoradiationâCan We Rely on Radiologic Nodal Staging After Chemoradiation?. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 1278-1284.	0.7	66
82	Increasing the Rates of Complete Response to Neoadjuvant Chemoradiotherapy for Distal Rectal Cancer: Results of a Prospective Study Using Additional Chemotherapy During the Resting Period. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 1927-1934.	0.7	193
83	Correspondence. <i>Techniques in Coloproctology</i> , 2008, 12, 73-78.	0.8	15
84	InstalaÃ§Ã£o e resultados preliminares de programa de rastreamento populacional de cÃ¢ncer colorretal em municÃ­pio brasileiro. <i>Arquivos Brasileiros De Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery</i> , 2008, 21, 12-15.	0.5	10
85	Neoadjuvant chemoradiation therapy for rectal cancer: current status and perspectives for the surgeon. <i>Annals of Laparoscopic and Endoscopic Surgery</i> , 0, 2, 87-87.	0.5	0