
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3837892/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prediction of mortality and major cardiovascular complications in type 2 diabetes: External validation of UK Prospective Diabetes Study outcomes model version 2 in two European observational cohorts. Diabetes, Obesity and Metabolism, 2021, 23, 1084-1091.	4.4	8
2	Peptides Derived From Insulin Granule Proteins Are Targeted by CD8+ T Cells Across MHC Class I Restrictions in Humans and NOD Mice. Diabetes, 2020, 69, 2678-2690.	0.6	34
3	Prevalence of orthorexic traits in type 2 diabetes mellitus: at the crossroads between nutritional counseling and eating disorders. Acta Diabetologica, 2020, 57, 1117-1119.	2.5	9
4	Dysfunctional eating in type 2 diabetes mellitus: A multicenter Italian study of socio-demographic and clinical associations. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 983-990.	2.6	12
5	Attending Diabetes Clinics is associated with a lower all-cause mortality. A meta-analysis of observational studies performed in Italy. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 431-435.	2.6	19
6	Cannabinoid Receptors in Diabetic Kidney Disease. Current Diabetes Reports, 2018, 18, 9.	4.2	19
7	The role of cannabinoid signaling in acute and chronic kidney diseases. Kidney International, 2018, 94, 252-258.	5.2	48
8	Evaluation of Cardiovascular Toxicity Associated with Treatments Containing Proteasome Inhibitors in Multiple Myeloma Therapy. High Blood Pressure and Cardiovascular Prevention, 2018, 25, 209-218.	2.2	18
9	Reversal of albuminuria by combined AM6545 and perindopril therapy in experimental diabetic nephropathy. British Journal of Pharmacology, 2018, 175, 4371-4385.	5.4	22
10	MicroRNA and Microvascular Complications of Diabetes. International Journal of Endocrinology, 2018, 2018, 1-20.	1.5	55
11	Conventional and Neo-antigenic Peptides Presented by β Cells Are Targeted by Circulating NaÃ⁻ve CD8+ T Cells in Type 1 Diabetic and Healthy Donors. Cell Metabolism, 2018, 28, 946-960.e6.	16.2	177
12	Dual therapy targeting the endocannabinoid system prevents experimental diabetic nephropathy. Nephrology Dialysis Transplantation, 2017, 32, 1655-1665.	0.7	42
13	Incidence of prolonged QTc and severe hypoglycemia in type 1 diabetes: the EURODIAB Prospective Complications Study. Acta Diabetologica, 2017, 54, 871-876.	2.5	4
14	MicroRNA-126 and micro-/macrovascular complications of type 1 diabetes in the EURODIAB Prospective Complications Study. Acta Diabetologica, 2017, 54, 133-139.	2.5	79
15	Type 1 diabetes in Sardinia: facts and hypotheses in the context of worldwide epidemiological data. Acta Diabetologica, 2017, 54, 9-17.	2.5	35
16	Heat Shock Proteins in Vascular Diabetic Complications: Review and Future Perspective. International Journal of Molecular Sciences, 2017, 18, 2709.	4.1	50
17	NTproBNP in insulin-resistance mediated conditions: overweight/obesity, metabolic syndrome and diabetes. The population-based Casale Monferrato Study. Cardiovascular Diabetology, 2017, 16, 119.	6.8	21
18	Short term variation in NTproBNP after lifestyle intervention in severe obesity. PLoS ONE, 2017, 12, e0181212.	2.5	18

#	Article	IF	CITATIONS
19	The relative burden of diabetes complications on healthcare costs: The population-based CINECA-SID ARNO Diabetes Observatory. Nutrition, Metabolism and Cardiovascular Diseases, 2016, 26, 944-950.	2.6	44
20	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4·4 million participants. Lancet, The, 2016, 387, 1513-1530.	13.7	2,842
21	Incidence, prevalence, costs and quality of care of type 1 diabetes in Italy, age 0–29 years: The population-based CINECA-SID ARNO Observatory, 2002–2012. Nutrition, Metabolism and Cardiovascular Diseases, 2016, 26, 1104-1111.	2.6	14
22	Incidence of type 1 diabetes in age groups above 15Âyears: facts, hypothesis and prospects for future epidemiologic research. Acta Diabetologica, 2016, 53, 339-347.	2.5	22
23	Is the choice of the statistical model relevant in the cost estimation of patients with chronic diseases? An empirical approach by the Piedmont Diabetes Registry. BMC Health Services Research, 2015, 15, 582.	2.2	18
24	Zinc and Other Metals Deficiencies and Risk of Type 1 Diabetes: An Ecological Study in the High Risk Sardinia Island. PLoS ONE, 2015, 10, e0141262.	2.5	24
25	What is the impact of sleeve gastrectomy and gastric bypass on metabolic control of diabetes? A clinic-based cohort of Mediterranean diabetic patients. Surgery for Obesity and Related Diseases, 2015, 11, 1014-1019.	1.2	9
26	Vitamin D levels at birth and risk of type 1 diabetes in childhood: a case–control study. Acta Diabetologica, 2015, 52, 1077-1081.	2.5	31
27	Investigating obesity among professional drivers: The high risk professional driver study. American Journal of Industrial Medicine, 2015, 58, 212-219.	2.1	31
28	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331â€~288 participants. Lancet Diabetes and Endocrinology,the, 2015, 3, 624-637.	11.4	139
29	Levels of Nâ€terminal pro brain natriuretic peptide are enhanced in people with the uncomplicated metabolic syndrome: a caseâ€cohort analysis of the populationâ€based Casale Monferrato study. Diabetes/Metabolism Research and Reviews, 2015, 31, 360-367.	4.0	3
30	Inflammation in diabetic nephropathy: moving toward clinical biomarkers and targets for treatment. Endocrine, 2015, 48, 730-742.	2.3	96
31	Prevalence of metabolic syndrome in the clinical practice of general medicine in Italy. Cardiovascular Diagnosis and Therapy, 2015, 5, 271-9.	1.7	12
32	NT-proBNP Linking Low-Moderately Impaired Renal Function and Cardiovascular Mortality in Diabetic Patients: The Population-Based Casale Monferrato Study. PLoS ONE, 2014, 9, e114855.	2.5	4
33	Deficiency of cannabinoid receptor of type 2 worsens renal functional and structural abnormalities in streptozotocin-induced diabetic mice. Kidney International, 2014, 86, 979-990.	5.2	51
34	Recurrent Miscarriages in Women Not Fulfilling Classification Criteria for Antiphospholipid Antibody Syndrome. International Journal of Immunopathology and Pharmacology, 2014, 27, 429-432.	2.1	7
35	Natriuretic Peptides, Heart, and Adipose Tissue: New Findings and Future Developments for Diabetes Research. Diabetes Care, 2014, 37, 2899-2908.	8.6	109
36	Increasing burden, younger age at onset and worst metabolic control in migrant than in Italian children with type 1 diabetes: an emerging problem in pediatric clinics. Acta Diabetologica, 2014, 51, 263-267.	2.5	14

#	Article	IF	CITATIONS
37	Under-treatment of migrants with diabetes in a universalistic health care system: The ARNO Observatory. Nutrition, Metabolism and Cardiovascular Diseases, 2014, 24, 393-399.	2.6	28
38	Hospital Admissions for Hypertensive Crisis in the Emergency Departments: A Large Multicenter Italian Study. PLoS ONE, 2014, 9, e93542.	2.5	86
39	The Effect of Age and NT-proBNP on the Association of Central Obesity with 6-Years Cardiovascular Mortality of Middle-Aged and Elderly Diabetic People: The Population-Based Casale Monferrato Study. PLoS ONE, 2014, 9, e96076.	2.5	1
40	Retinal heat shock protein 25 in early experimental diabetes. Acta Diabetologica, 2013, 50, 579-585.	2.5	8
41	Prediction of mortality and macrovascular complications in type 2 diabetes: validation of the UKPDS Outcomes Model in the Casale Monferrato Survey, Italy. Diabetologia, 2013, 56, 1726-1734.	6.3	22
42	Serum levels of heat shock protein 27 in patients with acute ischemic stroke. Cell Stress and Chaperones, 2013, 18, 531-533.	2.9	12
43	Circulating anti-Hsp70 levels in nascent metabolic syndrome: the Casale Monferrato Study. Cell Stress and Chaperones, 2013, 18, 353-357.	2.9	6
44	Serum heat shock protein 27 levels in patients with hepatocellular carcinoma. Cell Stress and Chaperones, 2013, 18, 235-241.	2.9	26
45	Obesity is associated with lower mortality risk in elderly diabetic subjects: the Casale Monferrato study. Acta Diabetologica, 2013, 50, 563-568.	2.5	17
46	Early Life Socioeconomic Indicators and Risk of Type 1 Diabetes in Children and Young Adults. Journal of Pediatrics, 2013, 162, 600-605.e1.	1.8	21
47	Diabetes-specific variables associated withÂquality of life changes in young diabetic people: The type 1 diabetes Registry of Turin (Italy). Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 1031-1036.	2.6	12
48	More Than 20 Years of Registration of Type 1 Diabetes in Sardinian Children. Diabetes, 2013, 62, 3542-3546.	0.6	31
49	N-Terminal Probrain Natriuretic Peptide Is a Stronger Predictor of Cardiovascular Mortality Than C-Reactive Protein and Albumin Excretion Rate in Elderly Patients With Type 2 Diabetes. Diabetes Care, 2013, 36, 2677-2682.	8.6	42
50	Temporal Trend in Hospitalizations for Acute Diabetic Complications: A Nationwide Study, Italy, 2001–2010. PLoS ONE, 2013, 8, e63675.	2.5	41
51	Urinary Exosomal MicroRNAs in Incipient Diabetic Nephropathy. PLoS ONE, 2013, 8, e73798.	2.5	269
52	Comment on: Inzucchi et al. Management of Hyperglycemia in Type 2 Diabetes: A Patient-Centered Approach. Position Statement of the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). Diabetes Care 2012;35:1364-1379. Diabetes Care, 2012, 35, e71-e71.	8.6	8
53	Response to Comment on: Gruden et al. Severe Hypoglycemia and Cardiovascular Disease Incidence in Type 1 Diabetes: The EURODIAB Prospective Complications Study. Diabetes Care 2012;35:1598-1604. Diabetes Care, 2012, 35, e89-e89.	8.6	2
54	Quality of Diabetes Care in Italy: Information From a Large Population-Based Multiregional Observatory (ARNO Diabetes). Diabetes Care, 2012, 35, e64-e64.	8.6	17

#	Article	IF	CITATIONS
55	NH2-Terminal Probrain Natriuretic Peptide Is Associated With Diabetes Complications in the EURODIAB Prospective Complications Study. Diabetes Care, 2012, 35, 1931-1936.	8.6	21
56	HLA-B7–Restricted Islet Epitopes Are Differentially Recognized in Type 1 Diabetic Children and Adults and Form Weak Peptide-HLA Complexes. Diabetes, 2012, 61, 2546-2555.	0.6	19
57	Increased QT Interval Dispersion Predicts 15-Year Cardiovascular Mortality in Type 2 Diabetic Subjects. Diabetes Care, 2012, 35, 581-583.	8.6	29
58	Severe Hypoglycemia and Cardiovascular Disease Incidence in Type 1 Diabetes. Diabetes Care, 2012, 35, 1598-1604.	8.6	72
59	QTc Interval Prolongation Is Independently Associated With Severe Hypoglycemic Attacks in Type 1 Diabetes From the EURODIAB IDDM Complications Study. Diabetes Care, 2012, 35, 125-127.	8.6	57
60	Uric acid is not an independent predictor of cardiovascular mortality in type 2 diabetes: A population-based study. Atherosclerosis, 2012, 221, 183-188.	0.8	64
61	Hippocampal heat shock protein 25 expression in streptozotocin-induced diabetic mice. Neuroscience, 2012, 227, 154-162.	2.3	12
62	Direct costs in diabetic and non diabetic people: The population-based Turin study, Italy. Nutrition, Metabolism and Cardiovascular Diseases, 2012, 22, 684-690.	2.6	46
63	Zinc transporter (ZnT)8186–194 is an immunodominant CD8+ T cell epitope in HLA-A2+ type 1 diabetic patients. Diabetologia, 2012, 55, 2026-2031.	6.3	53
64	Type 1 diabetes and measles, mumps and rubella childhood infections within the Italian Insulinâ€dependent Diabetes Registry. Diabetic Medicine, 2012, 29, 761-766.	2.3	45
65	Prevalence of â€~Borderline' Values of Cardiovascular Risk Factors in the Clinical Practice of General Medicine in Italy. High Blood Pressure and Cardiovascular Prevention, 2011, 18, 43-51.	2.2	3
66	Epidemiology and Costs of Diabetes. Transplantation Proceedings, 2011, 43, 327-329.	0.6	42
67	Protective Role of Cannabinoid Receptor Type 2 in a Mouse Model of Diabetic Nephropathy. Diabetes, 2011, 60, 2386-2396.	0.6	123
68	An unusual dysphagia. European Journal of Cardio-thoracic Surgery, 2010, 37, 961-961.	1.4	0
69	Oral Hypoglycemic Drugs: Pathophysiological Basis of Their Mechanism of ActionOral Hypoglycemic Drugs: Pathophysiological Basis of Their Mechanism of Action. Pharmaceuticals, 2010, 3, 3005-3020.	3.8	115
70	Highlights from "Italian Standards of Care for Diabetes Mellitus 2009–2010― Nutrition, Metabolism and Cardiovascular Diseases, 2010, 21, 302-14.	2.6	30
71	Age-Period-Cohort Analysis of 1990–2003 Incidence Time Trends of Childhood Diabetes in Italy. Diabetes, 2010, 59, 2281-2287.	0.6	69
72	Anti–Heat Shock Protein 27 Antibody Levels and Diabetes Complications in the EURODIAB Study. Diabetes Care, 2009, 32, 1269-1271.	8.6	19

#	Article	IF	CITATIONS
73	C-Reactive Protein and 5-Year Survival in Type 2 Diabetes. Diabetes, 2009, 58, 926-933.	0.6	51
74	Fasting Plasma C-Peptide and Micro- and Macrovascular Complications in a Large Clinic-Based Cohort of Type 1 Diabetic Patients. Diabetes Care, 2009, 32, 301-305.	8.6	115
75	The incidence of type 1 diabetes is increasing in both children and young adults in Northern Italy: 1984–2004 temporal trends. Diabetologia, 2009, 52, 2531-2535.	6.3	43
76	ANTIâ€HSP60 and ANTIâ€HSP70 antibody levels and micro/ macrovascular complications in type 1 diabetes: the EURODIAB Study. Journal of Internal Medicine, 2009, 266, 527-536.	6.0	33
77	Short-term mortality risk in children and young adults with type 1 diabetes: The population-based Registry of the Province of Turin, Italy. Nutrition, Metabolism and Cardiovascular Diseases, 2009, 19, 340-344.	2.6	21
78	What is the clinical usefulness of the metabolic syndrome? The Casale Monferrato study. Journal of Hypertension, 2009, 27, 2403-2408.	0.5	9
79	The impact of diabetes on prescription drug costs: the population-based Turin study. Diabetologia, 2008, 51, 795-801.	6.3	27
80	Changes over time in the prevalence and quality of care of type 2 diabetes in Italy: The Casale Monferrato Surveys, 1988 and 2000. Nutrition, Metabolism and Cardiovascular Diseases, 2008, 18, 39-45.	2.6	28
81	Socio-economic differences in the prevalence of diabetes in Italy: The population-based Turin study. Nutrition, Metabolism and Cardiovascular Diseases, 2008, 18, 678-682.	2.6	51
82	Serum Heat Shock Protein 27 and Diabetes Complications in the EURODIAB Prospective Complications Study. Diabetes, 2008, 57, 1966-1970.	0.6	75
83	Variations of the Perforin Gene in Patients With Type 1 Diabetes. Diabetes, 2008, 57, 1078-1083.	0.6	32
84	The Frequency and Immunodominance of Islet-Specific CD8+ T-cell Responses Change after Type 1 Diabetes Diagnosis and Treatment. Diabetes, 2008, 57, 1312-1320.	0.6	83
85	Immunization of HLA Class I Transgenic Mice Identifies Autoantigenic Epitopes Eliciting Dominant Responses in Type 1 Diabetes Patients. Journal of Immunology, 2007, 178, 7458-7466.	0.8	41
86	Incidence and Risk Factors of Prolonged QTc Interval in Type 1 Diabetes. Diabetes Care, 2007, 30, 2057-2063.	8.6	42
87	CD8+ T-Cell Responses Identify Â-Cell Autoimmunity in Human Type 1 Diabetes. Diabetes, 2007, 56, 613-621.	0.6	172
88	Estimated glomerular filtration rate, albuminuria and mortality in type 2 diabetes: the Casale Monferrato study. Diabetologia, 2007, 50, 941-948.	6.3	110
89	Effect of age on the association of non-high-density-lipoprotein cholesterol and apolipoprotein B with cardiovascular mortality in a Mediterranean population with type 2 diabetes: the Casale Monferrato study. Diabetologia, 2006, 49, 937-944.	6.3	42
90	Fibrinogen and AER are major independent predictors of 11-year cardiovascular mortality in type 2 diabetes: the Casale Monferrato Study. Diabetologia, 2005, 48, 427-434.	6.3	46

#	Article	IF	CITATIONS
91	RE: "DETECTING SMALL-AREA SIMILARITIES IN THE EPIDEMIOLOGY OF CHILDHOOD ACUTE LYMPHOBLASTIC LEUKEMIA AND DIABETES MELLITUS, TYPE 1: A BAYESIAN APPROACH― American Journal of Epidemiology, 2005, 162, 1132-1133.	3.4	1
92	Apolipoprotein E Polymorphism and Stroke Subtypes in an Italian Cohort. Cerebrovascular Diseases, 2005, 20, 264-269.	1.7	16
93	Residual Â-Cell Function and Male/Female Ratio Are Higher in Incident Young Adults Than in Children: The registry of type 1 diabetes of the province of Turin, Italy, 1984-2000. Diabetes Care, 2005, 28, 312-317.	8.6	22
94	Electrocardiographic Left Ventricular Hypertrophy in Type 1 Diabetes: Prevalence and relation to coronary heart disease and cardiovascular risk factors: the Eurodiab IDDM Complications Study. Diabetes Care, 2005, 28, 2255-2257.	8.6	27
95	Incidence of Type 1 and Type 2 Diabetes in Adults Aged 30-49 Years: The population-based registry in the province of Turin, Italy. Diabetes Care, 2005, 28, 2613-2619.	8.6	158
96	Diabetes Incidence in 0- to 14-Year Age-Group in Italy. Diabetes Care, 2004, 27, 2790-2796.	8.6	56
97	Metabolic Syndrome as a Predictor of All-Cause and Cardiovascular Mortality in Type 2 Diabetes. Diabetes Care, 2004, 27, 2689-2694.	8.6	202
98	Younger Age at Onset and Sex Predict Celiac Disease in Children and Adolescents With Type 1 Diabetes. Diabetes Care, 2004, 27, 1294-1298.	8.6	183
99	A clinically orientated approach increases the efficiency of screening for latent autoimmune diabetes in adults (LADA) in a large clinic-based cohort of patients with diabetes onset over 50 years. Diabetic Medicine, 2004, 21, 456-459.	2.3	30
100	Sex-differences in prevalence of electrocardiographic left ventricular hypertrophy in Type 2 diabetes: The Casale Monferrato Study. Diabetic Medicine, 2004, 21, 823-828.	2.3	27
101	Prevalence of Type 1 Diabetes-Related Autoantibodies in Adults With Celiac Disease. Diabetes Care, 2003, 26, 1644-1645.	8.6	6
102	Progression to Overt Nephropathy in Type 2 Diabetes. Diabetes Care, 2003, 26, 2150-2155.	8.6	99
103	Low Incidence of End-Stage Renal Disease and Chronic Renal Failure in Type 2 Diabetes: A 10-year prospective study. Diabetes Care, 2003, 26, 2353-2358.	8.6	49
104	Data sources and validity of epidemiological studies on diabetes. Diabetes, Nutrition & Metabolism, 2003, 16, 189-91.	0.7	0
105	Higher lipoprotein (a) levels in atherothrombotic than lacunar ischemic cerebrovascular disease. Neurology, 2002, 58, 653-655.	1.1	23
106	Prevalence of increased QT interval duration and dispersion in type 2 diabetic patients and its relationship with coronary heart disease: a population-based cohort. Journal of Internal Medicine, 2002, 251, 317-324.	6.0	105
107	Anti-CD38 autoantibodies: Characterisation in new-onset Type I diabetes and latent autoimmune diabetes of the adult (LADA) and comparison with other islet autoantibodies. Diabetologia, 2002, 45, 1667-1677.	6.3	37
108	Increasing trend of Type I diabetes in children and young adults in the province of Turin (Italy). Analysis of age, period and birth cohort effects from 1984 to 1996. Diabetologia, 2001, 44, 22-25.	6.3	73

#	Article	IF	CITATIONS
109	Hyperfibrinogenemia and metabolic syndrome in type 2 diabetes: a population-based study. Diabetes/Metabolism Research and Reviews, 2001, 17, 124-130.	4.0	17
110	Serum tryptase in allergic rhinitis: effect of cetirizine treatment. International Journal of Immunopathology and Pharmacology, 2001, 14, 147-152.	2.1	9
111	Temporal trends in incidence rates of Type I diabetes in Germany: birth cohort and calendar period effects. Diabetologia, 2000, 43, 1334-1334.	6.3	2
112	Genetic heterogeneity by age at onset of Type I diabetes: higher prevalence of patients with 0 susceptible heterodimers in adults than in children in the registry of Turin, Italy. Diabetologia, 2000, 43, 260-261.	6.3	6
113	Effect of Sardinian heritage on risk and age at onset of type 1 diabetes: a demographic case-control study of Sardinian migrants. International Journal of Epidemiology, 2000, 29, 532-535.	1.9	20
114	Effect of Sardinian heritage on risk and age at onset of type 1 diabetes: a demographic case-control study of Sardinian migrants. International Journal of Epidemiology, 2000, 29, 532-5.	1.9	9
115	Clinical, immunological, and genetic heterogeneity of diabetes in an Italian population-based cohort of lean newly diagnosed patients aged 30-54 years. Piedmont Study Group for Diabetes Epidemiology. Diabetes Care, 1999, 22, 50-55.	8.6	25
116	Impact of glycaemic control, hypertension and insulin treatment on general and cause-specific mortality: an Italian population-based cohort of Type II (non-insulin-dependent) diabetes mellitus. Diabetologia, 1999, 42, 297-301.	6.3	48
117	Cardiovascular Risk Profile of Type 2 Diabetic Patients Cared for by General Practitioners or at a Diabetes Clinic. Journal of Clinical Epidemiology, 1999, 52, 413-417.	5.0	15
118	Glycaemic control and cardiovascular risk factors in Type 2 diabetes: a population-based study. , 1998, 15, 304-307.		24
119	Comparison of incidence of insulin-dependent diabetes mellitus in children and young adults in the Province of Turin, Italy, 1984-91. , 1997, 14, 964-969.		13
120	Association of Fibrinogen with Glycemic Control and Albumin Excretion Rate in Patients with Non-Insulin-Dependent Diabetes Mellitus. Annals of Internal Medicine, 1996, 125, 653.	3.9	58
121	Low Prevalence of Microalbuminuria in Young Italian Insulin-dependent Diabetic Patients with Short Duration of Disease: a Population-based Study. Diabetic Medicine, 1996, 13, 889-893.	2.3	9
122	Prevalence and Risk Factors for Micro- and Macroalbuminuria in an Italian Population-Based Cohort of NIDDM Subjects. Diabetes Care, 1996, 19, 43-47.	8.6	92
123	National Diabetes Programs: Application of capture-recapture to count diabetes?. Diabetes Care, 1994, 17, 548-556.	8.6	73
124	Prevalence and Clinical Features of Known Type 2 Diabetes in the Elderly: A Populationâ€based Study. Diabetic Medicine, 1994, 11, 475-479.	2.3	24
125	Disease monitoring. Lancet, The, 1993, 341, 1416.	13.7	4
126	Sex Differences in Incidence of IDDM in Age-Group 15-29 yr: Higher risk in males in Province of Turin, Italy. Diabetes Care, 1993, 16, 133-136.	8.6	91

#	Article	IF	CITATIONS
127	Counting Diabetes in the Next Millennium: Application of capture-recapture technology. Diabetes Care, 1993, 16, 528-534.	8.6	131
128	A population-based prevalence survey of known diabetes mellitus in Northern Italy based upon multiple independent sources of ascertainment. Diabetologia, 1992, 35, 851-856.	6.3	56
129	Incidence of IDDM During 1984-1986 in Population Aged <30 Yr: Residents of Turin, Italy. Diabetes Care, 1990, 13, 1051-1056.	8.6	21