

Graziella Bruno

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3837892/publications.pdf>

Version: 2024-02-01

129
papers

8,494
citations

71004

43
h-index

54771

88
g-index

130
all docs

130
docs citations

130
times ranked

15880
citing authors

#	ARTICLE	IF	CITATIONS
1	Prediction of mortality and major cardiovascular complications in type 2 diabetes: External validation of UK Prospective Diabetes Study outcomes model version 2 in two European observational cohorts. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1084-1091.	2.2	8
2	Peptides Derived From Insulin Granule Proteins Are Targeted by CD8+ T Cells Across MHC Class I Restrictions in Humans and NOD Mice. <i>Diabetes</i> , 2020, 69, 2678-2690.	0.3	34
3	Prevalence of orthorexic traits in type 2 diabetes mellitus: at the crossroads between nutritional counseling and eating disorders. <i>Acta Diabetologica</i> , 2020, 57, 1117-1119.	1.2	9
4	Dysfunctional eating in type 2 diabetes mellitus: A multicenter Italian study of socio-demographic and clinical associations. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 983-990.	1.1	12
5	Attending Diabetes Clinics is associated with a lower all-cause mortality. A meta-analysis of observational studies performed in Italy. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 431-435.	1.1	19
6	Cannabinoid Receptors in Diabetic Kidney Disease. <i>Current Diabetes Reports</i> , 2018, 18, 9.	1.7	19
7	The role of cannabinoid signaling in acute and chronic kidney diseases. <i>Kidney International</i> , 2018, 94, 252-258.	2.6	48
8	Evaluation of Cardiovascular Toxicity Associated with Treatments Containing Proteasome Inhibitors in Multiple Myeloma Therapy. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2018, 25, 209-218.	1.0	18
9	Reversal of albuminuria by combined AM6545 and perindopril therapy in experimental diabetic nephropathy. <i>British Journal of Pharmacology</i> , 2018, 175, 4371-4385.	2.7	22
10	MicroRNA and Microvascular Complications of Diabetes. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-20.	0.6	55
11	Conventional and Neo-antigenic Peptides Presented by \hat{I}^2 Cells Are Targeted by Circulating Na \hat{A} -ve CD8+ T Cells in Type 1 Diabetic and Healthy Donors. <i>Cell Metabolism</i> , 2018, 28, 946-960.e6.	7.2	177
12	Dual therapy targeting the endocannabinoid system prevents experimental diabetic nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1655-1665.	0.4	42
13	Incidence of prolonged QTc and severe hypoglycemia in type 1 diabetes: the EURODIAB Prospective Complications Study. <i>Acta Diabetologica</i> , 2017, 54, 871-876.	1.2	4
14	MicroRNA-126 and micro-/macrovascular complications of type 1 diabetes in the EURODIAB Prospective Complications Study. <i>Acta Diabetologica</i> , 2017, 54, 133-139.	1.2	79
15	Type 1 diabetes in Sardinia: facts and hypotheses in the context of worldwide epidemiological data. <i>Acta Diabetologica</i> , 2017, 54, 9-17.	1.2	35
16	Heat Shock Proteins in Vascular Diabetic Complications: Review and Future Perspective. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2709.	1.8	50
17	NTproBNP in insulin-resistance mediated conditions: overweight/obesity, metabolic syndrome and diabetes. The population-based Casale Monferrato Study. <i>Cardiovascular Diabetology</i> , 2017, 16, 119.	2.7	21
18	Short term variation in NTproBNP after lifestyle intervention in severe obesity. <i>PLoS ONE</i> , 2017, 12, e0181212.	1.1	18

#	ARTICLE	IF	CITATIONS
19	The relative burden of diabetes complications on healthcare costs: The population-based CINECA-SID ARNO Diabetes Observatory. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 944-950.	1.1	44
20	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016, 387, 1513-1530.	6.3	2,842
21	Incidence, prevalence, costs and quality of care of type 1 diabetes in Italy, age 0-29 years: The population-based CINECA-SID ARNO Observatory, 2002-2012. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 1104-1111.	1.1	14
22	Incidence of type 1 diabetes in age groups above 15 years: facts, hypothesis and prospects for future epidemiologic research. <i>Acta Diabetologica</i> , 2016, 53, 339-347.	1.2	22
23	Is the choice of the statistical model relevant in the cost estimation of patients with chronic diseases? An empirical approach by the Piedmont Diabetes Registry. <i>BMC Health Services Research</i> , 2015, 15, 582.	0.9	18
24	Zinc and Other Metals Deficiencies and Risk of Type 1 Diabetes: An Ecological Study in the High Risk Sardinia Island. <i>PLoS ONE</i> , 2015, 10, e0141262.	1.1	24
25	What is the impact of sleeve gastrectomy and gastric bypass on metabolic control of diabetes? A clinic-based cohort of Mediterranean diabetic patients. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 1014-1019.	1.0	9
26	Vitamin D levels at birth and risk of type 1 diabetes in childhood: a case-control study. <i>Acta Diabetologica</i> , 2015, 52, 1077-1081.	1.2	31
27	Investigating obesity among professional drivers: The high risk professional driver study. <i>American Journal of Industrial Medicine</i> , 2015, 58, 212-219.	1.0	31
28	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331-288 participants. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 624-637.	5.5	139
29	Levels of N-terminal pro brain natriuretic peptide are enhanced in people with the uncomplicated metabolic syndrome: a case-cohort analysis of the population-based Casale Monferrato study. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 360-367.	1.7	3
30	Inflammation in diabetic nephropathy: moving toward clinical biomarkers and targets for treatment. <i>Endocrine</i> , 2015, 48, 730-742.	1.1	96
31	Prevalence of metabolic syndrome in the clinical practice of general medicine in Italy. <i>Cardiovascular Diagnosis and Therapy</i> , 2015, 5, 271-9.	0.7	12
32	NT-proBNP Linking Low-Moderately Impaired Renal Function and Cardiovascular Mortality in Diabetic Patients: The Population-Based Casale Monferrato Study. <i>PLoS ONE</i> , 2014, 9, e114855.	1.1	4
33	Deficiency of cannabinoid receptor of type 2 worsens renal functional and structural abnormalities in streptozotocin-induced diabetic mice. <i>Kidney International</i> , 2014, 86, 979-990.	2.6	51
34	Recurrent Miscarriages in Women Not Fulfilling Classification Criteria for Antiphospholipid Antibody Syndrome. <i>International Journal of Immunopathology and Pharmacology</i> , 2014, 27, 429-432.	1.0	7
35	Natriuretic Peptides, Heart, and Adipose Tissue: New Findings and Future Developments for Diabetes Research. <i>Diabetes Care</i> , 2014, 37, 2899-2908.	4.3	109
36	Increasing burden, younger age at onset and worst metabolic control in migrant than in Italian children with type 1 diabetes: an emerging problem in pediatric clinics. <i>Acta Diabetologica</i> , 2014, 51, 263-267.	1.2	14

#	ARTICLE	IF	CITATIONS
37	Under-treatment of migrants with diabetes in a universalistic health care system: The ARNO Observatory. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 393-399.	1.1	28
38	Hospital Admissions for Hypertensive Crisis in the Emergency Departments: A Large Multicenter Italian Study. <i>PLoS ONE</i> , 2014, 9, e93542.	1.1	86
39	The Effect of Age and NT-proBNP on the Association of Central Obesity with 6-Years Cardiovascular Mortality of Middle-Aged and Elderly Diabetic People: The Population-Based Casale Monferrato Study. <i>PLoS ONE</i> , 2014, 9, e96076.	1.1	1
40	Retinal heat shock protein 25 in early experimental diabetes. <i>Acta Diabetologica</i> , 2013, 50, 579-585.	1.2	8
41	Prediction of mortality and macrovascular complications in type 2 diabetes: validation of the UKPDS Outcomes Model in the Casale Monferrato Survey, Italy. <i>Diabetologia</i> , 2013, 56, 1726-1734.	2.9	22
42	Serum levels of heat shock protein 27 in patients with acute ischemic stroke. <i>Cell Stress and Chaperones</i> , 2013, 18, 531-533.	1.2	12
43	Circulating anti-Hsp70 levels in nascent metabolic syndrome: the Casale Monferrato Study. <i>Cell Stress and Chaperones</i> , 2013, 18, 353-357.	1.2	6
44	Serum heat shock protein 27 levels in patients with hepatocellular carcinoma. <i>Cell Stress and Chaperones</i> , 2013, 18, 235-241.	1.2	26
45	Obesity is associated with lower mortality risk in elderly diabetic subjects: the Casale Monferrato study. <i>Acta Diabetologica</i> , 2013, 50, 563-568.	1.2	17
46	Early Life Socioeconomic Indicators and Risk of Type 1 Diabetes in Children and Young Adults. <i>Journal of Pediatrics</i> , 2013, 162, 600-605.e1.	0.9	21
47	Diabetes-specific variables associated with quality of life changes in young diabetic people: The type 1 diabetes Registry of Turin (Italy). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 1031-1036.	1.1	12
48	More Than 20 Years of Registration of Type 1 Diabetes in Sardinian Children. <i>Diabetes</i> , 2013, 62, 3542-3546.	0.3	31
49	N-Terminal Probrain Natriuretic Peptide Is a Stronger Predictor of Cardiovascular Mortality Than C-Reactive Protein and Albumin Excretion Rate in Elderly Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2013, 36, 2677-2682.	4.3	42
50	Temporal Trend in Hospitalizations for Acute Diabetic Complications: A Nationwide Study, Italy, 2001-2010. <i>PLoS ONE</i> , 2013, 8, e63675.	1.1	41
51	Urinary Exosomal MicroRNAs in Incipient Diabetic Nephropathy. <i>PLoS ONE</i> , 2013, 8, e73798.	1.1	269
52	Comment on: Inzucchi et al. Management of Hyperglycemia in Type 2 Diabetes: A Patient-Centered Approach. Position Statement of the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetes Care</i> 2012;35:1364-1379. <i>Diabetes Care</i> , 2012, 35, e71-e71.	4.3	8
53	Response to Comment on: Gruden et al. Severe Hypoglycemia and Cardiovascular Disease Incidence in Type 1 Diabetes: The EURODIAB Prospective Complications Study. <i>Diabetes Care</i> 2012;35:1598-1604. <i>Diabetes Care</i> , 2012, 35, e89-e89.	4.3	2
54	Quality of Diabetes Care in Italy: Information From a Large Population-Based Multiregional Observatory (ARNO Diabetes). <i>Diabetes Care</i> , 2012, 35, e64-e64.	4.3	17

#	ARTICLE	IF	CITATIONS
55	NH2-Terminal Probrain Natriuretic Peptide Is Associated With Diabetes Complications in the EURODIAB Prospective Complications Study. <i>Diabetes Care</i> , 2012, 35, 1931-1936.	4.3	21
56	HLA-B7â€œRestricted Islet Epitopes Are Differentially Recognized in Type 1 Diabetic Children and Adults and Form Weak Peptide-HLA Complexes. <i>Diabetes</i> , 2012, 61, 2546-2555.	0.3	19
57	Increased QT Interval Dispersion Predicts 15-Year Cardiovascular Mortality in Type 2 Diabetic Subjects. <i>Diabetes Care</i> , 2012, 35, 581-583.	4.3	29
58	Severe Hypoglycemia and Cardiovascular Disease Incidence in Type 1 Diabetes. <i>Diabetes Care</i> , 2012, 35, 1598-1604.	4.3	72
59	QTc Interval Prolongation Is Independently Associated With Severe Hypoglycemic Attacks in Type 1 Diabetes From the EURODIAB IDDM Complications Study. <i>Diabetes Care</i> , 2012, 35, 125-127.	4.3	57
60	Uric acid is not an independent predictor of cardiovascular mortality in type 2 diabetes: A population-based study. <i>Atherosclerosis</i> , 2012, 221, 183-188.	0.4	64
61	Hippocampal heat shock protein 25 expression in streptozotocin-induced diabetic mice. <i>Neuroscience</i> , 2012, 227, 154-162.	1.1	12
62	Direct costs in diabetic and non diabetic people: The population-based Turin study, Italy. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012, 22, 684-690.	1.1	46
63	Zinc transporter (ZnT)8186â€œ194 is an immunodominant CD8+ T cell epitope in HLA-A2+ type 1 diabetic patients. <i>Diabetologia</i> , 2012, 55, 2026-2031.	2.9	53
64	Type 1 diabetes and measles, mumps and rubella childhood infections within the Italian Insulinâ€œdependent Diabetes Registry. <i>Diabetic Medicine</i> , 2012, 29, 761-766.	1.2	45
65	Prevalence of â€œBorderlineâ€™ Values of Cardiovascular Risk Factors in the Clinical Practice of General Medicine in Italy. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2011, 18, 43-51.	1.0	3
66	Epidemiology and Costs of Diabetes. <i>Transplantation Proceedings</i> , 2011, 43, 327-329.	0.3	42
67	Protective Role of Cannabinoid Receptor Type 2 in a Mouse Model of Diabetic Nephropathy. <i>Diabetes</i> , 2011, 60, 2386-2396.	0.3	123
68	An unusual dysphagia. <i>European Journal of Cardio-thoracic Surgery</i> , 2010, 37, 961-961.	0.6	0
69	Oral Hypoglycemic Drugs: Pathophysiological Basis of Their Mechanism of Action Oral Hypoglycemic Drugs: Pathophysiological Basis of Their Mechanism of Action. <i>Pharmaceuticals</i> , 2010, 3, 3005-3020.	1.7	115
70	Highlights from â€œItalian Standards of Care for Diabetes Mellitus 2009â€œ2010â€œ. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 21, 302-14.	1.1	30
71	Age-Period-Cohort Analysis of 1990â€œ2003 Incidence Time Trends of Childhood Diabetes in Italy. <i>Diabetes</i> , 2010, 59, 2281-2287.	0.3	69
72	Antiâ€œHeat Shock Protein 27 Antibody Levels and Diabetes Complications in the EURODIAB Study. <i>Diabetes Care</i> , 2009, 32, 1269-1271.	4.3	19

#	ARTICLE	IF	CITATIONS
73	C-Reactive Protein and 5-Year Survival in Type 2 Diabetes. <i>Diabetes</i> , 2009, 58, 926-933.	0.3	51
74	Fasting Plasma C-Peptide and Micro- and Macrovascular Complications in a Large Clinic-Based Cohort of Type 1 Diabetic Patients. <i>Diabetes Care</i> , 2009, 32, 301-305.	4.3	115
75	The incidence of type 1 diabetes is increasing in both children and young adults in Northern Italy: 1984-2004 temporal trends. <i>Diabetologia</i> , 2009, 52, 2531-2535.	2.9	43
76	ANTI- α HSP60 and ANTI- α HSP70 antibody levels and micro/ macrovascular complications in type 1 diabetes: the EURODIAB Study. <i>Journal of Internal Medicine</i> , 2009, 266, 527-536.	2.7	33
77	Short-term mortality risk in children and young adults with type 1 diabetes: The population-based Registry of the Province of Turin, Italy. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 340-344.	1.1	21
78	What is the clinical usefulness of the metabolic syndrome? The Casale Monferrato study. <i>Journal of Hypertension</i> , 2009, 27, 2403-2408.	0.3	9
79	The impact of diabetes on prescription drug costs: the population-based Turin study. <i>Diabetologia</i> , 2008, 51, 795-801.	2.9	27
80	Changes over time in the prevalence and quality of care of type 2 diabetes in Italy: The Casale Monferrato Surveys, 1988 and 2000. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008, 18, 39-45.	1.1	28
81	Socio-economic differences in the prevalence of diabetes in Italy: The population-based Turin study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008, 18, 678-682.	1.1	51
82	Serum Heat Shock Protein 27 and Diabetes Complications in the EURODIAB Prospective Complications Study. <i>Diabetes</i> , 2008, 57, 1966-1970.	0.3	75
83	Variations of the Perforin Gene in Patients With Type 1 Diabetes. <i>Diabetes</i> , 2008, 57, 1078-1083.	0.3	32
84	The Frequency and Immunodominance of Islet-Specific CD8+ T-cell Responses Change after Type 1 Diabetes Diagnosis and Treatment. <i>Diabetes</i> , 2008, 57, 1312-1320.	0.3	83
85	Immunization of HLA Class I Transgenic Mice Identifies Autoantigenic Epitopes Eliciting Dominant Responses in Type 1 Diabetes Patients. <i>Journal of Immunology</i> , 2007, 178, 7458-7466.	0.4	41
86	Incidence and Risk Factors of Prolonged QTc Interval in Type 1 Diabetes. <i>Diabetes Care</i> , 2007, 30, 2057-2063.	4.3	42
87	CD8+ T-Cell Responses Identify β -Cell Autoimmunity in Human Type 1 Diabetes. <i>Diabetes</i> , 2007, 56, 613-621.	0.3	172
88	Estimated glomerular filtration rate, albuminuria and mortality in type 2 diabetes: the Casale Monferrato study. <i>Diabetologia</i> , 2007, 50, 941-948.	2.9	110
89	Effect of age on the association of non-high-density-lipoprotein cholesterol and apolipoprotein B with cardiovascular mortality in a Mediterranean population with type 2 diabetes: the Casale Monferrato study. <i>Diabetologia</i> , 2006, 49, 937-944.	2.9	42
90	Fibrinogen and AER are major independent predictors of 11-year cardiovascular mortality in type 2 diabetes: the Casale Monferrato Study. <i>Diabetologia</i> , 2005, 48, 427-434.	2.9	46

#	ARTICLE	IF	CITATIONS
91	RE: "DETECTING SMALL-AREA SIMILARITIES IN THE EPIDEMIOLOGY OF CHILDHOOD ACUTE LYMPHOBLASTIC LEUKEMIA AND DIABETES MELLITUS, TYPE 1: A BAYESIAN APPROACH" American Journal of Epidemiology, 2005, 162, 1132-1133.	1.6	1
92	Apolipoprotein E Polymorphism and Stroke Subtypes in an Italian Cohort. Cerebrovascular Diseases, 2005, 20, 264-269.	0.8	16
93	Residual β -Cell Function and Male/Female Ratio Are Higher in Incident Young Adults Than in Children: The registry of type 1 diabetes of the province of Turin, Italy, 1984-2000. Diabetes Care, 2005, 28, 312-317.	4.3	22
94	Electrocardiographic Left Ventricular Hypertrophy in Type 1 Diabetes: Prevalence and relation to coronary heart disease and cardiovascular risk factors: the Eurodiab IDDM Complications Study. Diabetes Care, 2005, 28, 2255-2257.	4.3	27
95	Incidence of Type 1 and Type 2 Diabetes in Adults Aged 30-49 Years: The population-based registry in the province of Turin, Italy. Diabetes Care, 2005, 28, 2613-2619.	4.3	158
96	Diabetes Incidence in 0- to 14-Year Age-Group in Italy: A 10-year prospective study. Diabetes Care, 2004, 27, 2790-2796.	4.3	56
97	Metabolic Syndrome as a Predictor of All-Cause and Cardiovascular Mortality in Type 2 Diabetes: The Casale Monferrato Study. Diabetes Care, 2004, 27, 2689-2694.	4.3	202
98	Younger Age at Onset and Sex Predict Celiac Disease in Children and Adolescents With Type 1 Diabetes: An Italian multicenter study. Diabetes Care, 2004, 27, 1294-1298.	4.3	183
99	A clinically orientated approach increases the efficiency of screening for latent autoimmune diabetes in adults (LADA) in a large clinic-based cohort of patients with diabetes onset over 50 years. Diabetic Medicine, 2004, 21, 456-459.	1.2	30
100	Sex-differences in prevalence of electrocardiographic left ventricular hypertrophy in Type 2 diabetes: The Casale Monferrato Study. Diabetic Medicine, 2004, 21, 823-828.	1.2	27
101	Prevalence of Type 1 Diabetes-Related Autoantibodies in Adults With Celiac Disease. Diabetes Care, 2003, 26, 1644-1645.	4.3	6
102	Progression to Overt Nephropathy in Type 2 Diabetes: The Casale Monferrato Study. Diabetes Care, 2003, 26, 2150-2155.	4.3	99
103	Low Incidence of End-Stage Renal Disease and Chronic Renal Failure in Type 2 Diabetes: A 10-year prospective study. Diabetes Care, 2003, 26, 2353-2358.	4.3	49
104	Data sources and validity of epidemiological studies on diabetes. Diabetes, Nutrition & Metabolism, 2003, 16, 189-91.	0.4	0
105	Higher lipoprotein (a) levels in atherothrombotic than lacunar ischemic cerebrovascular disease. Neurology, 2002, 58, 653-655.	1.5	23
106	Prevalence of increased QT interval duration and dispersion in type 2 diabetic patients and its relationship with coronary heart disease: a population-based cohort. Journal of Internal Medicine, 2002, 251, 317-324.	2.7	105
107	Anti-CD38 autoantibodies: Characterisation in new-onset Type I diabetes and latent autoimmune diabetes of the adult (LADA) and comparison with other islet autoantibodies. Diabetologia, 2002, 45, 1667-1677.	2.9	37
108	Increasing trend of Type I diabetes in children and young adults in the province of Turin (Italy). Analysis of age, period and birth cohort effects from 1984 to 1996. Diabetologia, 2001, 44, 22-25.	2.9	73

#	ARTICLE	IF	CITATIONS
109	Hyperfibrinogenemia and metabolic syndrome in type 2 diabetes: a population-based study. <i>Diabetes/Metabolism Research and Reviews</i> , 2001, 17, 124-130.	1.7	17
110	Serum tryptase in allergic rhinitis: effect of cetirizine treatment. <i>International Journal of Immunopathology and Pharmacology</i> , 2001, 14, 147-152.	1.0	9
111	Temporal trends in incidence rates of Type I diabetes in Germany: birth cohort and calendar period effects. <i>Diabetologia</i> , 2000, 43, 1334-1334.	2.9	2
112	Genetic heterogeneity by age at onset of Type I diabetes: higher prevalence of patients with O susceptible heterodimers in adults than in children in the registry of Turin, Italy. <i>Diabetologia</i> , 2000, 43, 260-261.	2.9	6
113	Effect of Sardinian heritage on risk and age at onset of type 1 diabetes: a demographic case-control study of Sardinian migrants. <i>International Journal of Epidemiology</i> , 2000, 29, 532-535.	0.9	20
114	Effect of Sardinian heritage on risk and age at onset of type 1 diabetes: a demographic case-control study of Sardinian migrants. <i>International Journal of Epidemiology</i> , 2000, 29, 532-5.	0.9	9
115	Clinical, immunological, and genetic heterogeneity of diabetes in an Italian population-based cohort of lean newly diagnosed patients aged 30-54 years. <i>Piedmont Study Group for Diabetes Epidemiology. Diabetes Care</i> , 1999, 22, 50-55.	4.3	25
116	Impact of glycaemic control, hypertension and insulin treatment on general and cause-specific mortality: an Italian population-based cohort of Type II (non-insulin-dependent) diabetes mellitus. <i>Diabetologia</i> , 1999, 42, 297-301.	2.9	48
117	Cardiovascular Risk Profile of Type 2 Diabetic Patients Cared for by General Practitioners or at a Diabetes Clinic. <i>Journal of Clinical Epidemiology</i> , 1999, 52, 413-417.	2.4	15
118	Glycaemic control and cardiovascular risk factors in Type 2 diabetes: a population-based study. , 1998, 15, 304-307.		24
119	Comparison of incidence of insulin-dependent diabetes mellitus in children and young adults in the Province of Turin, Italy, 1984-91. , 1997, 14, 964-969.		13
120	Association of Fibrinogen with Glycemic Control and Albumin Excretion Rate in Patients with Non-Insulin-Dependent Diabetes Mellitus. <i>Annals of Internal Medicine</i> , 1996, 125, 653.	2.0	58
121	Low Prevalence of Microalbuminuria in Young Italian Insulin-dependent Diabetic Patients with Short Duration of Disease: a Population-based Study. <i>Diabetic Medicine</i> , 1996, 13, 889-893.	1.2	9
122	Prevalence and Risk Factors for Micro- and Macroalbuminuria in an Italian Population-Based Cohort of NIDDM Subjects. <i>Diabetes Care</i> , 1996, 19, 43-47.	4.3	92
123	National Diabetes Programs: Application of capture-recapture to count diabetes?. <i>Diabetes Care</i> , 1994, 17, 548-556.	4.3	73
124	Prevalence and Clinical Features of Known Type 2 Diabetes in the Elderly: A Population-based Study. <i>Diabetic Medicine</i> , 1994, 11, 475-479.	1.2	24
125	Disease monitoring. <i>Lancet, The</i> , 1993, 341, 1416.	6.3	4
126	Sex Differences in Incidence of IDDM in Age-Group 15-29 yr: Higher risk in males in Province of Turin, Italy. <i>Diabetes Care</i> , 1993, 16, 133-136.	4.3	91

#	ARTICLE	IF	CITATIONS
127	Counting Diabetes in the Next Millennium: Application of capture-recapture technology. Diabetes Care, 1993, 16, 528-534.	4.3	131
128	A population-based prevalence survey of known diabetes mellitus in Northern Italy based upon multiple independent sources of ascertainment. Diabetologia, 1992, 35, 851-856.	2.9	56
129	Incidence of IDDM During 1984-1986 in Population Aged <30 Yr: Residents of Turin, Italy. Diabetes Care, 1990, 13, 1051-1056.	4.3	21