
## R Kathryn Mchugh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3837912/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Substance abuse treatment entry, retention, and outcome in women: A review of the literature. Drug and Alcohol Dependence, 2007, 86, 1-21.	1.6	836
2	The dissemination and implementation of evidence-based psychological treatments: A review of current efforts American Psychologist, 2010, 65, 73-84.	3.8	782
3	Sex and gender differences in substance use disorders. Clinical Psychology Review, 2018, 66, 12-23.	6.0	566
4	Patient Preference for Psychological vs Pharmacologic Treatment of Psychiatric Disorders. Journal of Clinical Psychiatry, 2013, 74, 595-602.	1.1	556
5	A meta-analysis of the magnitude of biased attention in depression. Depression and Anxiety, 2010, 27, 1135-1142.	2.0	483
6	Cognitive Behavioral Therapy for Substance Use Disorders. Psychiatric Clinics of North America, 2010, 33, 511-525.	0.7	330
7	Balancing fidelity and adaptation in the dissemination of empirically-supported treatments: The promise of transdiagnostic interventions. Behaviour Research and Therapy, 2009, 47, 946-953.	1.6	264
8	The epidemiology of benzodiazepine misuse: A systematic review. Drug and Alcohol Dependence, 2019, 200, 95-114.	1.6	234
9	Alcohol Use Disorder and Depressive Disorders. Alcohol Research: Current Reviews, 2019, 40, .	1.9	198
10	Gender differences in a clinical trial for prescription opioid dependence. Journal of Substance Abuse Treatment, 2013, 45, 38-43.	1.5	180
11	Shared Variance Among Self-Report and Behavioral Measures of Distress Intolerance. Cognitive Therapy and Research, 2011, 35, 266-275.	1.2	176
12	Refining the Measurement of Distress Intolerance. Behavior Therapy, 2012, 43, 641-651.	1.3	148
13	A meta-analytic review of the association between anxiety sensitivity and pain. Depression and Anxiety, 2010, 27, 760-767.	2.0	130
14	The Women's Recovery Group Study: A Stage I trial of women-focused group therapy for substance use disorders versus mixed-gender group drug counseling. Drug and Alcohol Dependence, 2007, 90, 39-47.	1.6	124
15	Reasons for opioid use among patients with dependence on prescription opioids: The role of chronic pain. Journal of Substance Abuse Treatment, 2014, 47, 140-145.	1.5	123
16	Long-term outcomes from the National Drug Abuse Treatment Clinical Trials Network Prescription Opioid Addiction Treatment Study. Drug and Alcohol Dependence, 2015, 150, 112-119.	1.6	123
17	The serotonin transporter gene and risk for alcohol dependence: A meta-analytic review. Drug and Alcohol Dependence, 2010, 108, 1-6.	1.6	96
18	Empirically Supported Treatments for Panic Disorder. Psychiatric Clinics of North America, 2009, 32, 593-610.	0.7	92

#	Article	IF	CITATIONS
19	Prescription drug abuse: from epidemiology to public policy. Journal of Substance Abuse Treatment, 2015, 48, 1-7.	1.5	91
20	Domain-general and domain-specific strategies for the assessment of distress intolerance Psychology of Addictive Behaviors, 2011, 25, 745-749.	1.4	90
21	Assessing craving and its relationship to subsequent prescription opioid use among treatment-seeking prescription opioid dependent patients. Drug and Alcohol Dependence, 2014, 145, 121-126.	1.6	90
22	The opioid crisis: a contextual, social-ecological framework. Health Research Policy and Systems, 2020, 18, 87.	1.1	84
23	Epidemiology of Substance Use in Reproductive-Age Women. Obstetrics and Gynecology Clinics of North America, 2014, 41, 177-189.	0.7	79
24	The Dissemination of Computer-Based Psychological Treatment: A Preliminary Analysis of Patient and Clinician Perceptions. Administration and Policy in Mental Health and Mental Health Services Research, 2013, 40, 87-95.	1.2	78
25	An Examination of the Association of Distress Intolerance and Emotion Regulation with Avoidance. Cognitive Therapy and Research, 2013, 37, 363-367.	1.2	76
26	Efficacy of CBT for benzodiazepine discontinuation in patients with panic disorder: Further evaluation. Behaviour Research and Therapy, 2010, 48, 720-727.	1.6	74
27	Distress Intolerance and Prescription Opioid Misuse Among Patients With Chronic Pain. Journal of Pain, 2016, 17, 806-814.	0.7	71
28	Changes in Distress Intolerance and Treatment Outcome in a Partial Hospital Setting. Behavior Therapy, 2014, 45, 232-240.	1.3	70
29	Combined pharmacotherapy and cognitive-behavioral therapy for anxiety disorders: Medication effects, glucocorticoids, and attenuated treatment outcomes Clinical Psychology: Science and Practice, 2010, 17, 91-103.	0.6	69
30	Predictors of Dropout from Psychosocial Treatment in Opioidâ€Dependent Outpatients. American Journal on Addictions, 2013, 22, 18-22.	1.3	60
31	Predictors of early dropout in outpatient buprenorphine/naloxone treatment. American Journal on Addictions, 2016, 25, 472-477.	1.3	60
32	Treatment of Co-occurring Anxiety Disorders and Substance Use Disorders. Harvard Review of Psychiatry, 2015, 23, 99-111.	0.9	54
33	Longitudinal association between pain severity and subsequent opioid use in prescription opioid dependent patients with chronic pain. Drug and Alcohol Dependence, 2016, 163, 216-221.	1.6	53
34	Cost-Efficacy of Individual and Combined Treatments for Panic Disorder. Journal of Clinical Psychiatry, 2007, 68, 1038-1044.	1.1	52
35	Anxiety sensitivity and illicit sedative use among opiate-dependent women and men. American Journal of Drug and Alcohol Abuse, 2011, 37, 43-47.	1.1	50
36	Direct-to-Consumer Marketing of Evidence-Based Psychological Interventions. Behavior Therapy, 2012, 43, 231-235.	1.3	50

#	Article	IF	CITATIONS
37	Anxiety sensitivity and nonmedical benzodiazepine use among adults with opioid use disorder. Addictive Behaviors, 2017, 65, 283-288.	1.7	49
38	Suicidal motivations reported by opioid overdose survivors: A cross-sectional study of adults with opioid use disorder. Drug and Alcohol Dependence, 2019, 205, 107612.	1.6	48
39	Attentional Bias and Craving in Smokers: The Impact of a Single Attentional Training Session. Nicotine and Tobacco Research, 2010, 12, 1261-1264.	1.4	47
40	Clinical Perspectives on the Combination of D-Cycloserine and Cognitive-Behavioral Therapy for the Treatment of Anxiety Disorders. CNS Spectrums, 2007, 12, 51-61.	0.7	46
41	Association between a brief alcohol craving measure and drinking in the following week. Addiction, 2016, 111, 1004-1010.	1.7	46
42	Improving the Transportability of CBT for Internalizing Disorders in Children. Clinical Child and Family Psychology Review, 2011, 14, 161-173.	2.3	45
43	Affective vulnerability in substance use disorders. Current Opinion in Psychology, 2019, 30, 54-58.	2.5	44
44	Substance Use Disorders in Global Mental Health Delivery: Epidemiology, Treatment Gap, and Implementation of Evidence-Based Treatments. Harvard Review of Psychiatry, 2020, 28, 316-327.	0.9	43
45	Nonmedical prescription sedative/tranquilizer use in alcohol and opioid use disorders. Addictive Behaviors, 2019, 88, 48-55.	1.7	37
46	The role of perceived belongingness to a drug subculture among opioid-dependent patients Psychology of Addictive Behaviors, 2012, 26, 812-820.	1.4	36
47	Patients' perceptions of telehealth services for outpatient treatment of substance use disorders during the COVIDâ€19 pandemic. American Journal on Addictions, 2021, 30, 445-452.	1.3	36
48	Perceived barriers to smoking cessation among adults with substance use disorders. Journal of Substance Abuse Treatment, 2017, 74, 48-53.	1.5	35
49	Profiles of Distress Intolerance in a Substance-Dependent Sample. American Journal of Drug and Alcohol Abuse, 2012, 38, 161-165.	1.1	33
50	Day-to-day pain symptoms are only weakly associated with opioid craving among patients with chronic pain prescribed opioid therapy. Drug and Alcohol Dependence, 2016, 162, 130-136.	1.6	33
51	Anxiety sensitivity and opioid misuse among opioid-using adults with chronic pain. American Journal of Drug and Alcohol Abuse, 2019, 45, 470-478.	1.1	33
52	Opioid Use Disorder in Women and the Implications for Treatment. Psychiatric Research and Clinical Practice, 2021, 3, 3-11.	1.3	33
53	Effects of <i>D</i> -Cycloserine Administration on Weekly Nonemotional Memory Tasks in Healthy Participants. Psychotherapy and Psychosomatics, 2009, 78, 49-54.	4.0	32
54	Grit in patients with substance use disorders. American Journal on Addictions, 2016, 25, 652-658.	1.3	32

4

#	Article	IF	CITATIONS
55	Readability of self-report measures of depression and anxiety Journal of Consulting and Clinical Psychology, 2009, 77, 1100-1112.	1.6	31
56	Cue-induced craving to paraphernalia and drug images in opioid dependence. American Journal on Addictions, 2016, 25, 105-109.	1.3	30
57	Translational Studies of Sex Differences in Sensitivity to Opioid Addiction. Neuropsychopharmacology, 2016, 41, 383-384.	2.8	30
58	Nonmedical benzodiazepine use in adults with alcohol use disorder: The role of anxiety sensitivity and polysubstance use. American Journal on Addictions, 2018, 27, 485-490.	1.3	29
59	Cortisol, stress, and attentional bias toward threat. Anxiety, Stress and Coping, 2010, 23, 529-545.	1.7	28
60	Cueâ€induced craving in dependence upon prescription opioids and heroin. American Journal on Addictions, 2014, 23, 453-458.	1.3	28
61	Delay discounting in opioid use disorder: Differences between heroin and prescription opioid users. Drug and Alcohol Dependence, 2016, 169, 68-72.	1.6	27
62	Breath Holding Duration and Self-Reported Smoking Abstinence Intolerance as Predictors of Smoking Lapse Behavior in a Laboratory Analog Task. Nicotine and Tobacco Research, 2013, 15, 1151-1154.	1.4	26
63	Denial of urinalysis-confirmed opioid use in prescription opioid dependence. Journal of Substance Abuse Treatment, 2015, 48, 85-90.	1.5	26
64	Religious coping in patients with severe substance use disorders receiving acute inpatient detoxification. American Journal on Addictions, 2017, 26, 744-750.	1.3	25
65	Exploring anxiety sensitivity in the relationship between pain intensity and opioid misuse among opioid-using adults with chronic pain. Journal of Psychiatric Research, 2019, 111, 154-159.	1.5	25
66	Development of an integrated cognitive behavioral therapy for anxiety and opioid use disorder: Study protocol and methods. Contemporary Clinical Trials, 2017, 60, 105-112.	0.8	23
67	Prevalence of restless legs syndrome during detoxification from alcohol and opioids. Journal of Substance Abuse Treatment, 2017, 73, 35-39.	1.5	22
68	Associations between pain catastrophizing and clinical characteristics in adults with substance use disorders and co-occurring chronic pain. American Journal of Drug and Alcohol Abuse, 2019, 45, 488-494.	1.1	22
69	Sex differences in benzodiazepine misuse among adults with substance use disorders. Addictive Behaviors, 2021, 112, 106608.	1.7	22
70	Comprehension of self-report evidence-based measures of anxiety. Depression and Anxiety, 2011, 28, 607-614.	2.0	21
71	How best to reduce unhealthy risk-taking behaviours? A meta-review of evidence syntheses of interventions using self-regulation principles. Health Psychology Review, 2020, 14, 86-115.	4.4	21
72	The relationship between perceived stress and depression in substance use disorder treatment. Drug and Alcohol Dependence, 2020, 207, 107819.	1.6	21

#	Article	IF	CITATIONS
73	Reducing opioid use disorder and overdose deaths in the United States: A dynamic modeling analysis. Science Advances, 2022, 8, .	4.7	20
74	d-Cycloserine for the augmentation of an attentional training intervention for trait anxiety. Journal of Anxiety Disorders, 2010, 24, 440-445.	1.5	18
75	Positive Affect and Stress Reactivity in Alcohol-Dependent Outpatients. Journal of Studies on Alcohol and Drugs, 2013, 74, 152-157.	0.6	18
76	Pain catastrophizing and distress intolerance: prediction of pain and emotional stress reactivity. Journal of Behavioral Medicine, 2020, 43, 623-629.	1.1	18
77	Fatal self-injury in the United States, 1999–2018: Unmasking a national mental health crisis. EClinicalMedicine, 2021, 32, 100741.	3.2	18
78	Changes in Sleep Disruption in the Treatment of Coâ€Occurring Posttraumatic Stress Disorder and Substance Use Disorders. Journal of Traumatic Stress, 2014, 27, 82-89.	1.0	17
79	Attitudes and Training Needs of New England HIV Care and Addiction Treatment Providers. Addictive Disorders and Their Treatment, 2015, 14, 16-28.	O.5	17
80	Perceived risk of heroin use among nonmedical prescription opioid users. Addictive Behaviors, 2017, 65, 218-223.	1.7	17
81	Group therapy for women with substance use disorders: In-session affiliation predicts women's substance use treatment outcomes. Journal of Substance Abuse Treatment, 2018, 94, 60-68.	1.5	17
82	The Importance of Studying Sex and Gender Differences in Opioid Misuse. JAMA Network Open, 2020, 3, e2030676.	2.8	17
83	Correlates of Opioid Abstinence in a 42-Month Posttreatment Naturalistic Follow-Up Study of Prescription Opioid Dependence. Journal of Clinical Psychiatry, 2019, 80, .	1.1	17
84	Perceived barriers for cannabis cessation: Relations to cannabis use problems, withdrawal symptoms, and self-efficacy for quitting. Addictive Behaviors, 2018, 76, 45-51.	1.7	16
85	Review: Adjunctive pharmacologic approaches for benzodiazepine tapers. Drug and Alcohol Dependence, 2018, 189, 96-107.	1.6	16
86	The role of anxiety sensitivity in reactivity to trauma cues in treatment-seeking adults with substance use disorders. Comprehensive Psychiatry, 2017, 78, 107-114.	1.5	15
87	The association between affect amplification and urgency. Depression and Anxiety, 2011, 28, 1105-1110.	2.0	14
88	Alcohol use disorder and motives for prescription opioid misuse: A latent class analysis. Substance Use and Misuse, 2019, 54, 1558-1568.	0.7	14
89	Patterns of Polysubstance Use among Adults with Tranquilizer Misuse. Substance Use and Misuse, 2020, 55, 861-870.	0.7	14
90	The opioid crisis: need for systems science research. Health Research Policy and Systems, 2020, 18, 88.	1.1	14

#	Article	IF	CITATIONS
91	A novel method for assessing distress intolerance: Adaptation of a measure of willingness to pay. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 440-446.	0.6	13
92	A Randomized, Controlled Trial of the Efficacy of an Interoceptive Exposure-Based CBT for Treatment-Refractory Outpatients with Opioid Dependence. Journal of Psychoactive Drugs, 2014, 46, 402-411.	1.0	13
93	Validation of the craving scale in a large sample of adults with substance use disorders. Addictive Behaviors, 2021, 113, 106651.	1.7	13
94	Gender differences in the prevalence of heroin and opioid analgesic misuse in the United States, 2015–2019. Drug and Alcohol Dependence, 2021, 227, 108978.	1.6	13
95	Distress intolerance and worry: the mediating role of cognitive variables. Anxiety, Stress and Coping, 2015, 28, 408-424.	1.7	12
96	Examining the latent structure of worry and generalized anxiety in a clinical sample. Journal of Anxiety Disorders, 2014, 28, 8-15.	1.5	11
97	Benzodiazepine misuse in adults with alcohol use disorder: Prevalence, motives and patterns of use. Journal of Substance Abuse Treatment, 2020, 117, 108061.	1.5	11
98	Depression history as a predictor of outcomes during buprenorphine-naloxone treatment of prescription opioid use disorder. Drug and Alcohol Dependence, 2020, 213, 108122.	1.6	11
99	Association of State Social and Environmental Factors With Rates of Self-injury Mortality and Suicide in the United States. JAMA Network Open, 2022, 5, e2146591.	2.8	11
100	Psychiatric Symptom Improvement in Women Following Group Substance Abuse Treatment: Results From the Women's Recovery Group Study. Journal of Cognitive Psychotherapy, 2010, 24, 26-36.	0.2	10
101	Readability of Self-Report Alcohol Misuse Measures. Journal of Studies on Alcohol and Drugs, 2014, 75, 328-334.	0.6	10
102	The opioid use disorder core outcomes set (OUD–COS) for treatment research: findings from a Delphi consensus study. Addiction, 2022, 117, 2438-2447.	1.7	10
103	Using natural language processing to improve suicide classification requires consideration of race. Suicide and Life-Threatening Behavior, 2022, 52, 782-791.	0.9	10
104	Improving perceptions of cognitive-behavioral therapy with brief website exposure: Does neuroscientific allure impact attitudes?. Journal of Behavior Therapy and Experimental Psychiatry, 2017, 57, 53-61.	0.6	8
105	Associations between Childhood Abuse and Chronic Pain in Adults with Substance Use Disorders. Substance Use and Misuse, 2021, 56, 87-92.	0.7	8
106	Evaluating a longitudinal mediation model of perceived stress, depressive symptoms, and substance use treatment outcomes Psychology of Addictive Behaviors, 2020, 34, 660-668.	1.4	8
107	Suicidal motivations among opioid overdose survivors: Replication and extension. Drug and Alcohol Dependence, 2022, 235, 109437.	1.6	8
108	Readability and comprehension of self-report binge eating measures. Eating Behaviors, 2013, 14, 167-170.	1.1	7

#	Article	IF	CITATIONS
109	Psychometric Analysis of the Perceptions of Computerized Therapy Questionnaire-Patient Version (PCTQ-P). Administration and Policy in Mental Health and Mental Health Services Research, 2014, 41, 104-113.	1.2	7
110	Long-term naturalistic follow-up of chronic pain in adults with prescription opioid use disorder. Drug and Alcohol Dependence, 2019, 205, 107675.	1.6	7
111	Benzodiazepine misuse among adults receiving psychiatric treatment. Journal of Psychiatric Research, 2020, 128, 33-37.	1.5	7
112	Sexual HIV Risk Behaviors in a Treatment-Refractory Opioid-Dependent Sample. Journal of Psychoactive Drugs, 2012, 44, 237-242.	1.0	6
113	Does bedtime matter among patients with chronic pain? A longitudinal comparison study. Pain Reports, 2019, 4, e747.	1.4	6
114	Pain interference and catastrophizing are not associated with polysubstance use among treatment-seeking patients with substance use disorders and chronic pain. American Journal of Drug and Alcohol Abuse, 2020, 46, 604-612.	1.1	6
115	Core outcomes set for research on the treatment of opioid use disorder (COS-OUD): the National Institute on Drug Abuse Clinical Trials Network protocol for an e-Delphi consensus study. Trials, 2021, 22, 102.	0.7	6
116	Anxiety and Opioid Use Disorder: Potential Targets for Treatment and Prevention. Current Addiction Reports, 2021, 8, 136-143.	1.6	6
117	Behavioral strategies to reduce stress reactivity in opioid use disorder: Study design Health Psychology, 2020, 39, 806-814.	1.3	6
118	Development and Validation of the Smoking Cue Appeal Survey. Substance Use and Misuse, 2010, 45, 2152-2161.	0.7	5
119	Investigating the latent structure of distress intolerance. Psychiatry Research, 2018, 262, 513-519.	1.7	5
120	Associations among interpretation bias, craving, and abstinence self-efficacy in adults with substance use disorders. Drug and Alcohol Dependence, 2019, 205, 107644.	1.6	5
121	Anxiety sensitivity and grit as mediators between childhood abuse and relapse risk for substance use. Child Abuse and Neglect, 2020, 107, 104568.	1.3	5
122	Changes in pain during buprenorphine maintenance treatment among patients with opioid use disorder and chronic pain Journal of Consulting and Clinical Psychology, 2022, 90, 314-325.	1.6	5
123	Are substance use disorders emotional disorders? Why heterogeneity matters for treatment Clinical Psychology: Science and Practice, 2019, 26, .	0.6	4
124	Examination of the indirect effect of childhood emotional trauma on internalizing symptoms through distress intolerance. Journal of American College Health, 2022, 70, 1347-1353.	0.8	4
125	Clinical Correlates of Smoking Status in Men and Women with Opioid Use Disorder. Substance Use and Misuse, 2020, 55, 1054-1058.	0.7	4
126	Elucidating the Relationship between Worry and Physical Health. Journal of Experimental Psychopathology, 2010, 1, jep.008210.	0.4	3

#	Article	IF	CITATIONS
127	Assessing anxiety sensitivity. , 2019, , 9-29.		3
128	Do people with opioid use disorder and posttraumatic stress disorder benefit from dding Individual opioid Drug Counseling to buprenorphine?. Drug and Alcohol Dependence, 2021, 228, 109084.	1.6	3
129	Benzodiazepine misuse and cigarette smoking status in US adults: Results from the National Survey on Drug Use and Health, 2015‰2018. Addictive Behaviors, 2021, 123, 107058.	1.7	3
130	Cognitive control training for urgency: A pilot randomized controlled trial in an acute clinical sample. Behaviour Research and Therapy, 2021, 146, 103968.	1.6	2
131	Suicide and Substance Use Disorder. Psychiatric Annals, 2020, 50, 158-162.	0.1	2
132	Clinical utility of a hybrid secondary and relapse prevention program in adults with mild intellectual disability or borderline intellectual functioning in community residential and day habilitation settings. Disability and Health Journal, 2022, , 101293.	1.6	2
133	Are Pain and Negative Affect Coping Distinct Motives for Opioid Misuse?. Substance Use and Misuse, 2022, 57, 848-852.	0.7	2
134	Reply to "Further issues in determining the readability of self-report items: Comment on McHugh and Behar (2009)―. Journal of Consulting and Clinical Psychology, 2012, 80, 1121-1122.	1.6	1
135	Dampening of Positive Affect Predicts Substance Use During Partial Hospitalization. Cognitive Therapy and Research, 2020, 44, 811-819.	1.2	1
136	Psychometric properties of the Anxiety Sensitivity Index-3 in adults with substance use disorders. Journal of Substance Abuse Treatment, 2022, 132, 108507.	1.5	1
137	Avoiding Treatment Failures in Panic Disorder. , 2010, , 103-124.		1
138	A pilot study of benzodiazepine cue-induced craving. Drug and Alcohol Dependence, 2022, 235, 109443.	1.6	1
139	Tobacco Use Predicts Treatment Dropout and Outcome in an Acute, Transdiagnostic Psychiatric Treatment Setting. Behavior Therapy, 2021, 52, 897-906.	1.3	0
140	Commentary on Monico et al .: The urgent need for developmental competency and effective policy to prevent youth opioid overdose. Addiction, 2021, 116, 874-875.	1.7	0
141	A haphazard reading of McHugh and Barlow (2010) American Psychologist, 2010, 65, 927-928.	3.8	Ο