

Beatrice Dyring-Andersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3838098/publications.pdf>

Version: 2024-02-01

24
papers

786
citations

759233

12
h-index

642732

23
g-index

27
all docs

27
docs citations

27
times ranked

1222
citing authors

#	ARTICLE	IF	CITATIONS
1	Deep Visual Proteomics defines single-cell identity and heterogeneity. <i>Nature Biotechnology</i> , 2022, 40, 1231-1240.	17.5	160
2	Spatially and cell-type resolved quantitative proteomic atlas of healthy human skin. <i>Nature Communications</i> , 2020, 11, 5587.	12.8	72
3	Rapid allergen-induced interleukin-17 and interferon- γ secretion by skin-resident memory CD8 ⁺ T cells. <i>Contact Dermatitis</i> , 2017, 76, 218-227.	1.4	71
4	IL-1 β -Dependent Activation of Dendritic Epidermal T Cells in Contact Hypersensitivity. <i>Journal of Immunology</i> , 2014, 192, 2975-2983.	0.8	69
5	CD4 ⁺ T cells producing interleukin (IL)-17, IL-22 and interferon- γ are major effector T cells in nickel allergy. <i>Contact Dermatitis</i> , 2013, 68, 339-347.	1.4	64
6	Distinct molecular signatures of mild extrinsic and intrinsic atopic dermatitis. <i>Experimental Dermatology</i> , 2016, 25, 453-459.	2.9	63
7	Laser capture microdissection followed by next-generation sequencing identifies disease-related microRNA in psoriatic skin that reflect systemic microRNA changes in psoriasis. <i>Experimental Dermatology</i> , 2015, 24, 187-193.	2.9	61
8	NKG2D-Dependent Activation of Dendritic Epidermal T Cells in Contact Hypersensitivity. <i>Journal of Investigative Dermatology</i> , 2015, 135, 1311-1319.	0.7	30
9	Molecular analysis of primary melanoma T cells identifies patients at risk for metastatic recurrence. <i>Nature Cancer</i> , 2020, 1, 197-209.	13.2	30
10	Epicutaneous exposure to nickel induces nickel allergy in mice via a MyD88-dependent and interleukin-1-dependent pathway. <i>Contact Dermatitis</i> , 2014, 71, 224-232.	1.4	28
11	Increased prevalence of lymphoid tissue inducer cells in the cerebrospinal fluid of patients with early multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1013-1020.	3.0	20
12	Central memory T cells are the most effective precursors of resident memory T cells in human skin. <i>Science Immunology</i> , 2022, 7, eabn1889.	11.9	17
13	Research Techniques Made Simple: Choosing Appropriate Statistical Methods for Clinical Research. <i>Journal of Investigative Dermatology</i> , 2017, 137, e173-e178.	0.7	15
14	Immunoregulatory and lipid presentation pathways are upregulated in human face transplant rejection. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	11
15	Ixekizumab for treatment of psoriasis. <i>Expert Review of Clinical Immunology</i> , 2015, 11, 435-442.	3.0	9
16	Towards Precision Dermatology: Emerging Role of Proteomic Analysis of the Skin. <i>Dermatology</i> , 2022, 238, 185-194.	2.1	9
17	Different cytokine profiles of skin-derived T cell cultures from patients with atopic dermatitis and psoriasis. <i>Inflammation Research</i> , 2016, 65, 265-272.	4.0	8
18	Targeting IL-17 with ixekizumab in patients with psoriasis. <i>Immunotherapy</i> , 2015, 7, 957-966.	2.0	6

#	ARTICLE	IF	CITATIONS
19	Patients Newly Diagnosed with Clinical Type 2 Diabetes during Oral Glucocorticoid Treatment and Observed for 14 Years: All-cause Mortality and Clinical Developments. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2011, 108, 285-288.	2.5	4
20	Sharply Demarcated Incisions Caused by Rat Bites. <i>Archives of Dermatology</i> , 2012, 148, 1209.	1.4	2
21	Allergic Contact Dermatitis to Nickel Is Characterized by a Specific Micro-RNA Signature. <i>Dermatitis</i> , 2015, 26, 195-196.	1.6	2
22	Epidermal T cell subsets—Effect of age and antigen exposure in humans and mice. <i>Contact Dermatitis</i> , 2021, 84, 375-384.	1.4	1
23	Subcutaneous Fat Necrosis of the Newborn. <i>JAMA Dermatology</i> , 2022, 158, 812.	4.1	1
24	Chronic lymphoedema caused by recurrent infections in a patient with allergic hand eczema. <i>Dermatology Reports</i> , 2011, 3, e11.	0.8	0