

# Yuyan Liu

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3838823/yuyan-liu-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92  
papers

3,790  
citations

37  
h-index

60  
g-index

98  
ext. papers

4,842  
ext. citations

8.1  
avg, IF

6.22  
L-index

#	Paper	IF	Citations
92	Modified MXene/Holey Graphene Films for Advanced Supercapacitor Electrodes with Superior Energy Storage. <i>Advanced Science</i> , <b>2018</b> , 5, 1800750	13.6	216
91	A lightweight and conductive MXene/graphene hybrid foam for superior electromagnetic interference shielding. <i>Chemical Engineering Journal</i> , <b>2020</b> , 381, 122696	14.7	161
90	Simply realizing water diode Janus membranes for multifunctional smart applications. <i>Materials Horizons</i> , <b>2017</b> , 4, 701-708	14.4	151
89	Thermal, mechanical and shape memory properties of shape memory epoxy resin. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2010</b> , 527, 2510-2514	5.3	134
88	Segregation-induced in situ hydrophilic modification of poly (vinylidene fluoride) ultrafiltration membranes via sticky poly (ethylene glycol) blending. <i>Journal of Membrane Science</i> , <b>2018</b> , 563, 22-30	9.6	131
87	Cactus-Inspired Bimetallic Metal-Organic Framework-Derived 1D-2D Hierarchical Co/N-Decorated Carbon Architecture toward Enhanced Electromagnetic Wave Absorbing Performance. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 13564-13573	9.5	123
86	Superhydrophobic Shape Memory Polymer Arrays with Switchable Isotropic/Anisotropic Wetting. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1705002	15.6	120
85	A novel mussel-inspired strategy toward superhydrophobic surfaces for self-driven crude oil spill cleanup. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 12171-12178	13	116
84	Three-dimensional and stable polyaniline-grafted graphene hybrid materials for supercapacitor electrodes. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 15273-15278	13	114
83	Designing multifunctional 3D magnetic foam for effective insoluble oil separation and rapid selective dye removal for use in wastewater remediation. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 7316-7325	13	113
82	A nanoporous MXene film enables flexible supercapacitors with high energy storage. <i>Nanoscale</i> , <b>2018</b> , 10, 9642-9652	7.7	112
81	Superhydrophobic Surface With Shape Memory Micro/Nanostructure and Its Application in Rewritable Chip for Droplet Storage. <i>ACS Nano</i> , <b>2016</b> , 10, 9379-9386	16.7	110
80	Ink-based 3D printing technologies for graphene-based materials: a review. <i>Advanced Composites and Hybrid Materials</i> , <b>2019</b> , 2, 1-33	8.7	97
79	Self-Restoration of Superhydrophobicity on Shape Memory Polymer Arrays with Both Crushed Microstructure and Damaged Surface Chemistry. <i>Small</i> , <b>2017</b> , 13, 1503402	11	94
78	Molecularly soldered covalent organic frameworks for ultrafast precision sieving. <i>Science Advances</i> , <b>2021</b> , 7,	14.3	93
77	Realizing Mussel-Inspired Polydopamine Selective Layer with Strong Solvent Resistance in Nanofiltration toward Sustainable Reclamation. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2017</b> , 5, 5520-5528	8.2	83
76	High Density of Free-Standing Holey Graphene/PPy Films for Superior Volumetric Capacitance of Supercapacitors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 21763-21772	9.5	77

75	A Smart Superwetting Surface with Responsivity in Both Surface Chemistry and Microstructure. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 3701-3705	16.4	76
74	In Situ Confined Bimetallic Metal-Organic Framework Derived Nanostructure within 3D Interconnected Bamboo-like Carbon Nanotube Networks for Boosting Electromagnetic Wave Absorbing Performances. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 35999-36009	9.5	74
73	Under-Oil Switchable Superhydrophobicity to Superhydrophilicity Transition on TiO Nanotube Arrays. <i>ACS Nano</i> , <b>2018</b> , 12, 1074-1082	16.7	72
72	Interface-confined surface engineering constructing water-unidirectional Janus membrane. <i>Journal of Membrane Science</i> , <b>2019</b> , 576, 9-16	9.6	69
71	Supramolecular chemistry assisted construction of ultra-stable solvent-resistant membranes for angstrom-sized molecular separation. <i>Chemical Engineering Journal</i> , <b>2019</b> , 371, 535-543	14.7	67
70	Ultrahigh volumetric performance of a free-standing compact N-doped holey graphene/PANI slice for supercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 16689-16701	13	67
69	Ultra-thin trinity coating enabled by competitive reactions for unparalleled molecular separation. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 5078-5085	13	67
68	Building Additional Passageways in Polyamide Membranes with Hydrostable Metal Organic Frameworks To Recycle and Remove Organic Solutes from Various Solvents. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 38877-38886	9.5	65
67	A novel monoamine modification strategy toward high-performance organic solvent nanofiltration (OSN) membrane for sustainable molecular separations. <i>Journal of Membrane Science</i> , <b>2016</b> , 497, 77-89	9.6	63
66	Bioadhesion-inspired surface engineering constructing robust, hydrophilic membranes for highly-efficient wastewater remediation. <i>Journal of Membrane Science</i> , <b>2019</b> , 591, 117353	9.6	58
65	Ultrathin 2D Metal-Organic Framework Nanosheets In situ Interpenetrated by Functional CNTs for Hybrid Energy Storage Device. <i>Nano-Micro Letters</i> , <b>2020</b> , 12, 46	19.5	57
64	Smart Superhydrophobic Shape Memory Adhesive Surface toward Selective Capture/Release of Microdroplets. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 10988-10997	9.5	49
63	Bimetallic Metal-Organic Framework-Derived Pomegranate-like Nanoclusters Coupled with CoNi-Doped Graphene for Strong Wideband Microwave Absorption. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 17870-17880	9.5	49
62	Cellulose nanofibers/polyurethane shape memory composites with fast water-responsivity. <i>Journal of Materials Chemistry B</i> , <b>2018</b> , 6, 1668-1677	7.3	49
61	Nanoporous framework Reservoir Maximizing low-molecular-weight enhancer impregnation into CO <sub>2</sub> -philic membranes for highly-efficient CO <sub>2</sub> capture. <i>Journal of Membrane Science</i> , <b>2019</b> , 570-571, 278-285	9.6	48
60	Unravelling intercalation-regulated nanoconfinement for durably ultrafast sieving graphene oxide membranes. <i>Journal of Membrane Science</i> , <b>2021</b> , 619, 118791	9.6	47
59	Highly Conductive MXene Film Actuator Based on Moisture Gradients. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 14029-14033	16.4	40
58	Gecko toe pads inspired in situ switchable superhydrophobic shape memory adhesive film. <i>Nanoscale</i> , <b>2019</b> , 11, 8984-8993	7.7	38

57	Superwetting Shape Memory Microstructure: Smart Wetting Control and Practical Application. <i>Advanced Materials</i> , <b>2021</b> , 33, e2001718	24	38
56	Multifunctional Core-Shell Zwitterionic Nanoparticles To Build Robust, Stable Antifouling Membranes via Magnetic-Controlled Surface Segregation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 35501-35508	9.5	37
55	Mussel-/diatom-inspired silicified membrane for high-efficiency water remediation. <i>Journal of Membrane Science</i> , <b>2020</b> , 597, 117753	9.6	36
54	A Compact MXene Film with Folded Structure for Advanced Supercapacitor Electrode Material. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 1811-1820	6.1	28
53	Toluene diisocyanate based phase-selective supramolecular oil gelator for effective removal of oil spills from polluted water. <i>Chemosphere</i> , <b>2016</b> , 153, 485-93	8.4	28
52	Mesoporous dendritic fibrous nanosilica (DFNS) stimulating mix matrix membranes towards superior CO <sub>2</sub> capture. <i>Journal of Membrane Science</i> , <b>2019</b> , 586, 185-191	9.6	27
51	Smart Wetting Control on Shape Memory Polymer Surfaces. <i>Chemistry - A European Journal</i> , <b>2019</b> , 25, 3979-3992	4.8	27
50	Constructing expanded ion transport channels in flexible MXene film for pseudocapacitive energy storage. <i>Applied Surface Science</i> , <b>2020</b> , 511, 145627	6.7	25
49	Lightweight Three-Dimensional Cellular MXene Film for Superior Energy Storage and Electromagnetic Interference Shielding. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 8171-8178	6.1	24
48	In-situ switchable superhydrophobic shape memory microstructure patterns with reversible wettability and adhesion. <i>Applied Surface Science</i> , <b>2020</b> , 525, 146525	6.7	20
47	Curing behavior of epoxy resins in two-stage curing process by non-isothermal differential scanning calorimetry kinetics method. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	19
46	Advances in MXene Films: Synthesis, Assembly, and Applications. <i>Transactions of Tianjin University</i> , <b>2021</b> , 27, 217-247	2.9	19
45	Water-induced poly(vinyl alcohol)/carbon quantum dot nanocomposites with tunable shape recovery performance and fluorescence. <i>Journal of Materials Chemistry B</i> , <b>2018</b> , 6, 7444-7450	7.3	19
44	Thermo-responsive separation membrane with smart anti-fouling and self-cleaning properties. <i>Chemical Engineering Research and Design</i> , <b>2020</b> , 156, 333-342	5.5	18
43	A Smart Superwetting Surface with Responsivity in Both Surface Chemistry and Microstructure. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 3763-3767	3.6	17
42	Preparation and properties of aligned graphene composites. <i>RSC Advances</i> , <b>2015</b> , 5, 31670-31676	3.7	16
41	Chemical decomposition of epoxy resin in near-critical water by an acid-base catalytic method. <i>RSC Advances</i> , <b>2014</b> , 4, 22367-22373	3.7	15
40	Alkyl bicarbamates supramolecular organogelators with effective selective gelation and high oil recovery from oil/water mixtures. <i>Chemosphere</i> , <b>2017</b> , 167, 178-187	8.4	15

39	Organic-montmorillonite modified shape memory epoxy composite. <i>Polymers for Advanced Technologies</i> , <b>2011</b> , 22, 2017-2021	3.2	15
38	UV-protective treatment for Vectran <sup>®</sup> fibers with hybrid coatings of TiO <sub>2</sub> /organic UV absorbers. <i>Journal of Adhesion Science and Technology</i> , <b>2014</b> , 28, 1773-1782	2	14
37	Acidified bimetallic MOFs constructed Co/N co-doped low dimensional hybrid carbon networks for high-efficiency microwave absorption. <i>Carbon</i> , <b>2021</b> , 171, 211-220	10.4	14
36	Binder-Free Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Doughs with High Redispersibility <b>2020</b> , 2, 1598-1605		13
35	Decomposition mechanisms and kinetics of amine/anhydride-cured DGEBA epoxy resin in near-critical water. <i>RSC Advances</i> , <b>2015</b> , 5, 40269-40282	3.7	13
34	Effect of accelerated xenon lamp aging on the mechanical properties and structure of thermoplastic polyurethane for stratospheric airship envelope. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , <b>2014</b> , 29, 1270-1276	1	12
33	Sunshine foaming of compact Ti <sub>3</sub> C <sub>2</sub> T MXene film for highly efficient electromagnetic interference shielding and energy storage. <i>Carbon</i> , <b>2021</b> , 182, 124-133	10.4	12
32	Toughening-modified epoxy-amine system: Cure kinetics, mechanical behavior, and shape memory performances. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	11
31	Superlyophilic Shape Memory Porous Sponge for Smart Liquid Permeation. <i>ACS Nano</i> , <b>2020</b> , 14, 14047-14056	10.56	11
30	Microstructural engineering of flexible and broadband microwave absorption films with hierarchical superstructures derived from bimetallic metal-organic framework. <i>Carbon</i> , <b>2021</b> , 178, 320-331	10.4	11
29	Lightweight MXene/Cellulose Nanofiber Composite Film for Electromagnetic Interference Shielding. <i>Journal of Electronic Materials</i> , <b>2021</b> , 50, 2101-2110	1.9	11
28	Accelerated ultraviolet aging study of the Vectran fiber. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 124, 3286-3292	2.9	10
27	Superhydrophobic Shape Memory Polymer Microarrays with Switchable Directional/Antidirectional Droplet Sliding and Optical Performance. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 49219-49226	9.5	9
26	Highly Conductive MXene Film Actuator Based on Moisture Gradients. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 14133-14137	3.6	8
25	Frictional Reduction with Partially Exfoliated Multi-Walled Carbon Nanotubes as Water-Based Lubricant Additives. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2018</b> , 18, 3427-3432	1.3	8
24	MnO <sub>2</sub> catalysts uniformly decorated on polyphenylene sulfide filter felt by a polypyrrole-assisted method for use in the selective catalytic reduction of NO with NH <sub>3</sub> . <i>RSC Advances</i> , <b>2014</b> , 4, 59242-59247	3.7	8
23	Amino functionalization of multiwalled carbon nanotubes by gamma ray irradiation and its epoxy composites. <i>Polymer Composites</i> , <b>2012</b> , 33, 267-274	3	8
22	A supramolecular hydrogel with monitorable macro/microscopic shape memory performance. <i>Chemical Communications</i> , <b>2019</b> , 55, 11856-11859	5.8	7

21	A new method to improve the stability, tensile strength, and heat resistant properties of shape-memory epoxy resins: Two-stages curing. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	7
20	Preparation and properties of polyurethane-modified epoxy cured in different simulated gravity environments. <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a	2.9	6
19	Two-stage reactive shape memory thiol-epoxy-acrylate system and application in 3D structure design. <i>Advanced Composites and Hybrid Materials</i> , <b>2020</b> , 3, 41-48	8.7	6
18	MXene-Based Humidity-Responsive Actuators: Preparation and Properties. <i>ChemPlusChem</i> , <b>2021</b> , 86, 406-417	2.8	6
17	Control of tip nanostructure on superhydrophobic shape memory arrays toward reversibly adjusting water adhesion. <i>Advanced Composites and Hybrid Materials</i> , <b>2019</b> , 2, 753-762	8.7	6
16	Dual-responsive shape memory polymer arrays with smart and precise multiple-wetting controllability. <i>Science China Materials</i> , <b>2021</b> , 64, 1801-1812	7.1	6
15	High-volumetric capacitance and high-rate performance in liquid-mediated densified holey MXene film. <i>Carbon</i> , <b>2022</b> , 186, 150-159	10.4	5
14	Decomposition behavior and decomposition products of epoxy resin cured with MeHHPA in near-critical water. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , <b>2013</b> , 28, 781-786	1	4
13	Thermal stability, thermal decomposition and mechanism analysis of cycloaliphatic epoxy/4,4'-dihydroxydiphenylsulfone/aluminum complexes latent resin systems. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , <b>2012</b> , 27, 1061-1067	1	3
12	Hydrophilic modification of poly(aryl sulfone) membrane materials toward highly-efficient environmental remediation. <i>Frontiers of Chemical Science and Engineering</i> , 1	4.5	3
11	A shape memory porous sponge with tunability in both surface wettability and pore size for smart molecule release. <i>Science China Materials</i> , <b>2021</b> , 64, 2337-2347	7.1	3
10	Superhydrophobic shape memory film with switchable adhesion to both water and solid. <i>Chemical Engineering Journal</i> , <b>2021</b> , 420, 129862	14.7	3
9	Decomposition mechanisms of cured epoxy resins in near-critical water. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 132, n/a-n/a	2.9	2
8	A Magnetic-Driven Switchable Adhesive Superhydrophobic Surface for In Situ Sliding Control of Superparamagnetic Microdroplets. <i>Advanced Materials Interfaces</i> , 2101660	4.6	2
7	The effect of ionic liquids on the decomposition behavior of epoxy resin in subcritical water. <i>RSC Advances</i> , <b>2015</b> , 5, 14553-14560	3.7	1
6	Highly Conductive Liquid Metal-Based Shape Memory Material with an Ultrasensitive Fire Warning Response. <i>ACS Applied Polymer Materials</i> ,	4.3	1
5	Switchable shape memory wetting surface based on synergistic regulation of surface chemistry and microstructure. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 149, 106579	8.4	1
4	Liquid diode with gating based on shape memory sponge. <i>Science China Materials</i> , 1	7.1	1

3	Programmable droplet sliding on slippery surface with tunability in both surface microstructure and lubricant. <i>Advanced Composites and Hybrid Materials</i> ,1	8.7	o
2	Amphibious superlyophobic shape memory arrays with tunable wettability in both air and water. <i>Advanced Composites and Hybrid Materials</i> ,1	8.7	o
1	3D Porous MXene Films for Advanced Electromagnetic Interference Shielding and Capacitive Storage. <i>Crystals</i> , <b>2022</b> , 12, 780	2.3	o