
Yan Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3839725/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Two previously undescribed phthalides from <i>Talaromyces amestolkiae</i> , a symbiotic fungus of <i>Syngnathus acus</i> . Journal of Asian Natural Products Research, 2023, 25, 147-155.	0.7	6
2	A novel functionalized covalent organic framework/carbon nanotube composite as an effective online solid-phase extraction sorbent for simultaneous detection of 33 steroid hormones in pork. Food Chemistry, 2022, 379, 132111.	4.2	14
3	Performing 2D–1D–2D Mass Spectrometry Imaging Using Strings. Analytical Chemistry, 2022, 94, 1661-1668.	3.2	2
4	Purification and mass spectrometry study of Maillard reaction impurities in five acyclic nucleoside antiviral drugs. Journal of Pharmaceutical and Biomedical Analysis, 2022, 212, 114637.	1.4	1
5	Harpertrioate A, an A,B,D- <i>seco</i> -Limonoid with Promising Biological Activity against Alzheimer's Disease from Twigs of <i>Harrisonia perforata</i> (Blanco) Merr Organic Letters, 2021, 23, 262-267.	2.4	15
6	Study on the separation mechanism of solidâ€substrate electrospray ionization mass spectrometry. Journal of Separation Science, 2021, 44, 1026-1035.	1.3	1
7	Ultrasonic Sputter Desorption Mass Spectrometry Technique for Minimally Invasive Tissue Analysis. Analytical Chemistry, 2021, 93, 10502-10510.	3.2	2
8	Rapid screening of 70 colorants in dyeable foods by using ultra-high-performance liquid chromatography–hybrid quadrupole–Orbitrap mass spectrometry with customized accurate-mass database and mass spectral library. Food Chemistry, 2021, 356, 129643.	4.2	10
9	Two new lignans from <i>Gymnotheca involucrata</i> . Natural Product Research, 2020, 34, 329-334.	1.0	3
10	A 6/5/5/7 heterotetracyclic indole derivative alkaloid isolated from Typhonium giganteum. Tetrahedron Letters, 2020, 61, 151497.	0.7	1
11	Antifungal Halogenated Cyclopentenones from the Endophytic Fungus <i>Saccharicola bicolor</i> of <i>Bergenia purpurascens</i> by the One Strain-Many Compounds Strategy. Journal of Agricultural and Food Chemistry, 2020, 68, 185-192.	2.4	18
12	Extensive screening of cyclopeptide toxins in mushrooms by ultra-high-performance liquid chromatography coupled with quadrupole-Orbitrap mass spectrometry. Food Chemistry, 2020, 329, 127146.	4.2	8
13	High-sensitivity detection of therapeutic drugs in complex biofluids using a packed ballpoint-electrospray ionization technique. Analytical and Bioanalytical Chemistry, 2020, 412, 2711-2720.	1.9	2
14	Cytotoxic diterpenoids from the roots of Euphorbia stracheyi. Phytochemistry Letters, 2020, 36, 183-187.	0.6	11
15	Dendrobine-type alkaloids and bibenzyl derivatives from Dendrobium findlayanum. Fìtoterapìâ, 2020, 142, 104497.	1.1	30
16	Flow controllable three-dimensional paper-based microfluidic analytical devices fabricated by 3D printing technology. Analytica Chimica Acta, 2019, 1065, 64-70.	2.6	20
17	Characterization and complete genomic analysis of two Salmonella phages, SenALZ1 and SenASZ3, new members of the genus Cba120virus. Archives of Virology, 2019, 164, 1475-1478.	0.9	2
18	Metagenomic Insights Into a Cellulose-Rich Niche Reveal Microbial Cooperation in Cellulose Degradation. Frontiers in Microbiology, 2019, 10, 618.	1.5	34

Yan Zhou

#	Article	IF	CITATIONS
19	homo-Adamantane type polycyclic polyprenylated acylphloroglucinols from Hypericum hookerianum. Fìtoterapìâ, 2019, 133, 43-50.	1.1	14
20	Diastereo- and Enantioselective Dearomative [3 + 2] Cycloaddition Reaction of 2-Nitrobenzofurans with 3-Isothiocyanato Oxindoles. Organic Letters, 2018, 20, 909-912.	2.4	89
21	Bioactive halogenated dihydroisocoumarins produced by the endophytic fungus Lachnum palmae isolated from Przewalskia tangutica. Phytochemistry, 2018, 148, 97-103.	1.4	41
22	Analysis of Compounds Dissolved in Nonpolar Solvents by Electrospray Ionization on Conductive Nanomaterials. Journal of the American Society for Mass Spectrometry, 2018, 29, 573-580.	1.2	12
23	Low-cost and convenient ballpoint tip-protected liquid-phase microextraction for sensitive analysis of organic molecules in water samples. Analytica Chimica Acta, 2018, 1006, 42-48.	2.6	13
24	Characterization and genomic analyses of Aeromonas hydrophila phages AhSzq-1 and AhSzw-1, isolates representing new species within the T5virus genus. Archives of Virology, 2018, 163, 1985-1988.	0.9	13
25	Antiproliferative Sesquiterpenoids from <i>Ligularia rumicifolia</i> with Diverse Skeletons. Journal of Natural Products, 2018, 81, 1992-2003.	1.5	13
26	Three new chlorinated phenolic glycosides from Przewalskia tangutica. Phytochemistry Letters, 2017, 20, 168-171.	0.6	2
27	Production of high-concentration n-caproic acid from lactate through fermentation using a newly isolated Ruminococcaceae bacterium CPB6. Biotechnology for Biofuels, 2017, 10, 102.	6.2	178
28	Chemical Constituents of the Aerial Parts of Schnabelia oligophylla. Chemistry of Natural Compounds, 2017, 53, 478-482.	0.2	2
29	Two new neolignans from Gymnotheca involucrata. Chinese Chemical Letters, 2017, 28, 1049-1051.	4.8	4
30	Three new labdane diterpenes from Loxocalyx urticifolius. Phytochemistry Letters, 2017, 19, 55-59.	0.6	3
31	Determination of Sulfonamides in Chicken Muscle by Pulsed Direct Current Electrospray Ionization Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2017, 65, 8256-8263.	2.4	20
32	Multiple Hydrogen-Bonding Bifunctional Thiourea-Catalyzed Asymmetric Dearomative [4 + 2] Annulation of 3-Nitroindoles: Highly Enantioselective Access to Hydrocarbazole Skeletons. Organic Letters, 2017, 19, 4508-4511.	2.4	75
33	Two novel 2,5-diphenyl oxazole derivatives from Gymnotheca chinensis. Chinese Chemical Letters, 2016, 27, 1064-1066.	4.8	3
34	Generating Electrospray Ionization on Ballpoint Tips. Analytical Chemistry, 2016, 88, 5072-5079.	3.2	24
35	Cytotoxic triterpenoid saponins from Clematis tangutica. Phytochemistry, 2016, 130, 228-237.	1.4	30
36	Application of fractionized sampling and stacking for construction of an interface for online heart-cutting two-dimensional liquid chromatography. Journal of Chromatography A, 2016, 1466, 199-204.	1.8	11

Υάν Ζηου

#	Article	IF	CITATIONS
37	Structural characterization and antiviral effect of a novel polysaccharide PSP-2B from Prunellae Spica. Carbohydrate Polymers, 2016, 152, 699-709.	5.1	39
38	Analysis of the lithiated leucosceptroids from <i>Leucosceptrum canum</i> to facilitate their identification and differentiation by electrospray ionization tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2016, 30, 100-110.	0.7	3
39	Phytochemical Investigation of Gymnotheca chinensis. Chemistry of Natural Compounds, 2016, 52, 979-981.	0.2	4
40	Three new oxazoline alkaloids from <i>Gymnotheca chinensis</i> . Journal of Asian Natural Products Research, 2016, 18, 719-723.	0.7	10
41	Polycyclic Spiro Lignans and Biphenyl Tetrahydrofuranone Lignans from Gymnotheca involucrata. Planta Medica, 2016, 82, 723-728.	0.7	8
42	Strategy to Rapidly Discriminate Trace Isomeric Lignan Compounds from <i>Gymnotheca Chinensis</i> by Probe Electrospray Ionization Tandem Mass Spectrometry. European Journal of Mass Spectrometry, 2015, 21, 37-44.	0.5	2
43	Cyclic Lipopeptides with Herbicidal and Insecticidal Activities Produced by Bacillus clausii DTM1. Natural Product Communications, 2015, 10, 1934578X1501001.	0.2	6
44	12-Membered Resorcylic Acid Lactones Isolated from <i>Saccharicola bicolor</i> , an Endophytic Fungi from <i>Bergenia purpurascens</i> . Natural Product Communications, 2015, 10, 1934578X1501001.	0.2	1
45	Reversible tuning of the wettability on a silver mesodendritic surface by the formation and disruption of lipid-like bilayers. Applied Surface Science, 2015, 329, 150-157.	3.1	3
46	A new ursane-type triterpenoid saponin from the aerial parts of Clematoclethra scandens subsp. actinidioides. Chinese Journal of Natural Medicines, 2015, 13, 65-68.	0.7	4
47	Determination of Kepone and Its Metabolite in Water and Soil by High-Performance Liquid Chromatography–Mass Spectrometry. Analytical Letters, 2015, 48, 1-8.	1.0	12
48	Development and characterization of a nanodendritic silver-based solid-phase extraction sorbent for selective enrichment of endocrine-disrupting chemicals in water and milk samples. Analytica Chimica Acta, 2015, 900, 76-82.	2.6	11
49	Two New Oleanane-Type Triterpenes from <i>Schnabelia oligophylla</i> . Chinese Journal of Organic Chemistry, 2015, 35, 1781.	0.6	1
50	The ABI4-Induced Arabidopsis ANAC060 Transcription Factor Attenuates ABA Signaling and Renders Seedlings Sugar Insensitive when Present in the Nucleus. PLoS Genetics, 2014, 10, e1004213.	1,5	51
51	Further Biphenyl Lignans with a Tetrahydrofuran Moiety from <i>Gymnotheca chinensis</i> . Helvetica Chimica Acta, 2014, 97, 499-506.	1.0	13
52	Two novel norlignans from Gymnotheca chinensis. Tetrahedron Letters, 2014, 55, 2869-2871.	0.7	14
53	Two novel polycyclic spiro lignans from Gymnotheca involucrata. Tetrahedron Letters, 2014, 55, 5949-5951.	0.7	15
54	Fast Separation Method Development for Supercritical Fluid Chromatography Using an Autoblending Protocol. Chromatographia, 2014, 77, 783-791.	0.7	5

ΥΑΝ ΖΗΟυ

#	Article	IF	CITATIONS
55	Advanced ultra-performance liquid chromatography–photodiode array–quadrupole time-of-flight mass spectrometric methods for simultaneous screening and quantification of triterpenoids in Poria cocos. Food Chemistry, 2014, 152, 237-244.	4.2	34
56	Two new eupodienone lignans from Gymnotheca chinensis. Chinese Chemical Letters, 2014, 25, 463-464.	4.8	14
57	Two new lignans from Gymnotheca chinensis Decne. Phytochemistry Letters, 2014, 8, 38-40.	0.6	12
58	A Rapid and Highly Specific Method to Evaluate the Presence of 2-(2-Phenylethyl) Chromones in Agarwood by Supercritical Fluid Chromatography-Mass Spectrometry. European Journal of Mass Spectrometry, 2014, 20, 395-402.	0.5	9
59	Biphenyl Lignans with a Tetrahydrofuran Moiety fromGymnotheca chinensisDecne. Chinese Journal of Organic Chemistry, 2014, 34, 1677.	0.6	8
60	Rapid separation and characterisation of triacylglycerols in ostrich oil by ultra performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometry. Food Chemistry, 2013, 141, 2098-2102.	4.2	18
61	Three new phenolic compounds from the leaves of Rosa sericea. Fìtoterapìâ, 2013, 84, 332-337.	1.1	20
62	Tandem mass spectrometry fragmentation of the protonated 2â€(2â€phenylethyl)chromones from Agarwood: radical ions versus nonâ€radical ions. Journal of Mass Spectrometry, 2013, 48, 979-982.	0.7	15
63	Recent developments in qualitative and quantitative analysis of phytochemical constituents and their metabolites using liquid chromatography–mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2013, 72, 267-291.	1.4	152
64	Gymnothelignans A–O: Conformation and Absolute Configuration Analyses of Lignans Bearing Tetrahydrofuran from Gymnotheca chinensis. Journal of Organic Chemistry, 2012, 77, 8435-8443.	1.7	33
65	Tandem mass spectrometric analysis and density functional theory calculations on the fragmentation behavior of two tetradecanoylingenol regioisomers from <i>Euphorbia wallichii</i> . Rapid Communications in Mass Spectrometry, 2012, 26, 2502-2508.	0.7	11
66	Use of electrospray ionization ionâ€ŧrap tandem mass spectrometry and principal component analysis to directly distinguish monosaccharides. Rapid Communications in Mass Spectrometry, 2012, 26, 1259-1264.	0.7	14
67	Terpenoids from Loxocalyx urticifolius. Helvetica Chimica Acta, 2012, 95, 1136-1143.	1.0	6
68	Chemical Constituents from Roots of Gymnotheca chinensis. Ying Yong Yu Huan Jing Sheng Wu Xue Bao = Chinese Journal of Applied and Environmental Biology, 2012, 18, 1014.	0.1	1
69	Discrimination of the seeds of Notopterygium incisum and Notopterygium franchetii by validated HPLC-DAD–ESI-MS method and principal component analysis. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 1089-1093.	1.4	19
70	Ultra performance liquid chromatography coupled with quadrupole time-of-flight mass spectrometric procedure for qualitative and quantitative analyses of nortriterpenoids and lignans in the genus Schisandra. Journal of Pharmaceutical and Biomedical Analysis, 2011, 56, 916-927.	1.4	37
71	New Eremophilenolides from Senecio dianthus. Helvetica Chimica Acta, 2011, 94, 474-480.	1.0	4
72	MyMolDB: A micromolecular database solution with open source and free components. Journal of Computational Chemistry, 2011, 32, 2942-2948.	1.5	1

ΥΑΝ ΖΗΟυ

#	Article	IF	CITATIONS
73	A highâ€sensitivity UPLCâ€MS/MS method for simultaneous determination and confirmation of triptolide in zebrafish embryos. Biomedical Chromatography, 2011, 25, 851-857.	0.8	7
74	Qualitative and quantitative analysis of polycyclic polyprenylated acylphloroglucinols from Garcinia species using ultra performance liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Analytica Chimica Acta, 2010, 678, 96-107.	2.6	24
75	A novel strategy to rapidly explore potential chemical markers for the discrimination between raw and processed Radix Rehmanniae by UHPLC–TOFMS with multivariate statistical analysis. Journal of Pharmaceutical and Biomedical Analysis, 2010, 51, 812-823.	1.4	107
76	Optimisation of ultraâ€performance LC conditions using response surface methodology for rapid separation and quantitative determination of phenolic compounds in <i>Artemisia minor</i> . Journal of Separation Science, 2010, 33, 3675-3682.	1.3	13
77	A novel approach to rapidly explore analytical markers for quality control of Radix Salviae Miltiorrhizae extract granules by robust principal component analysis with ultra-high performance liquid chromatography–ultraviolet–quadrupole time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis. 2010. 53. 279-286.	1.4	28
78	Decocting-induced chemical transformations and global quality of Du–Shen–Tang, the decoction of ginseng evaluated by UPLC–Q-TOF-MS/MS based chemical profiling approach. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 946-957.	1.4	118
79	A new approach for simultaneous screening and quantification of toxic pyrrolizidine alkaloids in some potential pyrrolizidine alkaloid-containing plants by using ultra performance liquid chromatography–tandem quadrupole mass spectrometry. Analytica Chimica Acta, 2010, 681, 33-40.	2.6	58
80	Characterization of protostane triterpenoids in <i>Alisma orientalis</i> by ultraâ€performance liquid chromatography coupled with quadrupole timeâ€ofâ€flight mass spectrometry. Rapid Communications in Mass Spectrometry, 2010, 24, 1514-1522.	0.7	52
81	Screening of polycyclic polyprenylated acylphloroglucinols from Garcinia species using precursor ion discovery (PID) scan and ultra performance liquid chromatography electrospray ionization Q-TOF tandem mass spectrometry. Journal of the American Society for Mass Spectrometry, 2009, 20, 1846-1850.	1.2	14
82	Electrospray ionization tandem mass spectrometric analysis of <i>ent</i> â€6,7â€ <i>seco</i> â€kaurane diterpenoids from the <i>lsodon</i> species. Rapid Communications in Mass Spectrometry, 2009, 23, 138-146.	0.7	13
83	Bioassay guided discovery of apoptosis inducers from gamboge by high-speed counter-current chromatography and high-pressure liquid chromatography/electrospray ionization quadrupole time-of-flight mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 401-407.	1.2	36
84	Chemical profiling of Radix Paeoniae evaluated by ultra-performance liquid chromatography/photo-diode-array/quadrupole time-of-flight mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2009, 49, 253-266.	1.4	156
85	Qualitative and quantitative analysis of diterpenoids in Salvia species by liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2009, 1216, 4847-4858.	1.8	64
86	An experimental design approach using response surface techniques to obtain optimal liquid chromatography and mass spectrometry conditions to determine the alkaloids in Meconopsi species. Journal of Chromatography A, 2009, 1216, 7013-7023.	1.8	68
87	Negative electrospray ionization tandem mass spectrometric investigation of <i>ent</i> â€kaurane diterpenoids from the genus <i>lsodon</i> . Journal of Mass Spectrometry, 2008, 43, 63-73.	0.7	19
88	Detection of carbonyl groups in triterpenoids by hydroxylamine hydrochloride derivatization using electrospray ionization mass spectrometry. Rapid Communications in Mass Spectrometry, 2008, 22, 1981-1992.	0.7	7
89	Development of an HPLC-DAD–ESI-MSn method for quantitative analysis of Saussurea tridactyla. Journal of Pharmaceutical and Biomedical Analysis, 2008, 48, 1076-1081.	1.4	18
90	Analysis of caged xanthones from the resin of Garcinia hanburyi using ultra-performance liquid chromatography/electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Analytica Chimica Acta, 2008, 629, 104-118.	2.6	45

ΥΑΝ ΖΗΟυ

#	Article	IF	CITATIONS
91	Characterization of polyprenylated xanthones in Garcinia xipshuanbannaensis using liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. Journal of Chromatography A, 2008, 1206, 131-139.	1.8	42
92	Chemical Fingerprinting of Medicinal Plants "Gui-jiu―by LC-ESI Multiple-Stage MS. Chromatographia, 2008, 68, 781-789.	0.7	26
93	Two new diterpenes from Euphorbia kansuensis. Fìtoterapìâ, 2008, 79, 262-266.	1.1	19
94	Bioassay and Ultraperformance Liquid Chromatography/Mass Spectrometry Guided Isolation of Apoptosis-Inducing Benzophenones and Xanthone from the Pericarp of Garcinia yunnanensis Hu. Journal of Agricultural and Food Chemistry, 2008, 56, 11144-11150.	2.4	61
95	Analysis of sodium adduct paeoniflorin, albiflorin and their derivatives by (+)ESI-MSn, DFT calculations and computer-aided mass spectrometry analysis program. Journal of Mass Spectrometry, 2007, 42, 335-345.	0.7	22
96	Multistage electrospray ionization mass spectrometric analyses of sulfur-containing iridoid glucosides inPaederia scandens. Rapid Communications in Mass Spectrometry, 2007, 21, 1375-1385.	0.7	16
97	Rapid structural characterization of isomeric benzo[c]phenanthridine alkaloids from the roots ofZanthoxylum nitidium by liquid chromatography combined with electrospray ionization tandem mass spectrometry. Rapid Communications in Mass Spectrometry, 2007, 21, 1931-1936.	0.7	20
98	Cimicidol-3-one: a cycloartenol triterpenoid from the rhizomes ofCimicifuga racemosa. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o1114-o1115.	0.2	1
99	Quantitative Determination of the Chemical Profile of the Plant Material "Qiang-huo―by LC-ESI-MS-MS. Chromatographia, 2006, 64, 405-411.	0.7	24
100	Secoiridoid Glycosides fromSwertia mileensis. Helvetica Chimica Acta, 2006, 89, 94-102.	1.0	35
101	Four New Pregnane Glycosides from the Stems ofMarsdenia tenacissima. Helvetica Chimica Acta, 2006, 89, 2738-2744.	1.0	24
102	ESI-QqTOF-MS/MS and APCI-IT-MS/MS analysis of steroid saponins from the rhizomes ofDioscorea panthaica. Journal of Mass Spectrometry, 2006, 41, 1-22.	0.7	105
103	Chemical Constituents of the Aerial Parts ofSchnabelia tetradonta. Journal of Natural Products, 2002, 65, 1777-1781.	1.5	22