

Luis Miguel Martins

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3841536/luis-miguel-martins-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

3,595
citations

28
h-index

50
g-index

50
ext. papers

4,083
ext. citations

8.3
avg, IF

5.36
L-index

#	Paper	IF	Citations
43	Combined Transcriptomic and Proteomic Analysis of Perk Toxicity Pathways. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
42	Parp mutations protect from mitochondrial toxicity in Alzheimer's disease. <i>Cell Death and Disease</i> , 2021 , 12, 651	9.8	6
41	Links between air pollution and COVID-19 in England. <i>Environmental Pollution</i> , 2021 , 268, 115859	9.3	211
40	Mind the Gap: Mitochondria and the Endoplasmic Reticulum in Neurodegenerative Diseases. <i>Biomedicines</i> , 2021 , 9,	4.8	7
39	Paracetamol Is Associated with a Lower Risk of COVID-19 Infection and Decreased ACE2 Protein Expression: A Retrospective Analysis. <i>Covid</i> , 2021 , 1, 218-229		4
38	Alzheimer's and Parkinson's Diseases Predict Different COVID-19 Outcomes: A UK Biobank Study. <i>Geriatrics (Switzerland)</i> , 2021 , 6,	2.2	25
37	Forcing contacts between mitochondria and the endoplasmic reticulum extends lifespan in a model of Alzheimer's disease. <i>Biology Open</i> , 2020 , 9,	2.2	21
36	Enhancing folic acid metabolism suppresses defects associated with loss of Drosophila mitofusin. <i>Cell Death and Disease</i> , 2019 , 10, 288	9.8	9
35	Early detection of pre-malignant lesions in a KRAS-driven mouse lung cancer model by monitoring circulating free DNA. <i>DMM Disease Models and Mechanisms</i> , 2019 , 12,	4.1	10
34	dATF4 regulation of mitochondrial folate-mediated one-carbon metabolism is neuroprotective. <i>Cell Death and Differentiation</i> , 2017 , 24, 638-648	12.7	33
33	Metformin reverses TRAP1 mutation-associated alterations in mitochondrial function in Parkinson's disease. <i>Brain</i> , 2017 , 140, 2444-2459	11.2	59
32	Nonsyndromic Parkinson disease in a family with autosomal dominant optic atrophy due to mutations. <i>Neurology: Genetics</i> , 2017 , 3, e188	3.8	20
31	Molecular motion regulates the activity of the Mitochondrial Serine Protease HtrA2. <i>Cell Death and Disease</i> , 2017 , 8, e3119	9.8	11
30	Enhancing NAD salvage metabolism is neuroprotective in a PINK1 model of Parkinson's disease. <i>Biology Open</i> , 2017 , 6, 141-147	2.2	42
29	Inhibition of oxidative metabolism leads to p53 genetic inactivation and transformation in neural stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 1059-64	11.5	54
28	Enhancing nucleotide metabolism protects against mitochondrial dysfunction and neurodegeneration in a PINK1 model of Parkinson's disease. <i>Nature Cell Biology</i> , 2014 , 16, 157-66	23.4	91
27	BID-dependent release of mitochondrial SMAC dampens XIAP-mediated immunity against Shigella. <i>EMBO Journal</i> , 2014 , 33, 2171-87	13	37

26	Loss of PINK1 enhances neurodegeneration in a mouse model of Parkinson's disease triggered by mitochondrial stress. <i>Neuropharmacology</i> , 2014 , 77, 350-7	5.5	39
25	Insights into mitochondrial quality control pathways and Parkinson's disease. <i>Journal of Molecular Medicine</i> , 2013 , 91, 665-71	5.5	12
24	HtrA2 Peptidase 2013 , 2571-2577		
23	Drosophila ref(2)P is required for the parkin-mediated suppression of mitochondrial dysfunction in pink1 mutants. <i>Cell Death and Disease</i> , 2013 , 4, e873	9.8	30
22	Drosophila Trap1 protects against mitochondrial dysfunction in a PINK1/parkin model of Parkinson's disease. <i>Cell Death and Disease</i> , 2013 , 4, e467	9.8	88
21	HtrA2 deficiency causes mitochondrial uncoupling through the F ₁ F ₀ ATP synthase and consequent ATP depletion. <i>Cell Death and Disease</i> , 2012 , 3, e335	9.8	30
20	Phosphorylation of HtrA2 by cyclin-dependent kinase-5 is important for mitochondrial function. <i>Cell Death and Differentiation</i> , 2012 , 19, 257-66	12.7	28
19	Mitochondrial Stress Signalling: HTRA2 and Parkinson's Disease. <i>International Journal of Cell Biology</i> , 2012 , 2012, 607929	2.6	21
18	Idebenone and resveratrol extend lifespan and improve motor function of HtrA2 knockout mice. <i>PLoS ONE</i> , 2011 , 6, e28855	3.7	39
17	Mitochondrial quality control and Parkinson's disease: a pathway unfolds. <i>Molecular Neurobiology</i> , 2011 , 43, 80-6	6.2	44
16	PINK1 cleavage at position A103 by the mitochondrial protease PARL. <i>Human Molecular Genetics</i> , 2011 , 20, 867-79	5.6	314
15	Mitochondrial quality control and neurological disease: an emerging connection. <i>Expert Reviews in Molecular Medicine</i> , 2010 , 12, e12	6.7	65
14	Modulation of mitochondrial function and morphology by interaction of Omi/HtrA2 with the mitochondrial fusion factor OPA1. <i>Experimental Cell Research</i> , 2010 , 316, 1213-24	4.2	50
13	MAP4K3 modulates cell death via the post-transcriptional regulation of BH3-only proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 11978-83	11.5	30
12	Mitochondrial dysfunction triggered by loss of HtrA2 results in the activation of a brain-specific transcriptional stress response. <i>Cell Death and Differentiation</i> , 2009 , 16, 449-64	12.7	137
11	Drosophila HtrA2 is dispensable for apoptosis but acts downstream of PINK1 independently from Parkin. <i>Cell Death and Differentiation</i> , 2009 , 16, 1118-25	12.7	65
10	Accumulation of HtrA2/Omi in neuronal and glial inclusions in brains with alpha-synucleinopathies. <i>Journal of Neuropathology and Experimental Neurology</i> , 2008 , 67, 984-93	3.1	39
9	The mitochondrial protease HtrA2 is regulated by Parkinson's disease-associated kinase PINK1. <i>Nature Cell Biology</i> , 2007 , 9, 1243-52	23.4	386

8	The tumor suppressor RASSF1A and MAP-1 link death receptor signaling to Bax conformational change and cell death. <i>Molecular Cell</i> , 2005 , 18, 637-50	17.6	152
7	Loss of function mutations in the gene encoding Omi/HtrA2 in Parkinson's disease. <i>Human Molecular Genetics</i> , 2005 , 14, 2099-111	5.6	446
6	Neuroprotective role of the Reaper-related serine protease HtrA2/Omi revealed by targeted deletion in mice. <i>Molecular and Cellular Biology</i> , 2004 , 24, 9848-62	4.8	327
5	Binding specificity and regulation of the serine protease and PDZ domains of HtrA2/Omi. <i>Journal of Biological Chemistry</i> , 2003 , 278, 49417-27	5.4	99
4	The serine protease Omi/HtrA2 regulates apoptosis by binding XIAP through a reaper-like motif. <i>Journal of Biological Chemistry</i> , 2002 , 277, 439-44	5.4	412
3	Peptide nucleic acid clamping to improve the sensitivity of Ion Torrent-based detection of an oncogenic mutation in KRAS. <i>Matters</i> ,	0	3
2	Links between air pollution and COVID-19 in England		45
1	Alzheimer's and Parkinson's diseases predict different COVID-19 outcomes, a UK Biobank study		2