

Hsi-Ya Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3842161/publications.pdf>

Version: 2024-02-01

77
papers

3,166
citations

126708

33
h-index

161609

54
g-index

78
all docs

78
docs citations

78
times ranked

3560
citing authors

#	ARTICLE	IF	CITATIONS
1	Fragmented α -Amylase into Microporous Metal-Organic Frameworks as Bioreactors. <i>Materials</i> , 2021, 14, 870.	1.3	3
2	Fast multipoint immobilization of lipase through chiral <i>L</i> -proline on a MOF as a chiral bioreactor. <i>Dalton Transactions</i> , 2021, 50, 1866-1873.	1.6	12
3	β -secretase 1 inhibitory activity and AMP-activated protein kinase activation of <i>Callyspongia samarensis</i> extracts. <i>Natural Product Research</i> , 2020, 34, 525-529.	1.0	3
4	A simple approach to achieve a metastable metal oxide derived from carbonized metal-organic gels. <i>Chemical Communications</i> , 2019, 55, 4475-4478.	2.2	6
5	Application of mesoporous carbon-polymer monolith for the extraction of phenolic acid in food samples. <i>Journal of Chromatography A</i> , 2018, 1539, 12-18.	1.8	10
6	Pore Environment Control and Enhanced Performance of Enzymes Infiltrated in Covalent Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2018, 140, 984-992.	6.6	310
7	The Cooperativity of Fe_3O_4 and Metal-Organic Framework as Multifunctional Nanocomposites for Laser Desorption Ionization Process. <i>Chemistry - A European Journal</i> , 2018, 24, 9598-9605.	1.7	14
8	Monitoring the Effect of Different Metal Centers in Metal-Organic Frameworks and Their Adsorption of Aromatic Molecules using Experimental and Simulation Studies. <i>Chemistry - A European Journal</i> , 2018, 24, 14044-14047.	1.7	5
9	Enzyme Immobilized on Nanoporous Carbon Derived from Metal-Organic Framework: A New Support for Biodiesel Synthesis. <i>ChemSusChem</i> , 2017, 10, 1364-1369.	3.6	41
10	Nitrogen-doped porous carbon material derived from metal-organic gel for small biomolecular sensing. <i>Chemical Communications</i> , 2017, 53, 5725-5728.	2.2	26
11	Synthesis and characterization of trimetallic cobalt, zinc and nickel complexes containing amine-bis(benzotriazole phenolate) ligands: efficient catalysts for coupling of carbon dioxide with epoxides. <i>Dalton Transactions</i> , 2017, 46, 15399-15406.	1.6	35
12	A Simple Approach to Enhance the Water Stability of a Metal-Organic Framework. <i>Chemistry - A European Journal</i> , 2017, 23, 42-46.	1.7	45
13	Nanoporous Carbons Derived from Metal-Organic Frameworks as Novel Matrices for Surface-Assisted Laser Desorption/Ionization Mass Spectrometry. <i>Small</i> , 2016, 12, 2057-2066.	5.2	51
14	Laser Chemistry: Nanoporous Carbons Derived from Metal-Organic Frameworks as Novel Matrices for Surface-Assisted Laser Desorption/Ionization Mass Spectrometry (<i>Small</i> 15/2016). <i>Small</i> , 2016, 12, 2056-2056.	5.2	1
15	Dinuclear zinc complexes containing tridentate imino-benzotriazole phenolate derivatives as efficient catalysts for ring-opening polymerization of cyclic esters and copolymerization of phthalic anhydride with cyclohexene oxide. <i>Journal of Polymer Science Part A</i> , 2016, 54, 714-725.	2.5	16
16	In vitro angiotensin I converting enzyme inhibition by a peptide isolated from <i>Chiropsalmus quadrigatus</i> Haeckel (box jellyfish) venom hydrolysate. <i>Toxicon</i> , 2016, 119, 77-83.	0.8	20
17	Metal-Organic Framework-Polymer Composite as a Highly Efficient Sorbent for Sulfonamide Adsorption and Desorption: Effect of Coordinatively Unsaturated Metal Site and Topology. <i>Langmuir</i> , 2016, 32, 11465-11473.	1.6	45
18	Solid-phase microextraction of phthalate esters in water sample using different activated carbon-polymer monoliths as adsorbents. <i>Analytica Chimica Acta</i> , 2016, 927, 55-63.	2.6	44

#	ARTICLE	IF	CITATIONS
19	Aluminum based metal-organic framework-polymer monolith in solid-phase microextraction of penicillins in river water and milk samples. <i>Journal of Chromatography A</i> , 2016, 1428, 236-245.	1.8	88
20	Determination of imidazole derivatives by micellar electrokinetic chromatography combined with solid-phase microextraction using activated carbon-polymer monolith as adsorbent. <i>Journal of Chromatography A</i> , 2016, 1428, 336-345.	1.8	18
21	Approaches to drug delivery: Confinement of aspirin in MIL-100(Fe) and aspirin in the de novo synthesis of metal-organic frameworks. <i>Microporous and Mesoporous Materials</i> , 2016, 223, 254-260.	2.2	82
22	Immobilization of Protein on Nanoporous Metal-Organic Framework Materials. <i>Comments on Inorganic Chemistry</i> , 2015, 35, 331-349.	3.0	52
23	A poly(alkyl methacrylate-divinylbenzene-vinylbenzyl trimethylammonium chloride) monolithic column for solid-phase microextraction. <i>Journal of Chromatography A</i> , 2015, 1395, 32-40.	1.8	25
24	Purification of deteriorated liquid crystals by employing porous metal-organic-framework/polymer composites. <i>Optical Materials Express</i> , 2015, 5, 639.	1.6	7
25	A novel type of matrix for surface-assisted laser desorption/ionization mass spectrometric detection of biomolecules using metal-organic frameworks. <i>Analytica Chimica Acta</i> , 2015, 888, 103-109.	2.6	40
26	Lipase-Supported Metal-Organic Framework Bioreactor Catalyzes Warfarin Synthesis. <i>Chemistry - A European Journal</i> , 2015, 21, 115-119.	1.7	108
27	Determination of amino acids by microemulsion electrokinetic chromatography laser induced fluorescence method. <i>Electrophoresis</i> , 2014, 35, 1751-1755.	1.3	14
28	A green and facile approach to obtain 100 nm zeolitic imidazolate framework-90 (ZIF-90) particles via leveraging viscosity effects. <i>RSC Advances</i> , 2014, 4, 52883-52886.	1.7	15
29	Fast Multipoint Immobilized MOF Bioreactor. <i>Chemistry - A European Journal</i> , 2014, 20, 8923-8928.	1.7	58
30	A Novel Hybrid Metal-Organic Framework-Polymeric Monolith for Solid-Phase Microextraction. <i>Chemistry - A European Journal</i> , 2014, 20, 3317-3321.	1.7	67
31	Metal-organic frameworks: new matrices for surface-assisted laser desorption/ionization mass spectrometry. <i>Chemical Communications</i> , 2013, 49, 4929.	2.2	74
32	Metal organic framework-organic polymer monolith stationary phases for capillary electrochromatography and nano-liquid chromatography. <i>Analytica Chimica Acta</i> , 2013, 779, 96-103.	2.6	120
33	Poly(triallyl isocyanurate-co-ethylene dimethacrylate-co-alkyl methacrylate) stationary phases in the chromatographic separation of hydrophilic solutes. <i>Journal of Chromatography A</i> , 2013, 1272, 65-72.	1.8	11
34	Analyses of polycyclic aromatic hydrocarbons in seafood by capillary electrochromatography-atmospheric pressure chemical ionization/mass spectrometry. <i>Journal of Chromatography A</i> , 2013, 1313, 132-138.	1.8	16
35	Novel trypsin-FITC@MOF bioreactor efficiently catalyzes protein digestion. <i>Journal of Materials Chemistry B</i> , 2013, 1, 928.	2.9	157
36	Air-stable copper derivatives as efficient catalysts for controlled lactide polymerization: Facile synthesis and characterization of well-defined benzotriazole phenoxide copper complexes. <i>Journal of Polymer Science Part A</i> , 2013, 51, 3840-3849.	2.5	32

#	ARTICLE	IF	CITATIONS
37	Trypsin-immobilized Metal-Organic Framework as a Biocatalyst In Proteomics Analysis. <i>ChemPlusChem</i> , 2012, 77, 982-986.	1.3	143
38	Capillary electrochromatography-mass spectrometry determination of melamine and related triazine by-products using poly(divinyl benzene-alkene-vinylbenzyl trimethylammonium chloride) monolithic stationary phases. <i>Analytica Chimica Acta</i> , 2012, 719, 96-103.	2.6	43
39	Ionic liquids as porogens in the microwave-assisted synthesis of methacrylate monoliths for chromatographic application. <i>Analytica Chimica Acta</i> , 2012, 746, 123-133.	2.6	34
40	Capillary electrophoresis-laser-induced fluorescence detection of rat brain catecholamines with microwave-assisted derivatization. <i>Electrophoresis</i> , 2012, 33, 3008-3011.	1.3	13
41	Penicillin analyses by capillary electrochromatography-mass spectrometry with different charged poly(stearyl methacrylate-divinylbenzene) monoliths as stationary phases. <i>Talanta</i> , 2012, 101, 71-77.	2.9	16
42	A rapid synthetic method for organic polymer-based monoliths in a room temperature ionic liquid medium via microwave-assisted vinylization and polymerization. <i>Green Chemistry</i> , 2011, 13, 296-299.	4.6	44
43	On-line concentration sample stacking coupled with water-in-oil microemulsion electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2011, 1218, 7663-7669.	1.8	16
44	Analyses of sulfonamide antibiotics in meat samples by on-line concentration capillary electrochromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2011, 1218, 7640-7647.	1.8	50
45	Analyses of non-steroidal anti-inflammatory drugs by on-line concentration capillary electrochromatography using poly(stearyl methacrylate-divinylbenzene) monolithic columns. <i>Journal of Chromatography A</i> , 2011, 1218, 350-358.	1.8	24
46	Analyses of Non-steroidal Anti-inflammatory Drugs in Environmental Water Samples with Microemulsion Electrokinetic Chromatography. <i>Analytical Sciences</i> , 2010, 26, 703-707.	0.8	17
47	Poly(divinylbenzene-alkyl methacrylate) monolithic stationary phases in capillary electrochromatography. <i>Journal of Chromatography A</i> , 2010, 1217, 5839-5847.	1.8	19
48	Analyses of sulfonamide antibiotics by a successive anion- and cation-selective injection coupled to microemulsion electrokinetic chromatography. <i>Electrophoresis</i> , 2010, 31, 2260-2266.	1.3	21
49	Determination of melamine and related triazine by-products ammeline, ammelide, and cyanuric acid by micellar electrokinetic chromatography. <i>Analytica Chimica Acta</i> , 2010, 673, 206-211.	2.6	37
50	Analyses of synthetic antioxidants by capillary electrochromatography using poly(styrene-divinylbenzene-lauryl methacrylate) monolith. <i>Talanta</i> , 2010, 82, 1426-1433.	2.9	9
51	Analyses of sulfonamide antibiotics by CEC using poly(divinylbenzene-octadecene-vinylbenzyl trimethyl) Tj $\frac{1.3}{1.3}$ $\frac{1}{1}$ $\frac{0.784314}{13}$	1.3	13
52	Sample stacking for determination of aromatic acid impurities by microemulsion electrokinetic chromatography. <i>Analytica Chimica Acta</i> , 2009, 632, 148-155.	2.6	19
53	Determining organic impurities in mother liquors from oxidative terephthalic acid synthesis by microemulsion electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2009, 1216, 2560-2566.	1.8	14
54	Determination of eight penicillin antibiotics in pharmaceuticals, milk and porcine tissues by nano-liquid chromatography. <i>Journal of Chromatography A</i> , 2009, 1216, 7186-7194.	1.8	45

#	ARTICLE	IF	CITATIONS
55	Sample stacking for the analysis of penicillins by microemulsion electrokinetic chromatography. <i>Electrophoresis</i> , 2008, 29, 3905-3915.	1.3	24
56	Development of capillary electrochromatography with poly(styrene-divinylbenzene-vinylbenzenesulfonic acid) monolith as the stationary phase. <i>Journal of Chromatography A</i> , 2008, 1190, 263-270.	1.8	23
57	Sample stacking for the analysis of catechins by microemulsion EKC. <i>Electrophoresis</i> , 2007, 28, 1735-1743.	1.3	18
58	Analyses of alkaloids in different products by NACE- μ MS. <i>Electrophoresis</i> , 2007, 28, 4220-4226.	1.3	22
59	Analyses of tobacco alkaloids by cation-selective exhaustive injection sweeping microemulsion electrokinetic chromatography. <i>Journal of Chromatography A</i> , 2007, 1164, 313-319.	1.8	62
60	Anion-selective exhaustive injection-sweeping microemulsion electrokinetic chromatography. <i>Electrophoresis</i> , 2006, 27, 3202-3209.	1.3	38
61	CEC with monolithic poly(styrene-divinylbenzene-vinylsulfonic acid) as the stationary phase. <i>Electrophoresis</i> , 2006, 27, 4674-4681.	1.3	23
62	Separation of parabens in capillary electrochromatography using poly(styrene-divinylbenzene-methacrylic acid) monolithic column. <i>Journal of Separation Science</i> , 2006, 29, 2038-2048.	1.3	21
63	Analyses of benzophenones by capillary electrochromatography using methacrylate ester-based monolithic columns. <i>Journal of Chromatography A</i> , 2005, 1089, 250-257.	1.8	16
64	Comparison of microemulsion electrokinetic chromatography and micellar electrokinetic chromatography as methods for the analysis of ten benzophenones. <i>Electrophoresis</i> , 2005, 26, 895-902.	1.3	18
65	Determination of food colorants by microemulsion electrokinetic chromatography. <i>Electrophoresis</i> , 2005, 26, 867-877.	1.3	57
66	Analyses of phenolic compounds by microemulsion electrokinetic chromatography. <i>Electrophoresis</i> , 2005, 26, 3134-3140.	1.3	16
67	Organo-soluble polyimide (ODA-BSAA)/montmorillonite nanocomposite materials prepared by solution dispersion technique. <i>Journal of Applied Polymer Science</i> , 2005, 95, 1082-1090.	1.3	32
68	Comparison of microemulsion electrokinetic chromatography and micellar electrokinetic chromatography methods for the analysis of phenolic compounds. <i>Journal of Separation Science</i> , 2005, 28, 973-981.	1.3	31
69	Enhanced corrosion prevention effect of polysulfone-clay nanocomposite materials prepared by solution dispersion. <i>Journal of Applied Polymer Science</i> , 2004, 92, 631-637.	1.3	51
70	Preparation and properties of (BATB-ODPA) polyimide-clay nanocomposite materials. <i>Journal of Applied Polymer Science</i> , 2004, 92, 1072-1079.	1.3	43
71	Enhancement of corrosion protection effect of poly(styrene-co-acrylonitrile) by the incorporation of nanolayers of montmorillonite clay into copolymer matrix. <i>Journal of Applied Polymer Science</i> , 2004, 92, 2269-2277.	1.3	23
72	Thermal and optical properties of PMMA-titania hybrid materials prepared by sol-gel approach with HEMA as coupling agent. <i>Journal of Applied Polymer Science</i> , 2004, 94, 400-405.	1.3	51

#	ARTICLE	IF	CITATIONS
73	Analyses of preservatives by capillary electrochromatography using methacrylate ester-based monolithic columns. <i>Electrophoresis</i> , 2004, 25, 3237-3246.	1.3	27
74	Comparing micellar electrokinetic chromatography and microemulsion electrokinetic chromatography for the analysis of preservatives in pharmaceutical and cosmetic products. <i>Journal of Chromatography A</i> , 2003, 993, 153-164.	1.8	80
75	Analysis of food colorants by capillary electrophoresis with large-volume sample stacking. <i>Journal of Chromatography A</i> , 2003, 995, 29-36.	1.8	79
76	Determining eight colorants in milk beverages by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2002, 959, 317-325.	1.8	136
77	Determination of saikosaponins by micellar electrokinetic capillary chromatography. <i>Journal of Chromatography A</i> , 1997, 759, 193-201.	1.8	24