

# Sandrine S Bertrand

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3842182/publications.pdf>

Version: 2024-02-01

39  
papers

1,136  
citations

430754

18  
h-index

395590

33  
g-index

40  
all docs

40  
docs citations

40  
times ranked

1197  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of acute and chronic nicotine administration on midbrain dopaminergic neuron activity and related behaviours in TRPV1 knock-out juvenile mice. <i>European Journal of Neuroscience</i> , 2022, 55, 697-713.	1.2	3
2	Increased surface P2X4 receptors by mutant SOD1 proteins contribute to ALS pathogenesis in SOD1-G93A mice. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, .	2.4	8
3	Increased surface P2X4 receptor regulates anxiety and memory in P2X4 internalization-defective knock-in mice. <i>Molecular Psychiatry</i> , 2021, 26, 629-644.	4.1	32
4	Acetylcholine and spinal locomotor networks: The insider. <i>Physiological Reports</i> , 2021, 9, e14736.	0.7	10
5	Developmentally Regulated Modulation of Lumbar Motoneurons by Metabotropic Glutamate Receptors: A Cellular and Behavioral Analysis in Newborn Mice. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 770250.	1.8	0
6	Locomotion and dynamic posture: neuro-evolutionary basis of bipedal gait. <i>Neurophysiologie Clinique</i> , 2020, 50, 467-477.	1.0	10
7	Activity-dependent synaptic dynamics in motor circuits of the spinal cord. <i>Current Opinion in Physiology</i> , 2019, 8, 44-49.	0.9	3
8	3-D motion capture for long-term tracking of spontaneous locomotor behaviors and circadian sleep/wake rhythms in mouse. <i>Journal of Neuroscience Methods</i> , 2018, 295, 51-57.	1.3	13
9	Cholinergic-mediated coordination of rhythmic sympathetic and motor activities in the newborn rat spinal cord. <i>PLoS Biology</i> , 2018, 16, e2005460.	2.6	8
10	A new class of radiopeptides for PET imaging of neuromedin-B receptor: 68Ga-ranatensin analogs. <i>MedChemComm</i> , 2016, 7, 1217-1223.	3.5	1
11	Distinct and developmentally regulated activity-dependent plasticity at descending glutamatergic synapses on flexor and extensor motoneurons. <i>Scientific Reports</i> , 2016, 6, 28522.	1.6	2
12	Age-Related Changes in Pre- and Postsynaptic Partners of the Cholinergic C-Boutons in Wild-Type and SOD1G93A Lumbar Motoneurons. <i>PLoS ONE</i> , 2015, 10, e0135525.	1.1	33
13	Origin of Thoracic Spinal Network Activity during Locomotor-Like Activity in the Neonatal Rat. <i>Journal of Neuroscience</i> , 2015, 35, 6117-6130.	1.7	20
14	Monoaminergic control of spinal locomotor networks in SOD1G93A newborn mice. <i>Frontiers in Neural Circuits</i> , 2014, 8, 77.	1.4	14
15	Multiple monoaminergic modulation of posturo-locomotor network activity in the newborn rat spinal cord. <i>Frontiers in Neural Circuits</i> , 2014, 8, 99.	1.4	11
16	Activity-dependent Synaptic Plasticity and Metaplasticity in Spinal Motor Networks. <i>Current Pharmaceutical Design</i> , 2013, 19, 4498-4508.	0.9	14
17	Cholinergic partition cells and lamina X neurons induce a muscarinic-dependent short-term potentiation of commissural glutamatergic inputs in lumbar motoneurons. <i>Frontiers in Neural Circuits</i> , 2011, 5, 15.	1.4	30
18	Noradrenergic modulation of intrinsic and synaptic properties of lumbar motoneurons in the neonatal rat spinal cord. <i>Frontiers in Neural Circuits</i> , 2010, 4, 4.	1.4	28

#	ARTICLE	IF	CITATIONS
19	Knockdown of L Calcium Channel Subtypes: Differential Effects in Neuropathic Pain. <i>Journal of Neuroscience</i> , 2010, 30, 1073-1085.	1.7	97
20	Expression of GABAA receptor $\alpha 3$ , $\alpha 1$ , and $\mu$ -subunit mRNAs during rat CNS development and immunolocalization of the $\mu$ subunit in developing postnatal spinal cord. <i>Neuroscience</i> , 2009, 160, 85-96.	1.1	14
21	Interplay between neuromodulator-induced switching of short-term plasticity at sensorimotor synapses in the neonatal rat spinal cord. <i>Journal of Physiology</i> , 2008, 586, 1903-1920.	1.3	23
22	Plateau potentials and membrane oscillations in parasympathetic preganglionic neurones and intermediolateral neurones in the rat lumbosacral spinal cord. <i>Journal of Physiology</i> , 2005, 563, 583-596.	1.3	23
23	Peptidergic neuromodulation of the lumbar locomotor network in the neonatal rat spinal cord. <i>Peptides</i> , 2005, 26, 277-286.	1.2	16
24	Different actions of Gabapentin and baclofen in hippocampus from weaver mice. <i>Hippocampus</i> , 2003, 13, 525-528.	0.9	14
25	Gabapentin actions on Kir3 currents and N-type Ca <sup>2+</sup> channels via GABAB receptors in hippocampal pyramidal cells. <i>Synapse</i> , 2003, 50, 95-109.	0.6	49
26	GABA B Receptor- and Metabotropic Glutamate Receptor-Dependent Cooperative Long-Term Potentiation of Rat Hippocampal GABA A Synaptic Transmission. <i>Journal of Physiology</i> , 2003, 553, 155-167.	1.3	75
27	Dynamic balance of metabotropic inputs causes dorsal horn neurons to switch functional states. <i>Nature Neuroscience</i> , 2003, 6, 274-281.	7.1	129
28	The respective contribution of lumbar segments to the generation of locomotion in the isolated spinal cord of newborn rat. <i>European Journal of Neuroscience</i> , 2002, 16, 1741-1750.	1.2	39
29	Corrigendum to "N- and P/Q-type Ca <sup>2+</sup> channels are involved in neurotransmitter release but not in synaptic depression in the spinal cord of the neonatal rat" [ <i>Neurosci. Lett.</i> 295 (2000) 29-32]. <i>Neuroscience Letters</i> , 2001, 302, 161.	1.0	0
30	$\beta 3$ -Aminobutyric Acid Type B Receptors with Specific Heterodimer Composition and Postsynaptic Actions in Hippocampal Neurons Are Targets of Anticonvulsant Gabapentin Action. <i>Molecular Pharmacology</i> , 2001, 59, 144-152.	1.0	141
31	Unitary synaptic currents between lacunosum-moleculare interneurons and pyramidal cells in rat hippocampus. <i>Journal of Physiology</i> , 2001, 532, 369-384.	1.3	31
32	Coupling between lumbar and sacral motor networks in the neonatal rat spinal cord. <i>European Journal of Neuroscience</i> , 2000, 12, 2993-3002.	1.2	59
33	Ubiquity of motor networks in the spinal cord of vertebrates. <i>Brain Research Bulletin</i> , 2000, 53, 627-634.	1.4	36
34	N- and P/Q-type Ca <sup>2+</sup> channels are involved in neurotransmitter release but not in synaptic depression in the spinal cord of the neonatal rat. <i>Neuroscience Letters</i> , 2000, 295, 29-32.	1.0	10
35	Presynaptic GABAergic control of the locomotor drive in the isolated spinal cord of neonatal rats. <i>European Journal of Neuroscience</i> , 1999, 11, 583-592.	1.2	31
36	Regulation by glycine, Mg <sup>2+</sup> and polyamines of the N-methyl-d-aspartate-induced locomotion in the neonatal rat spinal cord in vitro. <i>Neuroscience</i> , 1999, 94, 1199-1206.	1.1	6

#	ARTICLE	IF	CITATIONS
37	Gabaergic Control of Spinal Locomotor Networks in the Neonatal Rat. Annals of the New York Academy of Sciences, 1998, 860, 168-180.	1.8	31
38	GABAA and GABAB Modulations of Synaptic Transmission between L1-L2 Locomotor Network and the Motoneurons in the Newborn Rat Isolated Spinal Cord. Annals of the New York Academy of Sciences, 1998, 860, 470-471.	1.8	4
39	Postinhibitory Rebound During Locomotor-Like Activity in Neonatal Rat Motoneurons In Vitro. Journal of Neurophysiology, 1998, 79, 342-351.	0.9	68