

Hadi Amiri Rudbari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3842209/publications.pdf>

Version: 2024-02-01

240
papers

3,853
citations

168829

31
h-index

274796

44
g-index

246
all docs

246
docs citations

246
times ranked

4248
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis, characterization and crystal structure determination of a new oxovanadium(IV) Schiff base complex: The catalytic activity in the epoxidation of cyclooctene. <i>Inorganic Chemistry Communication</i> , 2012, 18, 15-20.	1.8	106
2	A mononuclear Cu(II) complex with 5,6-diphenyl-3-(2-pyridyl)-1,2,4-triazine: Synthesis, crystal structure, DNA- and BSA-binding, molecular modeling, and anticancer activity against MCF-7, A-549, and HT-29 cell lines. <i>European Journal of Medicinal Chemistry</i> , 2015, 96, 66-82.	2.6	81
3	Studies on DNA binding properties of new Schiff base ligands using spectroscopic, electrochemical and computational methods: Influence of substitutions on DNA-binding. <i>Journal of Molecular Liquids</i> , 2018, 253, 61-71.	2.3	78
4	Cobalt(II), copper(II), zinc(II) and palladium(II) Schiff base complexes: Synthesis, characterization and catalytic performance in selective oxidation of sulfides using hydrogen peroxide under solvent-free conditions. <i>Polyhedron</i> , 2015, 95, 1-13.	1.0	75
5	Mono- and dioxido-vanadium(V) complexes of a tridentate ONO Schiff base ligand: Synthesis, spectral characterization, X-ray crystal structure, and anticancer activity. <i>Polyhedron</i> , 2015, 93, 99-105.	1.0	72
6	Copper Immobilized on Nanosilica Triazine Dendrimer (Cu(II)-TD@nSiO ₂)-Catalyzed Regioselective Synthesis of 1,4-Disubstituted 1,2,3-Triazoles and Bis- and Tris-Triazoles via a One-Pot Multicomponent Click Reaction. <i>Journal of Organic Chemistry</i> , 2014, 79, 1437-1443.	1.7	70
7	The piroxicam complex of cobalt(II): Synthesis in two different ionic liquids, structure, DNA- and BSA interaction and molecular modeling. <i>Inorganica Chimica Acta</i> , 2014, 409, 379-389.	1.2	66
8	Synthesis, characterization and biological application of four novel metal-Schiff base complexes derived from allylamine and their interactions with human serum albumin: Experimental, molecular docking and ONIOM computational study. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016, 162, 448-462.	1.7	62
9	Synthesis, characterization, crystal structures, Hirshfeld surface analysis, DFT computational studies and catalytic activity of novel oxovanadium and dioxomolybdenum complexes with ONO tridentate Schiff base ligand. <i>Polyhedron</i> , 2021, 202, 115194.	1.0	62
10	Novel oxovanadium and dioxomolybdenum complexes of tridentate ONO-donor Schiff base ligand: Synthesis, characterization, crystal structures, Hirshfeld surface analysis, DFT computational studies and catalytic activity for the selective oxidation of benzylic alcohols. <i>Inorganica Chimica Acta</i> , 2021, 523, 120414.	1.2	56
11	New perspective to Keplerate polyoxomolybdates: Green oxidation of sulfides with hydrogen peroxide in water. <i>Catalysis Communications</i> , 2015, 66, 107-110.	1.6	53
12	Synthesis, characterization, crystal structure, DNA- and HSA-binding studies of a dinuclear Schiff base Zn(II) complex derived from 2-hydroxynaphthaldehyde and 2-picolyamine. <i>Journal of Molecular Structure</i> , 2015, 1096, 110-120.	1.8	51
13	Mononuclear and dinuclear salen type copper(II) Schiff base complexes: Synthesis, characterization, crystal structures and catalytic epoxidation of cyclooctene. <i>Inorganica Chimica Acta</i> , 2014, 414, 78-84.	1.2	50
14	Synthesis, characterization and X-ray crystal structures of Vanadium(IV), Cobalt(III), Copper(II) and Zinc(II) complexes derived from an asymmetric bidentate Schiff-base ligand at ambient temperature. <i>Journal of Molecular Structure</i> , 2015, 1081, 494-505.	1.8	50
15	Synthesis, characterization, X-ray crystal structures and antibacterial activities of Schiff base ligands derived from allylamine and their vanadium(IV), cobalt(III), nickel(II), copper(II), zinc(II) and palladium(II) complexes. <i>Journal of Molecular Structure</i> , 2016, 1125, 113-120.	1.8	46
16	Crystal structures and catalytic performance of three new methoxy substituted salen type nickel(II) Schiff base complexes derived from meso-1,2-diphenyl-1,2-ethylenediamine. <i>Journal of Molecular Structure</i> , 2014, 1063, 1-7.	1.8	44
17	Experimental and molecular modeling studies of the interaction of the polypyridyl Fe(II) and Fe(III) complexes with DNA and BSA. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 134, 502-516.	2.0	43
18	Ultrasound-assisted synthesis of metal-organic framework nanorods of Zn-HKUST-1 and their templating effects for facile fabrication of zinc oxide nanorods via solid-state transformation. <i>Inorganic Chemistry Communication</i> , 2015, 59, 41-45.	1.8	42

#	ARTICLE	IF	CITATIONS
19	Silver(I) complex with a Schiff base ligand extended waterborne polyurethane: A developed strategy to obtain a highly stable antibacterial dispersion impregnated with in situ formed silver nanoparticles. <i>Chemical Engineering Journal</i> , 2020, 381, 122776.	6.6	42
20	Synthesis of two new N ₂ O ₄ macrocyclic Schiff base ligands and their mononuclear complexes: Spectral, X-ray crystal structural, antibacterial and DNA cleavage activity. <i>Polyhedron</i> , 2015, 97, 75-82.	1.0	37
21	Synthesis, characterization, crystal structure and HSA binding of two new N,O,O-donor Schiff-base ligands derived from dihydroxybenzaldehyde and tert-butylamine. <i>Journal of Molecular Structure</i> , 2016, 1119, 373-384.	1.8	37
22	Synthesis and characterization of insoluble cobalt(II), nickel(II), zinc(II) and palladium(II) Schiff base complexes: Heterogeneous catalysts for oxidation of sulfides with hydrogen peroxide. <i>Comptes Rendus Chimie</i> , 2016, 19, 347-356.	0.2	36
23	Experimental and molecular modeling studies on the interaction of the Ru(II)-piroxicam with DNA and BSA. <i>European Journal of Medicinal Chemistry</i> , 2013, 69, 577-590.	2.6	35
24	Binuclear organotin(IV) complexes with adipic dihydrazones: Synthesis, spectral characterization, crystal structures and antibacterial activity. <i>Journal of Organometallic Chemistry</i> , 2013, 737, 26-31.	0.8	35
25	Synthesis, spectral characterization, crystal structure and antibacterial studies of diorganotin(IV) complexes with isonicotinoyl hydrazone derivatives. <i>Polyhedron</i> , 2014, 79, 88-96.	1.0	35
26	Synthesis and characterization of new Mn(II) and Cd(II) Schiff base complexes containing homopiperazine moiety: Spectral, X-ray crystal structural and theoretical studies. <i>Inorganica Chimica Acta</i> , 2016, 440, 139-147.	1.2	35
27	DNA and HSA interaction of Vanadium (IV), Copper (II), and Zinc (II) complexes derived from an asymmetric bidentate Schiff-base ligand: multi spectroscopic, viscosity measurements, molecular docking, and ONIOM studies. <i>Journal of Biological Inorganic Chemistry</i> , 2018, 23, 181-192.	1.1	34
28	Characterization, photocleavage, molecular modeling, and DNA- and BSA-binding studies of Cu(II) and Ni(II) complexes with the non-steroidal anti-inflammatory drug meloxicam. <i>Inorganica Chimica Acta</i> , 2014, 423, 256-272.	1.2	33
29	Combined experimental and theoretical studies on the X-ray crystal structure, FT-IR, ¹ H NMR, ¹³ C NMR, UV-Vis spectra, NLO behavior and antimicrobial activity of 2-hydroxyacetophenone benzoylhydrazone. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 124, 548-555.	2.0	33
30	Synthesis, characterization, X-ray crystal structure, DFT calculation and antibacterial activities of new vanadium(IV, V) complexes containing chelidamic acid and novel thiourea derivatives. <i>Journal of Inorganic Biochemistry</i> , 2015, 147, 54-64.	1.5	33
31	Self-recognition of the racemic ligand in the formation of homochiral dinuclear V(V) complex: In vitro anticancer activity, DNA and HSA interaction. <i>European Journal of Medicinal Chemistry</i> , 2017, 135, 230-240.	2.6	33
32	Chiral halogenated Schiff base compounds: green synthesis, anticancer activity and DNA-binding study. <i>Journal of Molecular Structure</i> , 2018, 1161, 497-511.	1.8	33
33	A rare dihydroxo copper(II) complex with ciprofloxacin; a combined experimental and ONIOM computational study of the interaction of the complex with DNA and BSA. <i>RSC Advances</i> , 2014, 4, 35390.	1.7	32
34	Syntheses, characterizations, crystal structures, and biological activities of two new mixed ligand Ni(II) and Cu(II) Schiff base complexes. <i>Journal of Coordination Chemistry</i> , 2015, 68, 632-649.	0.8	31
35	Polypyridyl Ni(II) complex, [Ni(tppz) ₂] ²⁺ : Structure, DNA- and BSA binding and molecular modeling. <i>Polyhedron</i> , 2013, 65, 16-30.	1.0	30
36	Synthesis, spectroscopy, DFT and crystal structure investigations of 3-methoxy-2-hydroxybenzaldehyde S-ethylisothiosemicarbazone and its Ni(II) and Mo(VI) complexes. <i>Polyhedron</i> , 2013, 55, 225-232.	1.0	30

#	ARTICLE	IF	CITATIONS
37	Synthesis, characterization and separation of chiral and achiral diastereomers of Schiff base Pd(II) complex: A comparative study of their DNA- and HSA-binding. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016, 163, 246-260.	1.7	30
38	A new oxovanadium(IV) complex containing an O,N-bidentate Schiff base ligand: Synthesis at ambient temperature, characterization, crystal structure and catalytic performance in selective oxidation of sulfides to sulfones using H ₂ O ₂ under solvent-free conditions. <i>Journal of Molecular Structure</i> , 2016, 1103, 94-102.	1.8	30
39	Synthesis, spectral characterization, crystal structures, biological activities, theoretical calculations and substitution effect of salicylidene ligand on the nature of mono and dinuclear Zn(II) Schiff base complexes. <i>Polyhedron</i> , 2022, 213, 115636.	1.0	30
40	New asymmetric Schiff base ligand derived from allylamine and 2,3-dihydroxybenzaldehyde and its molybdenum(VI) complex: Synthesis, characterization, crystal structures, computational studies and antibacterial activity together with synergistic effect against <i>Pseudomonas aeruginosa</i> PTTC 1570. <i>Polyhedron</i> , 2015, 100, 180-191.	1.0	29
41	Regioselective Green Electrochemical Approach to the Synthesis of Nitroacetaminophen Derivatives. <i>Organic Letters</i> , 2015, 17, 4666-4669.	2.4	29
42	Antiproliferative Activities of Diimine-Based Mixed Ligand Copper(II) Complexes. <i>ACS Combinatorial Science</i> , 2020, 22, 89-99.	3.8	29
43	Copper(II) and molybdenum(VI) complexes with 5-bromosalicylaldehyde <i>S</i> -allylisothiosemicarbazone: Syntheses, characterizations and crystal structures. <i>Journal of Coordination Chemistry</i> , 2013, 66, 345-357.	0.8	28
44	Copper(II) complexes with tridentate halogen-substituted Schiff base ligands: synthesis, crystal structures and investigating the effect of halogenation, leaving groups and ligand flexibility on antiproliferative activities. <i>Dalton Transactions</i> , 2021, 50, 3990-4007.	1.6	28
45	Synthesis and solvatochromism studies of new mixed-chelate dinuclear copper(II) complexes with different counter ions. <i>Inorganica Chimica Acta</i> , 2011, 366, 290-297.	1.2	27
46	Crystal structures, DFT calculations and Hirshfeld surface analyses of three new cobalt(III) Schiff base complexes derived from meso-1,2-diphenyl-1,2-ethylenediamine. <i>Journal of Molecular Structure</i> , 2016, 1122, 123-133.	1.8	27
47	Synthesis, characterization, crystal structure and DNA, HSA-binding studies of four Schiff base complexes derived from salicylaldehyde and isopropylamine. <i>Inorganica Chimica Acta</i> , 2017, 466, 48-60.	1.2	27
48	Oxovanadium and dioxomolybdenum complexes: synthesis, crystal structure, spectroscopic characterization and applications as homogeneous catalysts in sulfoxidation. <i>Journal of Coordination Chemistry</i> , 2021, 74, 1563-1583.	0.8	27
49	Structural Investigation and Preparation of 14-alkyl-14H-dibenzo[a,j]xanthenes revised. <i>Journal of the Korean Chemical Society</i> , 2002, 46, 541-544.	0.2	27
50	Zn(II) complexes containing O,N,N,O-donor Schiff base ligands: synthesis, crystal structures, spectral investigations, biological activities, theoretical calculations and substitution effect on structures. <i>Journal of Coordination Chemistry</i> , 2021, 74, 2720-2740.	0.8	27
51	Synthesis and characterization of two new fluorescent macrocycles: A novel fluorescent chemosensor for zinc ion. <i>Journal of Luminescence</i> , 2012, 132, 1860-1866.	1.5	26
52	Cobalt(III) Schiff base complexes derived from mesostilbenediamine: Synthesis, characterization, crystal structure, electrochemistry and antibacterial studies. <i>Inorganica Chimica Acta</i> , 2013, 395, 81-88.	1.2	26
53	Mono- and polynuclear copper(II) complexes based on 2,4,6-tris(2-pyridyl)-1,3,5-triazine and its hydrolyzed form. <i>Inorganica Chimica Acta</i> , 2014, 416, 109-121.	1.2	26
54	A mixed-ligand ternary complex of nickel(II): synthesis, characterization and catalytic investigation for the synthesis of pyranopyrazoles. <i>Transition Metal Chemistry</i> , 2015, 40, 39-45.	0.7	26

#	ARTICLE	IF	CITATIONS
55	Tetradentate N ₂ O ₂ type Nickel(II) Schiff base complexes derived from <i>meso</i> -1,2-diphenylethane-1,2-diamine: synthesis, characterization, crystal structures, electrochemistry, and catalytic studies. <i>Journal of Coordination Chemistry</i> , 2013, 66, 4255-4267.	0.8	25
56	Copper immobilized on nano-silica triazine dendrimer (Cu(II)-TD@nSiO ₂) catalyzed synthesis of symmetrical and unsymmetrical 1,3-diyne under aerobic conditions at ambient temperature. <i>RSC Advances</i> , 2014, 4, 14291-14296.	1.7	25
57	Comparison between various Keggin and Wells-Dawson sandwich type polyoxometalates in catalytic oxidation of cyclooctene and cyclohexene with hydrogen peroxide. <i>Applied Organometallic Chemistry</i> , 2015, 29, 7-11.	1.7	24
58	Studies of DNA- and HSA-binding properties of new nano-scale green synthesized Ni (II) complex as anticancer agent using spectroscopic methods, viscosity measurement, molecular docking, MD simulation and QM/MM. <i>Journal of Molecular Liquids</i> , 2017, 248, 24-35.	2.3	24
59	Coordination chemistry of some new Mn(II), Cd(II) and Zn(II) macrocyclic Schiff base complexes containing a homopiperazine head unit. Spectral, X-ray crystal structural, theoretical studies and anticancer activity. <i>Inorganica Chimica Acta</i> , 2019, 490, 294-302.	1.2	24
60	New diorganotin(IV) complexes with 3-(2-hydroxy-5-methylphenylamino)-1,3-diphenylprop-2-en-1-one: Synthesis, spectroscopic characterization, structural studies and antibacterial activity. <i>Journal of Molecular Structure</i> , 2012, 1026, 44-50.	1.8	23
61	Synthesis, characterization, crystal structure determination and computational study of the two new bidentate O, N Schiff bases derived from bromosalicylaldehyde and amines containing alkyl halide pendant groups. <i>Journal of Molecular Structure</i> , 2013, 1054-1055, 100-106.	1.8	23
62	Synthesis, characterization, X-ray structure and DFT calculation of two Mo(VI) and Ni(II) Schiff-base complexes. <i>Comptes Rendus Chimie</i> , 2014, 17, 1144-1153.	0.2	23
63	Synthesis, X-ray studies, electrochemical properties, evaluation as in vitro cytotoxic and antibacterial agents of two antimony(III) complexes with dipicolinic acid. <i>Polyhedron</i> , 2019, 159, 239-250.	1.0	23
64	Syntheses and characterization of mixed-chelate copper(II) complexes containing different counter ions; spectroscopic studies on solvatochromic properties. <i>Polyhedron</i> , 2011, 30, 1027-1034.	1.0	22
65	A new iron(III) complex of glycine derivative of amine-chloro substituted phenol ligand: Synthesis, characterization and catechol dioxygenase activity. <i>Journal of Molecular Structure</i> , 2012, 1029, 60-67.	1.8	22
66	Complexes with <i>cis</i> -MoO ₂ unit of new isothiosemicarbazone. <i>Journal of Coordination Chemistry</i> , 2012, 65, 3403-3412.	0.8	22
67	Palladium Nanoparticles Immobilized on Nanosilica Triazine Dendritic Polymer (Pd np-nSTDP) as Catalyst in the Synthesis of Mono-, Di-, and Trisulfides through C-S Cross-Coupling Reactions. <i>Synlett</i> , 2014, 25, 645-652.	1.0	22
68	A comparative study on Keggin and Wells-Dawson sandwich type polyoxometalates in the oxidation of alcohols with 30% hydrogen peroxide. <i>Polyhedron</i> , 2014, 76, 102-107.	1.0	22
69	New oxovanadium and dioxomolybdenum complexes as catalysts for sulfoxidation: experimental and theoretical investigations of E and Z isomers of ONO tridentate Schiff base ligand. <i>Journal of Sulfur Chemistry</i> , 2022, 43, 22-36.	1.0	22
70	How the two factors of concentration and ultrasonic wave power affect on formation of kinetically or thermodynamically stable lead(II) complex nano-structures. <i>Inorganica Chimica Acta</i> , 2014, 423, 101-105.	1.2	21
71	Catalytic performance of Keplerate polyoxomolybdates in green epoxidation of alkenes with hydrogen peroxide. <i>RSC Advances</i> , 2015, 5, 70424-70428.	1.7	21
72	Diastereoselective Synthesis of Symmetrical and Unsymmetrical Tetrahydropyridines Catalyzed by Bi(III) Immobilized on Triazine Dendrimer Stabilized Magnetic Nanoparticles. <i>ACS Combinatorial Science</i> , 2017, 19, 356-364.	3.8	21

#	ARTICLE	IF	CITATIONS
73	Computational and experimental study on the electrocatalytic reduction of CO ₂ to CO by a new mononuclear ruthenium(II) complex. <i>Dalton Transactions</i> , 2014, 43, 11317.	1.6	19
74	Naphthothiazole-based highly selective and sensitive fluorescent and colorimetric chemosensor for detection of pollutant metal ions. <i>RSC Advances</i> , 2016, 6, 34940-34945.	1.7	19
75	Nickel(II) complex with an asymmetric tetradentate Schiff base ligand: synthesis, characterization, crystal structure, and DFT studies. <i>Journal of Coordination Chemistry</i> , 2018, 71, 3748-3762.	0.8	19
76	Investigation of crystallographic structure, in vitro cytotoxicity and DNA interaction of two La(III) and Ce(IV) complexes containing dipicolinic acid and 4-dimethylaminopyridine. <i>Polyhedron</i> , 2019, 163, 20-32.	1.0	19
77	Evaluation of two novel macrocycles containing pyridine-2,6-dicarboxamide unit as cationic fluorescent sensor. <i>Polyhedron</i> , 2020, 176, 114292.	1.0	19
78	Syntheses and structural characterization of iron(II) and copper(II) coordination compounds with the neutral flexible bidentate N-donor ligands. <i>Journal of Molecular Structure</i> , 2014, 1071, 18-22.	1.8	18
79	Preparation, X-ray structure, spectral analysis, DFT calculation and thermal study on palladium(II) coordination compound with Schiff base derived from S-allyldithiocarbamate. <i>Inorganica Chimica Acta</i> , 2016, 447, 52-58.	1.2	18
80	Microwave-assisted, regioselective one-pot synthesis of quinolines and bis-quinolines catalyzed by Bi(III) immobilized on triazine dendrimer stabilized magnetic nanoparticles. <i>Tetrahedron Letters</i> , 2017, 58, 71-74.	0.7	18
81	Syntheses and structural characterization of iron(II) coordination polymers with flexible 1,4-bis(imidazol-1-ylmethyl)benzene ligand. <i>Inorganica Chimica Acta</i> , 2013, 408, 214-221.	1.2	17
82	Dinuclear organotin(IV) complexes with bis-acyl-hydrazones containing flexible linker: Synthesis, spectroscopic investigation and crystal structure of dimethyl- and diphenyltin(IV) complexes with succinic dihydrazones. <i>Journal of Organometallic Chemistry</i> , 2014, 754, 26-31.	0.8	17
83	Synthesis, characterization, crystal structure determination, computational study, and thermal	1.8	17
84	A novel dinuclear schiff base copper complex as an efficient and cost effective catalyst for oxidation of alcohol: Synthesis, crystal structure and theoretical studies. <i>Journal of Chemical Sciences</i> , 2015, 127, 1321-1328.	0.7	17
85	Development of an unexpected reaction pathway for the synthesis of 1,2,4-trisubstituted pyrrolo[1,2-a]quinoxalines through palladium-catalyzed cascade reactions. <i>Tetrahedron</i> , 2017, 73, 1633-1639.	1.0	17
86	Heterogeneous oxidation of alcohols with hydrogen peroxide catalyzed by polyoxometalate metal-organic framework. <i>Journal of the Iranian Chemical Society</i> , 2016, 13, 1463-1470.	1.2	16
87	An experimental and quantum chemical study on the non-covalent interactions of a cyclometallated Rh(III) complex with DNA and BSA. <i>RSC Advances</i> , 2016, 6, 23913-23929.	1.7	16
88	Solid-state to solution helicity inversion of pseudotetrahedral chiral copper(II) complexes with 2,4-dihalo-salicylaldehyde ligands. <i>Dalton Transactions</i> , 2020, 49, 8247-8264.	1.6	16
89	A multiprotic ditopic thiocarbonylhydrazone ligand in the formation of mono- and di-nuclear organotin(IV) complexes: Crystal structure, antibacterial activity and DNA cleavage. <i>Journal of Organometallic Chemistry</i> , 2016, 825-826, 25-32.	0.8	16
90	Unique examples of copper(II)/sodium(I) and nickel(II)/sodium(I) Schiff base complexes with bridging bis-bidentate Salen type ligand: Synthesis, crystal structures and antibacterial studies. <i>Inorganica Chimica Acta</i> , 2016, 445, 124-128.	1.2	15

#	ARTICLE	IF	CITATIONS
91	Anticancer study of heterobimetallic platinum(II)-ruthenium(II) and platinum(II)-rhodium(III) complexes with bridging dithioamide ligand. <i>Journal of Organometallic Chemistry</i> , 2019, 900, 120918.	0.8	15
92	Synthesis, X-ray crystal structure, thermal behavior and evaluation as an <i>in vitro</i> cytotoxic agent of a tin(IV) complex containing dipicolinic acid. <i>Journal of Coordination Chemistry</i> , 2020, 73, 2347-2362.	0.8	15
93	Synthesis, spectral and structural investigations, theoretical studies, and antibacterial activity of 4-(2-hydroxynaphthalen-3-ylamino)pent-3-en-2-one and its diphenyltin(IV) complex. <i>Journal of Coordination Chemistry</i> , 2012, 65, 1712-1723.	0.8	14
94	Dinuclear copper(II) complexes with tetraacetylpropane bridge; synthesis and solvatochromism study. <i>Journal of Coordination Chemistry</i> , 2013, 66, 2250-2263.	0.8	14
95	Structural variability in Cu(I) and Ag(I) coordination polymers with a flexible dithione ligand: Synthesis, crystal structure, microbiological and theoretical studies. <i>Journal of Solid State Chemistry</i> , 2017, 249, 70-79.	1.4	14
96	Multi experimental and computational studies for DNA and HSA interaction of new nano-scale ultrasound-assisted synthesized Pd(II) complex as a potent anticancer drug. <i>Journal of Molecular Liquids</i> , 2018, 264, 386-397.	2.3	14
97	Synthesis of novel naphtho[1,2-e][1,3]oxazines bearing an arylsulfonamide moiety and their anticancer and antifungal activity evaluations. <i>Arabian Journal of Chemistry</i> , 2020, 13, 1271-1282.	2.3	14
98	The Absolute Configuration of Palladium(II) and Ruthenium(II) Pseudochiral Centers in either Chiral or Achiral Environments. <i>Inorganic Chemistry</i> , 2010, 49, 9236-9246.	1.9	13
99	Urease inhibitory activities of ZnBr ₂ and ZnI ₂ complexes of terpyridine derivatives: Systematic investigation of aryl substituents on urease inhibitory activities. <i>Polyhedron</i> , 2012, 45, 9-14.	1.0	13
100	Sandwich-type polyoxometalates of the later lanthanide ions. Syntheses and structures of [(A-XW ₉ O ₃₄) ₂ (H ₂ OM) ₃ CO ₃] ¹¹⁻ (X = P ⁵⁺ , As ⁵⁺) (M = Tb ³⁺ , Dy ³⁺ , Er ³⁺). <i>Journal of Coordination Chemistry</i> , 2013, 66, 1374-1383.	0.8	13
101	Bis- and tris(2,3-dihydro-4a,12b-(epoxyethanoxy)[1,4]dioxino[2,3-f][1,10]phenanthroline) complexes of Ru(II): Synthesis, structure and DNA binding properties. <i>Journal of Molecular Structure</i> , 2013, 1040, 98-111.	1.8	13
102	Three new [X]C(O)NH]P(O)[N(CH ₂ C ₆ H ₅) ₂] ₂ phosphoric triamides (X = CClF ₂ , 3-F-C ₆ H ₄) and Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (3,5-F₂C _{6</sub>H_{3</sub>). <i>Acta Crystallographica Section C: Crystal Structure Communications</i>, 2012, 68, o399-o404.}}	0.4	12
103	Synthesis, characterization and crystal structures of HgII complexes with asymmetric ortho-functionalized 1,3-bis(aryl)triazene ligands. <i>Polyhedron</i> , 2012, 44, 138-142.	1.0	12
104	Synthesis and crystal structures of the first cadmium complexes of 3,5,6-tris(2-pyridyl)-1,2,4-triazine ligand. <i>Journal of Molecular Structure</i> , 2013, 1036, 71-77.	1.8	12
105	Syntheses of mixed chelate copper(II) complexes containing β^2 -ketoaminato and diamine ligands: Solvatochromism study. <i>Inorganica Chimica Acta</i> , 2013, 394, 1-9.	1.2	12
106	Synthesis, Spectroscopy, and Magnetic Characterization of Copper(II) and Cobalt(II) Complexes with 2-Amino-5-bromopyridine as Ligand. <i>ISRN Inorganic Chemistry</i> , 2013, 2013, 1-7.	0.2	12
107	First stable nitrate-encapsulated sandwich type polyoxometalate: Synthesis, structural characterization, and catalytic performance. <i>Inorganic Chemistry Communication</i> , 2014, 43, 39-44.	1.8	12
108	Green oxidation of alcohols with hydrogen peroxide catalyzed by a tetra-cobalt polyoxometalate in water. <i>Journal of the Iranian Chemical Society</i> , 2015, 12, 1207-1212.	1.2	12

#	ARTICLE	IF	CITATIONS
109	Chirality at octahedral centres determined by tetradentate Schiff base ligands. <i>Comptes Rendus Chimie</i> , 2015, 18, 391-398.	0.2	12
110	Synthesis, structural characterization, antibacterial activity and computational studies of new cobalt (II) complexes with 1,1,3,3-tetrakis (3,5-dimethyl-1-pyrazolyl)propane ligand. <i>Journal of Molecular Structure</i> , 2016, 1123, 225-237.	1.8	12
111	Sonochemical synthesis of a new nano-scale 1D copper organic coordination polymer; thermal and spectroscopic characterizations. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2016, 53, 227-236.	1.2	12
112	A quinoxaline-based porous organic polymer containing copper nanoparticles CuNPs@Q-POP as a robust nanocatalyst toward C–N coupling reaction. <i>RSC Advances</i> , 2021, 11, 3655-3665.	1.7	12
113	Investigation of the influence of chirality and halogen atoms on the anticancer activity of enantiopure palladium complexes derived from chiral amino-alcohol Schiff bases and 2-picolylamine. <i>New Journal of Chemistry</i> , 2022, 46, 6470-6483.	1.4	12
114	1-D and 2-D coordination polymers of lead(II) thiocyanate with substituted 2,2'-bipyridine ligand. <i>Journal of Coordination Chemistry</i> , 2012, 65, 1872-1881.	0.8	11
115	Investigating the effect of flexible ligands on the crystal engineering of the iron(II) coordination compounds. <i>Journal of Molecular Structure</i> , 2013, 1051, 244-249.	1.8	11
116	Synthesis, characterization, crystal structure and antibacterial studies of some new heptadentate manganese(II), cadmium(II) and zinc(II) macrocyclic Schiff base complexes with two 2-pyridylmethyl pendant arms. <i>Journal of the Iranian Chemical Society</i> , 2014, 11, 101-109.	1.2	11
117	A comparison of solution and solid state coordination environments for calcium(II), zirconium(IV), cadmium(II) and mercury(II) complexes with dipicolinic acid and methylimidazole derivatives. <i>Journal of Coordination Chemistry</i> , 2015, 68, 3982-4002.	0.8	11
118	Antimicrobial and antiprotozoal activities of silver coordination polymers derived from the asymmetric halogenated Schiff base ligands. <i>Applied Organometallic Chemistry</i> , 2021, 35, e6079.	1.7	11
119	Synthesis, Characterization and Solvatochromism Investigation of Mixed Ligand Chelate Copper(II) Complexes with Acetylacetonate and Three Diamine Ligands. <i>Chinese Journal of Chemistry</i> , 2012, 30, 1873-1880.	2.6	10
120	The effect of co-ligands and hydrogen bonds on the structural topology of copper-based complexes: Synthesis and structural characterizations. <i>Polyhedron</i> , 2013, 63, 68-73.	1.0	10
121	The influence of ClO ₄ ⁻ and PF ₆ ⁻ anions and the steric hindrance of flexible bis-imidazole ligands on the formation and structures of iron(II) coordination polymers. <i>Polyhedron</i> , 2014, 68, 372-378.	1.0	10
122	Synthesis, characterization, X-ray crystal structure, electrochemical evaluation and anti-cancer studies of a mixed ligand Cu(II) complex of (E)-N'-((2-hydroxynaphthalen-1-yl)methylene)acetohydrazide. <i>Journal of Chemical Sciences</i> , 2015, 127, 2193-2200.	0.7	10
123	Synthesis and characterization of different zinc(II) oxide nano-structures from two new zinc(II)-Quinoxaline coordination polymers. <i>Journal of Molecular Structure</i> , 2015, 1095, 8-14.	1.8	10
124	Tuning the framework formation of copper coordination compounds by using neutral bi and tetradentate flexible pyrazole-based ligands. <i>Polyhedron</i> , 2015, 85, 690-696.	1.0	10
125	Structural and spectral study of coordination of 4,4'-dimethoxy-2,2'-bipyridine toward Zn(II) and Cd(II) containing thiocyanato or azido ligands. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2016, 71, 959-965.	0.3	10
126	Synthesis, characterization, crystal structure determination and computational study of a new Cu(II) of <i>Journal of Molecular Structure</i> , 2016, 1116, 333-339.	1.8	10

#	ARTICLE	IF	CITATIONS
127	Spectroscopic and molecular docking studies on the interaction of Pd(II) & Co(II) Schiff base complexes with β -lactoglobulin as a carrier protein. <i>Journal of Biomolecular Structure and Dynamics</i> , 2018, 36, 3130-3136.	2.0	10
128	Multicomponent Synthesis of Diversified Chromeno[3,2- <i>d</i>]oxazoles. <i>ACS Combinatorial Science</i> , 2019, 21, 557-561.	3.8	10
129	Characterisation of novel macrocyclic hexadentate (N_4O_2 and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T complexes, with ligands derived from reduction. <i>Journal of Chemical Research</i> , 2009, 2009, 361-365.	0.6	9
130	Synthesis, Structure, and Solution Study of a Mercury(II) Complex with the Ligand [1-(2-Methoxyphenyl)-3-(4-chlorophenyl)]triazene. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012, 638, 798-803.	0.6	9
131	Synthesis of mono- and heterodinuclear complexes with unsymmetrical phenol-based dicompartmental ligand containing hexa- and tetradentate coordination sites: An unusual methyl elimination in coordination chemistry. <i>Inorganica Chimica Acta</i> , 2012, 383, 250-256.	1.2	9
132	Regioselective synthesis of novel ketene dithioacetals. <i>Journal of Sulfur Chemistry</i> , 2014, 35, 362-372.	1.0	9
133	A new isoindoline-based highly selective turn-on fluorescent chemodosimeter for detection of mercury ion. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017, 178, 198-202.	2.0	9
134	Unique cascade ring-opening/cyclization reaction of azlactones and DBU or DBN: Synthesis of new pyrrolam A analogues. <i>Tetrahedron</i> , 2017, 73, 1397-1406.	1.0	9
135	A new macrocyclic ligand as a turn-on fluorescent chemosensor for the recognition of Pb^{2+} ions. <i>New Journal of Chemistry</i> , 2017, 41, 12198-12204.	1.4	9
136	A close insight into the nature of intra- and intermolecular interactions in new Cu(II) Schiff base complexes derived from halogenated salicylaldehydes and allylamine: Theoretical and crystallographic studies. <i>Polyhedron</i> , 2018, 155, 114-128.	1.0	9
137	Synthesis, solution behaviour and potential anticancer activity of new trinuclear organometallic palladium(II) complex of {S}-1-phenylethyl dithiooxamide: Comparison with the trinuclear heterobimetallic platinum(II) analogue. <i>Polyhedron</i> , 2019, 164, 195-201.	1.0	9
138	Heteroleptic enantiopure Pd-complexes derived from halogen-substituted Schiff bases and 2-picolyamine: synthesis, experimental and computational characterization and investigation of the influence of chirality and halogen atoms on the anticancer activity. <i>New Journal of Chemistry</i> , 2021, 45, 9163-9180.	1.4	9
139	Synthesis and characterization of nickel(II) complexes with three potentially hexadentate Schiff-base ligands and polyamines: X-ray crystal structure determination of one nickel(II) complex. <i>Transition Metal Chemistry</i> , 2009, 34, 835-839.	0.7	8
140	Synthesis, characterization, and electrochemical study of two new macrocyclic Schiff bases and their copper(II) and zinc(II) complexes. <i>Journal of Coordination Chemistry</i> , 2010, 63, 4165-4176.	0.8	8
141	An Eco-friendly Three Component Manifold for the Synthesis of α -Aminophosphonates under Catalyst and Solvent-free Conditions, X-ray Characterization and Their Evaluation as Anticancer Agents. <i>Journal of the Chinese Chemical Society</i> , 2015, 62, 1087-1096.	0.8	8
142	Wheel-shaped copper containing polyoxotungstate as an efficient catalyst in the three-component synthesis of 1,2,3-triazoles. <i>RSC Advances</i> , 2016, 6, 13609-13613.	1.7	8
143	Ruthenium and palladium homo- and heterobimetallic complexes: synthesis, crystal structures, theoretical calculations and biological studies. <i>Dalton Transactions</i> , 2019, 48, 15869-15887.	1.6	8
144	Palladium nanoparticles immobilized on a nano-silica triazine dendritic polymer: a recyclable and sustainable nanoreactor for C-S cross-coupling. <i>RSC Advances</i> , 2020, 10, 21198-21205.	1.7	8

#	ARTICLE	IF	CITATIONS
145	Nontemplate Synthesis of Two Novel 23-Membered N ₃ O ₄ -Donor Macrocycles. <i>Synthetic Communications</i> , 2011, 41, 528-532.	1.1	7
146	Crystal structures, spectroscopic, electrochemical, and antibacterial properties of a series of new copper(II) Schiff base complexes. <i>Journal of Coordination Chemistry</i> , 2015, 68, 2296-2306.	0.8	7
147	Synthesis and characterization of transition metal complexes of a hexadentate N ₄ O ₂ donor Schiff base ligand: X-ray crystal structures of the copper(II) and zinc(II) complexes and their antibacterial properties. <i>Transition Metal Chemistry</i> , 2015, 40, 715-722.	0.7	7
148	Synthesis and structural characterization of dinuclear Cd ²⁺ , Hg ²⁺ and Fe ²⁺ complexes with neutral bi and tetradentate flexible pyrazole-based ligands. <i>Journal of Molecular Structure</i> , 2015, 1082, 143-150.	1.8	7
149	One-step synthesis of imidazo[1,2-a]pyridines in water. <i>RSC Advances</i> , 2016, 6, 81943-81949.	1.7	7
150	Effects of electron donating/withdrawing groups in the 5-substituted-2-hydroxybenzaldehyde on the synthesis of neutral cubanes with a Ni ^{II} O ₄ core: synthesis, crystal structures and magnetic properties. <i>RSC Advances</i> , 2016, 6, 7189-7194.	1.7	7
151	DFT and structural studies of 2-oxo-1,2,3,4-tetrahydropyridines. <i>Computational and Theoretical Chemistry</i> , 2017, 1099, 75-86.	1.1	7
152	New homochiral and heterochiral Mo(VI) complex from racemic ligand: Synthesis, X-ray structure, diastereomers separation and biological activities. <i>Polyhedron</i> , 2019, 170, 70-85.	1.0	7
153	Synthesis, characterization and X-ray structural determination of a stable dication derived from symmetrical ortho-aminophenyl diamine and 2-pyridinecarboxaldehyde. <i>Tetrahedron Letters</i> , 2009, 50, 169-171.	0.7	6
154	Synthesis, structural and theoretical studies of Pd(II) complexes containing an orthometallated C,C-chelating phosphorus ylide. <i>Polyhedron</i> , 2013, 61, 143-150.	1.0	6
155	Synthesis of one-dimensional TiO ₃ nano-structures from thermolyses of a new two-dimensional thallium(I) supramolecular polymer with secondary polyhapto Tl ⁺ C interactions. <i>Journal of Organometallic Chemistry</i> , 2013, 733, 15-20.	0.8	6
156	Synthesis and structural characterizations of mononuclear zinc complexes with an unprecedented terminal bidentate coordination mode of the flexible 1,1,3,3-tetrakis(3,5-dimethyl-1-pyrazolyl)propane ligand. <i>Polyhedron</i> , 2014, 79, 306-314.	1.0	6
157	Synthesis, crystal structures, spectroscopic, thermal analysis, electrochemical and solution studies of two new mixed metal coordination polymers based on dipicolinic acid and 3,4-diaminopyridine. <i>Inorganica Chimica Acta</i> , 2014, 410, 221-229.	1.2	6
158	Synthesis and characterization of macrocyclic and polymeric Schiff base complexes derived from related macrocyclic ligands in the presence of Ni(II) and Cu(II). <i>Journal of the Iranian Chemical Society</i> , 2015, 12, 1665-1675.	1.2	6
159	Mo(W)/Cu/S coordination polymers based on tetranuclear cubane-like cluster nodes and 1,4-bis(3,5-dimethylpyrazol-1-yl)butane flexible ligand. <i>Inorganica Chimica Acta</i> , 2015, 437, 20-25.	1.2	6
160	Electrocatalytic activity of a mononuclear yttrium(III) methyl orange complex and Y ₂ O ₂ SO ₄ nanoparticles for adsorption/desorption of hydrogen. <i>Materials Chemistry and Physics</i> , 2016, 184, 222-232.	2.0	6
161	CsF-Catalyzed Transannulation Reaction of Oxazolones: Diastereoselective Synthesis of Diversified <i>trans</i> -N-(6-Oxo-1,4,5,6-tetrahydropyrimidin-5-yl)benzamides with Arylidene Azlactones and Amidines. <i>ACS Combinatorial Science</i> , 2018, 20, 358-365.	3.8	6
162	Metal-free and benign approach for the synthesis of dihydro-5H-spiro[benzo[<i>c</i>]chromene-8,4-oxazole]-5,6(7 <i>H</i>)-dione scaffolds as masked amino acids. <i>Green Chemistry</i> , 2019, 21, 2656-2661.		6

#	ARTICLE	IF	CITATIONS
163	Deposited Silver Nanoparticles on Commercial Copper by Galvanic Displacement as an Effective Catalyst for the Reduction of 4-Nitrophenol in Aqueous Solution. <i>Catalysis Letters</i> , 2020, 150, 3214-3222.	1.4	6
164	[Ru(tmphen) ₃] ₂ [Fe(CN) ₆] and [Ru(phen) ₃][Fe(CN) ₅ (NO)] complexes and formation of a heterostructured RuO ₂ •Fe ₂ O ₃ nanocomposite as an efficient alkaline HER and OER electrocatalyst. <i>Dalton Transactions</i> , 2022, 51, 6314-6331.	1.6	6
165	Synthesis and Characterization of Novel 30-Membered Imine and Amine Macrocycles Derived from ortho-Aminophenyl Diamines and 2,6-Diformyl-4-chlorophenol. <i>Synthesis</i> , 2010, 2010, 205-207.	1.2	5
166	Allylpalladium Dimers with Metals Connected by Binucleating Dithiooxamidates in Two Different Coordination Modes: Solution Behavior and Solid-State Structure. <i>Inorganic Chemistry</i> , 2011, 50, 11653-11666.	1.9	5
167	N,N'-Dibenzyl-N,N'-dimethyl-N''-(methylsulfonyl)phosphoric triamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o1285-o1285.	0.2	5
168	Structural and Solution Studies of two Mercury(II) Complexes with [1,3-Bis(2-ethoxy)benzene]triazene. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2012, 638, 220-223.	0.6	5
169	New 5-bromo-2-hydroxybenzaldehyde S-ethylisothiosemicarbazone and its mixed-ligand Cu(II) complex with imidazole: synthesis, characterization and DFT calculation. <i>Open Chemistry</i> , 2013, 11, 1844-1851.	1.0	5
170	Effect of alkyl group on the structure of heterodinuclear Zn(II)•Cu(II) and Zn(II)•Ni(II) complexes derived from unsymmetrical phenol-based dicompartmental macro-acyclic ligands. <i>Journal of the Iranian Chemical Society</i> , 2013, 10, 29-41.	1.2	5
171	A new tridentate Schiff base Cu(II) complex: Synthesis, experimental and theoretical studies on its crystal structure, FT-IR and UV-Visible spectra. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2013, 110, 124-129.	2.0	5
172	An integrated experimental and theoretical investigation of the structural and spectroscopic properties of two nickel(II) isothiosemicarbazone complexes. <i>Journal of Coordination Chemistry</i> , 2014, 67, 1392-1404.	0.8	5
173	Inter- and intramolecular interactions in 2,3-dihydroquinazolin-4(1H)-ones: molecular structure and conformational analysis. <i>Journal of the Iranian Chemical Society</i> , 2016, 13, 1395-1404.	1.2	5
174	Electrochemical Oxidation of p-Aminoacetanilide in Aqueous Solutions: A Green Electrochemical Protocol for the Synthesis of Azo Dyes. <i>Journal of the Electrochemical Society</i> , 2016, 163, G145-G152.	1.3	5
175	Cyto-Dative Stabilization by Thermal Oxidation of 2-Oxo-1,2,3,4-tetrahydropyrimidines. <i>Australian Journal of Chemistry</i> , 2016, 69, 872.	0.5	5
176	Synthesis and Characterization of 1-(Carboxymethyl)Pyridinium Bromide [CMPy]Br Molten Salt: Application as a Novel Nanocatalyst for the Synthesis of Bis-Naphthodipyrans. <i>ChemistrySelect</i> , 2018, 3, 12791-12796.	0.7	5
177	Synthesis and characterization of four new azo-Schiff base and their nickel(II) complexes. <i>Polyhedron</i> , 2021, 205, 115296.	1.0	5
178	Synthesis, characterization, crystal structure, and biological studies of two new Cd(II) complexes with 4'-(4-chlorophenyl)-2,2':6',2"-terpyridine (Clphtpy). <i>Acta Chimica Slovenica</i> , 2013, 60, 300-9.	0.2	5
179	Four Novel 30-Membered Imine and Amine Macrocycles Derived from Ortho-Aminophenyl Diamines. <i>Synthetic Communications</i> , 2010, 40, 1486-1491.	1.1	4
180	A biologically relevant iron(III) phenoxyl radical complex: A thermodynamic investigation on the structure-radical stability relationship. <i>Journal of Molecular Structure</i> , 2012, 1022, 109-116.	1.8	4

#	ARTICLE	IF	CITATIONS
181	Synthesis, spectroscopy, and magnetic characterization of copper(II) and cobalt(II) complexes with 2-amino-5-bromopyridine as ligand. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2013, 39, 867-871.	0.3	4
182	Crystal structure, spectroscopic characterization and computational studies of a Re(I) tricarbonyl-diimine complex with the N,N'-bis(2-methylbenzaldehyde)-1,2-diiminoethane Schiff base. Polyhedron, 2014, 76, 22-28.	1.0	4
183	Preparation of silver nanostructures from a new benzopyrazine silver(I) nitrate coordination polymer. Inorganic Chemistry Communication, 2014, 43, 67-69.	1.8	4
184	Copper(II) and lead(II) complexes based on 2,3,5,6-tetrakis(2-pyridyl)pyrazine as a polydentate ligand. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2014, 40, 424-431.	0.3	4
185	Synthesis and Characterization of Monomeric and Polymeric Hg(II) Complexes with 5-Methyl-5-(3-pyridyl)-2,4-imidazolidinedione Showing a Wide Spectrum of Effective Antibacterial Activities. Journal of Inorganic and Organometallic Polymers and Materials, 2015, 25, 1032-1039.	1.9	4
186	The Interaction of a New Schiff Base Ligand with Human Serum Albumin: Molecular Docking and Molecular Dynamics Simulation Studies. Journal of Macromolecular Science - Physics, 2017, 56, 636-643.	0.4	4
187	Hydrogen-bond directionality and symmetry in [C(O)NH(N)] ₂ P(O)-based structures: a comparison between X-ray crystallography data and neutron-normalized values, and evaluation of reliability. Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials, 2021, 77, 384-396.	0.5	4
188	Pseudotetrahedral Zn(II)-(R or S)-dihalogen-salicylaldiminato complexes with $\hat{\iota}$ - or $\hat{\iota}'$ -chirality induction at-metal. Dalton Transactions, 2022, , .	1.6	4
189	The effect of halogenation of salicylaldehyde on the antiproliferative activities of $\{\hat{\iota}'\text{-[Ru}(\text{bpy})_2(\text{X,Y-sal})\text{]BF}_4\}$ complexes. Dalton Transactions, 2022, 51, 7658-7672.	1.6	4
190	2,3-Diaminopyridinium 6-carboxypyridine-2-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o3325-o3325.	0.2	3
191	Bis[2-(2-aminoethylamino)ethanol]copper(II) dinitrate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, m1203-m1203.	0.2	3
192	3-(2-Ethoxyphenyl)-1-(3-nitrophenyl)triaz-1-ene. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o3485-o3485.	0.2	3
193	Bis(triethylammonium) tetrachloridocobaltate(II). Acta Crystallographica Section E: Structure Reports Online, 2012, 68, m859-m859.	0.2	3
194	Homo and heterodinuclear complexes derived from unsymmetrical macrocyclic ligands with two coordination sites: removal of a pendant arm and migration of copper ion upon cyclization. Journal of Coordination Chemistry, 2012, 65, 1970-1991.	0.8	3
195	3D Supramolecular Polymer Constructed from Agostic, Polyhapto and Thallophilic Interactions: A New Precursor for Preparation of TiO ₂ Nanoflowers. Journal of Inorganic and Organometallic Polymers and Materials, 2012, 22, 288-294.	1.9	3
196	A new lanthanum(III) complex, [La(MO) ₃ (DMF) ₃ (H ₂ O) ₂] (MO = methyl orange), and La ₂ O ₂ SO ₄ nanoparticles; electrocatalytic activity for adsorption/desorption/evolution of hydrogen. Polyhedron, 2015, 99, 186-197.	1.0	3
197	Crystal structure of $(\hat{\iota}'\text{-N,N'-bis(2-methylbenzaldehyde)-1,2-diiminoethane})_2\text{Pd}(\text{Dzrotyl})\text{Cl}_2$. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, m40-m41.	0.2	3
198	Synthesis, crystal structures and Hirshfeld surface analyses of two new Salen type nickel/sodium heteronuclear complexes. Journal of Molecular Structure, 2016, 1110, 119-127.	1.8	3

#	ARTICLE	IF	CITATIONS
199	A combined computational/experimental study on HSA binding of two water-soluble Schiff base ligands derived from pyridine derivative and ethylenediamine. <i>Journal of Biomolecular Structure and Dynamics</i> , 2019, 37, 641-648.	2.0	3
200	Synthesis, Characterization and Anticancer Studies of Rh(I), Rh(III), Pd(II) and Pt(II) Complexes Bearing A Dithiooxamide Ligand. <i>ChemistrySelect</i> , 2020, 5, 810-817.	0.7	3
201	Cytotoxic oxidovanadium(IV) complexes of tridentate halogen-substituted Schiff bases: First dinuclear V(IV) complexes with O ⁺ AVIV ⁺ AO ⁺ AVIV ⁺ AO core. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021, 49, 128285.	1.0	3
202	Schiff base ligands derived from 1,2-bis(2-nitro-/amino-phenoxy)-3-R-benzene and 2-hydroxy-1-naphthaldehyde and their Cu/Zn complexes: synthesis, characterization, X-ray structures and computational studies. <i>CrystEngComm</i> , 2021, 23, 6322-6339.	1.3	3
203	A Uranium-Based Isothiosemicarbazone Schiff Base Complex. , 2016, , 127-138.		3
204	Platinum(II) and Copper(II) complexes of asymmetric halogen-substituted [NN ⁺ O] ligands: Synthesis, characterization, structural investigations and antiproliferative activity. <i>Bioorganic Chemistry</i> , 2022, 119, 105556.	2.0	3
205	Bis[1-(2-ethoxyphenyl)-3-(4-nitrophenyl)triazenido]mercury(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, m1082-m1082.	0.2	2
206	N1,N1-Dimethylpropane-1,2-diaminium bis(6-carboxypyridine-2-carboxylate) monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o932-o933.	0.2	2
207	[(Pyridine-2,6-dicarboxylato)copper(II)] ^{1/4} -(pyridine-2,6-dicarboxylato)-[bis(ethylenediamine)copper(II)] ^{1/4} -(pyridine-2,6-dicarboxylato) ethylenediamine monosolvate tetrahydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, m830-m831.	0.2	2
208	Controlled syntheses of heterodinuclear complexes of a dicompartmental macro-acyclic ligand with hexa and tetra coordination sites. <i>Polyhedron</i> , 2012, 44, 44-51.	1.0	2
209	A new neodymium(III)-calcium(II) one-dimensional coordination polymer constructed from dipicolinic acid: synthesis, crystal structure, spectroscopic and thermal analysis, and solution studies. <i>Monatshefte für Chemie</i> , 2015, 146, 1257-1266.	0.9	2
210	Investigating the effect of anion substitutions on the structure of silver-based coordination polymers. <i>Inorganica Chimica Acta</i> , 2015, 438, 196-202.	1.2	2
211	2,2'-bis-[(Disulfanediy)bis{5-[(1<i>E</i>)-(2-hydroxybenzylidene)amino]-1,3-thiazole-4,2-diy}]diphenol: synthesis, crystal structure and calculation of molecular hyperpolarizability. <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2017, 73, 609-612.	0.2	2
212	Deoxyribonucleic Acid and Bovine Serum Albumin Interaction with the Asymmetric Schiff Base Ligand and Its Molybdenum (VI) Complex: Multi Spectroscopic and Molecular Docking Studies. <i>Journal of Macromolecular Science - Physics</i> , 2017, 56, 655-669.	0.4	2
213	A novel one-pot three-component approach to 4-amino-functionalized spiropyrimidine-2-thiones. <i>Journal of the Iranian Chemical Society</i> , 2019, 16, 1139-1146.	1.2	2
214	Synthesis, Characterization, Crystal Structure and Supramolecular Interactions of a New Ni(II) Compound Based on L-Histidine and Dipicolinic Acid; New Solid State Precursor for NiO Nanoparticles and Its Catalytic Activity for Nitrophenol Reduction. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2019, 29, 502-516.	1.9	2
215	Structural and theoretical studies of iron(III) and copper(II) complexes of dianion N1,N4-bis(salicylidene)-S-alkyl-thiosemicarbazide. <i>Journal of Molecular Structure</i> , 2022, 1255, 132388.	1.8	2
216	N,N'-Dicyclohexyl-N,N'-bis-(3-fluorobenzoyl)-N,N'-dimethylphosphoric triamide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o3028-o3029.	0.2	1

#	ARTICLE	IF	CITATIONS
217	Diphenyl (cyclopentylamido)phosphonate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o1378-o1378.	0.2	1
218	4-[(4-Chlorophenyl)diazenyl]-3-methoxyaniline. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o1852-o1852.	0.2	1
219	3-(4-Bromoanilino)-3-(4-chlorophenyl)-1-phenylpropan-1-one. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o2647-o2647.	0.2	1
220	1-[[[(E)-{2-[(2-Nitrobenzyl)(2-[(E)-(2-oxidonaphthalen-1-yl)methylidene]azaniumyl}ethyl)amino]ethyl}azaniumylidene)methyl]naphthalen-1-yl]methanol monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o3321-o3321.	0.2	1
221	Dianilinium bis(pyridine-2,6-dicarboxylato- λ^3 O ₂ ,N,O ₆)cuprate(II) hexahydrate. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, m1020-m1021.	0.2	1
222	<i>N</i> -(2-Ethoxyphenyl)formamide. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o505-o505.	0.2	1
223	Crystal structure, luminescence properties and biological studies of a novel polymeric cadmiumII compound: [Cd(Clptpy)(NCS)(NO ₃) _n]. Main Group Chemistry, 2013, 12, 349-360.	0.4	1
224	New 2D polyoxoanions built up of A-type sandwich anions and trivalent cerium, neodymium and samarium cations. Journal of the Iranian Chemical Society, 2016, 13, 131-138.	1.2	1
225	Direct synthesis of CdS nanoparticles via simple one-pot calcination of new two-dimensional Cd(II) coordination polymer. Journal of the Iranian Chemical Society, 2017, 14, 1541-1548.	1.2	1
226	Crystal Structure of the Azido-Bridged Copper(II) Complex [Cu ₂ L ₂ ($\frac{1}{4}$ 1,1-N ₃) ₂] Based on the 2-[(3-Amino-2,2-Dimethylpropylimino)-Methyl]-4-Bromophenol Schiff Base Ligand. Journal of Structural Chemistry, 2018, 59, 1176-1180.	0.3	1
227	Synthesis and X-ray crystal structures of some isothiosemicarbazone complexes. Transition Metal Chemistry, 2019, 44, 525-534.	0.7	1
228	Crystal structure of <i>N,N'</i> -bis(4-methylphenyl)dithiooxamide. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o67-o67.	0.2	1
229	Methyl 2-{2-[(E)-(2-hydroxy-3-methoxybenzylidene)amino]ethylamino}cyclopentene-1-carbodithioate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o535-o535.	0.2	0
230	Propane-1,2-diaminium bis(pyridine-2,6-dicarboxylato- λ^3 O ₂ ,N,O ₆)mercurate(II) dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, m983-m983.	0.2	0
231	<i>N</i> -(3-Fluorobenzoyl)- <i>N,N'</i> -bis(4-methylphenyl)phosphoric triamide. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o3034-o3034.	0.2	0
232	[(Z)-1-[(3-[(3-Aminopropyl)(2-nitrobenzyl)amino]propyl)iminomethyl]naphthalen-2-olato]copper(II) perchlorate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, m1748-m1748.	0.2	0
233	Tetramethylammonium hydrogen terephthalate. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o3014-o3015.	0.2	0
234	5-Amino-3-methyl-1,2-oxazole-4-carbonitrile. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o2530-o2530.	0.2	0

#	ARTICLE	IF	CITATIONS
235	Crystal structure of 1-methyl-3-([2,2-dimethyl-4,6-dioxo-1,3-dioxane-5-ylidene]methyl)urea. Crystallography Reports, 2013, 58, 1084-1087.	0.1	0
236	Synthesis and Characterization of Bis-quinazolines from Linear Tetra-amines Involving 2-(Aminomethyl)benzenamine with Aldehydes. Journal of Heterocyclic Chemistry, 2013, 50, 979-981.	1.4	0
237	p-Toluidineâ€“acetic acid as a catalyst for a one-pot efficient synthesis of quinoxaline and pyridopyrazin derivatives contain polyhydroxy chain with use of monosaccharides. Journal of the Iranian Chemical Society, 2014, 11, 1629-1638.	1.2	0
238	Analysis, synthesis of some phosphoric triamides; database study approach. Acta Crystallographica Section A: Foundations and Advances, 2017, 73, C491-C491.	0.0	0
239	Self-assembly synthesis of two new cocrystals of 1,5 bis(3-pyridyl)-3,4-diaza-2,4-hexadiene: an experimental and theoretical study. Main Group Chemistry, 2019, 18, 89-100.	0.4	0
240	Crystal structure and Hirshfeld surface analysis of 1,2-ethylene-bis(para-methylpyridinium) dichromate as a new selective and mild agent in oxidation of alcohols. Turkish Journal of Chemistry, 2019, 43, 185-196.	0.5	0