

# Marille G Van Pampus

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3842223/marielle-g-van-pampus-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57  
papers

1,488  
citations

17  
h-index

38  
g-index

60  
ext. papers

1,830  
ext. citations

4.5  
avg, IF

4.14  
L-index

| #  | Paper  | IF   | Citations |
|----|--|------|-----------|
| 57 | Evaluation of low-dose aspirin in the prevention of recurrent spontaneous preterm labour (the APRIL study): A multicentre, randomised, double-blinded, placebo-controlled trial.. <i>PLoS Medicine</i> , <b>2022</b> , 19, e1003892  | 11.6 | 2         |
| 56 | Severe postpartum hemorrhage increases risk of posttraumatic stress disorder: a prospective cohort study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , <b>2021</b> , 42, 335-345   | 3.6  | 2         |
| 55 | Assessment of fitness to perform using a validated self-test in obstetric and gynecological night shifts in the Netherlands. <i>American Journal of Obstetrics and Gynecology</i> , <b>2021</b> , 224, 617.e1-617.e14  | 6.4  |           |
| 54 | Adverse maternal and perinatal pregnancy outcomes related to very advanced maternal age in primigravida and multigravida in the Netherlands: A population-based cohort. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2021</b> , 100, 941-948                                       | 3.8  | 1         |
| 53 | Healthy and preeclamptic pregnancies show differences in Guanylate-Binding Protein-1 plasma levels. <i>Pregnancy Hypertension</i> , <b>2021</b> , 25, 18-24  | 2.6  | 0         |
| 52 | Postpartum Early EMDR therapy Intervention (PERCEIVE) study for women after a traumatic birth experience: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2021</b> , 22, 599  | 2.8  |           |
| 51 | Initial presentation of lymphangi leiomyomatosis in third trimester of pregnancy. <i>BMJ Case Reports</i> , <b>2021</b> , 14,  | 0.9  | 1         |
| 50 | Subsequent childbirth after previous traumatic birth experience: women's choices and evaluations. <i>British Journal of Midwifery</i> , <b>2020</b> , 28, 488-496  | 0.3  | 2         |
| 49 | Breech deliveries in OLVG, the Netherlands: A retrospective cohort study of seven years. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 248, 37-43   | 2.4  | 1         |
| 48 | Determinants of disease course and severity in hyperemesis gravidarum. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 245, 162-167   | 2.4  | 4         |
| 47 | Neonatal developmental and behavioral outcomes of immediate delivery versus expectant monitoring in mild hypertensive disorders of pregnancy: 5-year outcomes of the HYPITAT II trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2020</b> , 244, 172-179 | 2.4  | 7         |
| 46 | Effects of psychological treatment of mental health problems in pregnant women to protect their offspring: randomised controlled trial. <i>British Journal of Psychiatry</i> , <b>2020</b> , 216, 182-188  | 5.4  | 10        |
| 45 | The effects of PTSD treatment during pregnancy: systematic review and case study. <i>Högre Utbildning</i> , <b>2020</b> , 11, 1762310  | 5    | 11        |
| 44 | Potential traumatic events in the workplace and depression, anxiety and post-traumatic stress: a cross-sectional study among Dutch gynaecologists, paediatricians and orthopaedic surgeons. <i>BMJ Open</i> , <b>2020</b> , 10, e033816  | 3    | 1         |
| 43 | Screening for trauma and anxiety recognition: knowledge, management and attitudes amongst gynecologists regarding women with fear of childbirth and postpartum posttraumatic stress disorder. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , <b>2020</b> , 33, 2759-2767             | 2    | 11        |
| 42 | Midwives' practices and knowledge about fear of childbirth and postpartum posttraumatic stress disorder. <i>Women and Birth</i> , <b>2020</b> , 33, e95-e104   | 3.3  | 6         |
| 41 | Posttraumatic stress disorder in partners following severe postpartum haemorrhage: A prospective cohort study. <i>Women and Birth</i> , <b>2020</b> , 33, 360-366  | 3.3  | 4         |

|    |  |     |    |
|----|--|-----|----|
| 40 | Neonatal developmental and behavioral outcomes of immediate delivery versus expectant monitoring in mild hypertensive disorders of pregnancy: 2-year outcomes of the HYPITAT-II trial. <i>American Journal of Obstetrics and Gynecology</i> , <b>2019</b> , 221, 154.e1-154.e11  | 6.4 | 11 |
| 39 | Internet usage of women attempting pregnancy and pregnant women in the Netherlands. <i>Sexual and Reproductive Healthcare</i> , <b>2019</b> , 21, 9-14   | 2.4 | 14 |
| 38 | Abdominal pain and vomiting during pregnancy due to cholesterolosis. <i>BMJ Case Reports</i> , <b>2019</b> , 12,   | 0.9 |    |
| 37 | Traumatic Experiences and the Midwifery Profession: A Cross-Sectional Study Among Dutch Midwives. <i>Journal of Midwifery and Women's Health</i> , <b>2019</b> , 64, 435-442   | 2.2 | 11 |
| 36 | Balloon catheter for induction of labor in women with one previous cesarean and an unfavorable cervix. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2019</b> , 98, 920-928   | 3.8 | 7  |
| 35 | Low socioeconomic status increases effects of negative life events on antenatal anxiety and depression. <i>Women and Birth</i> , <b>2019</b> , 32, e138-e143   | 3.3 | 22 |
| 34 | What If Pregnancy Is Not Seventh Heaven? The Influence of Specific Life Events during Pregnancy and Delivery on the Transition of Antenatal into Postpartum Anxiety and Depression. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,   | 4.6 | 8  |
| 33 | Evaluation of biomarkers for treatment selection using individual participant data from multiple clinical trials. <i>Statistics in Medicine</i> , <b>2018</b> , 37, 1439-1453  | 2.3 | 3  |
| 32 | Preventing post-traumatic stress disorder following childbirth and traumatic birth experiences: a systematic review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2018</b> , 97, 648-656   | 3.8 | 49 |
| 31 | Changes in endothelial cell specific molecule 1 plasma levels during preeclamptic pregnancies compared to healthy pregnancies. <i>Pregnancy Hypertension</i> , <b>2018</b> , 12, 58-64   | 2.6 | 12 |
| 30 | Posttraumatic stress disorder related to postpartum haemorrhage: A systematic review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2018</b> , 225, 214-220  | 2.4 | 21 |
| 29 | Work-related adverse events leaving their mark: a cross-sectional study among Dutch gynecologists. <i>BMC Psychiatry</i> , <b>2018</b> , 18, 73  | 4.2 | 23 |
| 28 | Psychosocial Predictors of Postpartum Posttraumatic Stress Disorder in Women With a Traumatic Childbirth Experience. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 348   | 5   | 20 |
| 27 | Prediction of progression to severe disease in women with late preterm hypertensive disorders of pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2017</b> , 96, 96-105   | 3.8 | 4  |
| 26 | Atosiban versus fenoterol as a uterine relaxant for external cephalic version: randomised controlled trial. <i>BMJ, The</i> , <b>2017</b> , 356, i6773   | 5.9 | 5  |
| 25 | AuthorsVreply re: Does low-molecular-weight heparin influence fetal growth or uterine and umbilical arterial Doppler in women with a history of early-onset uteroplacental insufficiency and an inheritable thrombophilia? Secondary randomised controlled trial results. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 123, 844-5 | 3.7 |    |
| 24 | Counselling and management of cardiovascular risk factors after preeclampsia. <i>Hypertension in Pregnancy</i> , <b>2016</b> , 35, 55-61   | 2   | 7  |
| 23 | Development and Measurement of Guidelines-Based Quality Indicators of Caesarean Section Care in the Netherlands: A RAND-Modified Delphi Procedure and Retrospective Medical Chart Review. <i>PLoS ONE</i> , <b>2016</b> , 11, e0145771   | 3.7 | 8  |

|    |  |     |     |
|----|--|-----|-----|
| 22 | Severe endocarditis and open-heart surgery during pregnancy. <i>BMJ Case Reports</i> , <b>2016</b> , 2016,   | 0.9 | 1   |
| 21 | Cervical pessaries to prevent preterm birth in women with a multiple pregnancy: a per-protocol analysis of a randomized clinical trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2016</b> , 95, 444-51   | 3.8 | 7   |
| 20 | Predictors for Emergency Cesarean Delivery in Women with Placenta Previa. <i>American Journal of Perinatology</i> , <b>2016</b> , 33, 1407-1414  | 3.3 | 17  |
| 19 | Prediction of cesarean section risk in women with gestational hypertension or mild preeclampsia at term. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2015</b> , 191, 23-7  | 2.4 | 7   |
| 18 | Immediate delivery versus expectant monitoring for hypertensive disorders of pregnancy between 34 and 37 weeks of gestation (HYPITAT-II): an open-label, randomised controlled trial. <i>Lancet, The</i> , <b>2015</b> , 385, 2492-501                                 | 4.0 | 93  |
| 17 | Homocysteinemia After Hypertensive Pregnancy Disorders at Term. <i>Journal of Women's Health</i> , <b>2015</b> , 24, 524-9   | 3   | 3   |
| 16 | Predictive Factors for Delivery within 7 Days after Successful 48-Hour Treatment of Threatened Preterm Labor. <i>AJP Reports</i> , <b>2015</b> , 5, e141-9   | 1.2 | 7   |
| 15 | Maternal and neonatal outcomes of pregnancy in women with chronic hypertension: a retrospective analysis of a national register. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2015</b> , 94, 1337-45   | 3.8 | 20  |
| 14 | Determinants of health-related quality of life in the postpartum period after obstetric complications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2015</b> , 185, 88-95   | 2.4 | 34  |
| 13 | Adjuvanted vaccines in pregnancy: no evidence for effect of the adjuvanted H1N1/09 vaccination on occurrence of preeclampsia or intra-uterine growth restriction. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2015</b> , 187, 14-9 | 2.4 | 5   |
| 12 | Systematic review and metaanalysis on nonclassic cardiovascular biomarkers after hypertensive pregnancy disorders. <i>American Journal of Obstetrics and Gynecology</i> , <b>2014</b> , 211, 373.e1-9  | 6.4 | 31  |
| 11 | Care-as-usual provided to formerly preeclamptic women in the Netherlands in the next pregnancy: health care consumption, costs and maternal and child outcome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2014</b> , 179, 240-5   | 2.4 | 10  |
| 10 | Foley catheter versus vaginal misoprostol: randomized controlled trial (PROBAAT-M study) and systematic review and meta-analysis of literature. <i>American Journal of Perinatology</i> , <b>2014</b> , 31, 145-56   | 3.3 | 31  |
| 9  | Cost-effectiveness analysis of cardiovascular risk factor screening in women who experienced hypertensive pregnancy disorders at term. <i>Pregnancy Hypertension</i> , <b>2014</b> , 4, 264-70   | 2.6 | 6   |
| 8  | Which intrauterine growth restricted fetuses at term benefit from early labour induction? A secondary analysis of the DIGITAT randomised trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2014</b> , 172, 20-5                   | 2.4 | 10  |
| 7  | Cervical pessaries for prevention of preterm birth in women with a multiple pregnancy (ProTWIN): a multicentre, open-label randomised controlled trial. <i>Lancet, The</i> , <b>2013</b> , 382, 1341-9   | 4.0 | 196 |
| 6  | The patient observer: eye-movement desensitization and reprocessing for the treatment of posttraumatic stress following childbirth. <i>Birth</i> , <b>2012</b> , 39, 70-6  | 3.1 | 33  |
| 5  | Prediction of progression to a high risk situation in women with gestational hypertension or mild pre-eclampsia at term. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2011</b> , 51, 339-46  | 1.7 | 15  |

|   |   |     |     |
|---|---|-----|-----|
| 4 | Posttraumatic stress following childbirth in homelike- and hospital settings. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , <b>2011</b> , 32, 88-97  | 3.6 | 81  |
| 3 | Measuring posttraumatic stress following childbirth: a critical evaluation of instruments. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , <b>2010</b> , 31, 40-9  | 3.6 | 32  |
| 2 | Accuracy of serum uric acid as a predictive test for maternal complications in pre-eclampsia: bivariate meta-analysis and decision analysis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2009</b> , 146, 8-14 | 2.4 | 52  |
| 1 | Induction of labour versus expectant monitoring for gestational hypertension or mild pre-eclampsia after 36 weeks of gestation (HYPITAT): a multicentre, open-label randomised controlled trial. <i>Lancet, The</i> , <b>2009</b> , 374, 979-988  | 4.0 | 509 |