

# Charles-Andr Fustin

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3842535/charles-andre-fustin-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115 papers	4,802 citations	38 h-index	63 g-index
122 ext. papers	5,111 ext. citations	6.4 avg, IF	5.54 L-index

#	Paper	IF	Citations
115	Advances in colloidal assembly: the design of structure and hierarchy in two and three dimensions. <i>Chemical Reviews</i> , <b>2015</b> , 115, 6265-311	68.1	505
114	Light-responsive block copolymers. <i>Macromolecular Rapid Communications</i> , <b>2010</b> , 31, 1588-607	4.8	277
113	Metallo-Supramolecular Block Copolymers. <i>Advanced Materials</i> , <b>2007</b> , 19, 1665-1673	24	151
112	Parameters influencing the templated growth of colloidal crystals on chemically patterned surfaces. <i>Langmuir</i> , <b>2004</b> , 20, 9114-23	4	132
111	Microwave-Assisted Cationic Ring-Opening Polymerization of 2-Oxazolines: A Powerful Method for the Synthesis of Amphiphilic Triblock Copolymers. <i>Macromolecules</i> , <b>2006</b> , 39, 4719-4725	5.5	122
110	A versatile strategy for the synthesis of block copolymers bearing a photocleavable junction. <i>Polymer Chemistry</i> , <b>2010</b> , 1, 161-163	4.9	117
109	Dithioesters and Trithiocarbonates as Anchoring Groups for the Grafting-To Approach. <i>Macromolecules</i> , <b>2006</b> , 39, 2729-2731	5.5	110
108	Combinatorial synthesis of star-shaped block copolymers: host-guest chemistry of unimolecular reversed micelles. <i>Journal of the American Chemical Society</i> , <b>2004</b> , 126, 11517-21	16.4	110
107	Site-Selective Growth of Colloidal Crystals with Photonic Properties on Chemically Patterned Surfaces. <i>Advanced Materials</i> , <b>2003</b> , 15, 1025-1028	24	97
106	Nanoporous Thin Films from Self-Assembled Metallo- Supramolecular Block Copolymers. <i>Advanced Materials</i> , <b>2005</b> , 17, 1162-1165	24	93
105	A single synthetic small molecule that generates force against a load. <i>Nature Nanotechnology</i> , <b>2011</b> , 6, 553-7	28.7	91
104	Linear Viscoelastic Rheology of Moderately Entangled Telechelic Polybutadiene Temporary Networks. <i>Macromolecules</i> , <b>2009</b> , 42, 6181-6192	5.5	70
103	All-in-one strategy for the fabrication of antimicrobial biomimetic films on stainless steel. <i>Journal of Materials Chemistry</i> , <b>2009</b> , 19, 4117		68
102	One-pot controlled synthesis of double thermoresponsive N-vinylcaprolactam-based copolymers with tunable LCSTs. <i>Polymer Chemistry</i> , <b>2013</b> , 4, 2575	4.9	67
101	Ordered nanoporous membranes based on diblock copolymers with high chemical stability and tunable separation properties. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 4333		67
100	A schizophrenic gradient copolymer: switching and reversing poly(2-oxazoline) micelles based on UCST and subtle solvent changes. <i>Soft Matter</i> , <b>2009</b> , 5, 3590	3.6	67
99	Solubility behavior of amphiphilic block and random copolymers based on 2-ethyl-2-oxazoline and 2-nonyl-2-oxazoline in binary water/ethanol mixtures. <i>Journal of Polymer Science Part A</i> , <b>2009</b> , 47, 515-522	2.5	66

98	Synthesis and Aqueous Micellization of Amphiphilic Tetrablock Ter- and Quarterpoly(2-oxazoline)s. <i>Macromolecules</i> , <b>2007</b> , 40, 2837-2843	5.5	64
97	Polymeric micelles induced by interpolymer complexation. <i>Macromolecular Rapid Communications</i> , <b>2009</b> , 30, 1871-88	4.8	63
96	Tuning the hydrophilicity of gold nanoparticles templated in star block copolymers. <i>Langmuir</i> , <b>2006</b> , 22, 6690-5	4	62
95	Supramolecular Self-Assembled Ni(II), Fe(II), and Co(II) ABA Triblock Copolymers. <i>Macromolecules</i> , <b>2008</b> , 41, 2771-2777	5.5	60
94	Supramolecular ABA Triblock Copolymers via a Polycondensation Approach: Synthesis, Characterization, and Micelle Formation. <i>Macromolecules</i> , <b>2006</b> , 39, 1569-1576	5.5	57
93	Polymer Gels Constructed Through Metal-Ligand Coordination. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , <b>2013</b> , 23, 24-40	3.2	56
92	Connecting micelles by metallo-supramolecular interactions: towards stimuli responsive hierarchical materials. <i>Soft Matter</i> , <b>2009</b> , 5, 3409	3.6	54
91	Mechanically linked polycarbonate. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 2200-7	16.4	54
90	Synthesis of Poly(2-ethyl-2-oxazoline)-b-poly(styrene) Copolymers via a Dual Initiator Route Combining Cationic Ring-Opening Polymerization and Atom Transfer Radical Polymerization. <i>Macromolecules</i> , <b>2008</b> , 41, 5210-5215	5.5	52
89	Metallo-supramolecular diblock copolymers based on heteroleptic cobalt(III) and nickel(II) bis-terpyridine complexes. <i>Chemical Communications</i> , <b>2010</b> , 46, 1296-8	5.8	47
88	Are o-nitrobenzyl (meth)acrylate monomers polymerizable by controlled-radical polymerization?. <i>Journal of Polymer Science Part A</i> , <b>2009</b> , 47, 6504-6513	2.5	47
87	Synthesis and self-assembly of diblock copolymers bearing 2-nitrobenzyl photocleavable side groups. <i>Journal of Polymer Science Part A</i> , <b>2012</b> , 50, 599-608	2.5	46
86	Rotaxane-based mechanically linked block copolymers. <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 9093-6	16.4	45
85	Synthesis and pH-dependent micellization of diblock copolymer mixtures. <i>Journal of Colloid and Interface Science</i> , <b>2009</b> , 329, 235-43	9.3	43
84	How Supramolecular Assemblies Control Dynamics of Associative Polymers: Toward a General Picture. <i>Macromolecules</i> , <b>2016</b> , 49, 1890-1902	5.5	41
83	Probing the mobility of catenane rings in single molecules. <i>Chemical Science</i> , <b>2014</b> , 5, 1449	9.4	41
82	Self-Assembly and pH-Responsiveness of ABC Miktoarm Star Terpolymers. <i>Langmuir</i> , <b>2009</b> , 25, 107-11	4	41
81	Discovering new block terpolymer micellar morphologies. <i>Chemical Communications</i> , <b>2010</b> , 46, 6455-7	5.8	40

80	Tuning block copolymer micelles by metal–ligand interactions. <i>Soft Matter</i> , <b>2008</b> , 4, 2278	3.6	39
79	Structure–Property Study of Diblock Copolymer Micelles: Core and Corona Radius with Varying Composition and Degree of Polymerization. <i>Macromolecules</i> , <b>2005</b> , 38, 10185-10191	5.5	39
78	Functionalized Stimuli-Responsive Nanocages from Photocleavable Block Copolymers. <i>Macromolecules</i> , <b>2014</b> , 47, 183-190	5.5	38
77	Study of the Influence of the Metal–Ligand Complex on the Size of Aqueous Metallo-Supramolecular Micelles. <i>Macromolecules</i> , <b>2006</b> , 39, 5484-5488	5.5	38
76	Metallo-supramolecular hydrogels based on copolymers bearing terpyridine side-chain ligands. <i>Soft Matter</i> , <b>2013</b> , 9, 2314	3.6	37
75	Functionalized nanoporous thin films from photocleavable block copolymers. <i>Macromolecular Rapid Communications</i> , <b>2012</b> , 33, 199-205	4.8	36
74	Multiresponsive Micellar Systems from Photocleavable Block Copolymers. <i>ACS Macro Letters</i> , <b>2012</b> , 1, 949-953	6.6	35
73	Hydrogels with Dual Relaxation and Two-Step Gel–Sol Transition from Heterotelechelic Polymers. <i>Macromolecules</i> , <b>2013</b> , 46, 9134-9143	5.5	35
72	Self-Assembly in Thin Films of Mixtures of Block Copolymers and Homopolymers Interacting by Hydrogen Bonds. <i>Macromolecules</i> , <b>2010</b> , 43, 7734-7743	5.5	34
71	Amphiphilic gradient copolymers containing fluorinated 2-phenyl-2-oxazolines: Microwave-assisted one-pot synthesis and self-assembly in water. <i>Journal of Polymer Science Part A</i> , <b>2008</b> , 46, 5859-5868	2.5	34
70	Photo-induced micellization of block copolymers bearing 4,5-dimethoxy-2-nitrobenzyl side groups. <i>Soft Matter</i> , <b>2011</b> , 7, 6891	3.6	33
69	First Insights into Electrografted Polymers by AFM-Based Force Spectroscopy. <i>Macromolecules</i> , <b>2006</b> , 39, 8428-8433	5.5	33
68	Decoding the linear viscoelastic properties of model telechelic metallo-supramolecular polymers. <i>Journal of Rheology</i> , <b>2017</b> , 61, 1245-1262	4.1	32
67	Integrating Proteins in Layer-by-Layer Assemblies Independently of their Electrical Charge. <i>ACS Nano</i> , <b>2018</b> , 12, 8372-8381	16.7	31
66	Double thermoresponsive di- and triblock copolymers based on N-vinylcaprolactam and N-vinylpyrrolidone: synthesis and comparative study of solution behaviour. <i>Polymer Chemistry</i> , <b>2014</b> , 5, 6534-6544	4.9	30
65	Organometallic-Mediated Radical Polymerization: Unusual Route toward (Quasi-) Diblock Graft Copolymers Starting from a Mixture of Monomers of Opposed Reactivity. <i>Macromolecules</i> , <b>2011</b> , 44, 4623-4631	5.5	30
64	Synthesis and Micellization of Coil–Rod–Coil Ruthenium(II) Terpyridine Assemblies. <i>Macromolecules</i> , <b>2008</b> , 41, 8823-8831	5.5	30
63	Self-assembly of block copolymer complexes in organic solvents. <i>Polymer</i> , <b>2007</b> , 48, 2306-2311	3.9	29

62	Thermo-responsive properties of metallo-supramolecular block copolymer micellar hydrogels. <i>Soft Matter</i> , <b>2014</b> , 10, 3086-92	3.6	28
61	Synthesis and Rheology of Bulk Metallo-Supramolecular Polymers from Telechelic Entangled Precursors. <i>Macromolecules</i> , <b>2017</b> , 50, 5165-5175	5.5	28
60	Amine-functionalized nanoporous thin films from a poly(ethylene oxide)-block-polystyrene diblock copolymer bearing a photocleavable o-nitrobenzyl carbamate junction. <i>Soft Matter</i> , <b>2012</b> , 8, 4486	3.6	28
59	Functionalized nanoporous thin films from metallo-supramolecular diblock copolymers. <i>Langmuir</i> , <b>2012</b> , 28, 3018-23	4	28
58	Pore-functionalized nanoporous materials derived from block copolymers. <i>Macromolecular Rapid Communications</i> , <b>2013</b> , 34, 962-82	4.8	28
57	Self-assembly of metallo-supramolecular block copolymers in thin films. <i>Journal of Polymer Science Part A</i> , <b>2008</b> , 46, 4719-4724	2.5	28
56	Self-organization of rod-coil tri- and tetra-arm star metallo-supramolecular block copolymers in selective solvents. <i>Soft Matter</i> , <b>2009</b> , 5, 2954	3.6	27
55	Advanced Polymer Architectures with Stimuli-Responsive Properties Starting from Inimers. <i>Macromolecules</i> , <b>2008</b> , 41, 2593-2606	5.5	27
54	Protein-polyelectrolyte complexes to improve the biological activity of proteins in layer-by-layer assemblies. <i>Nanoscale</i> , <b>2017</b> , 9, 17186-17192	7.7	26
53	Controlling the melt rheology of linear entangled metallo-supramolecular polymers. <i>Soft Matter</i> , <b>2015</b> , 11, 762-74	3.6	26
52	Controlling the Cross-Linking Density of Supramolecular Hydrogels Formed by Heterotelechelic Associating Copolymers. <i>Macromolecules</i> , <b>2014</b> , 47, 4514-4524	5.5	26
51	Highly ordered conjugated polymer nanoarchitectures with three-dimensional structural control. <i>Nano Letters</i> , <b>2009</b> , 9, 2838-43	11.5	26
50	Imidazolium-substituted ionic (co)polythiophenes: Compositional influence on solution behavior and thermal properties. <i>Polymer</i> , <b>2013</b> , 54, 6293-6304	3.9	25
49	Dithioesters and trithiocarbonates monolayers on gold. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , <b>2009</b> , 172, 104-106	1.7	25
48	Self-Assembly Behavior of Bis(terpyridine) and Metallo-bis(terpyridine) Pluronics in Dilute Aqueous Solutions. <i>Macromolecular Chemistry and Physics</i> , <b>2010</b> , 211, 2323-2330	2.6	24
47	Solution and Solid-State Properties of Mechanically Linked Polycarbonates. <i>Macromolecules</i> , <b>2004</b> , 37, 66-70	5.5	24
46	Mechanically Linked Poly(ethylene terephthalate). <i>Macromolecules</i> , <b>2004</b> , 37, 7884-7892	5.5	24
45	Mechanisms of Crystalloid versus Colloid Osmosis across the Peritoneal Membrane. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2018</b> , 29, 1875-1886	12.7	23

44	Tunable Interpenetrating Polymer Network Hydrogels Based on Dynamic Covalent Bonds and MetalLigand Bonds. <i>Macromolecules</i> , <b>2020</b> , 53, 6956-6967	5.5	22
43	Photosensitizer localization in amphiphilic block copolymers controls photodynamic therapy efficacy. <i>Nanoscale</i> , <b>2017</b> , 9, 11180-11186	7.7	22
42	Tuning micellar morphology and rheological behaviour of metallo-supramolecular micellar gels. <i>Soft Matter</i> , <b>2012</b> , 8, 4499	3.6	22
41	Microwave-assisted synthesis and micellization behavior of soy-based copoly(2-oxazoline)s. <i>Colloid and Polymer Science</i> , <b>2006</b> , 284, 1313-1318	2.4	22
40	Photoemission study of pristine and potassium intercalated benzylic amide catenane films. <i>Surface Science</i> , <b>2001</b> , 474, 37-46	1.8	22
39	Amphiphilic N-methylimidazole-functionalized diblock copolythiophenes. <i>European Polymer Journal</i> , <b>2014</b> , 53, 206-214	5.2	21
38	Temperature-responsive aqueous micelles from terpyridine end-capped poly(N-isopropylacrylamide)-block-polystyrene diblock copolymers. <i>Macromolecular Rapid Communications</i> , <b>2012</b> , 33, 534-9	4.8	21
37	Amphiphilic brushes from metallo-supramolecular block copolymers. <i>Soft Matter</i> , <b>2009</b> , 5, 1460	3.6	21
36	Double thermo-responsive hydrogels from poly(vinylcaprolactam) containing diblock and triblock copolymers. <i>Polymer Chemistry</i> , <b>2015</b> , 6, 1856-1864	4.9	20
35	One-step polymer grafting from silicon nitride SPM probes: from isolated chains to brush regime. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 8410-1	16.4	20
34	Reorganization of hydrogen-bonded block copolymer complexes. <i>Langmuir</i> , <b>2007</b> , 23, 4618-22	4	19
33	Closer insight into the structure of moderate to densely branched comb polymers by combining modelling and linear rheological measurements. <i>Soft Matter</i> , <b>2017</b> , 13, 1063-1073	3.6	18
32	Poly(dimethylsiloxane)-Substituted 2,2':6,2'-Terpyridines: Synthesis and Characterization of New Amphiphilic Supramolecular Diblock Copolymers. <i>Macromolecular Chemistry and Physics</i> , <b>2008</b> , 209, 1666-1672	2.6	18
31	Physical consequences of a mechanically interlocked architecture: benzylic amide catenane NH stretching vibrations as sensitive probes for weakly hydrogen-bonding environments. <i>ChemPhysChem</i> , <b>2000</b> , 1, 97-100	3.2	17
30	High-Frequency Vibrations of the Simplest Benzylic Amide [2]Catenane. <i>Journal of Physical Chemistry A</i> , <b>1998</b> , 102, 5782-5788	2.8	17
29	Control over the assembly and rheology of supramolecular networks via multi-responsive double hydrophilic copolymers. <i>Polymer Chemistry</i> , <b>2017</b> , 8, 1527-1539	4.9	16
28	Synthesis of diblock copolymers bearing p-methoxyphenacyl side groups. <i>Polymer Chemistry</i> , <b>2011</b> , 2, 2284	4.9	16
27	Metallo-supramolecular block copolymer micelles: recent achievements. <i>Soft Matter</i> , <b>2011</b> , 7, 3673	3.6	16

26	Multiple micellar morphologies from tri- and tetrablock copoly(2-oxazoline)s in binary water/ethanol mixtures. <i>Journal of Polymer Science Part A</i> , <b>2010</b> , 48, 3095-3102	2.5	16
25	Revealing the supramolecular nature of side-chain terpyridine-functionalized polymer networks. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 990-1007	6.3	15
24	Evaporation induced micellization of poly(2-oxazoline) multiblock copolymers on surfaces. <i>Soft Matter</i> , <b>2006</b> , 3, 79-82	3.6	15
23	Orthogonal Control of the Dynamics of Supramolecular Gels from Heterotelechelic Associating Polymers. <i>ACS Macro Letters</i> , <b>2016</b> , 5, 1364-1368	6.6	15
22	Stimuli-responsive behavior of micelles prepared from a poly(vinyl alcohol)-block-poly(acrylic acid)-block-poly(4-vinylpyridine) triblock terpolymer. <i>European Polymer Journal</i> , <b>2015</b> , 62, 418-425	5.2	14
21	Nanoporous thin films from ionically connected diblock copolymers. <i>European Polymer Journal</i> , <b>2012</b> , 48, 940-944	5.2	14
20	Self-assembly of a triblock terpolymer mediated by hydrogen-bonded complexes. <i>Journal of Polymer Science Part A</i> , <b>2015</b> , 53, 459-467	2.5	13
19	Micellization of Poly(2-oxazoline)-Based Quasi-Diblock Copolymers on Surfaces. <i>Macromolecular Chemistry and Physics</i> , <b>2007</b> , 208, 2026-2031	2.6	13
18	Influence of a Single Catenane on the Solid-State Properties of Mechanically Linked Polymers. <i>ACS Macro Letters</i> , <b>2017</b> , 6, 468-472	6.6	12
17	Catenane-based mechanically-linked block copolymers. <i>Chemical Communications</i> , <b>2016</b> , 52, 2149-52	5.8	12
16	Transient Metallosupramolecular Networks Built from Entangled Melts of Poly(ethylene oxide). <i>Macromolecules</i> , <b>2015</b> , 48, 3746-3755	5.5	12
15	Precise Control over the Rheological Behavior of Associating Stimuli-Responsive Block Copolymer Gels. <i>Gels</i> , <b>2015</b> , 1, 235-255	4.2	11
14	Polyelectrolyte complex nanoparticles from N-carboxyethylchitosan and polycationic double hydrophilic diblock copolymers. <i>Journal of Polymer Science Part A</i> , <b>2009</b> , 47, 2105-2117	2.5	11
13	Synthesis and self-assembly of terpyridine end-capped poly(N-isopropylacrylamide)-block-poly(2-(dimethylamino)ethyl methacrylate) diblock copolymers. <i>Macromolecular Rapid Communications</i> , <b>2015</b> , 36, 610-5	4.8	10
12	Rotaxane-Based Mechanically Linked Block Copolymers. <i>Angewandte Chemie</i> , <b>2011</b> , 123, 9259-9262	3.6	10
11	Real-Time Fluctuations in Single-Molecule Rotaxane Experiments Reveal an Intermediate Weak Binding State during Shuttling. <i>Journal of the American Chemical Society</i> , <b>2021</b> , 143, 2348-2352	16.4	9
10	Structure of Metallo-Supramolecular Micellar Gels. <i>Macromolecular Chemistry and Physics</i> , <b>2013</b> , 214, 1699-1709	2.6	7
9	Surface micellization of poly(2-oxazoline)s based copolymers containing a crystallizable block. <i>Journal of Colloid and Interface Science</i> , <b>2009</b> , 332, 91-5	9.3	7



8	Local Molecular Dynamics and Heterogeneity in PEO <sub>6</sub> NiCl <sub>2</sub> Supramolecular Networks. <i>Macromolecules</i> , <b>2015</b> , 48, 2290-2298	5.5	6
7	Supramolecular Aqueous Gels Based on Terpyridine-Modified Pluronics. <i>Macromolecular Chemistry and Physics</i> , <b>2012</b> , 213, 2253-2260	2.6	6
6	A photocleavable stabilizer for the preparation of PHEMA nanogels by dispersion polymerization in supercritical carbon dioxide. <i>Polymer Chemistry</i> , <b>2017</b> , 8, 581-591	4.9	4
5	Supramolecular Superparamagnetic Nanocomposites Based on a Magnetite-Filled Unentangled Terpyridine-Functionalized Polymer. <i>Macromolecules</i> , <b>2020</b> , 53, 5361-5370	5.5	3
4	Linear and Nonlinear Dynamic Behavior of Polymer Micellar Assemblies Connected by Metallo-Supramolecular Interactions. <i>Polymers</i> , <b>2019</b> , 11,	4.5	2
3	Dynamics and Structure of Metallo-supramolecular Polymers Based on Short Telechelic Precursors. <i>Macromolecules</i> , <b>2021</b> , 54, 6400-6416	5.5	2
2	Thermo-responsive metallo-supramolecular gels based on terpyridine end-functionalized amphiphilic diblock copolymers. <i>Materials Research Society Symposia Proceedings</i> , <b>2013</b> , 1499, 1		1
1	Resonant interaction of low energy electrons with intramolecular vibrations in solid C <sub>60</sub> . <i>Journal of Electron Spectroscopy and Related Phenomena</i> , <b>1995</b> , 76, 115-119	1.7	1