

Christiana R Titaley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3843223/publications.pdf>

Version: 2024-02-01

30
papers

1,290
citations

706676

14
h-index

536525

29
g-index

34
all docs

34
docs citations

34
times ranked

1471
citing authors

#	ARTICLE	IF	CITATIONS
1	The relationship of body mass index and mid-upper arm circumference with anemia in non-pregnant women aged 19â€“49 years in Indonesia: Analysis of 2018 Basic Health Research data. <i>PLoS ONE</i> , 2022, 17, e0264685.	1.1	4
2	The impact of a package of behaviour change interventions on breastfeeding practices in East Java Province, Indonesia. <i>Maternal and Child Nutrition</i> , 2022, , e13362.	1.4	2
3	Determinants of low breastfeeding self-efficacy amongst mothers of children aged less than six months: results from the BADUTA study in East Java, Indonesia. <i>International Breastfeeding Journal</i> , 2021, 16, 12.	0.9	9
4	Kepatuhan Minum Obat Pencegahan Filariasis di Wilayah Kerja Puskesmas Waihaong dan Air Salobar, Kota Ambon, 2018. <i>Jurnal Promosi Kesehatan Indonesia</i> , 2021, 16, 44-55.	0.1	0
5	Reframing Integration for Mixed Methods Research. <i>Journal of Mixed Methods Research</i> , 2020, 14, 336-357.	1.8	13
6	Health Careâ€™Seeking Behavior of Children With Acute Respiratory Infections Symptoms: Analysis of the 2012 and 2017 Indonesia Demographic and Health Surveys. <i>Asia-Pacific Journal of Public Health</i> , 2020, 32, 310-319.	0.4	9
7	Effect of an Integrated Package of Nutrition Behavior Change Interventions on Infant and Young Child Feeding Practices and Child Growth from Birth to 18 Months: Cohort Evaluation of the Baduta Cluster Randomized Controlled Trial in East Java, Indonesia. <i>Nutrients</i> , 2020, 12, 3851.	1.7	8
8	Evaluation of a Package of Behaviour Change Interventions (Baduta Program) to Improve Maternal and Child Nutrition in East Java, Indonesia: Protocol for an Impact Study. <i>JMIR Research Protocols</i> , 2020, 9, e18521.	0.5	6
9	Keeping communities at the centre of efforts to eliminate lymphatic filariasis: learning from the past to reach a future free of lymphatic filariasis. <i>International Health</i> , 2020, 13, S55-S59.	0.8	9
10	Determinants of the Stunting of Children Under Two Years Old in Indonesia: A Multilevel Analysis of the 2013 Indonesia Basic Health Survey. <i>Nutrients</i> , 2019, 11, 1106.	1.7	107
11	Why Don't Couples Use the Contraceptive That's Best for Them? Social Determinants of Long Acting and Permanent Contraceptive Method Use in Indonesia. <i>Indian Journal of Public Health Research and Development</i> , 2019, 10, 617.	0.1	6
12	Assessing knowledge about lymphatic filariasis and the implementation of mass drug administration amongst drug deliverers in three districts/cities of Indonesia. <i>Parasites and Vectors</i> , 2018, 11, 315.	1.0	11
13	Increasing the uptake of long-acting and permanent methods of family planning: A qualitative study with village midwives in East Java and Nusa Tenggara Barat Provinces, Indonesia. <i>Midwifery</i> , 2017, 53, 55-62.	1.0	5
14	Poor Knowledge and Nonuse of Long-Acting/Permanent Methods of Contraceptives in Six Districts in Indonesia. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 660-672.	0.4	2
15	ASSOCIATION BETWEEN KNOWLEDGE AND COMPLIANCE OF TAKING IRON/FOLIC ACID SUPPLEMENTS DURING PREGNANCY. <i>Asian Journal of Pharmaceutical and Clinical Research</i> , 2017, 10, 177.	0.3	1
16	Improving Coverage and Compliance in Mass Drug Administration for the Elimination of LF in Two â€™Endgameâ€™ Districts in Indonesia Using Micronarrative Surveys. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0005027.	1.3	48
17	Healthcare-seeking behaviors for acute respiratory illness in two communities of Java, Indonesia: a cross-sectional survey. <i>Journal of Epidemiology and Global Health</i> , 2016, 6, 77.	1.1	12
18	Factors associated with not using antenatal iron/folic acid supplements in Indonesia: the 2002/2003 and 2007 Indonesia Demographic and Health Survey. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2015, 24, 162-76.	0.3	29

#	ARTICLE	IF	CITATIONS
19	Socio-economic factors and use of maternal health services are associated with delayed initiation and non-exclusive breastfeeding in Indonesia: secondary analysis of Indonesia Demographic and Health Surveys 2002/2003 and 2007. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2014, 23, 91-104.	0.3	19
20	Antenatal iron/folic acid supplements, but not postnatal care, prevents neonatal deaths in Indonesia: analysis of Indonesia Demographic and Health Surveys 2002/2003–2007 (a retrospective cohort study). <i>BMJ Open</i> , 2012, 2, e001399.	0.8	19
21	Iron and folic acid supplements in pregnancy improve child survival in Indonesia. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 220-230.	2.2	35
22	Type of delivery attendant, place of delivery and risk of early neonatal mortality: analyses of the 1994-2007 Indonesia Demographic and Health Surveys. <i>Health Policy and Planning</i> , 2012, 27, 405-416.	1.0	70
23	Utilization of Village Midwives and Other Trained Delivery Attendants for Home Deliveries in Indonesia: Results of Indonesia Demographic and Health Survey 2002/2003 and 2007. <i>Maternal and Child Health Journal</i> , 2011, 15, 1400-1415.	0.7	11
24	Why do some women still prefer traditional birth attendants and home delivery?: a qualitative study on delivery care services in West Java Province, Indonesia. <i>BMC Pregnancy and Childbirth</i> , 2010, 10, 43.	0.9	206
25	Why don't some women attend antenatal and postnatal care services?: a qualitative study of community members' perspectives in Garut, Sukabumi and Ciamis districts of West Java Province, Indonesia. <i>BMC Pregnancy and Childbirth</i> , 2010, 10, 61.	0.9	111
26	Factors associated with underutilization of antenatal care services in Indonesia: results of Indonesia Demographic and Health Survey 2002/2003 and 2007. <i>BMC Public Health</i> , 2010, 10, 485.	1.2	163
27	Iron and folic acid supplements and reduced early neonatal deaths in Indonesia. <i>Bulletin of the World Health Organization</i> , 2010, 88, 500-508.	1.5	69
28	Combined iron/folic acid supplements and malaria prophylaxis reduce neonatal mortality in 19 sub-Saharan African countries. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 235-243.	2.2	45
29	Factors associated with non-utilisation of postnatal care services in Indonesia. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 827-831.	2.0	93
30	Determinants of neonatal mortality in Indonesia. <i>BMC Public Health</i> , 2008, 8, 232.	1.2	168