

Gianluca Perseghin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3843696/gianluca-perseghin-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

7,823
citations

42
h-index

86
g-index

172
ext. papers

8,779
ext. citations

6.6
avg, IF

5.87
L-index

#	Paper	IF	Citations
164	Prevalence of Elevated Liver Stiffness Among Potential Candidates for Bariatric Surgery in the United States.. <i>Obesity Surgery</i> , 2022 , 32, 712	3.7	0
163	Liver Stiffness, Albuminuria and Chronic Kidney Disease in Patients with NAFLD: A Systematic Review and Meta-Analysis.. <i>Biomolecules</i> , 2022 , 12,	5.9	3
162	Advances in fibrosis biomarkers in nonalcoholic fatty liver disease.. <i>Advances in Clinical Chemistry</i> , 2022 , 106, 33-65	5.8	0
161	Soluble Klotho levels, glycemic control and renal function in US adults with type 2 diabetes.. <i>Acta Diabetologica</i> , 2022 , 1	3.9	0
160	Sex-related association of NAFLD and liver fibrosis with body fat distribution in the general US population.. <i>American Journal of Clinical Nutrition</i> , 2022 ,	7	2
159	Hepatitis C virus infection and diabetes: a complex bidirectional relationship.. <i>Diabetes Research and Clinical Practice</i> , 2022 , 109870	7.4	
158	Peripheral artery disease and all-cause and cardiovascular mortality in patients with NAFLD.. <i>Journal of Endocrinological Investigation</i> , 2022 , 1	5.2	1
157	High Prevalence of Advanced Liver Fibrosis Assessed by Transient Elastography Among U.S. Adults With Type 2 Diabetes. <i>Diabetes Care</i> , 2021 , 44, 519-525	14.6	36
156	Nonalcoholic fatty liver disease and risk of incident hypertension: a systematic review and meta-analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 ,	2.2	6
155	Blood pressure, glycemic status and advanced liver fibrosis assessed by transient elastography in the general United States population. <i>Journal of Hypertension</i> , 2021 , 39, 1621-1627	1.9	4
154	Prevalence of NAFLD, MAFLD and associated advanced fibrosis in the contemporary United States population. <i>Liver International</i> , 2021 , 41, 1290-1293	7.9	39
153	Sodium-glucose transporter 2 inhibitors for renal and cardiovascular protection in US adults with type 2 diabetes: Impact of the 2020 KDIGO clinical practice guidelines. <i>Pharmacological Research</i> , 2021 , 166, 105530	10.2	2
152	NAFLD and Liver Fibrosis Are Not Associated With Reduced Femoral Bone Mineral Density in the General US Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e2856-e2865	5.6	4
151	Seasonal variation in estimated cardiovascular risk in patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1494-1500	4.5	3
150	Glycated Albumin for Glycemic Control in T2DM Population: A Multi-Dimensional Evaluation. <i>ClinicoEconomics and Outcomes Research</i> , 2021 , 13, 453-464	1.7	1
149	Cardiovascular risk management in type 2 diabetes mellitus: A joint position paper of the Italian Cardiology (SIC) and Italian Diabetes (SID) Societies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1671-1690	4.5	1
148	Current type 2 diabetes, rather than previous gestational diabetes, is associated with liver disease in U.S. Women. <i>Diabetes Research and Clinical Practice</i> , 2021 , 177, 108879	7.4	3

147	Nonalcoholic Fatty Liver Disease, Liver Fibrosis and Cardiovascular Disease in the Adult US Population. <i>Frontiers in Endocrinology</i> , 2021 , 12, 711484	5.7	1
146	Liver fibrosis assessed by transient elastography is independently associated with albuminuria in the general United States population. <i>Digestive and Liver Disease</i> , 2021 , 53, 866-872	3.3	7
145	Prevalence of Liver Steatosis and Fibrosis Detected by Transient Elastography in Adolescents in the 2017-2018 National Health and Nutrition Examination Survey. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 384-390.e1	6.9	27
144	Impact of diabetes on COVID-19-related in-hospital mortality: a retrospective study from Northern Italy. <i>Journal of Endocrinological Investigation</i> , 2021 , 44, 843-850	5.2	23
143	Hypercortisolism and altered glucose homeostasis in obese patients in the pre-bariatric surgery assessment. <i>Diabetes/Metabolism Research and Reviews</i> , 2021 , 37, e3389	7.5	3
142	Baseline TSH levels and short-term weight loss after different procedures of bariatric surgery. <i>International Journal of Obesity</i> , 2021 , 45, 326-330	5.5	1
141	Renal protection: a leading mechanism for cardiovascular benefit in patients treated with SGLT2 inhibitors. <i>Heart Failure Reviews</i> , 2021 , 26, 337-345	5	12
140	Compassionate use of ruxolitinib in patients with SARS-Cov-2 infection not on mechanical ventilation: Short-term effects on inflammation and ventilation. <i>Clinical and Translational Science</i> , 2021 , 14, 1062-1068	4.9	6
139	Lack of awareness of liver organ damage in patients with type 2 diabetes. <i>Acta Diabetologica</i> , 2021 , 58, 651-655	3.9	2
138	Similar glycaemic control and risk of hypoglycaemia with patient- versus physician-managed titration of insulin glargine 300 U/mL across subgroups of patients with T2DM: a post hoc analysis of ITAS. <i>Acta Diabetologica</i> , 2021 , 58, 789-796	3.9	
137	An unexpected bilateral mass after total thyroidectomy. <i>Endocrine</i> , 2021 , 73, 758-761	4	
136	The "Early Treatment" Approach Reducing Cardiovascular Risk in Patients with Type 2 Diabetes: A Consensus From an Expert Panel Using the Delphi Technique. <i>Diabetes Therapy</i> , 2021 , 12, 1445-1461	3.6	1
135	Metabolic and Psychological Features are Associated with Weight Loss 12 Months After Sleeve Gastrectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e3087-e3097	5.6	1
134	Cost-effectiveness of the adherence with recommendations for clinical monitoring of patients with diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 3111-3121	4.5	1
133	Statin use is associated with lower prevalence of advanced liver fibrosis in patients with type 2 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2021 , 121, 154752	12.7	7
132	Reply to "Liver fibrosis assessed by transient elastography and albuminuria". <i>Digestive and Liver Disease</i> , 2021 , 53, 1056	3.3	
131	Sympathetic Neural Mechanisms Underlying Attended and Unattended Blood Pressure Measurement. <i>Hypertension</i> , 2021 , 78, 1126-1133	8.5	5
130	Comparing medication persistence among patients with type 2 diabetes using sodium-glucose cotransporter 2 inhibitors or glucagon-like peptide-1 receptor agonists in real-world setting. <i>Diabetes Research and Clinical Practice</i> , 2021 , 180, 109035	7.4	3

129	Metabolic Syndrome, and Not Obesity, Is Associated with Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2021 , 52, 666-672	4.6	3
128	Comment on "An Observational Data Meta-Analysis on the Differences in Prevalence and Risk Factors Between MAFLD vs NAFLD".. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	
127	Resting Energy Expenditure in Obese Women with Primary Hypothyroidism and Appropriate Levothyroxine Replacement Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	4
126	Nonalcoholic Fatty Liver Disease and Advanced Fibrosis in US Adults Across Blood Pressure Categories. <i>Hypertension</i> , 2020 , 76, 562-568	8.5	14
125	Resting Whole Body Energy Metabolism in Class 3 Obesity; from Preserved Insulin Sensitivity to Overt Type 2 Diabetes. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020 , 13, 489-497	4	2
124	Comparable efficacy with similarly low risk of hypoglycaemia in patient- vs physician-managed basal insulin initiation and titration in insulin-naïve type 2 diabetic subjects: The Italian Titration Approach Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36, e3304	7.5	6
123	Impact of using different biomarkers of liver fibrosis on hepatologic referral of individuals with severe obesity and NAFLD. <i>Journal of Endocrinological Investigation</i> , 2020 , 43, 1019-1026	5.2	5
122	Screening for non-alcoholic fatty liver disease in type 2 diabetes using non-invasive scores and association with diabetic complications. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	35
121	Renal Anti-Fibrotic Effect of Sodium Glucose Cotransporter 2 Inhibition in Angiotensin II-Dependent Hypertension. <i>American Journal of Nephrology</i> , 2020 , 51, 119-129	4.6	17
120	Is Switching from Oral Antidiabetic Therapy to Insulin Associated with an Increased Fracture Risk?. <i>Clinical Orthopaedics and Related Research</i> , 2020 , 478, 992-1003	2.2	8
119	Effect of Denosumab on Glucose Homeostasis in Postmenopausal Women with Breast Cancer Treated with Aromatase Inhibitors: A Pilot Study. <i>International Journal of Endocrinology</i> , 2020 , 2020, 1809150	2.7	3
118	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 3061-3062	6.9	1
117	Screening strategies for nonalcoholic fatty liver disease in type 2 diabetes: Insights from NHANES 2005-2016. <i>Diabetes Research and Clinical Practice</i> , 2020 , 167, 108358	7.4	14
116	Visit-to-visit blood pressure variability in patients with type 2 diabetes with and without previous history of cardiovascular disease. <i>Journal of Hypertension</i> , 2020 , 38, 1737-1744	1.9	6
115	Risk stratification tools for heart failure in the diabetes clinic. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1070-1079	4.5	5
114	Adherence to clinical evaluations in women with pre-existing diabetes during pregnancy: A call to action from an Italian real-life investigation. <i>Diabetes Research and Clinical Practice</i> , 2019 , 154, 1-8	7.4	3
113	Fasting Whole-Body Energy Homeostasis and Hepatic Energy Metabolism in Nondiabetic Humans with Fatty Liver. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 9796175	6.7	3
112	Italian Titration Approach Study (ITAS) with insulin glargine 300U/mL in insulin-naïve type 2 diabetes: Design and population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 496-503	4.5	6

111	Short-term evaluation of cardiac morphology, function, metabolism and structure following diagnosis of adult-onset growth hormone deficiency. <i>Growth Hormone and IGF Research</i> , 2019 , 46-47, 50-54	2	3
110	Activation of angiotensin type 2 (AT2) receptors prevents myocardial hypertrophy in Zucker diabetic fatty rats. <i>Acta Diabetologica</i> , 2019 , 56, 97-104	3.9	10
109	Metabolic control and complications in Italian people with diabetes treated with continuous subcutaneous insulin infusion. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 335-342	4.5	5
108	NAFLD/NASH in patients with type 2 diabetes and related treatment options. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 509-521	5.2	32
107	Fertilizing a Patient Engagement Ecosystem to Innovate Healthcare:. <i>Frontiers in Psychology</i> , 2017 , 8, 812	3.4	17
106	The EMPA-REG outcome study: critical appraisal and potential clinical implications. <i>Cardiovascular Diabetology</i> , 2016 , 15, 85	8.7	13
105	Effects of short-term manipulation of serum FFA concentrations on left ventricular energy metabolism and function in patients with heart failure: no association with circulating bio-markers of inflammation. <i>Acta Diabetologica</i> , 2015 , 52, 753-61	3.9	13
104	Gamma glutamyltransferase, alanine aminotransferase and risk of cancer: systematic review and meta-analysis. <i>International Journal of Cancer</i> , 2015 , 136, 1162-70	7.5	53
103	MR-guided stereotactic breast biopsy using a mixed ferromagnetic-nonmagnetic coaxial system with 12- to 18-gauge needles: clinical experience and long-term outcome. <i>Radiologia Medica</i> , 2013 , 118, 1137-48	6.5	2
102	Lipid accumulation in overweight type 2 diabetic subjects: relationships with insulin sensitivity and adipokines. <i>Acta Diabetologica</i> , 2013 , 50, 301-7	3.9	12
101	Beneficial effects of beta-blockers on left ventricular function and cellular energy reserve in patients with heart failure. <i>Fundamental and Clinical Pharmacology</i> , 2013 , 27, 455-64	3.1	21
100	Increased low-grade inflammation is associated with lack of functional response to carvedilol in patients with systolic heart failure. <i>Journal of Cardiovascular Medicine</i> , 2013 , 14, 49-56	1.9	4
99	Lack of association of apoE ϵ allele with insulin resistance. <i>Acta Diabetologica</i> , 2012 , 49, 25-32	3.9	15
98	Insulin resistance/hyperinsulinemia and cancer mortality: the Cremona study at the 15th year of follow-up. <i>Acta Diabetologica</i> , 2012 , 49, 421-8	3.9	60
97	Left ventricular function and energy homeostasis in patients with type 1 diabetes with and without microvascular complications. <i>International Journal of Cardiology</i> , 2012 , 154, 111-5	3.2	3
96	Gender influence on dose saving allowed by prospective-triggered 64-slice multidetector computed tomography coronary angiography as compared with retrospective-gated mode. <i>International Journal of Cardiology</i> , 2012 , 158, 253-9	3.2	6
95	³¹ P-magnetic resonance spectroscopy (³¹ P-MRS) detects early changes in kidney high-energy phosphate metabolism during a 6-month Valsartan treatment in diabetic and non-diabetic kidney-transplanted patients. <i>Acta Diabetologica</i> , 2012 , 49 Suppl 1, S133-9	3.9	12
94	Nonalcoholic fatty liver disease is associated with left ventricular diastolic dysfunction in patients with type 2 diabetes. <i>Diabetes Care</i> , 2012 , 35, 389-95	14.6	134

93	Intraindividual comparison of gadobutrol and gadopentetate dimeglumine for detection of myocardial late enhancement in cardiac MRI. <i>American Journal of Roentgenology</i> , 2012 , 198, 809-16	5.4	14
92	Excessive Nutrients and Regional Energy Metabolism 2012 , 55-66		
91	Resting cardiac energy metabolism is inversely associated with heart rate in healthy young adult men. <i>American Heart Journal</i> , 2011 , 162, 136-41	4.9	11
90	A high carbohydrate meal yields a lower ischemic threshold than a high fat meal in patients with stable coronary disease. <i>International Journal of Cardiology</i> , 2011 , 147, 209-13	3.2	3
89	Beta cell function during rapamycin monotherapy in long-term type 1 diabetes. <i>Diabetologia</i> , 2011 , 54, 433-9	10.3	32
88	Why does NAFLD predict type 2 diabetes?. <i>Current Diabetes Reports</i> , 2011 , 11, 167-72	5.6	26
87	Fatty liver index and mortality: the Cremona study in the 15th year of follow-up. <i>Hepatology</i> , 2011 , 54, 145-52	11.2	164
86	Lipids in the wrong place: visceral fat and nonalcoholic steatohepatitis. <i>Diabetes Care</i> , 2011 , 34 Suppl 2, S367-70	14.6	29
85	Prevalence, metabolic features, and prognosis of metabolically healthy obese Italian individuals: the Cremona Study. <i>Diabetes Care</i> , 2011 , 34, 210-5	14.6	269
84	Effect of partial inhibition of fatty acid oxidation by trimetazidine on whole body energy metabolism in patients with chronic heart failure. <i>Heart</i> , 2011 , 97, 1495-500	5.1	46
83	Exploring the in vivo mechanisms of action of glucokinase activators in type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 4871-3	5.6	10
82	The role of non-alcoholic fatty liver disease in cardiovascular disease. <i>Digestive Diseases</i> , 2010 , 28, 210-3	3.2	50
81	Modulazione del metabolismo energetico cellulare da parte dei nutrienti in corso di esercizio fisico 2010 , 89-97		
80	Spettroscopia RM 2010 , 203-210		
79	Association between plasma monocyte chemoattractant protein-1 concentration and cardiovascular disease mortality in middle-aged diabetic and nondiabetic individuals. <i>Diabetes Care</i> , 2009 , 32, 2105-10	14.6	67
78	Effect of L-acetylcarnitine on body composition in HIV-related lipodystrophy. <i>Hormone and Metabolic Research</i> , 2009 , 41, 840-5	3.1	19
77	Delayed-enhanced cardiac MRI for differentiation of Fabry disease from symmetric hypertrophic cardiomyopathy. <i>American Journal of Roentgenology</i> , 2009 , 192, W97-102	5.4	90
76	Viewpoints on the way to a consensus session: where does insulin resistance start? The liver. <i>Diabetes Care</i> , 2009 , 32 Suppl 2, S164-7	14.6	34

75	Elevated fasting plasma C-peptide occurs in non-diabetic individuals with fatty liver, irrespective of insulin resistance. <i>Diabetic Medicine</i> , 2009 , 26, 847-54	3.5	6
74	Free leptin index and thyroid function in male highly trained athletes. <i>European Journal of Endocrinology</i> , 2009 , 161, 871-6	6.5	13
73	Impaired left ventricular energy metabolism in patients with hypertrophic cardiomyopathy is related to the extension of fibrosis at delayed gadolinium-enhanced magnetic resonance imaging. <i>Heart</i> , 2009 , 95, 228-33	5.1	23
72	Left ventricular function and energy metabolism in middle-aged men undergoing long-lasting sustained aerobic oxidative training. <i>Heart</i> , 2009 , 95, 630-5	5.1	17
71	Insulin resistance to both glucose and aminoacid metabolism in a patient with Fatal Familial Insomnia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008 , 18, e47-8	4.5	2
70	MRI of cardiomyopathy. <i>American Journal of Roentgenology</i> , 2008 , 191, 1702-10	5.4	27
69	Increased mediastinal fat and impaired left ventricular energy metabolism in young men with newly found fatty liver. <i>Hepatology</i> , 2008 , 47, 51-8	11.2	157
68	Is a nutritional therapeutic approach unsuitable for metabolically healthy but obese women?. <i>Diabetologia</i> , 2008 , 51, 1567-9	10.3	28
67	Abnormal left ventricular energy metabolism in obese men with preserved systolic and diastolic functions is associated with insulin resistance. <i>Diabetes Care</i> , 2007 , 30, 1520-6	14.6	51
66	Letter by Fragasso et al regarding article by Tuunanen et al, "Free fatty acid depletion acutely decreases cardiac work and efficiency in cardiomyopathic heart failure". <i>Circulation</i> , 2007 , 115, e546; author reply e547	16.7	1
65	Altered kidney graft high-energy phosphate metabolism in kidney-transplanted end-stage renal disease type 1 diabetic patients: a cross-sectional analysis of the effect of kidney alone and kidney-pancreas transplantation. <i>Diabetes Care</i> , 2007 , 30, 597-603	14.6	27
64	Serum retinol-binding protein-4, leptin, and adiponectin concentrations are related to ectopic fat accumulation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 4883-8	5.6	42
63	Habitual physical activity is associated with intrahepatic fat content in humans. <i>Diabetes Care</i> , 2007 , 30, 683-8	14.6	241
62	Effects of atazanavir/ritonavir and lopinavir/ritonavir on glucose uptake and insulin sensitivity. <i>Aids</i> , 2007 , 21, 2366-7	3.5	0
61	Atrial natriuretic peptide in diabetic and nondiabetic patients with and without heart transplantation. <i>Transplantation Proceedings</i> , 2007 , 39, 1580-5	1.1	3
60	Effect of the sporting discipline on the right and left ventricular morphology and function of elite male track runners: a magnetic resonance imaging and phosphorus 31 spectroscopy study. <i>American Heart Journal</i> , 2007 , 154, 937-42	4.9	49
59	Increased serum resistin in elite endurance athletes with high insulin sensitivity. <i>Diabetologia</i> , 2006 , 49, 1893-900	10.3	30
58	Serum resistin and hepatic fat content in nondiabetic individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 5122-5	5.6	40

57	Insulin resistance and whole body energy homeostasis in obese adolescents with fatty liver disease. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006 , 291, E697-703	6	84
56	New insights on the simultaneous assessment of insulin sensitivity and beta-cell function with the HOMA2 method. <i>Diabetes Care</i> , 2006 , 29, 2733-4	14.6	47
55	Effects of metabolic modulation by trimetazidine on left ventricular function and phosphocreatine/adenosine triphosphate ratio in patients with heart failure. <i>European Heart Journal</i> , 2006 , 27, 942-8	9.5	176
54	The anti-ischemic effect of trimetazidine in patients with postprandial myocardial ischemia is unrelated to meal composition. <i>American Heart Journal</i> , 2006 , 151, 1238.e1-8	4.9	7
53	Delayed gadolinium-enhanced cardiac magnetic resonance in patients with chronic myocarditis presenting with heart failure or recurrent arrhythmias. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1649-54	15.1	193
52	Cross-sectional assessment of the effect of kidney and kidney-pancreas transplantation on resting left ventricular energy metabolism in type 1 diabetic-uremic patients: a phosphorous-31 magnetic resonance spectroscopy study. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 1085-92	15.1	46
51	Muscle lipid metabolism in the metabolic syndrome. <i>Current Opinion in Lipidology</i> , 2005 , 16, 416-20	4.4	39
50	Reduced intrahepatic fat content is associated with increased whole-body lipid oxidation in patients with type 1 diabetes. <i>Diabetologia</i> , 2005 , 48, 2615-21	10.3	60
49	Reduced whole-body lipid oxidation is associated with insulin resistance, but not with intramyocellular lipid content in offspring of type 2 diabetic patients. <i>Diabetologia</i> , 2005 , 48, 741-7	10.3	32
48	Postabsorptive and insulin-stimulated energy and protein metabolism in patients with myotonic dystrophy type 1. <i>American Journal of Clinical Nutrition</i> , 2004 , 80, 357-64	7	21
47	L-arginine-induced vasodilation of the renal vasculature is preserved in uremic type 1 diabetic patients after kidney and pancreas but not after kidney-alone transplantation. <i>Diabetes Care</i> , 2004 , 27, 947-54	14.6	7
46	Postabsorptive and insulin-stimulated energy homeostasis and leucine turnover in offspring of type 2 diabetic patients. <i>Diabetes Care</i> , 2004 , 27, 2716-22	14.6	14
45	Evaluation of insulin release and insulin sensitivity through oral glucose tolerance test: differences between NGT, IFG, IGT, and type 2 diabetes mellitus. A cross-sectional and follow-up study. <i>Acta Diabetologica</i> , 2004 , 41, 70-6	3.9	18
44	Donor and isolation variables associated with human islet monocyte chemoattractant protein-1 release. <i>Transplantation</i> , 2004 , 78, 1564-7	1.8	11
43	Contribution of abnormal insulin secretion and insulin resistance to the pathogenesis of type 2 diabetes in myotonic dystrophy. <i>Diabetes Care</i> , 2003 , 26, 2112-8	14.6	30
42	Assessment of insulin sensitivity based on a fasting blood sample in men with liver cirrhosis before and after liver transplantation. <i>Transplantation</i> , 2003 , 76, 697-702	1.8	14
41	Insulin resistance, intramyocellular lipid content, and plasma adiponectin in patients with type 1 diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 285, E1174-81	6	130
40	Intramyocellular lipid accumulation and reduced whole body lipid oxidation in HIV lipodystrophy. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 284, E274-80	6	61

39	Cellular mechanism of insulin resistance: potential links with inflammation. <i>International Journal of Obesity</i> , 2003 , 27 Suppl 3, S6-11	5.5	165
38	Fasting plasma leptin, tumor necrosis factor-alpha receptor 2, and monocyte chemoattracting protein 1 concentration in a population of glucose-tolerant and glucose-intolerant women: impact on cardiovascular mortality. <i>Diabetes Care</i> , 2003 , 26, 2883-9	14.6	107
37	Resting energy expenditure in diabetic and nondiabetic patients with liver cirrhosis: relation with insulin sensitivity and effect of liver transplantation and immunosuppressive therapy. <i>American Journal of Clinical Nutrition</i> , 2002 , 76, 541-8	7	37
36	Fasting blood sample-based assessment of insulin sensitivity in kidney-pancreas-transplanted patients. <i>Diabetes Care</i> , 2002 , 25, 2207-11	14.6	18
35	Energy metabolism in diabetic and nondiabetic heart transplant recipients. <i>Diabetes Care</i> , 2002 , 25, 530-4	6.6	8
34	Normal insulin sensitivity and IMCL content in overweight humans are associated with higher fasting lipid oxidation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002 , 283, E556-64	6	51
33	Pathogenesis of obesity and diabetes mellitus: insights provided by indirect calorimetry in humans. <i>Acta Diabetologica</i> , 2001 , 38, 7-21	3.9	12
32	Metabolic effects of restoring partial beta-cell function after islet allotransplantation in type 1 diabetic patients. <i>Diabetes</i> , 2001 , 50, 277-82	0.9	70
31	Incorporation of the fasting plasma FFA concentration into QUICKI improves its association with insulin sensitivity in nonobese individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 4776-81	5.6	186
30	Gender factors affect fatty acids-induced insulin resistance in nonobese humans: effects of oral steroidal contraception. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 3188-96	5.6	78
29	Gender Factors Affect Fatty Acids-Induced Insulin Resistance in Nonobese Humans: Effects of Oral Steroidal Contraception. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 3188-3196	5.6	73
28	Contribution of reduced insulin sensitivity and secretion to the pathogenesis of hepatogenous diabetes: effect of liver transplantation. <i>Hepatology</i> , 2000 , 31, 694-703	11.2	98
27	Effect of hemipancreatectomy and of pancreatic diversion on the tolerance to a glucose load in humans. <i>European Journal of Clinical Investigation</i> , 2000 , 30, 397-410	4.6	1
26	Intramyocellular triglyceride content is a determinant of in vivo insulin resistance in humans: a ¹ H- ¹³ C nuclear magnetic resonance spectroscopy assessment in offspring of type 2 diabetic parents. <i>Diabetes</i> , 1999 , 48, 1600-6	0.9	741
25	NMR Studies on the Mechanism of Insulin Resistance 1999 , 159-177		2
24	Myocardial metabolism studied during warm blood antero-retrograde reperfusion in ischaemic human hearts. <i>Acta Diabetologica</i> , 1998 , 35, 67-73	3.9	1
23	Effect of liver transplantation in cirrhotic diabetic patients. <i>Transplantation Proceedings</i> , 1998 , 30, 1868	1.1	2
22	¹³ C/ ³¹ P NMR studies on the mechanism of insulin resistance in obesity. <i>Diabetes</i> , 1998 , 47, 381-6	0.9	96

21	Metabolic defects in lean nondiabetic offspring of NIDDM parents: a cross-sectional study. <i>Diabetes</i> , 1997 , 46, 1001-9	0.9	252
20	Metabolic effects of liver transplantation in cirrhotic patients. <i>Journal of Clinical Investigation</i> , 1997 , 99, 692-700	15.9	39
19	Regulation of glucose homeostasis in humans with denervated livers. <i>Journal of Clinical Investigation</i> , 1997 , 100, 931-41	15.9	80
18	Metabolic defects in lean nondiabetic offspring of NIDDM parents: a cross-sectional study. <i>Diabetes</i> , 1997 , 46, 1001-1009	0.9	76
17	Increased glucose transport-phosphorylation and muscle glycogen synthesis after exercise training in insulin-resistant subjects. <i>New England Journal of Medicine</i> , 1996 , 335, 1357-62	59.2	522
16	NMR studies of muscle glycogen synthesis in insulin-resistant offspring of parents with non-insulin-dependent diabetes mellitus immediately after glycogen-depleting exercise. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 5329-34	11.5	68
15	The roles of insulin and glucagon in the regulation of hepatic glycogen synthesis and turnover in humans. <i>Journal of Clinical Investigation</i> , 1996 , 97, 642-8	15.9	108
14	Effect of pancreas transplantation on free fatty acid metabolism in uremic IDDM patients. <i>Diabetes</i> , 1996 , 45, 354-60	0.9	12
13	Metabolic effects of successful intraportal islet transplantation in insulin-dependent diabetes mellitus. <i>Journal of Clinical Investigation</i> , 1996 , 97, 2611-8	15.9	52
12	Mechanism of free fatty acid-induced insulin resistance in humans. <i>Journal of Clinical Investigation</i> , 1996 , 97, 2859-65	15.9	1029
11	Impaired hepatic glycogen synthesis in glucokinase-deficient (MODY-2) subjects. <i>Journal of Clinical Investigation</i> , 1996 , 98, 1755-61	15.9	157
10	Effect of pancreas transplantation on free fatty acid metabolism in uremic IDDM patients. <i>Diabetes</i> , 1996 , 45, 354-360	0.9	7
9	Defective insulin action on protein and glucose metabolism during chronic hyperinsulinemia in subjects with benign insulinoma. <i>Diabetes</i> , 1995 , 44, 837-44	0.9	17
8	Impaired net hepatic glycogen synthesis in insulin-dependent diabetic subjects during mixed meal ingestion. A ¹³ C nuclear magnetic resonance spectroscopy study. <i>Journal of Clinical Investigation</i> , 1995 , 95, 783-7	15.9	136
7	Defective insulin action on protein and glucose metabolism during chronic hyperinsulinemia in subjects with benign insulinoma. <i>Diabetes</i> , 1995 , 44, 837-844	0.9	4
6	Persistence of counter-regulatory abnormalities in insulin-dependent diabetes mellitus after pancreas transplantation. <i>European Journal of Clinical Investigation</i> , 1994 , 24, 751-8	4.6	35
5	Combined pancreas and kidney transplantation normalizes protein metabolism in insulin-dependent diabetic-uremic patients. <i>Journal of Clinical Investigation</i> , 1994 , 93, 1948-58	15.9	21
4	Lack of feedback inhibition of insulin secretion in denervated human pancreas. <i>Diabetes</i> , 1992 , 41, 1632-0.9	0.9	65

- 3 Anomalous leucine metabolism in total lipotrophic diabetes: a possible mechanism of muscle mass hypertrophy. *Acta Diabetologica*, **1992**, 29, 86-93 3.9 3
- 2 Lack of feedback inhibition of insulin secretion in denervated human pancreas. *Diabetes*, **1992**, 41, 1632-1639 12
- 1 Impact of diabetes on COVID-19-related in-hospital mortality: a retrospective study from Northern Italy 3