## Mohd Hanif Yaacob

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3844785/publications.pdf

Version: 2024-02-01

121 papers 2,136 citations

218677 26 h-index 276875 41 g-index

122 all docs  $\begin{array}{c} 122 \\ \text{docs citations} \end{array}$ 

122 times ranked 2263 citing authors

#	Article	IF	CITATIONS
1	Self-assembled polyaniline nanostructures in situ deposited on silica optical fibers for ammonia gas sensing. Synthetic Metals, 2022, 283, 116962.	3.9	3
2	Influence of HKUST-1 and emeraldine based on the long-term stability of emeraldine salt-coated SP-POF for room temperature optical NH3 gas sensing. Sensors and Actuators A: Physical, 2022, 335, 113395.	4.1	3
3	Fabrication of a Nickel Ferrite/Nanocellulose-Based Nanocomposite as an Active Sensing Material for the Detection of Chlorine Gas. Polymers, 2022, 14, 1906.	4.5	11
4	Sensing Techniques on Determination of Chlorine Gas and Free Chlorine in Water. Journal of Sensors, 2022, 2022, 1-27.	1.1	4
5	Polyaniline-graphite nanocomposite based modified cladding optical fiber gas sensors., 2021,, 545-570.		O
6	Reduction of Phase-Modulation to Intensity-Modulation Conversion Noise Effect Using Delayed Self-Homodyne Optical Orthogonal Frequency Division Multiplexing System. IEEE Photonics Journal, 2021, 13, 1-17.	2.0	2
7	CNT-based tapered optical fiber for ethanol remote sensing over 3-km optical fiber. Journal of Materials Research and Technology, 2021, 12, 1738-1746.	5.8	3
8	PAMAM-Graphene Oxide-Integrated Microfiber Sensor for Label-Free Dengue II E Protein Detection. IEEE Journal of Selected Topics in Quantum Electronics, 2021, 27, 1-6.	2.9	3
9	Chemical bath deposition of h-MoO3 on optical fibre as room-temperature ammonia gas sensor. Ceramics International, 2021, 47, 32828-32836.	4.8	18
10	Emerging Developments Regarding Nanocellulose-Based Membrane Filtration Material against Microbes. Polymers, 2021, 13, 3249.	4.5	24
11	Wavelength Dependent Graphene Oxide-Based Optical Microfiber Sensor for Ammonia Gas. Sensors, 2021, 21, 556.	3.8	15
12	Real Time <i>in Situ</i> Remote Monitoring for Cladding Modified SMF Integrating Nanocomposite Based Ammonia Sensors Deploying EDFA. IEEE Access, 2021, 9, 145282-145287.	4.2	7
13	Room Temperature Hydrogen Sensing Based on Tapered Optical Fiber Coated with Polyaniline (PANI). , 2021, 5, .		2
14	Tapered Optical Fiber for Hydrogen Sensing Application Based on Molybdenum Trioxide (MoO3). , 2021, 10, .		3
15	Surface plasmon resonance sensor based on D-shaped optical fiber using fiberbench rotating wave plate for sensing pb ions. Optik, 2020, 202, 163724.	2.9	18
16	H <sub>2</sub> Gas Sensor Based on Pd/ZnO Nanostructures Deposited on Tapered Optical Fiber. IEEE Sensors Journal, 2020, 20, 2982-2990.	4.7	13
17	Highly Sensitive Hydrogen Sensor Based on Palladium-Coated Tapered Optical Fiber at Room Temperature. , 2020, , .		2
18	Sensing mechanism of an optimized room temperature optical hydrogen gas sensor made of zinc oxide thin films. Journal of Materials Research and Technology, 2020, 9, 10624-10634.	5.8	14

#	Article	IF	Citations
19	High Sensitivity Microfiber Interferometer Sensor in Aqueous Solution. Sensors, 2020, 20, 4713.	3.8	14
20	Gasochromic response of optical sensing platform integrated with polyaniline and poly(3,4-ethylenedioxythiophene) exposed to NH3 gas. Polymer, 2020, 192, 122313.	3.8	11
21	Optical ammonia gas sensor of poly(3,4-polyethylenedioxythiophene), polyaniline and polypyrrole: A comparative study. Synthetic Metals, 2020, 260, 116294.	3.9	24
22	Optical fiber coated Zinc Oxide (ZnO) nanorods decorated with Palladium (Pd) for hydrogen sensing. Optical Materials, 2019, 96, 109291.	3.6	8
23	Detection of dengue using PAMAM dendrimer integrated tapered optical fiber sensor. Scientific Reports, 2019, 9, 13483.	3.3	20
24	Separation and Detection of Escherichia coli and Saccharomyces cerevisiae Using a Microfluidic Device Integrated with an Optical Fibre. Biosensors, 2019, 9, 40.	4.7	9
25	Performance Evaluation of Free-Space Fibre Optic Detection in a Lab-on-Chip for Microorganism. Journal of Sensors, 2019, 2019, 1-10.	1.1	3
26	Improving the electrical conductivity of carbon fiber reinforced epoxy composite using reduced graphene oxide. Materials Research Express, 2019, 6, 065607.	1.6	15
27	Carbon nanofibers functionalized with amide group for ammonia gas detection. AIP Conference Proceedings, 2019, , .	0.4	6
28	Fabrication and Characterizations of a Novel Etched-tapered Single Mode Optical Fiber Ammonia Sensors Integrating PANI/GNF Nanocomposite. Sensors and Actuators B: Chemical, 2019, 287, 71-77.	7.8	41
29	Functionalized Carbon Nanofibers (CNFs) for Ammonia Gas Detection at Room Temperature. Materials Today: Proceedings, 2019, 19, 1459-1466.	1.8	3
30	Single-mode Fiber Coated with Zinc Oxide (ZnO) Nanorods for H2 Gas Sensor Applications. , 2019, , .		3
31	Carbon Nanotubes and Graphene Oxide Applications in Optochemical Sensors., 2019, , 223-246.		1
32	Sensing Performance of Modified Single Mode Optical Fiber Coated With Nanomaterials-Based Ammonia Sensors Operated in the C-Band. IEEE Access, 2019, 7, 5467-5476.	4.2	17
33	Laser phase noise effect and reduction in self-homodyne optical OFDM transmission system. Optics Letters, 2019, 44, 307.	3.3	9
34	Detection of adulterated honey by surface plasmon resonance optical sensor. Optik, 2018, 168, 134-139.	2.9	40
35	Sensitive <i>Leptospira</i> DNA detection using tapered optical fiber sensor. Journal of Biophotonics, 2018, 11, e201700363.	2.3	25
36	Label-free Dengue E protein detection using a functionalized tapered optical fiber sensor. Sensors and Actuators B: Chemical, 2018, 257, 820-828.	7.8	49

#	Article	IF	CITATIONS
37	Etched Fiber Bragg Grating Sensor for Nitrate Sensing Application. , 2018, , .		3
38	Effect of Functionalized Carbon Nanotubes in the Detection of Benzene at Room Temperature. Journal of Nanotechnology, 2018, 2018, 1-7.	3.4	15
39	Reduced Graphene Oxide/Maghemite Nanocomposite for Detection of Lead Ions in Water Using Surface Plasmon Resonance. IEEE Photonics Journal, 2018, 10, 1-10.	2.0	10
40	Dengue E protein detection using graphene oxide integrated tapered optical fiber sensor. IEEE Journal of Selected Topics in Quantum Electronics, 2018, , 1-1.	2.9	16
41	H2 sensor based on tapered optical fiber coated with MnO2 nanostructures. Sensors and Actuators B: Chemical, 2017, 246, 421-427.	7.8	26
42	Hydrogen sensors based on 2D WO3 nanosheets prepared by anodization. Sensors and Actuators B: Chemical, 2017, 251, 57-64.	7.8	78
43	A three-electrode integrated photo-supercapacitor utilizing graphene-based intermediate bifunctional electrode. Electrochimica Acta, 2017, 238, 178-184.	5.2	44
44	Wideband multiwavelength output generation based on cascaded four-wave mixing in distributed Raman amplifier utilizing a Fabry-Pérot laser diode. Optics and Laser Technology, 2017, 93, 87-91.	4.6	9
45	Performance of improved X-axis auto-alignment and detection for single-channel FSO system. Photonic Network Communications, 2017, 33, 334-347.	2.7	3
46	Optical sensing by exposed core fiber using self-written waveguide. , 2017, , .		0
47	Optical fiber based ammonia gas sensor with carbon nanotubes sensing enhancement. , 2017, , .		3
48	New technology to expose core from fiber for optical sensing application. , 2017, , .		0
49	Modified plastic optical fiber with CNT and graphene oxide nanostructured coatings for ethanol liquid sensing. Optics Express, 2017, 25, 5509.	3.4	21
50	Wide bandwidth and flat multiwavelength Brillouin-erbium fiber laser. Optics Express, 2017, 25, 19382.	3.4	39
51	Room temperature ammonia sensor using side-polished optical fiber coated with graphene/polyaniline nanocomposite. Optical Materials Express, 2017, 7, 1858.	3.0	41
52	STUDY OF EDC/NHS IMMOBILIZATION FOR PLUMBOUS DETECTION USING SURFACE PLASMON RESONANCE. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.4	0
53	Reduced Graphene Oxide/Maghemite Nanocomposite for Detection of Hydrocarbon Vapor Using Surface Plasmon Resonance. IEEE Photonics Journal, 2016, 8, 1-9.	2.0	23
54	Enhanced multiwavelength generation in Brillouin fiber laser with pump noise suppression technique. Laser Physics, 2016, 26, 065102.	1.2	11

#	Article	IF	CITATIONS
55	Modified plastic optical fiber coated graphene/polyaniline nanocompositefor ammonia sensing. , 2016, , .		6
56	Highly sensitive plastic optical fiber with palladium sensing layer for detection of hydrogen gas. , 2016, , .		3
57	Fiber Bragg grating assisted surface plasmon resonance sensor with graphene oxide sensing layer. Optics Communications, 2016, 380, 260-266.	2.1	54
58	Refractive index sensor based on SPR in symmetrically etched plastic optical fibers. Sensors and Actuators A: Physical, 2016, 246, 163-169.	4.1	45
59	Enhancement of chitosan-graphene oxide SPR sensor with a multi-metallic layers of Au–Ag–Au nanostructure for lead(II) ion detection. Applied Surface Science, 2016, 361, 177-184.	6.1	55
60	Absorbance response of graphene oxide coated on tapered multimode optical fiber towards liquid ethanol. Journal of the European Optical Society-Rapid Publications, 2015, 10, 15019.	1.9	8
61	Optimization on the preparation of microfluidic channel using dry film resist., 2015,,.		1
62	Sensitive and Specific Protein Sensing Using Single-Mode Tapered Fiber Immobilized With Biorecognition Molecules. IEEE Photonics Journal, 2015, 7, 1-9.	2.0	23
63	Refractive index sensor with asymmetrical tapered fiber based on evanescent field sensing. , 2015, , .		2
64	Fabrication and Characterization of a Refractive Index Sensor Based on SPR in an Etched Plastic Optical Fiber. Procedia Engineering, 2015, 120, 969-974.	1.2	9
65	Fiber Bragg grating for pressure monitoring of full composite lightweight epoxy sleeve strengthening system for submarine pipeline. Journal of Natural Gas Science and Engineering, 2015, 26, 135-141.	4.4	12
66	Collimatorâ€based sensor for remote vibration monitoring. Microwave and Optical Technology Letters, 2015, 57, 38-41.	1.4	2
67	Development of a Hydrogen Gas Sensor Using a Double Saw Resonator System at Room Temperature. Sensors, 2015, 15, 4749-4765.	3.8	17
68	Dynamic Response of Tapered Optical Multimode Fiber Coated with Carbon Nanotubes for Ethanol Sensing Application. Sensors, 2015, 15, 10452-10464.	3.8	37
69	Tapered optical fiber coated with graphene based nanomaterials for measurement of ethanol concentrations in water. Optical Review, 2015, 22, 385-392.	2.0	37
70	Room temperature ammonia sensing using tapered multimode fiber coated with polyaniline nanofibers. Optics Express, 2015, 23, 2837.	3.4	45
71	Experimental realization and performance evaluation of refractive index SPR sensor based on unmasked short tapered multimode-fiber operating in aqueous environments. Sensors and Actuators A: Physical, 2015, 236, 38-43.	4.1	39
72	Influence of design parameters on the performance of a refractive index sensor based on SPR in plastic optical fibers. , $2015$ , , .		1

#	Article	IF	Citations
73	Silver/graphene nanocomposite-modified optical fiber sensor platform for ethanol detection in water medium. Sensors and Actuators B: Chemical, 2015, 206, 119-125.	7.8	68
74	Nonlinear Fiber Loop Mirror Optimization to Enhance the Performance of Multiwavelength Brillouin/Erbium-Doped Fiber Laser. IEEE Photonics Journal, 2014, 6, 1-10.	2.0	6
75	Temperature sensitivity comparison between bare FBG and buffered FBG. , 2014, , .		2
76	Optimization of hybrid Raman-Brillouin-EDF amplification fiber laser in long distance FBG sensor system. , 2014, , .		0
77	Reflectance Response of Optical Fiber Coated With Carbon Nanotubes for Aqueous Ethanol Sensing. IEEE Photonics Journal, 2014, 6, 1-10.	2.0	17
78	Performance evaluation of a bilayer SPR-based fiber optic RI sensor with TiO2 using FDTD solutions. Photonic Sensors, 2014, 4, 289-294.	5.0	10
79	Performance of SAC-OCDMA codes for multipoint fiber vibration sensing. , 2014, , .		1
80	Review of Energy Conservation Using Duty Cycling Schemes for IEEE 802.15.4 Wireless Sensor Network (WSN). Wireless Personal Communications, 2014, 77, 589-604.	2.7	15
81	Reflectance response of tapered optical fiber coated with graphene oxide nanostructured thin film for aqueous ethanol sensing. Optics Communications, 2014, 331, 320-324.	2.1	39
82	Highly sensitive SPR response of Au/chitosan/graphene oxide nanostructured thin films toward Pb (II) ions. Sensors and Actuators B: Chemical, 2014, 195, 459-466.	7.8	76
83	Performance and comparison of fiber vibration sensing using SAC-OCDMA with direct decoding techniques. Optik, 2014, 125, 4803-4806.	2.9	14
84	Fiber vibration sensor multiplexing techniques for quasi-distributed sensing. Optics and Laser Technology, 2014, 64, 34-40.	4.6	11
85	Polyaniline coated on tapered multimode fiber for ammonia sensing. , 2014, , .		0
86	Optical H2 sensing properties of vertically aligned Pd/WO3 nanorods thin films deposited via glancing angle rf magnetron sputtering. Sensors and Actuators B: Chemical, 2013, 182, 795-801.	7.8	30
87	Simple multiwavelength Brillouin–Erbium-doped fiber laser structure based on short SSMF. Optics Communications, 2013, 300, 8-11.	2.1	5
88	Performance comparison of OCDMA codes for quasi-distributed fiber vibration sensing. , 2013, , .		8
89	Tapered multimode fiber sensor for ethanol sensing application. , 2013, , .		3
90	Facile synthesis of nanostructured WO3 thin films and their characterization for ethanol sensing. Materials Chemistry and Physics, 2013, 141, 912-919.	4.0	23

#	Article	IF	CITATIONS
91	Optical characterisation of nanostructured Au/WO3 thin films for sensing hydrogen at low concentrations. Sensors and Actuators B: Chemical, 2013, 179, 125-130.	7.8	45
92	Optical response of WO3 nanostructured thin films sputtered on different transparent substrates towards hydrogen of low concentration. Sensors and Actuators B: Chemical, 2013, 177, 981-988.	7.8	37
93	Widely tunable multiwavelength hybrid Brillouin-erbium fiber laser utilizing virtual mirror. , 2013, , .		0
94	Reflectance response of optical fiber sensor coated with graphene oxide towards ethanol., 2013,,.		0
95	150-Channel Four Wave Mixing Based Multiwavelength Brillouin-Erbium Doped Fiber Laser. IEEE Photonics Journal, 2013, 5, 1501010-1501010.	2.0	23
96	20 GHz spacing multi-wavelength generation of Brillouin-Raman fiber laser in a hybrid linear cavity. Optics Express, 2013, 21, 18724.	3.4	58
97	Multi-wavelength Brillouin-Raman fiber laser utilizing enhanced nonlinear amplifying loop mirror design. Optics Express, 2013, 21, 31800.	3.4	26
98	Enhancement of fiber-SPR sensor utilizing graphene oxide. , 2013, , .		3
99	OPTICAL SENSING PROPERTIES OF <font>WO<sub>3</sub></font> NANOSTRUCTURED THIN FILMS ON SAPPHIRE SUBSTRATE TOWARD HYDROGEN. Biomedical Engineering - Applications, Basis and Communications, 2012, 24, 123-129.	0.6	2
100	Gasochromic performance of WO3-nanorod thin films fabricated with an ArF excimer laser. Journal of the Korean Physical Society, 2012, 60, 393-397.	0.7	6
101	H2 sensing performance of optical fiber coated with nano-platelet WO3 film. Sensors and Actuators B: Chemical, 2012, 166-167, 1-6.	7.8	54
102	In situ Raman spectroscopy of H2 interaction with WO3 films. Physical Chemistry Chemical Physics, 2011, 13, 7330.	2.8	77
103	Gasochromic Performance of WO3 Nanorod Thin Films for Low Concentration H2 Sensing. Procedia Engineering, 2011, 25, 1065-1068.	1.2	9
104	Optical Hydrogen Sensing Properties of Nanostructured Pd/MoO3 Films. Sensor Letters, 2011, 9, 16-20.	0.4	20
105	Structural and gas-sensing properties of CuO–Cu Fe3â~'O4 nanostructured thin films. Sensors and Actuators B: Chemical, 2011, 153, 117-124.	7.8	32
106	WO <sub>3</sub> -Au-Pt Nanocrystalline Thin Films as Optical Gas Sensors. Sensor Letters, 2011, 9, 595-599.	0.4	7
107	Gasochromic Response of Pd/NiO Nanostructured Film Towards Hydrogen. Sensor Letters, 2011, 9, 898-901.	0.4	9
108	H2 sensing performance of optical fiber coated with nano-platelet WO3 film. Procedia Engineering, 2010, 5, 1204-1207.	1.2	8

#	ARTICLE	IF	CITATIONS
109	H 2 sensing performance of optical fibers coated with WO 3 film. , 2010, , .		0
110	Comparative study of the gasochromic performance of Pd/WO <inf>3</inf> and Pt/WO <inf>3</inf> nanotextured thin films for low concentration hydrogen sensing. , 2009, , .		1
111	Absorption spectral response of nanotextured WO3 thin films with Pt catalyst towards H2. Sensors and Actuators B: Chemical, 2009, 137, 115-120.	7.8	147
112	Optical H2 Sensing Performance of Anodized Nanoporous TiO2 Thin Films. Procedia Chemistry, 2009, 1, 951-954.	0.7	11
113	A new technique of real-time monitoring of fiber optic cable networks transmission. Optics and Lasers in Engineering, 2007, 45, 126-130.	3.8	28
114	Effects of the Power Differences in the AND-Subtraction Detection Technique in SAC-OCDMA System Performance. , 2006, , .		0
115	Wavelength Shifting in the Fiber Bragg Grating (FBG) based Encoder and Decoder Modules for SAC-OCDMA System., 2006,,.		1
116	Design of an optical fiber link employing QPSK format with SCM scheme. , 0, , .		0
117	Design configuration of encoder and decoder modules for modified double weight (MDW) code spectral amplitude coding (SAC) optical code division multiple access (OCDMA) based on fiber bragg gratings. , 0, , .		4
118	Design of Parallel and Serial Configurations of Encoder and Decoder Modules for Spectral Amplitude Coding (SAC) Optical Code Division Multiple Access (OCDMA) based on Fiber Bragg Gratings (FBGs). , 0, , .		1
119	Absorbance properties of gold coated fiber Bragg grating sensor for aqueous ethanol. Journal of the European Optical Society-Rapid Publications, 0, 9, .	1.9	16
120	Half-linear cavity multiwavelength Brillouin-erbium fiber laser. Journal of the European Optical Society-Rapid Publications, $0,9,\ldots$	1.9	2
121	Modified Single Mode Optical Fiber Ammonia Sensors Deploying PANI Thin Films. , 0, , .		O