Geza Fogarasi

List of Publications by Citations

Source: https://exaly.com/author-pdf/3845037/geza-fogarasi-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 56
 6,699
 31
 56

 papers
 citations
 h-index
 g-index

 56
 6,880
 4.2
 5.18

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
56	Systematic ab initio gradient calculation of molecular geometries, force constants, and dipole moment derivatives. <i>Journal of the American Chemical Society</i> , 1979 , 101, 2550-2560	16.4	1942
55	Combination of theoretical ab initio and experimental information to obtain reliable harmonic force constants. Scaled quantum mechanical (QM) force fields for glyoxal, acrolein, butadiene, formaldehyde, and ethylene. <i>Journal of the American Chemical Society</i> , 1983 , 105, 7037-7047	16.4	1350
54	The calculation of ab initio molecular geometries: efficient optimization by natural internal coordinates and empirical correction by offset forces. <i>Journal of the American Chemical Society</i> , 1992 , 114, 8191-8201	16.4	852
53	Force field, dipole moment derivatives, and vibronic constants of benzene from a combination of experimental and ab initio quantum chemical information. <i>Journal of Chemical Physics</i> , 1981 , 74, 3999-4	10312	415
52	Geometry optimization in redundant internal coordinates. <i>Journal of Chemical Physics</i> , 1992 , 96, 2856-2	1869	272
51	Theoretical prediction of vibrational spectra. 1. The in-plane force field and vibrational spectra of pyridine. <i>Journal of the American Chemical Society</i> , 1984 , 106, 2765-2769	16.4	131
50	High-Level Electron Correlation Calculations on Formamide and the Resonance Model. <i>Journal of Physical Chemistry A</i> , 1997 , 101, 1400-1408	2.8	118
49	Relative Stabilities of Three Low-Energy Tautomers of Cytosine: A Coupled Cluster Electron Correlation Study. <i>Journal of Physical Chemistry A</i> , 2002 , 106, 1381-1390	2.8	108
48	Fock matrix dynamics. <i>Chemical Physics Letters</i> , 2004 , 386, 272-278	2.5	80
47	Tautomers of cytosine and their excited electronic states: a matrix isolation spectroscopic and quantum chemical study. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 6799-807	3.6	73
46	The geometry of some amides obtained from ab initio calculations. <i>Journal of Molecular Structure</i> , 1979 , 57, 259-270	3.4	73
45	Ab inttio structural analysis of some saturated 3- and 4-membered rings. <i>Journal of Molecular Structure</i> , 1980 , 62, 259-273	3.4	70
44	Ab initio prediction of vibrational spectra: A database approach. Vibrational Spectroscopy, 1990 , 1, 159-	1 <u>6</u> 5:	68
43	The molecular structure of toluene. <i>Journal of Molecular Structure</i> , 1980 , 66, 281-287	3.4	68
42	Scaled quantum mechanical (SQM) force field and theoretical vibrational spectrum for benzonitrile. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1989 , 45, 845-854		59
41	Prediction of vibrational spectra by the CNDO/2 force method. <i>Journal of Molecular Structure</i> , 1977 , 39, 275-280	3.4	55
40	High-level electron correlation calculations on some tautomers of cytosine. <i>Journal of Molecular Structure</i> , 1997 , 413-414, 271-278	3.4	53

39	Theoretical prediction of vibrational spectra. The a priori scaled quantum mechanical (SQM) force field and vibrational spectra of pyrimidine. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1992 , 48, 111-119		50	
38	A comparative ab initio study of amides. Computational and Theoretical Chemistry, 1985, 133, 105-123		48	
37	The interaction between cytosine tautomers and water: an MP2 and coupled cluster electron correlation study. <i>Chemical Physics Letters</i> , 2002 , 356, 383-390	2.5	42	
36	An ab initio study of the structure and vibrational spectra of allyl and 1,4-pentadienyl radicals. <i>Journal of Chemical Physics</i> , 1990 , 93, 1246-1256	3.9	42	
35	An efficient direct method for geometry optimization of large molecules in internal coordinates. Journal of Chemical Physics, 1998, 109, 6571-6576	3.9	40	
34	Quantum chemical coupled cluster study of the structure and spectra of the ground and first excited states of the ketenyl radical. <i>Chemical Physics Letters</i> , 1996 , 263, 91-99	2.5	40	
33	Theoretical prediction of vibrational spectra. Scaled quantum mechanical (SQM) force field for fluorobenzene. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1988 , 44, 1067-1077		37	
32	Ab initio Hartree-Fock calculation of the force constants and geometry of HNF2 and H2NF. <i>Molecular Physics</i> , 1977 , 33, 1565-1570	1.7	36	
31	Effect of nondynamical electron correlation on the geometries of conjugated .pisystems. <i>The Journal of Physical Chemistry</i> , 1993 , 97, 4036-4043		34	
30	Theoretical prediction of vibrational spectra: The out-of-plane force field and vibrational spectra of pyridine. <i>Journal of Molecular Spectroscopy</i> , 1985 , 114, 445-453	1.3	34	
29	Theoretical equilibrium geometry, vibrational frequencies and the first electronic transition energy of HCC. <i>Molecular Physics</i> , 1983 , 50, 139-151	1.7	33	
28	Theoretical prediction of the vibrational spectrum geometry and scaled quantum mechanical force field for phenylacetylene. <i>The Journal of Physical Chemistry</i> , 1989 , 93, 7644-7651		32	
27	Scaled quantum mechanical (SQM) force field and vibrational assignment for hexatriene. <i>Computational and Theoretical Chemistry</i> , 1987 , 151, 341-354		32	
26	Force field and vibrational assignment for cyclobutane from a combination of ab initio calculations and experimental data. <i>Computational and Theoretical Chemistry</i> , 1982 , 89, 1-13		32	
25	Benchmark studies on the building blocks of DNA. 2. Effect of biological environment on the electronic excitation spectrum of nucleobases. <i>Journal of Physical Chemistry A</i> , 2012 , 116, 8851-60	2.8	31	
24	Quantum chemical calculation of force constants and vibrational spectra. <i>Journal of Molecular Structure</i> , 1986 , 141, 145-152	3.4	31	
23	Molecular Structure of p-Azoxyanisole, a Mesogen, Determined by Gas-Phase Electron Diffraction Augmented by ab Initio Calculations. <i>Journal of Physical Chemistry A</i> , 1998 , 102, 2080-2086	2.8	28	
22	Scaled quantum mechanical (SQM) force field and vibrational assignment for styrene. Computational and Theoretical Chemistry, 1994, 306, 293-311		28	

Reinterpretation of the UV spectrum of cytosine: only two electronic transitions?. <i>ChemPhysChem</i> , 2009 , 10, 1603-6	3.2	27	
Water-mediated tautomerization of cytosine to the rare imino form: An ab initio dynamics study. <i>Chemical Physics</i> , 2008 , 349, 204-209	2.3	26	
Theoretical prediction of the electronic excited states and resonance Raman intensities in formamide from coupled cluster calculations. <i>Chemical Physics Letters</i> , 1997 , 270, 406-412	2.5	25	
Gas-Phase Molecular Structure of MBBA (4-Methoxybenzylidene-4Eh-butylaniline), a Mesogen, by Electron Diffraction Combined with ab Initio Calculations. <i>Journal of Physical Chemistry A</i> , 1999 , 103, 3054-3061	2.8	25	
Studies on tautomerism: Benchmark quantum chemical calculations on formamide and formamidine. <i>Journal of Molecular Structure</i> , 2010 , 978, 257-262	3.4	19	
Recent developments in the method of SQM force fields with application to 1-methyladenine. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 1997 , 53, 1211-1224	4.4	19	
Scaled quantum mechanical (SQM) force field and vibrational assignment for cyclohexane. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1985 , 41, 425-433		17	
Ab initio study of the vibrational spectrum and geometry of oxetanel Interpretation of the vibrational spectra. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1983 , 39, 761-769		17	
Building a database of force constants based on scaled ab initio (SQM) results. I. Chlorobenzenes. Spectrochimica Acta Part A: Molecular Spectroscopy, 1993 , 49, 1499-1514		14	
A priori results for molecular geometry, scaled quantum mechanical (SQM) force field, and vibrational spectra of pyridazine. <i>The Journal of Physical Chemistry</i> , 1993 , 97, 1356-1363		12	
On the use of scaled quantum mechanical force fields for predicting quartic centrifugal distortion constants. <i>Journal of Chemical Physics</i> , 1988 , 89, 7646-7648	3.9	12	
Quantum chemical MP2 results on some hydrates of cytosine: binding sites, energies and the first hydration shell. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 29880-90	3.6	10	
Determination of an isotope-independent puckering potential function of oxetane. <i>Journal of Molecular Spectroscopy</i> , 1987 , 126, 1-12	1.3	9	
The general valence force field of perchloryl fluoride. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1981 , 37, 549-556		9	
The in-plane force field of nitryl fluoride. <i>Molecular Physics</i> , 1976 , 32, 169-176	1.7	6	
Isomers of Manganese Tetracarbonyl Hydride: A Density Functional Study of Structure and Vibrational Spectra. <i>Organometallics</i> , 1999 , 18, 5245-5251	3.8	5	
Ab initio quantum mechanical calculation of the nitrogen chemical-shift tensor of the imine moiety of benzylideneaniline and analogs of all-trans-retinylidenebutylimine. <i>Journal of Magnetic Resonance</i> , 1992 , 96, 154-158		3	
The geometries of chlorobenzenes as obtained from ab initio calculations empirically corrected by offset forces. <i>Computational and Theoretical Chemistry</i> , 1992 , 277, 147-160		2	
	Water-mediated tautomerization of cytosine to the rare imino form: An ab initio dynamics study. Chemical Physics, 2008, 349, 204-209 Theoretical prediction of the electronic excited states and resonance Raman intensities in formamide from coupled cluster calculations. Chemical Physics Letters, 1997, 270, 405-412 Gas-Phase Molecular Structure of MBBA (4-Methoxybenzylidene-4B-butahiline), a Mesogen, by Electron Diffraction Combined with ab Initio Calculations. Journal of Physical Chemistry A, 1999, 103, 3034-3061 Studies on tautomerism: Benchmark quantum chemical calculations on formamide and formamidine. Journal of Molecular Structure, 2010, 978, 257-262 Recent developments in the method of SQM force fields with application to 1-methyladenine. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 1997, 53, 1211-1224 Scaled quantum mechanical (SQM) force field and vibrational assignment for cyclohexane. Spectrochimica Acta Part A: Molecular Spectroscopy, 1985, 41, 425-433 Ab initio study of the vibrational spectrum and geometry of oxetanell Interpretation of the vibrational spectra. Spectrochimica Acta Part A: Molecular Spectroscopy, 1983, 39, 761-769 Building a database of force constants based on scaled ab initio (SQM) results. I. Chlorobenzenes. Spectrochimica Acta Part A: Molecular Spectroscopy, 1993, 49, 1499-1514 A priori results for molecular geometry, scaled quantum mechanical (SQM) force field, and vibrational spectra of pyridazine. The Journal of Physical Chemistry, 1993, 97, 1356-1363 On the use of scaled quantum mechanical force fields for predicting quartic centrifugal distortion constants. Journal of Chemical Physics, 1988, 89, 7646-7648 Ouantum chemical MP2 results on some hydrates of cytosine: binding sites, energies and the first hydration shell. Physical Chemistry Chemical Physics, 2015, 17, 2980-90 Determination of an isotope-independent puckering potential function of oxetane. Journal of Molecular Spectroscopy, 1981, 37, 549-556 The in-plane force field of nitryl f	Water-mediated tautomerization of cytosine to the rare imino form: An ab initio dynamics study. Chemical Physics, 2008, 349, 204-209 Theoretical prediction of the electronic excited states and resonance Raman intensities in formamide from coupled cluster calculations. Chemical Physics Letters, 1997, 270, 406-412 Gas-Phase Molecular Structure of MBBA (4-Methoxybenzylidene-4lb-butylaniline), a Mesogen, by Electron Diffraction Combined with ab initio Calculations. Journal of Physical Chemistry A, 1999, 103, 3054-3061 Studies on tautomerism: Benchmark quantum chemical calculations on formamidea and formamidine. Journal of Molecular Structure, 2010, 978, 257-262 Recent developments in the method of SQM force fields with application to 1-methyladenine. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 1997, 53, 1211-1224 44 Scaled quantum mechanical (SQM) force field and vibrational assignment for cyclohexane. Spectrochimica Acta Part A: Molecular Spectroscopy, 1985, 41, 425-433 Ab initio study of the vibrational spectrum and geometry of oxetanell Interpretation of the vibrational spectra. Spectrochimica Acta Part A: Molecular Spectroscopy, 1993, 1993, 97, 1356-1363 A priori results for molecular geometry, scaled quantum mechanical (SQM) force field, and vibrational spectra of pyridazine. The Journal of Physical Chemistry, 1993, 97, 1356-1363 On the use of scaled quantum mechanical force fields for predicting quartic centrifugal distortion constants. Journal of Chemical Physics, 1988, 89, 7646-7648 Quantum chemical MP2 results on some hydrates of cytosine: binding sites, energies and the first hydration shell. Physical Chemistry Chemical Physics, 2015, 17, 29880-90 Determination of an isotope-independent puckering potential function of oxetane. Journal of Molecular Spectroscopy, 1987, 126, 1-12 The general valence force field of perchloryl fluoride. Spectrochimica Acta Part A: Molecular Spectroscopy, 1987, 126, 1-12 Loomers of Manganese Tetracarbonyl Hydride: A Density Functional Stu	Water-mediated tautomerization of cytosine to the rare imino form: An ab initio dynamics study. Chemical Physics, 2008, 349, 204-209 Theoretical prediction of the electronic excited states and resonance Raman intensities in formamide from coupled cluster calculations. Chemical Physics Letters, 1997, 270, 406-412 2-5 25 Gas-Phase Molecular Structure of MBBA (4-Methoxybenzylidene-4lb)-butylaniline), a Mesogen, by Electron Diffraction Combined with ab Initio Calculations. Journal of Physical Chemistry A, 1999, 28 25 Studies on tautomerism: Benchmark quantum chemical calculations on formamide and formamidine. Journal of Molecular Structure, 2010, 978, 257-262 Recent developments in the method of SQM force fields with application to 1-methyladenine. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 1997, 53, 1211-1224 4-4 19 Scaled quantum mechanical (SQM) force field and vibrational assignment for cyclohexane. Spectrochimica Acta Part A: Molecular Spectroscopy, 1985, 41, 425-433 Ab initio study of the vibrational spectrum and geometry of oxetanell Interpretation of the vibrational spectra. Spectrochimica Acta Part A: Molecular Spectroscopy, 1983, 39, 761-769 Building a database of force constants based on scaled ab initio (SQM) results. I. Chlorobenzenes. Spectrochimica Acta Part A: Molecular Spectroscopy, 1993, 49, 1499-1514 A priori results for molecular geometry, scaled quantum mechanical (SQM) force field, and vibrational spectra of pyridazine. The Journal of Physical Chemistry, 1993, 97, 1356-1363 12 On the use of scaled quantum mechanical force fields for predicting quartic centrifugal distortion constants. Journal of Chemical Physics, 1988, 89, 7646-7648 Quantum chemical MP2 results on some hydrates of cytosine: binding sites, energies and the first hydration shell. Physical Chemistry Chemical Physics, 2015, 17, 29880-90 Determination of an isotope-independent puckering potential function of oxetane. Journal of Molecular Spectroscopy, 1987, 126, 1-12 The geometries of Man

LIST OF PUBLICATIONS

3	CNDO/2 force field and normal coordinate analysis of 2,6-dimethyl-1,5-dehydro-1,2,3-triazolo-[2,1a]-1,2,3-triazole. <i>Journal of Molecular Structure</i> , 1979 , 56, 277-282	3.4	2
2	The flexibility of the cyclotrisiloxane ring as discussed in a strongly anharmonic vibrational model. <i>Journal of Molecular Structure</i> , 1977 , 41, 139-147	3.4	2
1	The Use of Natural Coordinates in Molecular Geometry Optimizations 1993 , 375-390		1