

Mads Nybo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3846165/publications.pdf>

Version: 2024-02-01

167
papers

4,355
citations

109321

35
h-index

138484

58
g-index

172
all docs

172
docs citations

172
times ranked

6370
citing authors

#	ARTICLE	IF	CITATIONS
1	Preanalytical quality improvement: in quality we trust. Clinical Chemistry and Laboratory Medicine, 2013, 51, 229-241.	2.3	162
2	Development and Risk Factors of Type 2 Diabetes in a Nationwide Population of Women With Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 3848-3857.	3.6	144
3	Joint EFLM-COLABIOCLI Recommendation for venous blood sampling. Clinical Chemistry and Laboratory Medicine, 2018, 56, 2015-2038.	2.3	142
4	Serious Anaphylactic Reactions due to Protamine Sulfate: A Systematic Literature Review. Basic and Clinical Pharmacology and Toxicology, 2008, 103, 192-196.	2.5	137
5	Cardiovascular disease in a nationwide population of Danish women with polycystic ovary syndrome. Cardiovascular Diabetology, 2018, 17, 37.	6.8	133
6	Injury Is a Major Inducer of Epidermal Innate Immune Responses during Wound Healing. Journal of Investigative Dermatology, 2010, 130, 1167-1177.	0.7	125
7	Randomized controlled trial of cholecalciferol supplementation in chronic kidney disease patients with hypovitaminosis D. Nephrology Dialysis Transplantation, 2012, 27, 3523-3531.	0.7	122
8	European multicenter analytical evaluation of the Abbott ARCHITECT STAT high sensitive troponin I immunoassay. Clinical Chemistry and Laboratory Medicine, 2014, 52, 1657-65.	2.3	117
9	Standardization of collection requirements for fasting samples. Clinica Chimica Acta, 2014, 432, 33-37.	1.1	116
10	Morbidity and medicine prescriptions in a nationwide Danish population of patients diagnosed with polycystic ovary syndrome. European Journal of Endocrinology, 2015, 172, 627-638.	3.7	115
11	Preanalytical quality improvement. In pursuit of harmony, on behalf of European Federation for Clinical Chemistry and Laboratory Medicine (EFLM) Working group for Preanalytical Phase (WG-PRE). Clinical Chemistry and Laboratory Medicine, 2015, 53, 357-70.	2.3	110
12	High-sensitive C-reactive protein is associated with reduced lung function in young adults. European Respiratory Journal, 2008, 33, 382-388.	6.7	97
13	Low Serum Thyrotropin Level and Duration of Suppression as a Predictor of Major Osteoporotic Fractures—The OPENTHYRO Register Cohort. Journal of Bone and Mineral Research, 2014, 29, 2040-2050.	2.8	96
14	Platelet count is associated with cardiovascular disease, cancer and mortality: A population-based cohort study. Thrombosis Research, 2016, 148, 136-142.	1.7	96
15	The capability of plasma osteoprotegerin as a predictor of cardiovascular disease: a systematic literature review. European Journal of Endocrinology, 2008, 159, 603-608.	3.7	84
16	Survey of national guidelines, education and training on phlebotomy in 28 European countries: an original report by the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) working group for the preanalytical phase (WG-PA). Clinical Chemistry and Laboratory Medicine, 2013, 51, 1585-1593.	2.3	75
17	Compliance of blood sampling procedures with the CLSI H3-A6 guidelines: An observational study by the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) working group for the preanalytical phase (WG-PRE). Clinical Chemistry and Laboratory Medicine, 2015, 53, 1321-31.	2.3	73
18	The Excess Risk of Major Osteoporotic Fractures in Hypothyroidism Is Driven by Cumulative Hyperthyroid as Opposed to Hypothyroid Time: An Observational Register-Based Time-Resolved Cohort Analysis. Journal of Bone and Mineral Research, 2015, 30, 898-905.	2.8	71

#	ARTICLE	IF	CITATIONS
19	An overview of platelet indices and methods for evaluating platelet function in thrombocytopenic patients. <i>European Journal of Haematology</i> , 2014, 92, 367-376.	2.2	65
20	Does selenium supplementation affect thyroid function? Results from a randomized, controlled, double-blinded trial in a Danish population. <i>European Journal of Endocrinology</i> , 2015, 172, 657-667.	3.7	62
21	Plasma calprotectin and its association with cardiovascular disease manifestations, obesity and the metabolic syndrome in type 2 diabetes mellitus patients. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 196.	1.7	60
22	Duration of Thyroid Dysfunction Correlates with All-Cause Mortality. The OPENTHYRO Register Cohort. <i>PLoS ONE</i> , 2014, 9, e110437.	2.5	57
23	Order of blood draw: Opinion Paper by the European Federation for Clinical Chemistry and Laboratory Medicine (EFLM) Working Group for the Preanalytical Phase (WG-PRE). <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 27-31.	2.3	52
24	Preanalytical challenges – time for solutions. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 974-981.	2.3	46
25	EFLM WG-Preanalytical phase opinion paper: local validation of blood collection tubes in clinical laboratories. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 755-60.	2.3	45
26	The effect of centrifugation speed and time on pre-analytical platelet activation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1913-1920.	2.3	43
27	A comparative study of varying doses of enoxaparin for thromboprophylaxis in critically ill patients: a double-blinded, randomised controlled trial. <i>Critical Care</i> , 2013, 17, R75.	5.8	42
28	Improving quality in the preanalytical phase through innovation, on behalf of the European Federation for Clinical Chemistry and Laboratory Medicine (EFLM) Working Group for Preanalytical Phase (WG-PRE). <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 489-500.	2.3	41
29	Plasma concentrations of extracellular matrix protein fibulin-1 are related to cardiovascular risk markers in chronic kidney disease and diabetes. <i>Cardiovascular Diabetology</i> , 2013, 12, 6.	6.8	39
30	Managing inappropriate utilization of laboratory resources. <i>Diagnosis</i> , 2019, 6, 5-13.	1.9	39
31	Patient identification and tube labelling – a call for harmonisation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1141-1145.	2.3	38
32	[31] Electron microscopy of prefibrillar structures and amyloid fibrils. <i>Methods in Enzymology</i> , 1999, 309, 491-496.	1.0	37
33	The influence of anaemia on stroke prognosis and its relation to N-terminal pro-brain natriuretic peptide. <i>European Journal of Neurology</i> , 2007, 14, 477-482.	3.3	37
34	Osteoprotegerin as a marker of atherosclerosis: A systematic update. <i>Scandinavian Cardiovascular Journal</i> , 2012, 46, 203-211.	1.2	37
35	Drug Dosing in Patients with Renal Insufficiency in a Hospital Setting using Electronic Prescribing and Automated Reporting of Estimated Glomerular Filtration Rate. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 114, 407-413.	2.5	37
36	Plasma osteoprotegerin is related to carotid and peripheral arterial disease, but not to myocardial ischemia in type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2011, 10, 76.	6.8	35

#	ARTICLE	IF	CITATIONS
37	Age-adjusted D-dimer cut-off in the diagnostic strategy for deep vein thrombosis: a systematic review. Scandinavian Journal of Clinical and Laboratory Investigation, 2017, 77, 568-573.	1.2	34
38	Reduced platelet activation and platelet aggregation in patients with alcoholic liver cirrhosis. Platelets, 2018, 29, 520-527.	2.3	34
39	Higher prevalence of anemia among pregnant immigrant women compared to pregnant ethnic Danish women. Annals of Hematology, 2007, 86, 647-651.	1.8	33
40	The role of European Federation of Clinical Chemistry and Laboratory Medicine Working Group for Preanalytical Phase in standardization and harmonization of the preanalytical phase in Europe. Annals of Clinical Biochemistry, 2016, 53, 539-547.	1.6	33
41	Acute hyperinsulinemia decreases plasma osteoprotegerin with diminished effect in type 2 diabetes and obesity. European Journal of Endocrinology, 2009, 161, 95-101.	3.7	32
42	Risk factors for mortality and ischemic heart disease in patients with long-term type 1 diabetes. Journal of Diabetes and Its Complications, 2010, 24, 223-228.	2.3	32
43	Fracture Risk Is Decreased in Women With Polycystic Ovary Syndrome: A Register-Based and Population-Based Cohort Study. Journal of Bone and Mineral Research, 2016, 31, 709-717.	2.8	32
44	The CRESS checklist for reporting stability studies: on behalf of the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) Working Group for the Preanalytical Phase (WG-PRE). Clinical Chemistry and Laboratory Medicine, 2021, 59, 59-69.	2.3	32
45	Quantification of multiple elements in dried blood spot samples. Clinical Biochemistry, 2017, 50, 703-709.	1.9	31
46	Real-life persistence and tolerability with dimethyl fumarate. Multiple Sclerosis and Related Disorders, 2018, 24, 42-46.	2.0	31
47	European survey on preanalytical sample handling – Part 2: Practices of European laboratories on monitoring and processing haemolytic, icteric and lipemic samples. On behalf of the European		

#	ARTICLE	IF	CITATIONS
55	Sample transportation – an overview. <i>Diagnosis</i> , 2019, 6, 39-43.	1.9	24
56	Calcium-dependent and -independent binding of the pentraxin serum amyloid P component to glycosaminoglycans and amyloid proteins: enhanced binding at slightly acid pH. <i>BBA - Proteins and Proteomics</i> , 1997, 1339, 73-78.	2.1	23
57	Dabigatran reduces thrombin-induced platelet aggregation and activation in a dose-dependent manner. <i>Journal of Thrombosis and Thrombolysis</i> , 2017, 44, 216-222.	2.1	23
58	Colour coding for blood collection tube closures – a call for harmonisation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 371-6.	2.3	22
59	Blood Glucose Determination: Effect of Tube Additives. <i>Advances in Clinical Chemistry</i> , 2018, 84, 101-123.	3.7	22
60	Coagulation profile in patients undergoing video-assisted thoracoscopic lobectomy: A randomized, controlled trial. <i>PLoS ONE</i> , 2017, 12, e0171809.	2.5	22
61	Increased Plasma Concentration of Serum Amyloid P Component in Centenarians with Impaired Cognitive Performance. <i>Dementia and Geriatric Cognitive Disorders</i> , 1998, 9, 126-129.	1.5	20
62	Cardiovascular diseases are largely underreported in Danish centenarians. <i>Age and Ageing</i> , 2013, 42, 249-253.	1.6	20
63	Inappropriate use of laboratory tests: How availability triggers demand – Examples across Europe. <i>Clinica Chimica Acta</i> , 2020, 505, 100-107.	1.1	20
64	Lack of Observed Association between High Plasma Osteoprotegerin Concentrations and Ischemic Stroke Risk in a Healthy Population. <i>Clinical Chemistry</i> , 2008, 54, 1969-1974.	3.2	19
65	Rosiglitazone Decreases Plasma Levels of Osteoprotegerin in a Randomized Clinical Trial with Type 2 Diabetes Patients. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2011, 109, 481-485.	2.5	19
66	Associations Between Diabetic Retinopathy and Plasma Levels of High-sensitive C-reactive Protein or Von Willebrand Factor in Long-term Type 1 Diabetic Patients. <i>Current Eye Research</i> , 2013, 38, 174-179.	1.5	19
67	Light transmission aggregometry using pre-coated microtiter plates and a Victor X5 plate reader. <i>PLoS ONE</i> , 2017, 12, e0185675.	2.5	19
68	European survey on preanalytical sample handling – Part 1: How do European laboratories monitor the preanalytical phase? On behalf of the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) Working Group for the Preanalytical Pha. <i>Biochimica Medica</i> , 2019, 29, 322-333.	2.7	19
69	Diagnostic value of prehospital arterial blood gas measurements – a randomised controlled trial. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019, 27, 32.	2.6	18
70	Preanalytical aspects on short- and long-term storage of serum and plasma. <i>Diagnosis</i> , 2019, 6, 51-56.	1.9	18
71	Use of clinical data and acceleration profiles to validate pneumatic transportation systems. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 560-568.	2.3	18
72	Increased risk of thyroid disease in Danish women with polycystic ovary syndrome: a cohort study. <i>Endocrine Connections</i> , 2019, 8, 1405-1415.	1.9	18

#	ARTICLE	IF	CITATIONS
73	Plasma osteoprotegerin concentrations in peripheral sensory neuropathy in Type 1 and Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2010, 27, 289-294.	2.3	17
74	Acute hyperinsulinemia is followed by increased serum concentrations of fibroblast growth factor 23 in type 2 diabetes patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 108-113.	1.2	17
75	Associations between airway hyperresponsiveness, obesity and lipoproteins in a longitudinal cohort. <i>Clinical Respiratory Journal</i> , 2013, 7, 268-275.	1.6	17
76	Sixteen years of creatinine measurements among 460 000 individuals – The Funen Laboratory Cohort (FLaC), a population-based pharmacoepidemiological resource to study drug-induced kidney disease. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 582-590.	2.5	17
77	Oral Bisphosphonate use Reduces Cardiovascular Events in a Cohort of Danish Patients Referred for Bone Mineral Density. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 3215-3225.	3.6	17
78	Serum surfactant protein D is correlated to development of dementia and augmented mortality. <i>Clinical Immunology</i> , 2007, 123, 333-337.	3.2	16
79	Implementation of the ABL-90 blood gas analyzer in a ground-based mobile emergency care unit. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 54.	2.6	16
80	Association between high-sensitive troponin I and coronary artery calcification in a Danish general population. <i>Atherosclerosis</i> , 2016, 245, 88-93.	0.8	16
81	Cerebrospinal fluid pleocytosis level as a diagnostic predictor? A cross-sectional study. <i>BMC Clinical Pathology</i> , 2017, 17, 15.	1.8	16
82	Sample Type and Storage Conditions Affect Calprotectin Measurements in Blood. <i>journal of applied laboratory medicine</i> , The, 2018, 2, 851-856.	1.3	16
83	Cancer incidence in persons with elevated cobalamin levels. <i>European Journal of Clinical Investigation</i> , 2013, 43, 557-561.	3.4	15
84	Hereditary xerocytosis and familial haemolysis due to mutation in the PIEZO1 gene: a simple diagnostic approach. <i>International Journal of Laboratory Hematology</i> , 2014, 36, e62-5.	1.3	15
85	N-terminal pro brain natriuretic peptide reflects long-term complications in type 1 diabetes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 392-398.	1.2	14
86	Osteoprotegerin and coronary artery disease in type 2 diabetic patients with microalbuminuria. <i>Cardiovascular Diabetology</i> , 2011, 10, 70.	6.8	14
87	Plasma copeptin as marker of cardiovascular disease in asymptomatic type 2 diabetes patients. <i>Diabetes and Vascular Disease Research</i> , 2014, 11, 448-450.	2.0	13
88	Lipid-lowering therapy and low-density lipoprotein cholesterol goal attainment after acute coronary syndrome: a Danish population-based cohort study. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 336.	1.7	13
89	Diagnosing heart failure in centenarians. <i>Journal of Geriatric Cardiology</i> , 2019, 16, 1-11.	0.2	13
90	Complement activation by the amyloid proteins A β peptide and β 2-microglobulin. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 1999, 6, 265-272.	3.0	11

#	ARTICLE	IF	CITATIONS
91	Measurement of plasma viscosity by free oscillation rheometry: imprecision, sample stability and establishment of a new reference range. <i>Annals of Clinical Biochemistry</i> , 2014, 51, 495-498.	1.6	11
92	Idarucizumab for Reversal of Dabigatran Prior to Acute Surgery: A Schematic Approach Based on a Case Report. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 407-410.	2.5	11
93	The in vitro effect of antirheumatic drugs on platelet function. <i>Platelets</i> , 2020, 31, 248-257.	2.3	11
94	Real-world experience with reversal of dabigatran by idarucizumab. <i>Thrombosis Research</i> , 2021, 197, 179-184.	1.7	11
95	Dusart Syndrome in a Scandinavian family characterized by arterial and venous thrombosis at young age. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 585-590.	1.2	10
96	An ELISA for the quantitation of von Willebrand Factor: Osteoprotegerin complexes in plasma. <i>Thrombosis Research</i> , 2013, 131, 396-400.	1.7	10
97	Determinants of bone mineral density in patients on haemodialysis or peritoneal dialysis – a cross-sectional, longitudinal study. <i>Biochemia Medica</i> , 2013, 23, 342-350.	2.7	10
98	Lack of harmonization in sweat testing for cystic fibrosis – a national survey. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2014, 74, 708-712.	1.2	10
99	Venous Thromboembolism in Patients With Thrombocytopenia: Risk Factors, Treatment, and Outcome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017, 23, 345-350.	1.7	10
100	Patient's knowledge and awareness about the effect of the over-the-counter (OTC) drugs and dietary supplements on laboratory test results: a survey in 18 European countries. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 57, 183-194.	2.3	10
101	Discordant expression of pro-B-type and pro-C-type natriuretic peptide in newborn infants of mothers with type 1 diabetes. <i>Regulatory Peptides</i> , 2007, 141, 135-139.	1.9	9
102	Intrauterine Extremity Gangrene and Cerebral Infarction at Term: A Case Report. <i>Case Reports in Pediatrics</i> , 2011, 2011, 1-4.	0.4	9
103	Preanalytical factors of importance for measurement of Chromogranin A. <i>Clinica Chimica Acta</i> , 2014, 436, 41-44.	1.1	9
104	Evidence of perturbed germinal center dynamics, but preserved antibody diversity, in end-stage renal disease. <i>Immunity, Inflammation and Disease</i> , 2016, 4, 225-234.	2.7	9
105	Gastrointestinal Symptoms as an Important Sign in Premature Newborns with Severely Increased S-Digoxin. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2005, 96, 465-468.	2.5	8
106	Blood Sampling: Is Fasting Properly Defined?. <i>Clinical Chemistry</i> , 2005, 51, 1563-1564.	3.2	8
107	Discordant Diagnoses of Acute Myocardial Infarction due to the Different Use of Assays and Cut-Off Points of Cardiac Troponins. <i>Cardiology</i> , 2012, 122, 225-229.	1.4	8
108	The association between renal function and BMD response to bisphosphonate treatment: Real-world cohort study using linked national registers. <i>Bone</i> , 2020, 137, 115371.	2.9	8

#	ARTICLE	IF	CITATIONS
109	Clinicians™ and laboratory medicine specialists™ views on laboratory demand management: a survey in nine European countries. <i>Diagnosis</i> , 2021, 8, 111-119.	1.9	8
110	No relationship between lung function and high-sensitive C-reactive protein in adolescence. <i>Clinical Respiratory Journal</i> , 2010, 4, 230-236.	1.6	7
111	Continuous quality control of the blood sampling procedure using a structured observation scheme. <i>Biochemia Medica</i> , 2016, 26, 337-345.	2.7	7
112	Video-assisted Thoracoscopic surgery (VATS) lobectomy for lung cancer does not induce a procoagulant state. <i>Thrombosis Journal</i> , 2017, 15, 29.	2.1	7
113	Venous Thromboembolism in Pediatric Cancer Patients with Central Venous Catheter™ A Systematic Review and Meta-analysis. <i>Seminars in Thrombosis and Hemostasis</i> , 2021, 47, 920-930.	2.7	7
114	Single test isolated lupus anticoagulant positivity is associated with increased plasma levels of inflammatory markers and dyslipidemia. <i>Lupus</i> , 2016, 25, 241-247.	1.6	6
115	Prolonged aPTT after kidney transplantation due to transient lupus anticoagulants. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1060-1065.	0.7	5
116	The relationship between HbA _{1c} and fasting plasma glucose in patients with increased plasma liver enzyme measurements. <i>Diabetic Medicine</i> , 2012, 29, 742-747.	2.3	5
117	Hemoglobin is Associated with Retinal Vascular Fractals in Type 1 Diabetes Patients. <i>Ophthalmic Epidemiology</i> , 2014, 21, 327-332.	1.7	5
118	Verification of the hemolysis index measurement: imprecision, accuracy, measuring range, reference interval and impact of implementing analytically and clinically derived sample rejection criteria. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 580-589.	1.2	5
119	Can Lipoprotein-associated Phospholipase A ₂ be Used as a Predictor of Long-term Outcome in Patients with Acute Coronary Syndrome?. <i>Current Cardiology Reviews</i> , 2014, 9, 310-315.	1.5	5
120	Lithium and the risk of chronic kidney disease: A population-based case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 131, 129-137.	2.5	5
121	Statin use before and after the KDIGO Lipids in chronic kidney disease guideline: A population-based interrupted time series analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 0, , .	2.5	5
122	No certain predictors for mutation status in a Danish cohort with familial hypercholesterolemia: A descriptive study. <i>Clinical Biochemistry</i> , 2007, 40, 1347-1352.	1.9	4
123	Familial lipoprotein lipase deficiency: a case of compound heterozygosity of a novel duplication (R44Kfs*4) and a common mutation (N291S) in the lipoprotein lipase gene. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 374-379.	1.6	4
124	Congenital Chloride Diarrhea: Diagnosis by Easy-Accessible Chloride Measurement in Feces. <i>Case Reports in Pediatrics</i> , 2016, 2016, 1-3.	0.4	4
125	The primary haemostasis is more preserved in thrombocytopenic patients with liver cirrhosis than cancer. <i>Blood Coagulation and Fibrinolysis</i> , 2018, 29, 307-313.	1.0	4
126	Coagulation profile in open and video-assisted thoracoscopic lobectomies: a cohort study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018, 26, 382-388.	1.1	4

#	ARTICLE	IF	CITATIONS
127	Quality Control of Preanalytical Handling of Blood Samples for Future Research: A National Survey. <i>Journal of applied laboratory medicine</i> , The, 2020, 5, 83-90.	1.3	4
128	Lipemia Index and screening for hyperlipidemia – A diagnostic opportunity?. <i>Clinica Chimica Acta</i> , 2020, 501, 83-84.	1.1	4
129	Improved cardiovascular profile in Danish centenarians? A comparative study of two birth cohorts born 20 years apart. <i>European Geriatric Medicine</i> , 2022, , 1.	2.8	4
130	Denaturing High-performance Liquid Chromatography mutation analysis in patients with reduced Protein S levels. <i>Clinica Chimica Acta</i> , 2008, 390, 76-81.	1.1	3
131	More Studies on Outcomes Using Biochemical Diagnostic Tests Are Needed: Findings from the Danish Society of Clinical Biochemistry. <i>Clinical Chemistry</i> , 2008, 54, 1254-1256.	3.2	3
132	Rivaroxaban non-responders: do plasma measurements have a place?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 56, e16-e18.	2.3	3
133	Platelet function in lung cancer patients undergoing lobectomy. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 513-518.	1.2	3
134	The association between activated protein C ratio and Factor V Leiden are gender-dependent. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1229-1234.	2.3	3
135	Predictive Markers of Atrial Fibrillation in Patients with Transient Ischemic Attack. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104643.	1.6	3
136	Novel Phospholipid-Protein Conjugates Allow Improved Detection of Antibodies in Patients with Autoimmune Diseases. <i>PLoS ONE</i> , 2016, 11, e0156125.	2.5	3
137	Elevated zinc concentrations in a 5 months old infant: A case report. <i>Biochemia Medica</i> , 2018, 28, 011001.	2.7	3
138	Falsely prolonged activated partial thromboplastin time – a pre- and post-analytical issue. <i>Biochemia Medica</i> , 2019, 29, 157-161.	2.7	3
139	Accuracy of a point-of-care blood lactate measurement device in a prehospital setting. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 1679-1687.	1.6	3
140	Major diabetes-related vascular events do not improve glycaemic control in a population-based cohort of type 1 diabetic individuals. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 748-751.	1.2	2
141	Natriuretic Peptide Concentrations in Centenarians. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 991-993.	2.6	2
142	Protein S and protein C measurements should not be undertaken during vitamin K antagonist therapy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, e5-e7.	2.3	2
143	Alterations in the Coagulation System during Major Visceral Surgery in Children. <i>Surgery Research and Practice</i> , 2014, 2014, 1-6.	0.5	2
144	Discordant diagnoses obtained by different approaches in antithrombin mutation analysis. <i>Clinical Biochemistry</i> , 2014, 47, 1337-1340.	1.9	2

#	ARTICLE	IF	CITATIONS
145	Interference from lupus anticoagulant on von Willebrand factor measurement in splenic marginal zone lymphoma. <i>Blood Coagulation and Fibrinolysis</i> , 2015, 26, 454-457.	1.0	2
146	Thrombophilia prevalence among women with placenta-mediated pregnancy complications. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 134, 156-159.	2.3	2
147	Hemolysis-Icterus-Lipemia Index Analysis: A National Survey on the Validation and Use on Automated Equipment. <i>Journal of Applied Laboratory Medicine</i> , 2017, 1, 450-452.	1.3	2
148	Status on fasting definition for blood sampling in the Nordic countries – time for a harmonized definition. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 591-594.	1.2	2
149	Hygiene of venepuncture tourniquets in Denmark. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 417-420.	1.2	2
150	Alendronate use and bone mineral density gains in women with moderate-severe (stages 3&4) chronic kidney disease: an open cohort multivariable and propensity score analysis from Funen, Denmark. <i>Archives of Osteoporosis</i> , 2020, 15, 81.	2.4	2
151	A Sensitive Plasma Insulin Immunoassay to Establish the Diagnosis of Congenital Hyperinsulinism. <i>Frontiers in Endocrinology</i> , 2020, 11, 614993.	3.5	2
152	Management of Cancer-Associated Venous Thrombosis: A Nationwide Survey among Danish Oncologists. <i>TH Open</i> , 2021, 05, e188-e194.	1.4	2
153	Measurement of vitamin D in dried blood spots stored under different temperature conditions. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 461-467.	1.6	2
154	A Population-Based Study of Cholesterol Measurements in the Oldest Old. <i>Current Aging Science</i> , 2015, 8, 282-287.	1.2	2
155	Duplication of exon 7&12 in the low-density lipoprotein receptor gene in three Danish patients with familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2013, 7, 174-177.	1.5	1
156	Coagulation and fibrinolysis during lung surgery: an experimental study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 19, 567-571.	1.1	1
157	Transient plasma cobalamin elevation in patients with pneumonia – two case reports. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 333-334.	1.2	1
158	Can High-Sensitivity Troponins Predict Future Hypertension? A Systematic Literature Review. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 613-618.	1.2	1
159	Changing reference intervals for haemoglobin in Denmark: Clinical and financial aspects. <i>Biochemia Medica</i> , 2017, 27, 030702.	2.7	1
160	Współne zalecenia EFLM-COLABIOCLI dotyczący pobierania krwi i jej. <i>Diagnostyka Laboratoryjna i Wiadomości PTDL</i> , 2019, 54, 291-312.	0.1	1
161	Plasma osteoprotegerin concentrations in peripheral sensory neuropathy in type 1 and type 2 diabetes patients. <i>Diabetic Medicine</i> , 2009, , .	2.3	0
162	Severe arterial thrombosis in a family with type III protein S deficiency caused by a frameshift mutation in the <i>PROS1</i> gene. <i>Thrombosis Research</i> , 2010, 126, e159-e161.	1.7	0

#	ARTICLE	IF	CITATIONS
163	Duration of vitamin K-antagonist treatment before DC cardioversion does not affect recurrence rate in patients with atrial fibrillation. International Journal of Cardiology, 2013, 168, 2986-2988.	1.7	0
164	The heterozygous N291S mutation in the lipoprotein lipase gene impairs whole-body insulin sensitivity and affects a distinct set of plasma metabolites in humans. Journal of Clinical Lipidology, 2017, 11, 515-523.e6.	1.5	0
165	Prostaglandin E ₂ â€œEPâ€œ receptor subtype gene deletion in mother and son impairs platelet aggregation. British Journal of Haematology, 2019, 184, 851-853.	2.5	0
166	MON-111 Plasma Insulin Measured with a Sensitive Immunoassay May Establish the Diagnosis of Congenital Hyperinsulinism Without Further Testing. Journal of the Endocrine Society, 2020, 4, .	0.2	0
167	Circulating biomarkers, echocardiographic parameters, and incident subclinical atrial fibrillation in patients with diabetes and hypertension. PACE - Pacing and Clinical Electrophysiology, 2021, , .	1.2	0