

Mads Nybo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3846165/publications.pdf>

Version: 2024-02-01

167
papers

4,355
citations

109137

35
h-index

138251

58
g-index

172
all docs

172
docs citations

172
times ranked

6370
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Accuracy of a point-of-care blood lactate measurement device in a prehospital setting. <i>Journal of Clinical Monitoring and Computing</i> , 2022, 36, 1679-1687. | 0.7 | 3 |
| 2 | Improved cardiovascular profile in Danish centenarians? A comparative study of two birth cohorts born 20Åyears apart. <i>European Geriatric Medicine</i> , 2022, , 1. | 1.2 | 4 |
| 3 | Lithium and the risk of chronic kidney disease: A populationâ€based caseâ€control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 131, 129-137. | 1.2 | 5 |
| 4 | Real-world experience with reversal of dabigatran by idarucizumab. <i>Thrombosis Research</i> , 2021, 197, 179-184. | 0.8 | 11 |
| 5 | Management of Cancer-Associated Venous Thrombosis: A Nationwide Survey among Danish Oncologists. <i>TH Open</i> , 2021, 05, e188-e194. | 0.7 | 2 |
| 6 | Measurement of vitamin D in dried blood spots stored under different temperature conditions. <i>Annals of Clinical Biochemistry</i> , 2021, 58, 461-467. | 0.8 | 2 |
| 7 | Venous Thromboembolism in Pediatric Cancer Patients with Central Venous Catheterâ€A Systematic Review and Meta-analysis. <i>Seminars in Thrombosis and Hemostasis</i> , 2021, 47, 920-930. | 1.5 | 7 |
| 8 | The CRESS checklist for reporting stability studies: on behalf of the European Federation ofÂClinical Chemistry and Laboratory Medicine (EFLM) Working Group for the Preanalytical PhaseÂ(WG-PRE). <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 59-69. | 1.4 | 32 |
| 9 | Cliniciansâ€™ and laboratory medicine specialistsâ€™ views on laboratory demand management: a survey in nine European countries. <i>Diagnosis</i> , 2021, 8, 111-119. | 1.2 | 8 |
| 10 | Circulating biomarkers, echocardiographic parameters, and incident subclinical atrial fibrillation in patients with diabetes and hypertension. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, , . | 0.5 | 0 |
| 11 | The in vitro effect of antirheumatic drugs on platelet function. <i>Platelets</i> , 2020, 31, 248-257. | 1.1 | 11 |
| 12 | Quality Control of Preanalytical Handling of Blood Samples for Future Research: A National Survey. <i>journal of applied laboratory medicine</i> , The, 2020, 5, 83-90. | 0.6 | 4 |
| 13 | Use of clinical data and acceleration profiles to validate pneumatic transportation systems. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 560-568. | 1.4 | 18 |
| 14 | Lipemia Index and screening for hyperlipidemia â€ A diagnostic opportunity?. <i>Clinica Chimica Acta</i> , 2020, 501, 83-84. | 0.5 | 4 |
| 15 | Lipid-lowering therapy and low-density lipoprotein cholesterol goal attainment after acute coronary syndrome: a Danish population-based cohort study. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 336. | 0.7 | 13 |
| 16 | Predictive Markers of Atrial Fibrillation in Patients with Transient Ischemic Attack. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020, 29, 104643. | 0.7 | 3 |
| 17 | Oral Bisphosphonate use Reduces Cardiovascular Events in a Cohort of Danish Patients Referred for Bone Mineral Density. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 3215-3225. | 1.8 | 17 |
| 18 | Verification of the hemolysis index measurement: imprecision, accuracy, measuring range, reference interval and impact of implementing analytically and clinically derived sample rejection criteria. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2020, 80, 580-589. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Alendronate use and bone mineral density gains in women with moderate-severe (stages 3&4) chronic kidney disease: an open cohort multivariable and propensity score analysis from Funen, Denmark. Archives of Osteoporosis, 2020, 15, 81. | 1.0 | 2 |
| 20 | Inappropriate use of laboratory tests: How availability triggers demand – Examples across Europe. Clinica Chimica Acta, 2020, 505, 100-107. | 0.5 | 20 |
| 21 | The association between renal function and BMD response to bisphosphonate treatment: Real-world cohort study using linked national registers. Bone, 2020, 137, 115371. | 1.4 | 8 |
| 22 | A Sensitive Plasma Insulin Immunoassay to Establish the Diagnosis of Congenital Hyperinsulinism. Frontiers in Endocrinology, 2020, 11, 614993. | 1.5 | 2 |
| 23 | MON-111 Plasma Insulin Measured with a Sensitive Immunoassay May Establish the Diagnosis of Congenital Hyperinsulinism Without Further Testing. Journal of the Endocrine Society, 2020, 4, . | 0.1 | 0 |
| 24 | Managing inappropriate utilization of laboratory resources. Diagnosis, 2019, 6, 5-13. | 1.2 | 39 |
| 25 | Platelet function in lung cancer patients undergoing lobectomy. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 513-518. | 0.6 | 3 |
| 26 | European survey on preanalytical sample handling – Part 2: Practices of European laboratories on monitoring and processing haemolytic, icteric and lipemic samples. On behalf of the European | | |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Increased risk of thyroid disease in Danish women with polycystic ovary syndrome: a cohort study. <i>Endocrine Connections</i> , 2019, 8, 1405-1415. | 0.8 | 18 |
| 38 | Falsely prolonged activated partial thromboplastin time " a pre- and post-analytical issue. <i>Biochimica Medica</i> , 2019, 29, 157-161. | 1.2 | 3 |
| 39 | Wspólne zalecenia EFLM-COLABIOCLI dotyczą...ce pobierania krwi żyłnej. <i>Diagnostyka Laboratoryjna i Wiadomości PTDL</i> , 2019, 54, 291-312. | 0.0 | 1 |
| 40 | Blood Glucose Determination: Effect of Tube Additives. <i>Advances in Clinical Chemistry</i> , 2018, 84, 101-123. | 1.8 | 22 |
| 41 | Transient plasma cobalamin elevation in patients with pneumonia " two case reports. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 333-334. | 0.6 | 1 |
| 42 | Cardiovascular disease in a nationwide population of Danish women with polycystic ovary syndrome. <i>Cardiovascular Diabetology</i> , 2018, 17, 37. | 2.7 | 133 |
| 43 | The primary haemostasis is more preserved in thrombocytopenic patients with liver cirrhosis than cancer. <i>Blood Coagulation and Fibrinolysis</i> , 2018, 29, 307-313. | 0.5 | 4 |
| 44 | Reduced platelet activation and platelet aggregation in patients with alcoholic liver cirrhosis. <i>Platelets</i> , 2018, 29, 520-527. | 1.1 | 34 |
| 45 | Blood Sample Transportation by Pneumatic Transportation Systems: A Systematic Literature Review. <i>Clinical Chemistry</i> , 2018, 64, 782-790. | 1.5 | 29 |
| 46 | Status on fasting definition for blood sampling in the Nordic countries " time for a harmonized definition. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 591-594. | 0.6 | 2 |
| 47 | Coagulation profile in open and video-assisted thoracoscopic lobectomies: a cohort study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018, 26, 382-388. | 0.5 | 4 |
| 48 | Patient's knowledge and awareness about the effect of the over-the-counter (OTC) drugs and dietary supplements on laboratory test results: a survey in 18 European countries. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 57, 183-194. | 1.4 | 10 |
| 49 | Sample Type and Storage Conditions Affect Calprotectin Measurements in Blood. <i>journal of applied laboratory medicine</i> , The, 2018, 2, 851-856. | 0.6 | 16 |
| 50 | Joint EFLM-COLABIOCLI Recommendation for venous blood sampling. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 2015-2038. | 1.4 | 142 |
| 51 | Real-life persistence and tolerability with dimethyl fumarate. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 24, 42-46. | 0.9 | 31 |
| 52 | Hygiene of venepuncture tourniquets in Denmark. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 417-420. | 0.6 | 2 |
| 53 | Elevated zinc concentrations in a 5 months old infant: A case report. <i>Biochimica Medica</i> , 2018, 28, 011001. | 1.2 | 3 |
| 54 | Venous Thromboembolism in Patients With Thrombocytopenia: Risk Factors, Treatment, and Outcome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017, 23, 345-350. | 0.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Quantification of multiple elements in dried blood spot samples. <i>Clinical Biochemistry</i> , 2017, 50, 703-709. | 0.8 | 31 |
| 56 | The heterozygous N291S mutation in the lipoprotein lipase gene impairs whole-body insulin sensitivity and affects a distinct set of plasma metabolites in humans. <i>Journal of Clinical Lipidology</i> , 2017, 11, 515-523.e6. | 0.6 | 0 |
| 57 | Improving quality in the preanalytical phase through innovation, on behalf of the European Federation for Clinical Chemistry and Laboratory Medicine (EFLM) Working Group for Preanalytical Phase (WG-PRE). <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 489-500. | 1.4 | 41 |
| 58 | Dabigatran reduces thrombin-induced platelet aggregation and activation in a dose-dependent manner. <i>Journal of Thrombosis and Thrombolysis</i> , 2017, 44, 216-222. | 1.0 | 23 |
| 59 | Idarucizumab for Reversal of Dabigatran Prior to Acute Surgery: A Schematic Approach Based on a Case Report. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 407-410. | 1.2 | 11 |
| 60 | Age-adjusted D-dimer cut-off in the diagnostic strategy for deep vein thrombosis: a systematic review. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 568-573. | 0.6 | 34 |
| 61 | Development and Risk Factors of Type 2 Diabetes in a Nationwide Population of Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3848-3857. | 1.8 | 144 |
| 62 | Rivaroxaban non-responders: do plasma measurements have a place?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 56, e16-e18. | 1.4 | 3 |
| 63 | Order of blood draw: Opinion Paper by the European Federation for Clinical Chemistry and Laboratory Medicine (EFLM) Working Group for the Preanalytical Phase (WG-PRE). <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 27-31. | 1.4 | 52 |
| 64 | Hemolysis-Icterus-Lipemia Index Analysis: A National Survey on the Validation and Use on Automated Equipment. <i>Journal of Applied Laboratory Medicine</i> , The, 2017, 1, 450-452. | 0.6 | 2 |
| 65 | Light transmission aggregometry using pre-coated microtiter plates and a Victor X5 plate reader. <i>PLoS ONE</i> , 2017, 12, e0185675. | 1.1 | 19 |
| 66 | Cerebrospinal fluid pleocytosis level as a diagnostic predictor? A cross-sectional study. <i>BMC Clinical Pathology</i> , 2017, 17, 15. | 1.8 | 16 |
| 67 | Video-assisted Thoracoscopic surgery (VATS) lobectomy for lung cancer does not induce a procoagulant state. <i>Thrombosis Journal</i> , 2017, 15, 29. | 0.9 | 7 |
| 68 | Coagulation profile in patients undergoing video-assisted thoracoscopic lobectomy: A randomized, controlled trial. <i>PLoS ONE</i> , 2017, 12, e0171809. | 1.1 | 22 |
| 69 | Changing reference intervals for haemoglobin in Denmark: Clinical and financial aspects. <i>Biochemia Medica</i> , 2017, 27, 030702. | 1.2 | 1 |
| 70 | Continuous quality control of the blood sampling procedure using a structured observation scheme. <i>Biochemia Medica</i> , 2016, 26, 337-345. | 1.2 | 7 |
| 71 | Congenital Chloride Diarrhea: Diagnosis by Easy-Accessible Chloride Measurement in Feces. <i>Case Reports in Pediatrics</i> , 2016, 2016, 1-3. | 0.2 | 4 |
| 72 | Prediction of bleeding and prophylactic platelet transfusions in cancer patients with thrombocytopenia. <i>Platelets</i> , 2016, 27, 547-554. | 1.1 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The effect of centrifugation speed and time on pre-analytical platelet activation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1913-1920. | 1.4 | 43 |
| 74 | Thrombophilia prevalence among women with placenta-mediated pregnancy complications. <i>International Journal of Gynecology and Obstetrics</i> , 2016, 134, 156-159. | 1.0 | 2 |
| 75 | The role of European Federation of Clinical Chemistry and Laboratory Medicine Working Group for Preanalytical Phase in standardization and harmonization of the preanalytical phase in Europe. <i>Annals of Clinical Biochemistry</i> , 2016, 53, 539-547. | 0.8 | 33 |
| 76 | Platelet count is associated with cardiovascular disease, cancer and mortality: A population-based cohort study. <i>Thrombosis Research</i> , 2016, 148, 136-142. | 0.8 | 96 |
| 77 | Evidence of perturbed germinal center dynamics, but preserved antibody diversity, in end-stage renal disease. <i>Immunity, Inflammation and Disease</i> , 2016, 4, 225-234. | 1.3 | 9 |
| 78 | Patient identification and tube labelling – a call for harmonisation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1141-1145. | 1.4 | 38 |
| 79 | Association between high-sensitive troponin I and coronary artery calcification in a Danish general population. <i>Atherosclerosis</i> , 2016, 245, 88-93. | 0.4 | 16 |
| 80 | Fracture Risk Is Decreased in Women With Polycystic Ovary Syndrome: A Register-Based and Population-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2016, 31, 709-717. | 3.1 | 32 |
| 81 | Single test isolated lupus anticoagulant positivity is associated with increased plasma levels of inflammatory markers and dyslipidemia. <i>Lupus</i> , 2016, 25, 241-247. | 0.8 | 6 |
| 82 | EFLM WG-Preanalytical phase opinion paper: local validation of blood collection tubes in clinical laboratories. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 755-60. | 1.4 | 45 |
| 83 | Novel Phospholipid-Protein Conjugates Allow Improved Detection of Antibodies in Patients with Autoimmune Diseases. <i>PLoS ONE</i> , 2016, 11, e0156125. | 1.1 | 3 |
| 84 | Randomised controlled trial of the effect of long-term selenium supplementation on plasma cholesterol in an elderly Danish population. <i>British Journal of Nutrition</i> , 2015, 114, 1807-1818. | 1.2 | 30 |
| 85 | Interference from lupus anticoagulant on von Willebrand factor measurement in splenic marginal zone lymphoma. <i>Blood Coagulation and Fibrinolysis</i> , 2015, 26, 454-457. | 0.5 | 2 |
| 86 | Colour coding for blood collection tube closures – a call for harmonisation. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 371-6. | 1.4 | 22 |
| 87 | Compliance of blood sampling procedures with the CLSI H3-A6 guidelines: An observational study by the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) working group for the preanalytical phase (WG-PRE). <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1321-31. | 1.4 | 73 |
| 88 | Morbidity and medicine prescriptions in a nationwide Danish population of patients diagnosed with polycystic ovary syndrome. <i>European Journal of Endocrinology</i> , 2015, 172, 627-638. | 1.9 | 115 |
| 89 | Preanalytical quality improvement. In pursuit of harmony, on behalf of European Federation for Clinical Chemistry and Laboratory Medicine (EFLM) Working group for Preanalytical Phase (WG-PRE). <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 357-70. | 1.4 | 110 |
| 90 | Does selenium supplementation affect thyroid function? Results from a randomized, controlled, double-blinded trial in a Danish population. <i>European Journal of Endocrinology</i> , 2015, 172, 657-667. | 1.9 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Implementation of the ABL-90 blood gas analyzer in a ground-based mobile emergency care unit. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2015, 23, 54. | 1.1 | 16 |
| 92 | The Excess Risk of Major Osteoporotic Fractures in Hypothyroidism Is Driven by Cumulative Hyperthyroid as Opposed to Hypothyroid Time: An Observational Register-Based Time-Resolved Cohort Analysis. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 898-905. | 3.1 | 71 |
| 93 | A Population-Based Study of Cholesterol Measurements in the Oldest Old. <i>Current Aging Science</i> , 2015, 8, 282-287. | 0.4 | 2 |
| 94 | Duration of Thyroid Dysfunction Correlates with All-Cause Mortality. The OPENTHYRO Register Cohort. <i>PLoS ONE</i> , 2014, 9, e110437. | 1.1 | 57 |
| 95 | Alterations in the Coagulation System during Major Visceral Surgery in Children. <i>Surgery Research and Practice</i> , 2014, 2014, 1-6. | 0.1 | 2 |
| 96 | Low Serum Thyrotropin Level and Duration of Suppression as a Predictor of Major Osteoporotic Fractures—The OPENTHYRO Register Cohort. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 2040-2050. | 3.1 | 96 |
| 97 | Plasma calprotectin and its association with cardiovascular disease manifestations, obesity and the metabolic syndrome in type 2 diabetes mellitus patients. <i>BMC Cardiovascular Disorders</i> , 2014, 14, 196. | 0.7 | 60 |
| 98 | Lack of harmonization in sweat testing for cystic fibrosis – a national survey. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2014, 74, 708-712. | 0.6 | 10 |
| 99 | Measurement of plasma viscosity by free oscillation rheometry: imprecision, sample stability and establishment of a new reference range. <i>Annals of Clinical Biochemistry</i> , 2014, 51, 495-498. | 0.8 | 11 |
| 100 | European multicenter analytical evaluation of the Abbott ARCHITECT STAT high sensitive troponin I immunoassay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 1657-65. | 1.4 | 117 |
| 101 | Drug Dosing in Patients with Renal Insufficiency in a Hospital Setting using Electronic Prescribing and Automated Reporting of Estimated Glomerular Filtration Rate. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 114, 407-413. | 1.2 | 37 |
| 102 | Hereditary xerocytosis and familial haemolysis due to mutation in the PIEZO1 gene: a simple diagnostic approach. <i>International Journal of Laboratory Hematology</i> , 2014, 36, e62-5. | 0.7 | 15 |
| 103 | Optimal cut-off value for cardiac troponin I in ruling out Type 5 myocardial infarction. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 18, 544-550. | 0.5 | 24 |
| 104 | Hemoglobin is Associated with Retinal Vascular Fractals in Type 1 Diabetes Patients. <i>Ophthalmic Epidemiology</i> , 2014, 21, 327-332. | 0.8 | 5 |
| 105 | Plasma copeptin as marker of cardiovascular disease in asymptomatic type 2 diabetes patients. <i>Diabetes and Vascular Disease Research</i> , 2014, 11, 448-450. | 0.9 | 13 |
| 106 | Coagulation and fibrinolysis during lung surgery: an experimental study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014, 19, 567-571. | 0.5 | 1 |
| 107 | Preanalytical factors of importance for measurement of Chromogranin A. <i>Clinica Chimica Acta</i> , 2014, 436, 41-44. | 0.5 | 9 |
| 108 | An overview of platelet indices and methods for evaluating platelet function in thrombocytopenic patients. <i>European Journal of Haematology</i> , 2014, 92, 367-376. | 1.1 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Discordant diagnoses obtained by different approaches in antithrombin mutation analysis. <i>Clinical Biochemistry</i> , 2014, 47, 1337-1340. | 0.8 | 2 |
| 110 | Standardization of collection requirements for fasting samples. <i>Clinica Chimica Acta</i> , 2014, 432, 33-37. | 0.5 | 116 |
| 111 | Can Lipoprotein-associated Phospholipase A ₂ be Used as a Predictor of Long-term Outcome in Patients with Acute Coronary Syndrome?. <i>Current Cardiology Reviews</i> , 2014, 9, 310-315. | 0.6 | 5 |
| 112 | Plasma concentrations of extracellular matrix protein fibulin-1 are related to cardiovascular risk markers in chronic kidney disease and diabetes. <i>Cardiovascular Diabetology</i> , 2013, 12, 6. | 2.7 | 39 |
| 113 | Associations Between Diabetic Retinopathy and Plasma Levels of High-sensitive C-reactive Protein or Von Willebrand Factor in Long-term Type 1 Diabetic Patients. <i>Current Eye Research</i> , 2013, 38, 174-179. | 0.7 | 19 |
| 114 | Associations between airway hyperresponsiveness, obesity and lipoproteins in a longitudinal cohort. <i>Clinical Respiratory Journal</i> , 2013, 7, 268-275. | 0.6 | 17 |
| 115 | Dusart Syndrome in a Scandinavian family characterized by arterial and venous thrombosis at young age. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 585-590. | 0.6 | 10 |
| 116 | Duplication of exon 7 in the low-density lipoprotein receptor gene in three Danish patients with familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2013, 7, 174-177. | 0.6 | 1 |
| 117 | An ELISA for the quantitation of von Willebrand Factor: Osteoprotegerin complexes in plasma. <i>Thrombosis Research</i> , 2013, 131, 396-400. | 0.8 | 10 |
| 118 | Duration of vitamin K-antagonist treatment before DC cardioversion does not affect recurrence rate in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2013, 168, 2986-2988. | 0.8 | 0 |
| 119 | Cancer incidence in persons with elevated cobalamin levels. <i>European Journal of Clinical Investigation</i> , 2013, 43, 557-561. | 1.7 | 15 |
| 120 | A comparative study of varying doses of enoxaparin for thromboprophylaxis in critically ill patients: a double-blinded, randomised controlled trial. <i>Critical Care</i> , 2013, 17, R75. | 2.5 | 42 |
| 121 | Familial lipoprotein lipase deficiency: a case of compound heterozygosity of a novel duplication (R44Kfs*4) and a common mutation (N291S) in the lipoprotein lipase gene. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 374-379. | 0.8 | 4 |
| 122 | Cardiovascular diseases are largely underreported in Danish centenarians. <i>Age and Ageing</i> , 2013, 42, 249-253. | 0.7 | 20 |
| 123 | Protein S and protein C measurements should not be undertaken during vitamin K antagonist therapy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, e5-e7. | 1.4 | 2 |
| 124 | Survey of national guidelines, education and training on phlebotomy in 28 European countries: an original report by the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) working group for the preanalytical phase (WG-PA). <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1585-1593. | 1.4 | 75 |
| 125 | Determinants of bone mineral density in patients on haemodialysis or peritoneal dialysis – a cross-sectional, longitudinal study. <i>Biochimica Medica</i> , 2013, 23, 342-350. | 1.2 | 10 |
| 126 | Preanalytical quality improvement: in quality we trust. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 229-241. | 1.4 | 162 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Acute hyperinsulinemia is followed by increased serum concentrations of fibroblast growth factor 23 in type 2 diabetes patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 108-113. | 0.6 | 17 |
| 128 | Randomized controlled trial of cholecalciferol supplementation in chronic kidney disease patients with hypovitaminosis D. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3523-3531. | 0.4 | 122 |
| 129 | Discordant Diagnoses of Acute Myocardial Infarction due to the Different Use of Assays and Cut-Off Points of Cardiac Troponins. <i>Cardiology</i> , 2012, 122, 225-229. | 0.6 | 8 |
| 130 | Osteoprotegerin as a marker of atherosclerosis: A systematic update. <i>Scandinavian Cardiovascular Journal</i> , 2012, 46, 203-211. | 0.4 | 37 |
| 131 | Natriuretic Peptide Concentrations in Centenarians. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 991-993. | 1.3 | 2 |
| 132 | The relationship between HbA _{1c} and fasting plasma glucose in patients with increased plasma liver enzyme measurements. <i>Diabetic Medicine</i> , 2012, 29, 742-747. | 1.2 | 5 |
| 133 | Intrauterine Extremity Gangrene and Cerebral Infarction at Term: A Case Report. <i>Case Reports in Pediatrics</i> , 2011, 2011, 1-4. | 0.2 | 9 |
| 134 | Rosiglitazone Decreases Plasma Levels of Osteoprotegerin in a Randomized Clinical Trial with Type 2 Diabetes Patients. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2011, 109, 481-485. | 1.2 | 19 |
| 135 | Plasma osteoprotegerin is related to carotid and peripheral arterial disease, but not to myocardial ischemia in type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2011, 10, 76. | 2.7 | 35 |
| 136 | Osteoprotegerin and coronary artery disease in type 2 diabetic patients with microalbuminuria. <i>Cardiovascular Diabetology</i> , 2011, 10, 70. | 2.7 | 14 |
| 137 | Risk factors for mortality and ischemic heart disease in patients with long-term type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2010, 24, 223-228. | 1.2 | 32 |
| 138 | Injury Is a Major Inducer of Epidermal Innate Immune Responses during Wound Healing. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1167-1177. | 0.3 | 125 |
| 139 | No relationship between lung function and high-sensitive C-reactive protein in adolescence. <i>Clinical Respiratory Journal</i> , 2010, 4, 230-236. | 0.6 | 7 |
| 140 | Plasma osteoprotegerin concentrations in peripheral sensory neuropathy in Type 1 and Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2010, 27, 289-294. | 1.2 | 17 |
| 141 | Severe arterial thrombosis in a family with type III protein S deficiency caused by a frameshift mutation in the PROS1 gene. <i>Thrombosis Research</i> , 2010, 126, e159-e161. | 0.8 | 0 |
| 142 | N-terminal pro brain natriuretic peptide reflects long-term complications in type 1 diabetes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 392-398. | 0.6 | 14 |
| 143 | Plasma osteoprotegerin concentrations in peripheral sensory neuropathy in type 1 and type 2 diabetes patients. <i>Diabetic Medicine</i> , 2009, , . | 1.2 | 0 |
| 144 | Acute hyperinsulinemia decreases plasma osteoprotegerin with diminished effect in type 2 diabetes and obesity. <i>European Journal of Endocrinology</i> , 2009, 161, 95-101. | 1.9 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Major diabetes-related vascular events do not improve glycaemic control in a population-based cohort of type 1 diabetic individuals. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 748-751. | 0.6 | 2 |
| 146 | Serious Anaphylactic Reactions due to Protamine Sulfate: A Systematic Literature Review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008, 103, 192-196. | 1.2 | 137 |
| 147 | Denaturing High-performance Liquid Chromatography mutation analysis in patients with reduced Protein S levels. <i>Clinica Chimica Acta</i> , 2008, 390, 76-81. | 0.5 | 3 |
| 148 | Osteoprotegerin released from the vascular wall by heparin mainly derives from vascular smooth muscle cells. <i>Atherosclerosis</i> , 2008, 201, 33-35. | 0.4 | 24 |
| 149 | The capability of plasma osteoprotegerin as a predictor of cardiovascular disease: a systematic literature review. <i>European Journal of Endocrinology</i> , 2008, 159, 603-608. | 1.9 | 84 |
| 150 | More Studies on Outcomes Using Biochemical Diagnostic Tests Are Needed: Findings from the Danish Society of Clinical Biochemistry. <i>Clinical Chemistry</i> , 2008, 54, 1254-1256. | 1.5 | 3 |
| 151 | High-sensitive C-reactive protein is associated with reduced lung function in young adults. <i>European Respiratory Journal</i> , 2008, 33, 382-388. | 3.1 | 97 |
| 152 | Lack of Observed Association between High Plasma Osteoprotegerin Concentrations and Ischemic Stroke Risk in a Healthy Population. <i>Clinical Chemistry</i> , 2008, 54, 1969-1974. | 1.5 | 19 |
| 153 | Impact of Hemoglobin on Plasma Pro-B-Type Natriuretic Peptide Concentrations in the General Population. <i>Clinical Chemistry</i> , 2007, 53, 1921-1927. | 1.5 | 26 |
| 154 | Discordant expression of pro-B-type and pro-C-type natriuretic peptide in newborn infants of mothers with type 1 diabetes. <i>Regulatory Peptides</i> , 2007, 141, 135-139. | 1.9 | 9 |
| 155 | The influence of anaemia on stroke prognosis and its relation to N-terminal pro-brain natriuretic peptide. <i>European Journal of Neurology</i> , 2007, 14, 477-482. | 1.7 | 37 |
| 156 | Serum surfactant protein D is correlated to development of dementia and augmented mortality. <i>Clinical Immunology</i> , 2007, 123, 333-337. | 1.4 | 16 |
| 157 | Higher prevalence of anemia among pregnant immigrant women compared to pregnant ethnic Danish women. <i>Annals of Hematology</i> , 2007, 86, 647-651. | 0.8 | 33 |
| 158 | No certain predictors for mutation status in a Danish cohort with familial hypercholesterolemia: A descriptive study. <i>Clinical Biochemistry</i> , 2007, 40, 1347-1352. | 0.8 | 4 |
| 159 | Prolonged aPTT after kidney transplantation due to transient lupus anticoagulants. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1060-1065. | 0.4 | 5 |
| 160 | Gastrointestinal Symptoms as an Important Sign in Premature Newborns with Severely Increased S-Digoxin. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2005, 96, 465-468. | 1.2 | 8 |
| 161 | Blood Sampling: Is Fasting Properly Defined?. <i>Clinical Chemistry</i> , 2005, 51, 1563-1564. | 1.5 | 8 |
| 162 | [31] Electron microscopy of prefibrillar structures and amyloid fibrils. <i>Methods in Enzymology</i> , 1999, 309, 491-496. | 0.4 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Complement activation by the amyloid proteins A β peptide and β 2-microglobulin. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 1999, 6, 265-272. | 1.4 | 11 |
| 164 | Reduced expression of C5a receptors on neutrophils from cord blood. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1998, 78, F129-F132. | 1.4 | 25 |
| 165 | Increased Plasma Concentration of Serum Amyloid P Component in Centenarians with Impaired Cognitive Performance. Dementia and Geriatric Cognitive Disorders, 1998, 9, 126-129. | 0.7 | 20 |
| 166 | Calcium-dependent and -independent binding of the pentraxin serum amyloid P component to glycosaminoglycans and amyloid proteins: enhanced binding at slightly acid pH. BBA - Proteins and Proteomics, 1997, 1339, 73-78. | 2.1 | 23 |
| 167 | Statin use before and after the KDIGO Lipids in chronic kidney disease guideline: A population-based interrupted time series analysis. Basic and Clinical Pharmacology and Toxicology, 0, , . | 1.2 | 5 |