

Mads Nybo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3846165/publications.pdf>

Version: 2024-02-01

167
papers

4,355
citations

109321
35
h-index

138484
58
g-index

172
all docs

172
docs citations

172
times ranked

6370
citing authors

#	ARTICLE	IF	CITATIONS
1	Accuracy of a point-of-care blood lactate measurement device in a prehospital setting. Journal of Clinical Monitoring and Computing, 2022, 36, 1679-1687.	1.6	3
2	Improved cardiovascular profile in Danish centenarians? A comparative study of two birth cohorts born 20Åyears apart. European Geriatric Medicine, 2022, , 1.	2.8	4
3	Lithium and the risk of chronic kidney disease: A populationâ€based caseâ€control study. Basic and Clinical Pharmacology and Toxicology, 2022, 131, 129-137.	2.5	5
4	Real-world experience with reversal of dabigatran by idarucizumab. Thrombosis Research, 2021, 197, 179-184.	1.7	11
5	Management of Cancer-Associated Venous Thrombosis: A Nationwide Survey among Danish Oncologists. TH Open, 2021, 05, e188-e194.	1.4	2
6	Measurement of vitamin D in dried blood spots stored under different temperature conditions. Annals of Clinical Biochemistry, 2021, 58, 461-467.	1.6	2
7	Venous Thromboembolism in Pediatric Cancer Patients with Central Venous Catheterâ€A Systematic Review and Meta-analysis. Seminars in Thrombosis and Hemostasis, 2021, 47, 920-930.	2.7	7
8	The CRESS checklist for reporting stability studies: on behalf of the European Federation ofÂClinical Chemistry and Laboratory Medicine (EFLM) Working Group for the Preanalytical PhaseÂ(WG-PRE). Clinical Chemistry and Laboratory Medicine, 2021, 59, 59-69.	2.3	32
9	Cliniciansâ€™ and laboratory medicine specialistsâ€™ views on laboratory demand management: a survey in nine European countries. Diagnosis, 2021, 8, 111-119.	1.9	8
10	Circulating biomarkers, echocardiographic parameters, and incident subclinical atrial fibrillation in patients with diabetes and hypertension. PACE - Pacing and Clinical Electrophysiology, 2021, , .	1.2	0
11	The in vitro effect of antirheumatic drugs on platelet function. Platelets, 2020, 31, 248-257.	2.3	11
12	Quality Control of Preanalytical Handling of Blood Samples for Future Research: A National Survey. journal of applied laboratory medicine, The, 2020, 5, 83-90.	1.3	4
13	Use of clinical data and acceleration profiles to validate pneumatic transportation systems. Clinical Chemistry and Laboratory Medicine, 2020, 58, 560-568.	2.3	18
14	Lipemia Index and screening for hyperlipidemia â€ A diagnostic opportunity?. Clinica Chimica Acta, 2020, 501, 83-84.	1.1	4
15	Lipid-lowering therapy and low-density lipoprotein cholesterol goal attainment after acute coronary syndrome: a Danish population-based cohort study. BMC Cardiovascular Disorders, 2020, 20, 336.	1.7	13
16	Predictive Markers of Atrial Fibrillation in Patients with Transient Ischemic Attack. Journal of Stroke and Cerebrovascular Diseases, 2020, 29, 104643.	1.6	3
17	Oral Bisphosphonate use Reduces Cardiovascular Events in a Cohort of Danish Patients Referred for Bone Mineral Density. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 3215-3225.	3.6	17
18	Verification of the hemolysis index measurement: imprecision, accuracy, measuring range, reference interval and impact of implementing analytically and clinically derived sample rejection criteria. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 580-589.	1.2	5

#	ARTICLE	IF	CITATIONS
19	Alendronate use and bone mineral density gains in women with moderate-severe (stages 3&4) chronic kidney disease: an open cohort multivariable and propensity score analysis from Funen, Denmark. Archives of Osteoporosis, 2020, 15, 81.	2.4	2
20	Inappropriate use of laboratory tests: How availability triggers demand – Examples across Europe. Clinica Chimica Acta, 2020, 505, 100-107.	1.1	20
21	The association between renal function and BMD response to bisphosphonate treatment: Real-world cohort study using linked national registers. Bone, 2020, 137, 115371.	2.9	8
22	A Sensitive Plasma Insulin Immunoassay to Establish the Diagnosis of Congenital Hyperinsulinism. Frontiers in Endocrinology, 2020, 11, 614993.	3.5	2
23	MON-111 Plasma Insulin Measured with a Sensitive Immunoassay May Establish the Diagnosis of Congenital Hyperinsulinism Without Further Testing. Journal of the Endocrine Society, 2020, 4, .	0.2	0
24	Managing inappropriate utilization of laboratory resources. Diagnosis, 2019, 6, 5-13.	1.9	39
25	Platelet function in lung cancer patients undergoing lobectomy. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 513-518.	1.2	3
26	European survey on preanalytical sample handling – Part 2: Practices of European laboratories on monitoring and processing haemolytic, icteric and lipemic samples. On behalf of the European		

#	ARTICLE	IF	CITATIONS
37	Increased risk of thyroid disease in Danish women with polycystic ovary syndrome: a cohort study. <i>Endocrine Connections</i> , 2019, 8, 1405-1415.	1.9	18
38	Falsely prolonged activated partial thromboplastin time – a pre- and post-analytical issue. <i>Biochemia Medica</i> , 2019, 29, 157-161.	2.7	3
39	Współne zalecenia EFLM-COLABIOCLI dotyczą...ce pobierania krwi ¼ylnej. <i>Diagnostyka Laboratoryjna i Wiadomości PTDL</i> , 2019, 54, 291-312.	0.1	1
40	Blood Glucose Determination: Effect of Tube Additives. <i>Advances in Clinical Chemistry</i> , 2018, 84, 101-123.	3.7	22
41	Transient plasma cobalamin elevation in patients with pneumonia – two case reports. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 333-334.	1.2	1
42	Cardiovascular disease in a nationwide population of Danish women with polycystic ovary syndrome. <i>Cardiovascular Diabetology</i> , 2018, 17, 37.	6.8	133
43	The primary haemostasis is more preserved in thrombocytopenic patients with liver cirrhosis than cancer. <i>Blood Coagulation and Fibrinolysis</i> , 2018, 29, 307-313.	1.0	4
44	Reduced platelet activation and platelet aggregation in patients with alcoholic liver cirrhosis. <i>Platelets</i> , 2018, 29, 520-527.	2.3	34
45	Blood Sample Transportation by Pneumatic Transportation Systems: A Systematic Literature Review. <i>Clinical Chemistry</i> , 2018, 64, 782-790.	3.2	29
46	Status on fasting definition for blood sampling in the Nordic countries – time for a harmonized definition. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 591-594.	1.2	2
47	Coagulation profile in open and video-assisted thoracoscopic lobectomies: a cohort study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018, 26, 382-388.	1.1	4
48	Patient’s knowledge and awareness about the effect of the over-the-counter (OTC) drugs and dietary supplements on laboratory test results: a survey in 18 European countries. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 57, 183-194.	2.3	10
49	Sample Type and Storage Conditions Affect Calprotectin Measurements in Blood. <i>journal of applied laboratory medicine, The</i> , 2018, 2, 851-856.	1.3	16
50	Joint EFLM-COLABIOCLI Recommendation for venous blood sampling. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 2015-2038.	2.3	142
51	Real-life persistence and tolerability with dimethyl fumarate. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 24, 42-46.	2.0	31
52	Hygiene of venepuncture tourniquets in Denmark. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018, 78, 417-420.	1.2	2
53	Elevated zinc concentrations in a 5 months old infant: A case report. <i>Biochemia Medica</i> , 2018, 28, 011001.	2.7	3
54	Venous Thromboembolism in Patients With Thrombocytopenia: Risk Factors, Treatment, and Outcome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017, 23, 345-350.	1.7	10

#	ARTICLE	IF	CITATIONS
55	Quantification of multiple elements in dried blood spot samples. <i>Clinical Biochemistry</i> , 2017, 50, 703-709.	1.9	31
56	The heterozygous N291S mutation in the lipoprotein lipase gene impairs whole-body insulin sensitivity and affects a distinct set of plasma metabolites in humans. <i>Journal of Clinical Lipidology</i> , 2017, 11, 515-523.e6.	1.5	0
57	Improving quality in the preanalytical phase through innovation, on behalf of the European Federation for Clinical Chemistry and Laboratory Medicine (EFLM) Working Group for Preanalytical Phase (WG-PRE). <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 489-500.	2.3	41
58	Dabigatran reduces thrombin-induced platelet aggregation and activation in a dose-dependent manner. <i>Journal of Thrombosis and Thrombolysis</i> , 2017, 44, 216-222.	2.1	23
59	Idarucizumab for Reversal of Dabigatran Prior to Acute Surgery: A Schematic Approach Based on a Case Report. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 407-410.	2.5	11
60	Age-adjusted D-dimer cut-off in the diagnostic strategy for deep vein thrombosis: a systematic review. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 568-573.	1.2	34
61	Development and Risk Factors of Type 2 Diabetes in a Nationwide Population of Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 3848-3857.	3.6	144
62	Rivaroxaban non-responders: do plasma measurements have a place?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 56, e16-e18.	2.3	3
63	Order of blood draw: Opinion Paper by the European Federation for Clinical Chemistry and Laboratory Medicine (EFLM) Working Group for the Preanalytical Phase (WG-PRE). <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 27-31.	2.3	52
64	Hemolysis-Icterus-Lipemia Index Analysis: A National Survey on the Validation and Use on Automated Equipment. <i>Journal of applied laboratory medicine</i> , The, 2017, 1, 450-452.	1.3	2
65	Light transmission aggregometry using pre-coated microtiter plates and a Victor X5 plate reader. <i>PLoS ONE</i> , 2017, 12, e0185675.	2.5	19
66	Cerebrospinal fluid pleocytosis level as a diagnostic predictor? A cross-sectional study. <i>BMC Clinical Pathology</i> , 2017, 17, 15.	1.8	16
67	Video-assisted Thoracoscopic surgery (VATS) lobectomy for lung cancer does not induce a procoagulant state. <i>Thrombosis Journal</i> , 2017, 15, 29.	2.1	7
68	Coagulation profile in patients undergoing video-assisted thoracoscopic lobectomy: A randomized, controlled trial. <i>PLoS ONE</i> , 2017, 12, e0171809.	2.5	22
69	Changing reference intervals for haemoglobin in Denmark: Clinical and financial aspects. <i>Biochemia Medica</i> , 2017, 27, 030702.	2.7	1
70	Continuous quality control of the blood sampling procedure using a structured observation scheme. <i>Biochemia Medica</i> , 2016, 26, 337-345.	2.7	7
71	Congenital Chloride Diarrhea: Diagnosis by Easy-Accessible Chloride Measurement in Feces. <i>Case Reports in Pediatrics</i> , 2016, 2016, 1-3.	0.4	4
72	Prediction of bleeding and prophylactic platelet transfusions in cancer patients with thrombocytopenia. <i>Platelets</i> , 2016, 27, 547-554.	2.3	25

#	ARTICLE	IF	CITATIONS
73	The effect of centrifugation speed and time on pre-analytical platelet activation. Clinical Chemistry and Laboratory Medicine, 2016, 54, 1913-1920.	2.3	43
74	Thrombophilia prevalence among women with placenta-mediated pregnancy complications. International Journal of Gynecology and Obstetrics, 2016, 134, 156-159.	2.3	2
75	The role of European Federation of Clinical Chemistry and Laboratory Medicine Working Group for Preanalytical Phase in standardization and harmonization of the preanalytical phase in Europe. Annals of Clinical Biochemistry, 2016, 53, 539-547.	1.6	33
76	Platelet count is associated with cardiovascular disease, cancer and mortality: A population-based cohort study. Thrombosis Research, 2016, 148, 136-142.	1.7	96
77	Evidence of perturbed germinal center dynamics, but preserved antibody diversity, in end-stage renal disease. Immunity, Inflammation and Disease, 2016, 4, 225-234.	2.7	9
78	Patient identification and tube labelling – a call for harmonisation. Clinical Chemistry and Laboratory Medicine, 2016, 54, 1141-1145.	2.3	38
79	Association between high-sensitive troponin I and coronary artery calcification in a Danish general population. Atherosclerosis, 2016, 245, 88-93.	0.8	16
80	Fracture Risk Is Decreased in Women With Polycystic Ovary Syndrome: A Register-Based and Population-Based Cohort Study. Journal of Bone and Mineral Research, 2016, 31, 709-717.	2.8	32
81	Single test isolated lupus anticoagulant positivity is associated with increased plasma levels of inflammatory markers and dyslipidemia. Lupus, 2016, 25, 241-247.	1.6	6
82	EFLM WG-Preanalytical phase opinion paper: local validation of blood collection tubes in clinical laboratories. Clinical Chemistry and Laboratory Medicine, 2016, 54, 755-60.	2.3	45
83	Novel Phospholipid-Protein Conjugates Allow Improved Detection of Antibodies in Patients with Autoimmune Diseases. PLoS ONE, 2016, 11, e0156125.	2.5	3
84	Randomised controlled trial of the effect of long-term selenium supplementation on plasma cholesterol in an elderly Danish population. British Journal of Nutrition, 2015, 114, 1807-1818.	2.3	30
85	Interference from lupus anticoagulant on von Willebrand factor measurement in splenic marginal zone lymphoma. Blood Coagulation and Fibrinolysis, 2015, 26, 454-457.	1.0	2
86	Colour coding for blood collection tube closures – a call for harmonisation. Clinical Chemistry and Laboratory Medicine, 2015, 53, 371-6.	2.3	22
87	Compliance of blood sampling procedures with the CLSI H3-A6 guidelines: An observational study by the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) working group for the preanalytical phase (WG-PRE). Clinical Chemistry and Laboratory Medicine, 2015, 53, 1321-31.	2.3	73
88	Morbidity and medicine prescriptions in a nationwide Danish population of patients diagnosed with polycystic ovary syndrome. European Journal of Endocrinology, 2015, 172, 627-638.	3.7	115
89	Preanalytical quality improvement. In pursuit of harmony, on behalf of European Federation for Clinical Chemistry and Laboratory Medicine (EFLM) Working group for Preanalytical Phase (WG-PRE). Clinical Chemistry and Laboratory Medicine, 2015, 53, 357-70.	2.3	110
90	Does selenium supplementation affect thyroid function? Results from a randomized, controlled, double-blinded trial in a Danish population. European Journal of Endocrinology, 2015, 172, 657-667.	3.7	62

#	ARTICLE	IF	CITATIONS
91	Implementation of the ABL-90 blood gas analyzer in a ground-based mobile emergency care unit. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 54.	2.6	16
92	The Excess Risk of Major Osteoporotic Fractures in Hypothyroidism Is Driven by Cumulative Hyperthyroid as Opposed to Hypothyroid Time: An Observational Register-Based Time-Resolved Cohort Analysis. Journal of Bone and Mineral Research, 2015, 30, 898-905.	2.8	71
93	A Population-Based Study of Cholesterol Measurements in the Oldest Old. Current Aging Science, 2015, 8, 282-287.	1.2	2
94	Duration of Thyroid Dysfunction Correlates with All-Cause Mortality. The OPENTHYRO Register Cohort. PLoS ONE, 2014, 9, e110437.	2.5	57
95	Alterations in the Coagulation System during Major Visceral Surgery in Children. Surgery Research and Practice, 2014, 2014, 1-6.	0.5	2
96	Low Serum Thyrotropin Level and Duration of Suppression as a Predictor of Major Osteoporotic Fracturesâ€”The OPENTHYRO Register Cohort. Journal of Bone and Mineral Research, 2014, 29, 2040-2050.	2.8	96
97	Plasma calprotectin and its association with cardiovascular disease manifestations, obesity and the metabolic syndrome in type 2 diabetes mellitus patients. BMC Cardiovascular Disorders, 2014, 14, 196.	1.7	60
98	Lack of harmonization in sweat testing for cystic fibrosis â€” a national survey. Scandinavian Journal of Clinical and Laboratory Investigation, 2014, 74, 708-712.	1.2	10
99	Measurement of plasma viscosity by free oscillation rheometry: imprecision, sample stability and establishment of a new reference range. Annals of Clinical Biochemistry, 2014, 51, 495-498.	1.6	11
100	European multicenter analytical evaluation of the Abbott ARCHITECT STAT high sensitive troponin I immunoassay. Clinical Chemistry and Laboratory Medicine, 2014, 52, 1657-65.	2.3	117
101	Drug Dosing in Patients with Renal Insufficiency in a Hospital Setting using Electronic Prescribing and Automated Reporting of Estimated Glomerular Filtration Rate. Basic and Clinical Pharmacology and Toxicology, 2014, 114, 407-413.	2.5	37
102	Hereditary xerocytosis and familial haemolysis due to mutation in the PIEZO1 gene: a simple diagnostic approach. International Journal of Laboratory Hematology, 2014, 36, e62-5.	1.3	15
103	Optimal cut-off value for cardiac troponin I in ruling out Type 5 myocardial infarction. Interactive Cardiovascular and Thoracic Surgery, 2014, 18, 544-550.	1.1	24
104	Hemoglobin is Associated with Retinal Vascular Fractals in Type 1 Diabetes Patients. Ophthalmic Epidemiology, 2014, 21, 327-332.	1.7	5
105	Plasma copeptin as marker of cardiovascular disease in asymptomatic type 2 diabetes patients. Diabetes and Vascular Disease Research, 2014, 11, 448-450.	2.0	13
106	Coagulation and fibrinolysis during lung surgery:an experimental study. Interactive Cardiovascular and Thoracic Surgery, 2014, 19, 567-571.	1.1	1
107	Preanalytical factors of importance for measurement of Chromogranin A. Clinica Chimica Acta, 2014, 436, 41-44.	1.1	9
108	An overview of platelet indices and methods for evaluating platelet function in thrombocytopenic patients. European Journal of Haematology, 2014, 92, 367-376.	2.2	65

#	ARTICLE	IF	CITATIONS
109	Discordant diagnoses obtained by different approaches in antithrombin mutation analysis. <i>Clinical Biochemistry</i> , 2014, 47, 1337-1340.	1.9	2
110	Standardization of collection requirements for fasting samples. <i>Clinica Chimica Acta</i> , 2014, 432, 33-37.	1.1	116
111	Can Lipoprotein-associated Phospholipase A ₂ be Used as a Predictor of Long-term Outcome in Patients with Acute Coronary Syndrome?. <i>Current Cardiology Reviews</i> , 2014, 9, 310-315.	1.5	5
112	Plasma concentrations of extracellular matrix protein fibulin-1 are related to cardiovascular risk markers in chronic kidney disease and diabetes. <i>Cardiovascular Diabetology</i> , 2013, 12, 6.	6.8	39
113	Associations Between Diabetic Retinopathy and Plasma Levels of High-sensitive C-reactive Protein or Von Willebrand Factor in Long-term Type 1 Diabetic Patients. <i>Current Eye Research</i> , 2013, 38, 174-179.	1.5	19
114	Associations between airway hyperresponsiveness, obesity and lipoproteins in a longitudinal cohort. <i>Clinical Respiratory Journal</i> , 2013, 7, 268-275.	1.6	17
115	Dusart Syndrome in a Scandinavian family characterized by arterial and venous thrombosis at young age. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013, 73, 585-590.	1.2	10
116	Duplication of exon 7 in the low-density lipoprotein receptor gene in three Danish patients with familial hypercholesterolemia. <i>Journal of Clinical Lipidology</i> , 2013, 7, 174-177.	1.5	1
117	An ELISA for the quantitation of von Willebrand Factor: Osteoprotegerin complexes in plasma. <i>Thrombosis Research</i> , 2013, 131, 396-400.	1.7	10
118	Duration of vitamin K-antagonist treatment before DC cardioversion does not affect recurrence rate in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2013, 168, 2986-2988.	1.7	0
119	Cancer incidence in persons with elevated cobalamin levels. <i>European Journal of Clinical Investigation</i> , 2013, 43, 557-561.	3.4	15
120	A comparative study of varying doses of enoxaparin for thromboprophylaxis in critically ill patients: a double-blinded, randomised controlled trial. <i>Critical Care</i> , 2013, 17, R75.	5.8	42
121	Familial lipoprotein lipase deficiency: a case of compound heterozygosity of a novel duplication (R44Kfs*4) and a common mutation (N291S) in the lipoprotein lipase gene. <i>Annals of Clinical Biochemistry</i> , 2013, 50, 374-379.	1.6	4
122	Cardiovascular diseases are largely underreported in Danish centenarians. <i>Age and Ageing</i> , 2013, 42, 249-253.	1.6	20
123	Protein S and protein C measurements should not be undertaken during vitamin K antagonist therapy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, e5-e7.	2.3	2
124	Survey of national guidelines, education and training on phlebotomy in 28 European countries: an original report by the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) working group for the preanalytical phase (WG-PA). <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 1585-1593.	2.3	75
125	Determinants of bone mineral density in patients on haemodialysis or peritoneal dialysis – a cross-sectional, longitudinal study. <i>Biochemia Medica</i> , 2013, 23, 342-350.	2.7	10
126	Preanalytical quality improvement: in quality we trust. <i>Clinical Chemistry and Laboratory Medicine</i> , 2013, 51, 229-241.	2.3	162

#	ARTICLE	IF	CITATIONS
127	Acute hyperinsulinemia is followed by increased serum concentrations of fibroblast growth factor 23 in type 2 diabetes patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012, 72, 108-113.	1.2	17
128	Randomized controlled trial of cholecalciferol supplementation in chronic kidney disease patients with hypovitaminosis D. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3523-3531.	0.7	122
129	Discordant Diagnoses of Acute Myocardial Infarction due to the Different Use of Assays and Cut-Off Points of Cardiac Troponins. <i>Cardiology</i> , 2012, 122, 225-229.	1.4	8
130	Osteoprotegerin as a marker of atherosclerosis: A systematic update. <i>Scandinavian Cardiovascular Journal</i> , 2012, 46, 203-211.	1.2	37
131	Natriuretic Peptide Concentrations in Centenarians. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 991-993.	2.6	2
132	The relationship between HbA _{1c} and fasting plasma glucose in patients with increased plasma liver enzyme measurements. <i>Diabetic Medicine</i> , 2012, 29, 742-747.	2.3	5
133	Intrauterine Extremity Gangrene and Cerebral Infarction at Term: A Case Report. <i>Case Reports in Pediatrics</i> , 2011, 2011, 1-4.	0.4	9
134	Rosiglitazone Decreases Plasma Levels of Osteoprotegerin in a Randomized Clinical Trial with Type 2 Diabetes Patients. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2011, 109, 481-485.	2.5	19
135	Plasma osteoprotegerin is related to carotid and peripheral arterial disease, but not to myocardial ischemia in type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2011, 10, 76.	6.8	35
136	Osteoprotegerin and coronary artery disease in type 2 diabetic patients with microalbuminuria. <i>Cardiovascular Diabetology</i> , 2011, 10, 70.	6.8	14
137	Risk factors for mortality and ischemic heart disease in patients with long-term type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2010, 24, 223-228.	2.3	32
138	Injury Is a Major Inducer of Epidermal Innate Immune Responses during Wound Healing. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1167-1177.	0.7	125
139	No relationship between lung function and high-sensitive C-reactive protein in adolescence. <i>Clinical Respiratory Journal</i> , 2010, 4, 230-236.	1.6	7
140	Plasma osteoprotegerin concentrations in peripheral sensory neuropathy in Type 1 and Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2010, 27, 289-294.	2.3	17
141	Severe arterial thrombosis in a family with type III protein S deficiency caused by a frameshift mutation in the PROS1 gene. <i>Thrombosis Research</i> , 2010, 126, e159-e161.	1.7	0
142	N-terminal pro brain natriuretic peptide reflects long-term complications in type 1 diabetes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010, 70, 392-398.	1.2	14
143	Plasma osteoprotegerin concentrations in peripheral sensory neuropathy in type 1 and type 2 diabetes patients. <i>Diabetic Medicine</i> , 2009, , .	2.3	0
144	Acute hyperinsulinemia decreases plasma osteoprotegerin with diminished effect in type 2 diabetes and obesity. <i>European Journal of Endocrinology</i> , 2009, 161, 95-101.	3.7	32

#	ARTICLE	IF	CITATIONS
145	Major diabetes-related vascular events do not improve glycaemic control in a population-based cohort of type 1 diabetic individuals. Scandinavian Journal of Clinical and Laboratory Investigation, 2009, 69, 748-751.	1.2	2
146	Serious Anaphylactic Reactions due to Protamine Sulfate: A Systematic Literature Review. Basic and Clinical Pharmacology and Toxicology, 2008, 103, 192-196.	2.5	137
147	Denaturing High-performance Liquid Chromatography mutation analysis in patients with reduced Protein S levels. Clinica Chimica Acta, 2008, 390, 76-81.	1.1	3
148	Osteoprotegerin released from the vascular wall by heparin mainly derives from vascular smooth muscle cells. Atherosclerosis, 2008, 201, 33-35.	0.8	24
149	The capability of plasma osteoprotegerin as a predictor of cardiovascular disease: a systematic literature review. European Journal of Endocrinology, 2008, 159, 603-608.	3.7	84
150	More Studies on Outcomes Using Biochemical Diagnostic Tests Are Needed: Findings from the Danish Society of Clinical Biochemistry. Clinical Chemistry, 2008, 54, 1254-1256.	3.2	3
151	High-sensitive C-reactive protein is associated with reduced lung function in young adults. European Respiratory Journal, 2008, 33, 382-388.	6.7	97
152	Lack of Observed Association between High Plasma Osteoprotegerin Concentrations and Ischemic Stroke Risk in a Healthy Population. Clinical Chemistry, 2008, 54, 1969-1974.	3.2	19
153	Impact of Hemoglobin on Plasma Pro-B-Type Natriuretic Peptide Concentrations in the General Population. Clinical Chemistry, 2007, 53, 1921-1927.	3.2	26
154	Discordant expression of pro-B-type and pro-C-type natriuretic peptide in newborn infants of mothers with type 1 diabetes. Regulatory Peptides, 2007, 141, 135-139.	1.9	9
155	The influence of anaemia on stroke prognosis and its relation to N-terminal pro-brain natriuretic peptide. European Journal of Neurology, 2007, 14, 477-482.	3.3	37
156	Serum surfactant protein D is correlated to development of dementia and augmented mortality. Clinical Immunology, 2007, 123, 333-337.	3.2	16
157	Higher prevalence of anemia among pregnant immigrant women compared to pregnant ethnic Danish women. Annals of Hematology, 2007, 86, 647-651.	1.8	33
158	No certain predictors for mutation status in a Danish cohort with familial hypercholesterolemia: A descriptive study. Clinical Biochemistry, 2007, 40, 1347-1352.	1.9	4
159	Prolonged aPTT after kidney transplantation due to transient lupus anticoagulants. Nephrology Dialysis Transplantation, 2006, 21, 1060-1065.	0.7	5
160	Gastrointestinal Symptoms as an Important Sign in Premature Newborns with Severely Increased S-Digoxin. Basic and Clinical Pharmacology and Toxicology, 2005, 96, 465-468.	2.5	8
161	Blood Sampling: Is Fasting Properly Defined?. Clinical Chemistry, 2005, 51, 1563-1564.	3.2	8
162	[31] Electron microscopy of prefibrillar structures and amyloid fibrils. Methods in Enzymology, 1999, 309, 491-496.	1.0	37

#	ARTICLE	IF	CITATIONS
163	Complement activation by the amyloid proteins A β peptide and β ₂ -microglobulin. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 1999, 6, 265-272.	3.0	11
164	Reduced expression of C5a receptors on neutrophils from cord blood. Archives of Disease in Childhood: Fetal and Neonatal Edition, 1998, 78, F129-F132.	2.8	25
165	Increased Plasma Concentration of Serum Amyloid P Component in Centenarians with Impaired Cognitive Performance. Dementia and Geriatric Cognitive Disorders, 1998, 9, 126-129.	1.5	20
166	Calcium-dependent and -independent binding of the pentraxin serum amyloid P component to glycosaminoglycans and amyloid proteins: enhanced binding at slightly acid pH. BBA - Proteins and Proteomics, 1997, 1339, 73-78.	2.1	23
167	Statin use before and after the KDIGO Lipids in chronic kidney disease guideline: A population-based interrupted time series analysis. Basic and Clinical Pharmacology and Toxicology, 0, , .	2.5	5