

Francisco Antonio Miralles-Muñoz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3847585/publications.pdf>

Version: 2024-02-01

23
papers

495
citations

687363

13
h-index

677142

22
g-index

23
all docs

23
docs citations

23
times ranked

626
citing authors

#	ARTICLE	IF	CITATIONS
1	Similar outcomes and satisfaction after transtibial versus transportal femoral drilling for anterior cruciate ligament reconstruction in young adult recreational athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1197-1203.	4.2	1
2	A validated outcome categorization of the knee society score for total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1266-1272.	4.2	11
3	Varus alignment of the tibial component up to seven degrees is not associated with poor long-term outcomes in a neutrally aligned total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 2768-2775.	4.2	2
4	Similar patient-reported outcomes for hybrid and cemented stem fixation for aseptic tibial revision total knee arthroplasty: a comparison of sequential prospective cohorts. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3992-3997.	4.2	2
5	Similar outcomes of constrained condylar knee and rotating hinge prosthesis in revision surgery for extension instability after primary total knee arthroplasty. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103265.	2.0	4
6	V-Y turndown flap augmentation for acute quadriceps rupture after total knee arthroplasty: a prospective matched cohort study. <i>International Orthopaedics</i> , 2021, 45, 1501-1507.	1.9	2
7	Minimal clinically important differences and substantial clinical benefits for Knee Society Scores. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1473-1478.	4.2	97
8	Outcomes of Total Hip Arthroplasty for Healed Intertrochanteric Hip Fractures. A Matched Retrospective Cohort Study. <i>Journal of Arthroplasty</i> , 2020, 35, 2926-2930.	3.1	1
9	Outcomes and Patient Satisfaction With Arthroscopic Partial Meniscectomy for Degenerative and Traumatic Tears in Middle-Aged Patients With No or Mild Osteoarthritis. <i>American Journal of Sports Medicine</i> , 2019, 47, 2412-2419.	4.2	22
10	Validation of the Spanish Version of the Knee Injury and Osteoarthritis Outcome Score (KOOS) for Elderly Patients With Total Knee Replacement. <i>Journal of Orthopaedic Research</i> , 2019, 37, 2157-2162.	2.3	16
11	Cementless, Fluted, Long-Stem Hemiarthroplasty for Vancouver B2 and B3 Periprosthetic Fractures Around Hip Hemiarthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 1179-1183.	3.1	5
12	Negative impact of prior debridement on functional outcome of subsequent two-stage revision for early knee periprosthetic infection. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2309-2315.	4.2	12
13	Outcomes of Reverse Total Shoulder Arthroplasty for Proximal Humeral Fractures: Primary Arthroplasty Versus Secondary Arthroplasty After Failed Proximal Humeral Locking Plate Fixation. <i>Journal of Orthopaedic Trauma</i> , 2017, 31, e236-e240.	1.4	50
14	Risk-Benefit on Quality of Life After Total Knee Arthroplasty in Octogenarians. <i>Journal of Arthroplasty</i> , 2017, 32, 2417-2420.	3.1	18
15	Comparable outcomes after total knee arthroplasty in patients under 55 years than in older patients: a matched prospective study with minimum follow-up of 10 years. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3396-3402.	4.2	21
16	Better functional outcome after single-radius TKA compared with multi-radius TKA. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3508-3514.	4.2	18
17	Early surgery within 2 days for hip fracture is not reliable as healthcare quality indicator. <i>Injury</i> , 2016, 47, 1530-1535.	1.7	39
18	Ten-year mortality risk predictors after primary total knee arthroplasty for osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1848-1855.	4.2	20

#	ARTICLE	IF	CITATIONS
19	Total Knee Arthroplasty for Osteoarthritis Secondary to Fracture of the Tibial Plateau. A Prospective Matched Cohort Study. <i>Journal of Arthroplasty</i> , 2015, 30, 1328-1332.	3.1	65
20	Similar survival between screw cementless and cemented tibial components in young patients with osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1585-1590.	4.2	29
21	Cementless Total Knee Arthroplasty in Obese Patients. <i>Journal of Arthroplasty</i> , 2014, 29, 1192-1196.	3.1	19
22	Patient-Related Predictors of Treatment Failure After Primary Total Knee Arthroplasty for Osteoarthritis. <i>Journal of Arthroplasty</i> , 2014, 29, 2095-2099.	3.1	13
23	Functional Outcome of Total Knee Arthroplasty After Periprosthetic Distal Femoral Fracture. <i>Journal of Arthroplasty</i> , 2013, 28, 1585-1588.	3.1	28