

Francisco Antonio Miralles-Muñoz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3847585/publications.pdf>

Version: 2024-02-01

23
papers

495
citations

686830

13
h-index

676716

22
g-index

23
all docs

23
docs citations

23
times ranked

626
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Similar outcomes and satisfaction after transtibial versus transportal femoral drilling for anterior cruciate ligament reconstruction in young adult recreational athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1197-1203. | 2.3 | 1 |
| 2 | A validated outcome categorization of the knee society score for total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1266-1272. | 2.3 | 11 |
| 3 | Varus alignment of the tibial component up to seven degrees is not associated with poor long-term outcomes in a neutrally aligned total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 2768-2775. | 2.3 | 2 |
| 4 | Similar patient-reported outcomes for hybrid and cemented stem fixation for aseptic tibial revision total knee arthroplasty: a comparison of sequential prospective cohorts. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3992-3997. | 2.3 | 2 |
| 5 | Similar outcomes of constrained condylar knee and rotating hinge prosthesis in revision surgery for extension instability after primary total knee arthroplasty. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103265. | 0.9 | 4 |
| 6 | V-Y turndown flap augmentation for acute quadriceps rupture after total knee arthroplasty: a prospective matched cohort study. <i>International Orthopaedics</i> , 2021, 45, 1501-1507. | 0.9 | 2 |
| 7 | Minimal clinically important differences and substantial clinical benefits for Knee Society Scores. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1473-1478. | 2.3 | 97 |
| 8 | Outcomes of Total Hip Arthroplasty for Healed Intertrochanteric Hip Fractures. A Matched Retrospective Cohort Study. <i>Journal of Arthroplasty</i> , 2020, 35, 2926-2930. | 1.5 | 1 |
| 9 | Outcomes and Patient Satisfaction With Arthroscopic Partial Meniscectomy for Degenerative and Traumatic Tears in Middle-Aged Patients With No or Mild Osteoarthritis. <i>American Journal of Sports Medicine</i> , 2019, 47, 2412-2419. | 1.9 | 22 |
| 10 | Validation of the Spanish Version of the Knee Injury and Osteoarthritis Outcome Score (KOOS) for Elderly Patients With Total Knee Replacement. <i>Journal of Orthopaedic Research</i> , 2019, 37, 2157-2162. | 1.2 | 16 |
| 11 | Cementless, Fluted, Long-Stem Hemiarthroplasty for Vancouver B2 and B3 Periprosthetic Fractures Around Hip Hemiarthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 1179-1183. | 1.5 | 5 |
| 12 | Negative impact of prior debridement on functional outcome of subsequent two-stage revision for early knee periprosthetic infection. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2309-2315. | 2.3 | 12 |
| 13 | Outcomes of Reverse Total Shoulder Arthroplasty for Proximal Humeral Fractures: Primary Arthroplasty Versus Secondary Arthroplasty After Failed Proximal Humeral Locking Plate Fixation. <i>Journal of Orthopaedic Trauma</i> , 2017, 31, e236-e240. | 0.7 | 50 |
| 14 | Risk-Benefit on Quality of Life After Total Knee Arthroplasty in Octogenarians. <i>Journal of Arthroplasty</i> , 2017, 32, 2417-2420. | 1.5 | 18 |
| 15 | Comparable outcomes after total knee arthroplasty in patients under 55 years than in older patients: a matched prospective study with minimum follow-up of 10 years. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3396-3402. | 2.3 | 21 |
| 16 | Better functional outcome after single-radius TKA compared with multi-radius TKA. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3508-3514. | 2.3 | 18 |
| 17 | Early surgery within 2 days for hip fracture is not reliable as healthcare quality indicator. <i>Injury</i> , 2016, 47, 1530-1535. | 0.7 | 39 |
| 18 | Ten-year mortality risk predictors after primary total knee arthroplasty for osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1848-1855. | 2.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Total Knee Arthroplasty for Osteoarthritis Secondary to Fracture of the Tibial Plateau. A Prospective Matched Cohort Study. <i>Journal of Arthroplasty</i> , 2015, 30, 1328-1332. | 1.5 | 65 |
| 20 | Similar survival between screw cementless and cemented tibial components in young patients with osteoarthritis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1585-1590. | 2.3 | 29 |
| 21 | Cementless Total Knee Arthroplasty in Obese Patients. <i>Journal of Arthroplasty</i> , 2014, 29, 1192-1196. | 1.5 | 19 |
| 22 | Patient-Related Predictors of Treatment Failure After Primary Total Knee Arthroplasty for Osteoarthritis. <i>Journal of Arthroplasty</i> , 2014, 29, 2095-2099. | 1.5 | 13 |
| 23 | Functional Outcome of Total Knee Arthroplasty After Periprosthetic Distal Femoral Fracture. <i>Journal of Arthroplasty</i> , 2013, 28, 1585-1588. | 1.5 | 28 |