
Raquel Lebrero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3848394/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Toward a sustainable and cost-efficient biological-based platform for siloxanes removal. Critical Reviews in Environmental Science and Technology, 2023, 53, 70-86. | 6.6 | 8 |
| 2 | Optimization of acrylic-styrene latex-based biofilms as a platform for biological indoor air treatment. Chemosphere, 2022, 287, 132182. | 4.2 | 12 |
| 3 | Lignocellulosic residue valorization in a sequential process of solidâ€state fermentation and solid substrate anaerobic digestion. Journal of Chemical Technology and Biotechnology, 2022, 97, 1575-1584. | 1.6 | 4 |
| 4 | Optimization of nitrogen feeding strategies for improving polyhydroxybutyrate production from biogas by Methylocystis parvus str. OBBP in a stirred tank reactor. Chemosphere, 2022, 299, 134443. | 4.2 | 5 |
| 5 | Recent trends and advances in biogas upgrading and methanotrophs-based valorization. Chemical Engineering Journal Advances, 2022, 11, 100325. | 2.4 | 12 |
| 6 | Syngas biomethanation: Current state and future perspectives. Bioresource Technology, 2022, 358, 127436. | 4.8 | 20 |
| 7 | A state–of–the-art review on indoor air pollution and strategies for indoor air pollution control. Chemosphere, 2021, 262, 128376. | 4.2 | 225 |
| 8 | Innovative operational strategies in photosynthetic biogas upgrading in an outdoors pilot scale algal-bacterial photobioreactor. Chemosphere, 2021, 264, 128470. | 4.2 | 27 |
| 9 | Comparative Performance Evaluation of Commercial Packing Materials for Malodorants Abatement in Biofiltration. Applied Sciences (Switzerland), 2021, 11, 2966. | 1.3 | 7 |
| 10 | Recent advances in biological systems for improving indoor air quality. Reviews in Environmental Science and Biotechnology, 2021, 20, 363-387. | 3.9 | 22 |
| 11 | Inspired by nature: Microbial production, degradation and valorization of biodegradable bioplastics for life-cycle-engineered products. Biotechnology Advances, 2021, 53, 107772. | 6.0 | 55 |
| 12 | Volatile Siloxanes Emissions: Impact and Sustainable Abatement Perspectives. Trends in Biotechnology, 2021, 39, 1245-1248. | 4.9 | 17 |
| 13 | Influence of biogas supply regime on photosynthetic biogas upgrading performance in an enclosed algal-bacterial photobioreactor. Algal Research, 2021, 57, 102350. | 2.4 | 16 |
| 14 | Biogas-based production of glycogen by Nostoc muscorum: Assessing the potential of transforming CO2 into value added products. Chemosphere, 2021, 275, 129885. | 4.2 | 5 |
| 15 | Siloxanes removal in a two-phase partitioning biotrickling filter: Influence of the EBRT and the organic phase. Renewable Energy, 2021, 177, 52-60. | 4.3 | 20 |
| 16 | Ectoine Production from Biogas in Waste Treatment Facilities: A Techno-Economic and Sensitivity Analysis. ACS Sustainable Chemistry and Engineering, 2021, 9, 17371-17380. | 3.2 | 14 |
| 17 | Elucidating the influence of environmental factors on biogas-based polyhydroxybutyrate production by Methylocystis hirsuta CSC1. Science of the Total Environment, 2020, 706, 135136. | 3.9 | 16 |
| 18 | A systematic comparison of ectoine production from upgraded biogas using Methylomicrobium alcaliphilum and a mixed haloalkaliphilic consortium. Waste Management, 2020, 102, 773-781. | 3.7 | 19 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Optimization of photosynthetic biogas upgrading in closed photobioreactors combined with algal biomass production. Journal of Water Process Engineering, 2020, 38, 101554. | 2.6 | 14 |
| 20 | Influence of the diffuser type and liquid-to-biogas ratio on biogas upgrading performance in an outdoor pilot scale high rate algal pond. Fuel, 2020, 275, 117999. | 3.4 | 16 |
| 21 | Harvesting microalgal-bacterial biomass from biogas upgrading process and evaluating the impact of flocculants on their growth during repeated recycling of the spent medium. Algal Research, 2020, 48, 101915. | 2.4 | 6 |
| 22 | Performance evaluation of a control strategy for photosynthetic biogas upgrading in a semi-industrial scale photobioreactor. Bioresource Technology, 2020, 307, 123207. | 4.8 | 20 |
| 23 | Biogas valorization via continuous polyhydroxybutyrate production by Methylocystis hirsuta in a bubble column bioreactor. Waste Management, 2020, 113, 395-403. | 3.7 | 36 |
| 24 | Trimethylamine abatement in algal-bacterial photobioreactors. Environmental Science and Pollution Research, 2020, 27, 9028-9037. | 2.7 | 3 |
| 25 | Comparative Evaluation of Biogas Valorization into Electricity/Heat and Poly(hydroxyalkanoates) in Waste Treatment Plants: Assessing the Influence of Local Commodity Prices and Current Biotechnological Limitations. ACS Sustainable Chemistry and Engineering, 2020, 8, 7701-7709. | 3.2 | 18 |
| 26 | Polyhydroxyalkanoates (PHA) production from biogas in waste treatment facilities: Assessing the potential impacts on economy, environment and society. Chemosphere, 2020, 255, 126929. | 4.2 | 40 |
| 27 | Integrated innovative biorefinery for the transformation of municipal solid waste into biobased products. , 2020, , 41-80. | | 11 |
| 28 | Comparative assessment of two biotrickling filters for siloxanes removal: Effect of the addition of an organic phase. Chemosphere, 2020, 251, 126359. | 4.2 | 23 |
| 29 | Strategies for N2 and O2 removal during biogas upgrading in a pilot algal-bacterial photobioreactor. Algal Research, 2020, 48, 101920. | 2.4 | 11 |
| 30 | Biogas treatment for H2S, CO2, and other contaminants removal. , 2020, , 153-176. | | 8 |
| 31 | Microalgae-Based Processes as an Energy Efficient Platform for Water Reclamation and Resource Recovery. Advances in Science, Technology and Innovation, 2020, , 95-97. | 0.2 | Ο |
| 32 | Polyhydroxyalkanoates production from methane emissions in Sphagnum mosses: Assessing the effect of temperature and phosphorus limitation. Science of the Total Environment, 2019, 688, 684-690. | 3.9 | 15 |
| 33 | Comparative evaluation of a biotrickling filter and a tubular photobioreactor for the continuous abatement of toluene. Journal of Hazardous Materials, 2019, 380, 120860. | 6.5 | 31 |
| 34 | CH4-Based Polyhydroxyalkanoate Production: A Step Further Towards a Sustainable Bioeconomy. , 2019, , 283-321. | | 7 |
| 35 | Technology validation of photosynthetic biogas upgrading in a semi-industrial scale algal-bacterial photobioreactor. Bioresource Technology, 2019, 279, 43-49. | 4.8 | 63 |
| 36 | A rapid regulation with different response intensities of the pmoA gene guarantees process robustness towards methane surges in continuous and feast-famine bioreactors. Biochemical Engineering Journal, 2019, 144, 193-197. | 1.8 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Influence of liquid-to-biogas ratio and alkalinity on the biogas upgrading performance in a demo scale algal-bacterial photobioreactor. Bioresource Technology, 2019, 280, 112-117. | 4.8 | 37 |
| 38 | Potential of Microalgae for Wastewater Treatment and Its Valorization into Added Value Products. , 2019, , 281-315. | | 5 |
| 39 | Genome scale metabolic modeling reveals the metabolic potential of three Type II methanotrophs of the genus Methylocystis. Metabolic Engineering, 2019, 54, 191-199. | 3.6 | 48 |
| 40 | Assessing the potential of purple phototrophic bacteria for the simultaneous treatment of piggery wastewater and upgrading of biogas. Bioresource Technology, 2019, 281, 10-17. | 4.8 | 28 |
| 41 | Biological treatment of gas pollutants in partitioning bioreactors. Advances in Chemical Engineering, 2019, 54, 239-274. | 0.5 | 11 |
| 42 | Development of a control strategy to cope with biogas flowrate variations during photosynthetic biogas upgrading. Biomass and Bioenergy, 2019, 131, 105414. | 2.9 | 16 |
| 43 | Bio-conversion of methane into high profit margin compounds: an innovative, environmentally friendly and cost-effective platform for methane abatement. World Journal of Microbiology and Biotechnology, 2019, 35, 16. | 1.7 | 33 |
| 44 | Effect of packing material configuration and liquid recirculation rate on the performance of a biotrickling filter treating VOCs. Journal of Chemical Technology and Biotechnology, 2018, 93, 2299-2306. | 1.6 | 13 |
| 45 | Biogas Purification and Upgrading Technologies. Biofuel and Biorefinery Technologies, 2018, , 239-276. | 0.1 | 16 |
| 46 | Influence of the seasonal variation of environmental conditions on biogas upgrading in an outdoors pilot scale high rate algal pond. Bioresource Technology, 2018, 255, 354-358. | 4.8 | 35 |
| 47 | Technologies for the bioconversion of methane into more valuable products. Current Opinion in Biotechnology, 2018, 50, 128-135. | 3.3 | 81 |
| 48 | Seasonal variation of biogas upgrading coupled with digestate treatment in an outdoors pilot scale algal-bacterial photobioreactor. Bioresource Technology, 2018, 263, 58-66. | 4.8 | 61 |
| 49 | Multiresidue analytical method for pharmaceuticals and personal care products in sewage and sewage sludge by online direct immersion SPME on-fiber derivatization – GCMS. Talanta, 2018, 186, 506-512. | 2.9 | 30 |
| 50 | Anoxic denitrification of BTEX: Biodegradation kinetics and pollutant interactions. Journal of Environmental Management, 2018, 214, 125-136. | 3.8 | 36 |
| 51 | Simultaneous methane abatement and PHB production by Methylocystis hirsuta in a novel gas-recycling bubble column bioreactor. Chemical Engineering Journal, 2018, 334, 691-697. | 6.6 | 61 |
| 52 | Feast-famine biofilter operation for methane mitigation. Journal of Cleaner Production, 2018, 170, 108-118. | 4.6 | 34 |
| 53 | Biogas-based polyhydroxyalkanoates production by Methylocystis hirsuta: A step further in anaerobic digestion biorefineries. Chemical Engineering Journal, 2018, 333, 529-536. | 6.6 | 87 |
| 54 | Multi-production of high added market value metabolites from diluted methane emissions via methanotrophic extremophiles. Bioresource Technology, 2018, 267, 401-407. | 4.8 | 37 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Integral (VOCs, CO2, mercaptans and H2S) photosynthetic biogas upgrading using innovative biogas and digestate supply strategies. Chemical Engineering Journal, 2018, 354, 363-369. | 6.6 | 37 |
| 56 | Quantitative analysis of methane monooxygenase (MMO) explains process robustness in continuous and feast-famine bioreactors treating methane. Chemosphere, 2018, 212, 319-329. | 4.2 | 4 |
| 57 | Influence of alkalinity and temperature on photosynthetic biogas upgrading efficiency in high rate algal ponds. Algal Research, 2018, 33, 284-290. | 2.4 | 49 |
| 58 | Long-term photosynthetic CO2 removal from biogas and flue-gas: Exploring the potential of closed photobioreactors for high-value biomass production. Science of the Total Environment, 2018, 640-641, 1272-1278. | 3.9 | 30 |
| 59 | Simultaneous biogas upgrading and centrate treatment in an outdoors pilot scale high rate algal pond. Bioresource Technology, 2017, 232, 133-141. | 4.8 | 84 |
| 60 | Microbial community changes during different empty bed residence times and operational fluctuations in an air diffusion reactor for odor abatement. Science of the Total Environment, 2017, 590-591, 352-360. | 3.9 | 16 |
| 61 | Nitrous Oxide Abatement Coupled with Biopolymer Production As a Model GHG Biorefinery for Cost-Effective Climate Change Mitigation. Environmental Science & Technology, 2017, 51, 6319-6325. | 4.6 | 12 |
| 62 | Influence of the gas-liquid flow configuration in the absorption column on photosynthetic biogas upgrading in algal-bacterial photobioreactors. Bioresource Technology, 2017, 225, 336-342. | 4.8 | 63 |
| 63 | Anaerobic Digestion of Sugarcane Vinasse Through a Methanogenic UASB Reactor Followed by a Packed Bed Reactor. Applied Biochemistry and Biotechnology, 2017, 183, 1127-1145. | 1.4 | 29 |
| 64 | Assessing the influence of the carbon source on the abatement of industrial N 2 O emissions coupled with the synthesis of added-value bioproducts. Science of the Total Environment, 2017, 598, 765-771. | 3.9 | 4 |
| 65 | A comparative analysis of biogas upgrading technologies: Photosynthetic vs physical/chemical processes. Algal Research, 2017, 25, 237-243. | 2.4 | 71 |
| 66 | Anoxic biodegradation of BTEX in a biotrickling filter. Science of the Total Environment, 2017, 587-588, 457-465. | 3.9 | 61 |
| 67 | Continuous abatement of methane coupled with ectoine production by Methylomicrobium alcaliphilum 20Z in stirred tank reactors: A step further towards greenhouse gas biorefineries. Journal of Cleaner Production, 2017, 152, 134-141. | 4.6 | 42 |
| 68 | Continuous photosynthetic abatement of CO2 and volatile organic compounds from exhaust gas coupled to wastewater treatment: Evaluation of tubular algal-bacterial photobioreactor. Journal of CO2 Utilization, 2017, 21, 353-359. | 3.3 | 30 |
| 69 | Ectoine bio-milking in methanotrophs: A step further towards methane-based bio-refineries into high added-value products. Chemical Engineering Journal, 2017, 328, 44-48. | 6.6 | 34 |
| 70 | Biological conversion and revalorization of waste methane streams. Critical Reviews in Environmental Science and Technology, 2017, 47, 2133-2157. | 6.6 | 10 |
| 71 | Biogas upgrading using algal-bacterial processes. , 2017, , 283-304. | | 3 |
| 72 | Technologies for the Bio-conversion of GHGs into High Added Value Products: Current State and Future Prospects. Green Energy and Technology, 2017, , 359-388. | 0.4 | 2 |

| # | Article | lF | CITATIONS |
|----|---|-----|-----------|
| 73 | Biogas upgrading from vinasse digesters: a comparison between an anoxic biotrickling filter and an algalâ€bacterial photobioreactor. Journal of Chemical Technology and Biotechnology, 2016, 91, 2488-2495. | 1.6 | 62 |
| 74 | Photosynthetic biogas upgrading to bio-methane: Boosting nutrient recovery via biomass productivity control. Algal Research, 2016, 17, 46-52. | 2.4 | 83 |
| 75 | Valorization of CH 4 emissions into high-added-value products: Assessing the production of ectoine coupled with CH 4 abatement. Journal of Environmental Management, 2016, 182, 160-165. | 3.8 | 25 |
| 76 | Review of odour abatement in sewer networks. Journal of Environmental Chemical Engineering, 2016, 4, 3866-3881. | 3.3 | 39 |
| 77 | Toluene biodegradation in an algal-bacterial airlift photobioreactor: Influence of the biomass concentration and of the presence of an organic phase. Journal of Environmental Management, 2016, 183, 585-593. | 3.8 | 25 |
| 78 | Comparative performance evaluation of conventional and twoâ€phase hydrophobic stirred tank reactors for methane abatement: Mass transfer and biological considerations. Biotechnology and Bioengineering, 2016, 113, 1203-1212. | 1.7 | 30 |
| 79 | Evaluation of the influence of methane and copper concentration and methane mass transport on the community structure and biodegradation kinetics of methanotrophic cultures. Journal of Environmental Management, 2016, 171, 11-20. | 3.8 | 33 |
| 80 | Exploring the potential of fungi for methane abatement: Performance evaluation of a fungal-bacterial biofilter. Chemosphere, 2016, 144, 97-106. | 4.2 | 49 |
| 81 | Two-liquid phase partitioning biotrickling filters for methane abatement: Exploring the potential of hydrophobic methanotrophs. Journal of Environmental Management, 2015, 151, 124-131. | 3.8 | 28 |
| 82 | Integral approaches to wastewater treatment plant upgrading for odor prevention: Activated Sludge and Oxidized Ammonium Recycling. Bioresource Technology, 2015, 196, 685-693. | 4.8 | 24 |
| 83 | Selection of odour removal technologies in wastewater treatment plants: A guideline based on Life Cycle Assessment. Journal of Environmental Management, 2015, 149, 77-84. | 3.8 | 65 |
| 84 | Evaluating odour control technologies using reliability and sustainability criteria – a case study for water treatment plants. Water Science and Technology, 2014, 69, 1426-1433. | 1.2 | 6 |
| 85 | Deterioration of organic packing materials commonly used in air biofiltration: Effect of VOC-packing interactions. Journal of Environmental Management, 2014, 137, 93-100. | 3.8 | 13 |
| 86 | Hexane biodegradation in two-liquid phase biofilters operated with hydrophobic biomass: Effect of the organic phase-packing media ratio and the irrigation rate. Chemical Engineering Journal, 2014, 237, 162-168. | 6.6 | 29 |
| 87 | Comparative assessment of a biofilter, a biotrickling filter and a hollow fiber membrane bioreactor for odor treatment in wastewater treatment plants. Water Research, 2014, 49, 339-350. | 5.3 | 84 |
| 88 | Methane abatement in a gas-recycling biotrickling filter: Evaluating innovative operational strategies to overcome mass transfer limitations. Chemical Engineering Journal, 2014, 253, 385-393. | 6.6 | 69 |
| 89 | Abatement of odorant compounds in one- and two-phase biotrickling filters under steady and transient conditions. Applied Microbiology and Biotechnology, 2013, 97, 4627-4638. | 1.7 | 47 |
| 90 | Step-feed biofiltration: A low cost alternative configuration for off-gas treatment. Water Research, 2013, 47, 4312-4321. | 5.3 | 42 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | A membrane bioreactor for the simultaneous treatment of acetone, toluene, limonene and hexane at trace level concentrations. Water Research, 2013, 47, 2199-2212. | 5.3 | 39 |
| 92 | Biotechnologies for greenhouse gases (CH4, N2O, and CO2) abatement: state of the art and challenges. Applied Microbiology and Biotechnology, 2013, 97, 2277-2303. | 1.7 | 108 |
| 93 | Characterization and biofiltration of a real odorous emission from wastewater treatment plant sludge. Journal of Environmental Management, 2013, 116, 50-57. | 3.8 | 39 |
| 94 | H2S Emissions from a Submerged Pilot-Scale Fixed Bed Biofilm Reactor. Clean - Soil, Air, Water, 2013, 41, 469-472. | 0.7 | 0 |
| 95 | AIR BIOFILTRATION APPLIED TO ODOR TREATMENT. , 2012, , 149-174. | | 3 |
| 96 | Sustainability and Robustness Assessment of Odor Control Technology at Water Treatment Plants. Proceedings of the Water Environment Federation, 2012, 2012, 108-122. | 0.0 | 0 |
| 97 | A sensitivity analysis of process design parameters, commodity prices and robustness on the economics of odour abatement technologies. Biotechnology Advances, 2012, 30, 1354-1363. | 6.0 | 108 |
| 98 | Toluene mass transfer characterization in a biotrickling filter. Biochemical Engineering Journal, 2012, 60, 44-49. | 1.8 | 53 |
| 99 | Odor abatement in biotrickling filters: Effect of the EBRT on methyl mercaptan and hydrophobic VOCs removal. Bioresource Technology, 2012, 109, 38-45. | 4.8 | 86 |
| 100 | A Comparative Analysis of Odour Treatment Technologies in Wastewater Treatment Plants. Environmental Science & Technology, 2011, 45, 1100-1106. | 4.6 | 154 |
| 101 | Odor Assessment and Management in Wastewater Treatment Plants: A Review. Critical Reviews in Environmental Science and Technology, 2011, 41, 915-950. | 6.6 | 162 |
| 102 | A comparative assessment of biofiltration and activated sludge diffusion for odour abatement. Journal of Hazardous Materials, 2011, 190, 622-630. | 6.5 | 58 |
| 103 | H2S and VOCs abatement robustness in biofilters and air diffusion bioreactors: A comparative study. Water Research, 2010, 44, 3905-3914. | 5.3 | 75 |
| 104 | Monitoring techniques for odour abatement assessment. Water Research, 2010, 44, 5129-5149. | 5.3 | 153 |