Ulrich Hegerl

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3851193/publications.pdf

Version: 2024-02-01

346 papers 20,213 citations

68 h-index 125 g-index

380 all docs

 $\frac{380}{\text{docs citations}}$

times ranked

380

20649 citing authors

#	Article	IF	CITATIONS
1	Suicide Prevention Strategies. JAMA - Journal of the American Medical Association, 2005, 294, 2064.	7.4	2,352
2	Suicide prevention strategies revisited: 10-year systematic review. Lancet Psychiatry, the, 2016, 3, 646-659.	7.4	1,160
3	Integration of fMRI and simultaneous EEG: towards a comprehensive understanding of localization and time-course of brain activity in target detection. Neurolmage, 2004, 22, 83-94.	4.2	555
4	Excess mortality in persons with severe mental disorders: a multilevel intervention framework and priorities for clinical practice, policy and research agendas. World Psychiatry, 2017, 16, 30-40.	10.4	477
5	Intensity dependence of auditory evoked potentials as an indicator of central serotonergic neurotransmission: A new hypothesis. Biological Psychiatry, 1993, 33, 173-187.	1.3	449
6	EEG-vigilance and BOLD effect during simultaneous EEG/fMRI measurement. Neurolmage, 2009, 45, 319-332.	4.2	307
7	Inflammatory Cytokines in General and Central Obesity and Modulating Effects of Physical Activity. PLoS ONE, 2015, 10, e0121971.	2.5	296
8	The LIFE-Adult-Study: objectives and design of a population-based cohort study with 10,000 deeply phenotyped adults in Germany. BMC Public Health, 2015, 15, 691.	2.9	287
9	Sleep quality in the general population: psychometric properties of the Pittsburgh Sleep Quality Index, derived from a German community sample of 9284 people. Sleep Medicine, 2017, 30, 57-63.	1.6	274
10	Identifying depression in primary care: a comparison of different methods in a prospective cohort study. BMJ: British Medical Journal, 2003, 326, 200-201.	2.3	243
11	The alliance against depression: 2-year evaluation of a community-based intervention to reduce suicidality. Psychological Medicine, 2006, 36, 1225-1233.	4.5	216
12	Auditory-evoked potentials as indicator of brain serotonergic activity first evidence in behaving cats. Biological Psychiatry, 1997, 41, 1181-1195.	1.3	215
13	Best Practice Elements of Multilevel Suicide Prevention Strategies. Crisis, 2011, 32, 319-333.	1.2	214
14	A cross-national study on gender differences in suicide intent. BMC Psychiatry, 2017, 17, 234.	2.6	204
15	The vigilance regulation model of affective disorders and ADHD. Neuroscience and Biobehavioral Reviews, 2014, 44, 45-57.	6.1	175
16	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. Psychological Medicine, 2020, 50, 1368-1380.	4. 5	175
17	Control conditions for randomised trials of behavioural interventions in psychiatry: a decision framework. Lancet Psychiatry,the, 2017, 4, 725-732.	7.4	174
18	Neurochemical Substrates and Neuroanatomical Generators of the Event-Related P300. Neuropsychobiology, 1999, 40, 86-94.	1.9	172

#	Article	IF	CITATIONS
19	Auditory Evoked Potentials Reflect Serotonergic Neuronal Activity—A Study in Behaving Cats Administered Drugs Acting on 5-HT1A Autoreceptors in the Dorsal Raphe Nucleus. Neuropsychopharmacology, 1999, 21, 710-716.	5.4	163
20	Sound level dependence of the primary auditory cortex: Simultaneous measurement with 61-channel EEG and fMRI. NeuroImage, 2005, 28, 49-58.	4.2	162
21	Striatal dopamine release after prefrontal repetitive transcranial magnetic stimulation in major depression: Preliminary results of a dynamic [1231] IBZM SPECT study. Journal of Psychiatric Research, 2006, 40, 307-314.	3.1	161
22	EEG alpha asymmetry as a gender-specific predictor of outcome to acute treatment with different antidepressant medications in the randomized iSPOT-D study. Clinical Neurophysiology, 2016, 127, 509-519.	1.5	161
23	Baseline Depression Severity as Moderator of Depression Outcomes Between Cognitive Behavioral Therapy vs Pharmacotherapy. JAMA Psychiatry, 2015, 72, 1102.	11.0	155
24	What Are Reasons for the Large Gender Differences in the Lethality of Suicidal Acts? An Epidemiological Analysis in Four European Countries. PLoS ONE, 2015, 10, e0129062.	2.5	151
25	Smartphone-Based Monitoring of Objective and Subjective Data in Affective Disorders: Where Are We and Where Are We Going? Systematic Review. Journal of Medical Internet Research, 2017, 19, e262.	4.3	149
26	Prediction of treatment response in major depression: Integration of concepts. Journal of Affective Disorders, 2007, 98, 215-225.	4.1	142
27	Depressive, anxiety, and somatoform disorders in primary care: prevalence and recognition. Depression and Anxiety, 2007, 24, 185-195.	4.1	138
28	Single-trial coupling of EEG and fMRI reveals the involvement of early anterior cingulate cortex activation in effortful decision making. NeuroImage, 2008, 42, 158-168.	4.2	133
29	Public attitudes toward depression and help-seeking in four European countries baseline survey prior to the OSPI-Europe intervention. Journal of Affective Disorders, 2013, 150, 320-329.	4.1	129
30	Evidence for a close relationship between conscious effort and anterior cingulate cortex activity. International Journal of Psychophysiology, 2005, 56, 65-80.	1.0	128
31	Cytokine levels in depressed and non-depressed subjects, and masking effects of obesity. Journal of Psychiatric Research, 2014, 55, 29-34.	3.1	127
32	Treatment of depression with atypical features: A meta-analytic approach. Psychiatry Research, 2006, 141, 89-101.	3.3	125
33	Intensity dependence of auditory evoked dipole source activity. International Journal of Psychophysiology, 1994, 17, 1-13.	1.0	124
34	GENDER AS PREDICTOR AND MODERATOR OF OUTCOME IN COGNITIVE BEHAVIOR THERAPY AND PHARMACOTHERAPY FOR ADULT DEPRESSION: AN "INDIVIDUAL PATIENT DATA―META-ANALYSIS. Depression and Anxiety, 2014, 31, 941-951.	on4.1	122
35	Use of brief depression screening tools in primary care: consideration of heterogeneity in performance in different patient groups. General Hospital Psychiatry, 2004, 26, 190-198.	2.4	116
36	Research priorities for public mental health in Europe: recommendations of the ROAMER project. European Journal of Public Health, 2015, 25, 249-254.	0.3	113

#	Article	IF	CITATIONS
37	Are Treatment Preferences Relevant in Response to Serotonergic Antidepressants and Cognitive-Behavioral Therapy in Depressed Primary Care Patients? Results from a Randomized Controlled Trial Including a Patients' Choice Arm. Psychotherapy and Psychosomatics, 2011, 80, 39-47.	8.8	112
38	Association of an Interleukin- $1\hat{1}^2$ Genetic Polymorphism With Altered Brain Structure in Patients With Schizophrenia. American Journal of Psychiatry, 2001, 158, 1316-1319.	7.2	110
39	Reduced Early Auditory Evoked Gamma-Band Response in Patients with Schizophrenia. Biological Psychiatry, 2010, 67, 224-231.	1.3	110
40	Value of event-related P300 subcomponents in the clinical diagnosis of mild cognitive impairment and Alzheimer's Disease. Psychophysiology, 2002, 39, 175-181.	2.4	109
41	Antidepressant Utilization and Suicide in Europe: An Ecological Multi-National Study. PLoS ONE, 2013, 8, e66455.	2.5	109
42	Elevated brain serotonin transporter availability in patients with obsessive-compulsive disorder. Biological Psychiatry, 2003, 54, 1406-1413.	1.3	108
43	Functional connectivity in major depression: Increased phase synchronization between frontal cortical EEG-source estimates. Psychiatry Research - Neuroimaging, 2014, 222, 91-99.	1.8	108
44	Heart Rate Variability as Indicator of Clinical State in Depression. Frontiers in Psychiatry, 2018, 9, 735.	2.6	107
45	Frontal and rostral anterior cingulate (rACC) theta EEG in depression: Implications for treatment outcome?. European Neuropsychopharmacology, 2015, 25, 1190-1200.	0.7	106
46	Optimizing Suicide Prevention Programs and Their Implementation in Europe (OSPI Europe): an evidence-based multi-level approach. BMC Public Health, 2009, 9, 428.	2.9	104
47	Acute prefrontal rTMS increases striatal dopamine to a similar degree as d-amphetamine. Psychiatry Research - Neuroimaging, 2007, 156, 251-255.	1.8	103
48	Differential Prediction of First Clinical Response to Serotonergic and Noradrenergic Antidepressants Using the Loudness Dependence of Auditory Evoked Potentials in Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2007, 68, 1206-1212.	2,2	102
49	The †European Alliance Against Depression (EAAD)': A multifaceted, community-based action programme against depression and suicidality. World Journal of Biological Psychiatry, 2008, 9, 51-58.	2.6	101
50	Gender issues in suicide rates, trends and methods among youths aged 15–24 in 15 European countries. Journal of Affective Disorders, 2009, 113, 216-226.	4.1	101
51	Early improvement is a predictor of treatment outcome in patients with mild major, minor or subsyndromal depression. Journal of Affective Disorders, 2010, 120, 86-93.	4.1	101
52	Stability of the mismatch negativity under different stimulus and attention conditions. Clinical Neurophysiology, 1999, 110, 317-323.	1.5	96
53	Hyperstable regulation of vigilance in patients with major depressive disorder. World Journal of Biological Psychiatry, 2012, 13, 436-446.	2.6	95
54	Identification of a Naturally Occurring Polymorphism in the Promoter Region of the Norepinephrine Transporter and Analysis in Major Depression. Neuropsychopharmacology, 2002, 26, 489-493.	5.4	93

#	Article	IF	CITATIONS
55	Effects of pharmacotherapy and psychotherapy in depressed primary-care patients: a randomized, controlled trial including a patients' choice arm. International Journal of Neuropsychopharmacology, 2010, 13, 31.	2.1	93
56	Digitized analysis of handwriting and drawing movements in healthy subjects: methods, results and perspectives. Journal of Neuroscience Methods, 1999, 90, 157-169.	2.5	90
57	Preference of lethal methods is not the only cause for higher suicide rates in males. Journal of Affective Disorders, 2012, 136, 9-16.	4.1	90
58	Auditory cortex and anterior cingulate cortex sources of the early evoked gamma-band response: Relationship to task difficulty and mental effort. Neuropsychologia, 2007, 45, 2294-2306.	1.6	88
59	Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms. JAMA - Journal of the American Medical Association, 2019, 321, 858.	7.4	88
60	Mania and attention-deficit/hyperactivity disorder: common symptomatology, common pathophysiology and common treatment?. Current Opinion in Psychiatry, 2010, 23, 1-7.	6.3	85
61	Rostral Anterior Cingulate Cortex Activity in the Theta Band Predicts Response to Antidepressive Medication. Clinical EEG and Neuroscience, 2007, 38, 78-81.	1.7	84
62	Alliances against depression $\hat{a}\in$ A community based approach to target depression and to prevent suicidal behaviour. Neuroscience and Biobehavioral Reviews, 2013, 37, 2404-2409.	6.1	83
63	Serotonergic dysfunction in schizophrenia assessed by the loudness dependence measure of primary auditory cortex evoked activity. Schizophrenia Research, 2003, 64, 115-124.	2.0	82
64	Cholinergic receptor subtypes and their role in cognition, emotion, and vigilance control: An overview of preclinical and clinical findings. Psychopharmacology, 2011, 215, 205-229.	3.1	82
65	Effectiveness of a telephone management programme for patients discharged from an emergency department after a suicide attempt: Controlled study in a Spanish population. Journal of Affective Disorders, 2013, 147, 269-276.	4.1	78
66	Hyperactivity and sensation seeking as autoregulatory attempts to stabilize brain arousal in ADHD and mania?. ADHD Attention Deficit and Hyperactivity Disorders, 2014, 6, 159-173.	1.7	76
67	Investigating the Dynamics of Suicidal Ideation. Crisis, 2018, 39, 65-69.	1.2	73
68	EEG abnormalities associated with antipsychotics: a comparison of quetiapine, olanzapine, haloperidol and healthy subjects. Human Psychopharmacology, 2003, 18, 641-646.	1.5	72
69	Sustainable effects on suicidality were found for the Nuremberg alliance against depression. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 401-406.	3.2	72
70	Assessing suicidality in real time: A psychometric evaluation of self-report items for the assessment of suicidal ideation and its proximal risk factors using ecological momentary assessments Journal of Abnormal Psychology, 2018, 127, 758-769.	1.9	72
71	Allelic Variants of the Functional Promoter Polymorphism of the Human Serotonin Transporter Gene is Associated with Auditory Cortical Stimulus Processing. Neuropsychopharmacology, 2003, 28, 530-532.	5.4	70
72	Dipole localization and test-retest reliability of frequency and duration mismatch negativity generator processes. Brain Topography, 1997, 10, 3-8.	1.8	69

#	Article	IF	Citations
73	Effectiveness of community facilitator training in improving knowledge, attitudes, and confidence in relation to depression and suicidal behavior: Results of the OSPI-Europe intervention in four European countries. Journal of Affective Disorders, 2014, 165, 142-150.	4.1	69
74	The symptomâ€specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data metaâ€analysis. World Psychiatry, 2019, 18, 183-191.	10.4	68
75	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials. Molecular Psychiatry, 2022, 27, 1286-1299.	7.9	68
76	ICA-based muscle artefact correction of EEG data: What is muscle and what is brain? NeuroImage, 2011, 54, 1-3.	4.2	67
77	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.	8.8	67
78	Brain arousal regulation in adults with attention-deficit/hyperactivity disorder (ADHD). Psychiatry Research, 2018, 261, 102-108.	3.3	66
79	Residual symptoms and P300 in schizophrenic outpatients. Psychiatry Research, 1996, 65, 23-32.	3.3	65
80	EEG Vigilance Regulation Patterns and Their Discriminative Power to Separate Patients with Major Depression from Healthy Controls. Neuropsychobiology, 2012, 65, 188-194.	1.9	65
81	Dipole source analysis of P300 component of the auditory evoked potential: a methodological advance?. Psychiatry Research - Neuroimaging, 1997, 74, 109-118.	1.8	64
82	Screening for depression in primary care: Will one or two items suffice?. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 215-23.	3.2	63
83	Cognitive correlates of α4β2 nicotinic acetylcholine receptors in mild Alzheimer's dementia. Brain, 2018, 141, 1840-1854.	7.6	60
84	Pro- and anti-inflammatory cytokines, but not CRP, are inversely correlated with severity and symptoms of major depression. Psychiatry Research, 2016, 239, 85-91.	3.3	59
85	A Ser9Gly Polymorphism in the Dopamine D3 Receptor Gene (DRD3) and Event-Related P300 Potentials. Neuropsychopharmacology, 2006, 31, 1335-1344.	5.4	58
86	Cerebrospinal Fluid Melanin-Concentrating Hormone (MCH) and Hypocretin-1 (HCRT-1, Orexin-A) in Alzheimer's Disease. PLoS ONE, 2013, 8, e63136.	2.5	58
87	Genomeâ€wide association analysis of actigraphic sleep phenotypes in the <scp>LIFE</scp> Adult Study. Journal of Sleep Research, 2016, 25, 690-701.	3.2	58
88	Sensory cortical processing and the biological basis of personality. Biological Psychiatry, 1995, 37, 467-472.	1.3	57
89	P300 subcomponents reflect different aspects of psychopathology in schizophrenia. Biological Psychiatry, 1999, 45, 116-126.	1.3	57
90	EEG-vigilance differences between patients with borderline personality disorder, patients with obsessive-compulsive disorder and healthy controls. European Archives of Psychiatry and Clinical Neuroscience, 2008, 258, 137-143.	3.2	57

#	Article	IF	CITATIONS
91	Alterations of the early auditory evoked gamma-band response in first-degree relatives of patients with schizophrenia: Hints to a new intermediate phenotype. Journal of Psychiatric Research, 2011, 45, 699-705.	3.1	57
92	Initial severity of depression and efficacy of cognitive–behavioural therapy: Individual-participant data meta-analysis of pill-placebo-controlled trials. British Journal of Psychiatry, 2017, 210, 190-196.	2.8	56
93	The tridimensional personality questionnaire and the intensity dependence of auditory evoked dipole source activity. Biological Psychiatry, 1995, 37, 311-317.	1.3	55
94	Influence of trait anxiety on inhibitory control in alcohol-dependent patients: Simultaneous acquisition of ERPs and BOLD responses. Journal of Psychiatric Research, 2008, 42, 734-745.	3.1	55
95	Associations of Suicide Rates With Socioeconomic Status and Social Isolation: Findings From Longitudinal Register and Census Data. Frontiers in Psychiatry, 2019, 10, 898.	2.6	55
96	Suicide registration in eight European countries: A qualitative analysis of procedures and practices. Forensic Science International, 2010, 202, 86-92.	2.2	54
97	Serotonin and Dopamine Transporter Availabilities Correlate with the Loudness Dependence of Auditory Evoked Potentials in Patients with Obsessive-Compulsive Disorder. Neuropsychopharmacology, 2004, 29, 1910-1917.	5.4	53
98	Symptom-specific EEG power correlations in patients with obsessive–compulsive disorder. International Journal of Psychophysiology, 2006, 62, 87-92.	1.0	53
99	EEG-vigilance and response to stimulants in paediatric patients with attention deficit/hyperactivity disorder. Clinical Neurophysiology, 2010, 121, 1511-1518.	1.5	53
100	The serotonin transporter availability in untreated early-onset and late-onset patients with obsessiveâ€"compulsive disorder. International Journal of Neuropsychopharmacology, 2011, 14, 606-617.	2.1	53
101	One followed by many?â€"Long-term effects of a celebrity suicide on the number of suicidal acts on the German railway net. Journal of Affective Disorders, 2013, 146, 39-44.	4.1	53
102	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	2.8	53
103	How to Decrease Suicide Rates in Both Genders? An Effectiveness Study of a Community-Based Intervention (EAAD). PLoS ONE, 2013, 8, e75081.	2.5	53
104	Digitized analysis of abnormal hand–motor performance in schizophrenic patients. Schizophrenia Research, 2000, 45, 133-143.	2.0	52
105	Diagnostic Usefulness of Cognitive Auditory Event-Related P300 Subcomponents in Patients With Alzheimers Disease?. Journal of Clinical Neurophysiology, 2008, 25, 147-152.	1.7	52
106	Dopaminergic mechanisms of target detection â€" P300 event related potential and striatal dopamine. Psychiatry Research - Neuroimaging, 2011, 194, 212-218.	1.8	52
107	Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MooDFOOD prevention trial. BMC Psychiatry, 2016, 16, 192.	2.6	52
108	Validity of suicide statistics in Europe in relation to undetermined deaths: developing the 2-20 benchmark. Injury Prevention, 2012, 18, 321-325.	2.4	51

#	Article	IF	Citations
109	Prevention of suicidal behavior. Dialogues in Clinical Neuroscience, 2016, 18, 183-190.	3.7	51
110	Depression in Nursing Homes: Prevalence, Recognition, and Treatment. International Journal of Psychiatry in Medicine, 2009, 39, 345-358.	1.8	50
111	Impact of a campaign on the public's attitudes towards depression. Health Education Research, 2010, 25, 135-150.	1.9	50
112	Impact of EEG-vigilance on brain glucose uptake measured with [18F]FDG and PET in patients with depressive episode or mild cognitive impairment. NeuroImage, 2011, 56, 93-101.	4.2	49
113	Public attitudes toward depression and help-seeking: Impact of the OSPI-Europe depression awareness campaign in four European regions. Journal of Affective Disorders, 2017, 217, 252-259.	4.1	49
114	P300 subcomponents in obsessive-compulsive disorder. Journal of Psychiatric Research, 2002, 36, 399-406.	3.1	48
115	Assessment of Wakefulness and Brain Arousal Regulation in Psychiatric Research. Neuropsychobiology, 2015, 72, 195-205.	1.9	48
116	P300 and symptom improvement in schizophrenia. Psychopharmacology, 2001, 158, 55-65.	3.1	47
117	Beside the Geriatric Depression Scale: the WHOâ€Five Wellâ€being Index as a valid screening tool for depression in nursing homes. International Journal of Geriatric Psychiatry, 2013, 28, 1197-1204.	2.7	47
118	Brain arousal regulation as response predictor for antidepressant therapy in major depression. Scientific Reports, 2017, 7, 45187.	3.3	47
119	Brain and Body. Journal of Psychophysiology, 2011, 25, 190-200.	0.7	46
120	Evidence-based national suicide prevention taskforce in Europe: A consensus position paper. European Neuropsychopharmacology, 2017, 27, 418-421.	0.7	45
121	Exploring synergistic interactions and catalysts in complex interventions: longitudinal, mixed methods case studies of an optimised multi-level suicide prevention intervention in four european countries (Ospi-Europe). BMC Public Health, 2016, 16, 268.	2.9	44
122	Habenula volume increases with disease severity in unmedicated major depressive disorder as revealed by 7T MRI. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 107-115.	3.2	44
123	Focus on Mental Health Care Reforms in Europe: The European Alliance Against Depression: A Multilevel Approach to the Prevention of Suicidal Behavior. Psychiatric Services, 2009, 60, 596-599.	2.0	43
124	Inefficient neural activity in patients with schizophrenia and nonpsychotic relatives of schizophrenic patients: Evidence from a working memory task. Journal of Psychiatric Research, 2009, 43, 1185-1194.	3.1	43
125	Divergent Outcomes in Cognitive-Behavioral Therapy and Pharmacotherapy for Adult Depression. American Journal of Psychiatry, 2016, 173, 481-490.	7.2	41
126	[I-123] ADAM and SPECT in patients with borderline personality disorder and healthy control subjects. Journal of Psychiatry and Neuroscience, 2007, 32, 234-40.	2.4	41

#	Article	IF	CITATIONS
127	The evaluation of suicide prevention activities: State of the art. World Journal of Biological Psychiatry, 2003, 4, 156-165.	2.6	40
128	Internet-Delivered Disease Management for Recurrent Depression: A Multicenter Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2016, 85, 91-98.	8.8	40
129	CNS- and ANS-arousal predict response to antidepressant medication: Findings from the randomized iSPOT-D study. Journal of Psychiatric Research, 2016, 73, 108-115.	3.1	40
130	CSF-hypocretin-1 levels in patients with major depressive disorder compared to healthy controls. Psychiatry Research, 2011, 190, 240-243.	3.3	39
131	Translating the BDI and BDI-II into the HAMD and vice versa with equipercentile linking. Epidemiology and Psychiatric Sciences, 2020, 29, e24.	3.9	39
132	SERT and DAT availabilities under citalopram treatment in obsessive–compulsive disorder (OCD). European Neuropsychopharmacology, 2005, 15, 521-524.	0.7	38
133	Loudness dependence of the auditory evoked N1/P2 component as an indicator of serotonergic dysfunction in patients with schizophrenia — A replication study. Psychiatry Research, 2008, 158, 79-82.	3.3	38
134	Treatment of Acute Mania with Modafinil Monotherapy. Biological Psychiatry, 2010, 67, e55-e57.	1.3	38
135	Structural studies of the hypothalamus and its nuclei in mood disorders. Psychiatry Research - Neuroimaging, 2012, 201, 1-9.	1.8	38
136	Test-retest reliability of brain arousal regulation as assessed with VIGALL 2.0. Neuropsychiatric Electrophysiology, 2015, 1 , .	4.1	37
137	Development and Evaluation of an Algorithm for the Computer-Assisted Segmentation of the Human Hypothalamus on 7-Tesla Magnetic Resonance Images. PLoS ONE, 2013, 8, e66394.	2.5	37
138	In-vivo analysis of the human planum temporale (PT): does the definition of PT borders influence the results with regard to cerebral asymmetry and correlation with handedness?. Psychiatry Research - Neuroimaging, 2001, 107, 99-115.	1.8	36
139	Celebrity suicide on the railway network: Can one case trigger international effects?. Journal of Affective Disorders, 2015, 185, 38-46.	4.1	36
140	Normative values of the Epworth Sleepiness Scale (ESS), derived from a large German sample. Sleep and Breathing, 2016, 20, 1337-1345.	1.7	36
141	Serotonergic ethanol effects and auditory evoked dipole activity in alcoholic and healthy subjects. Psychiatry Research, 1996, 63, 47-55.	3.3	35
142	Should combined pharmaco- and psychotherapy be offered to depressed patients?. European Archives of Psychiatry and Clinical Neuroscience, 2004, 254, 99-107.	3.2	35
143	Developing social capital in implementing a complex intervention: a process evaluation of the early implementation of a suicide prevention intervention in four European countries. BMC Public Health, 2013, 13, 158.	2.9	35
144	P300 subcomponents and clinical symptoms in schizophrenia. International Journal of Psychophysiology, 2002, 43, 237-246.	1.0	34

#	Article	IF	CITATIONS
145	Clinical and Biological Findings in a Case With 48-Hour Bipolar Ultrarapid Cycling Before and During Valproate Treatment. Journal of Clinical Psychiatry, 2000, 61, 585-593.	2.2	34
146	Electrophysiological evidence for cortical abnormalities in obsessive–compulsive disorder – A replication study using auditory event-related P300 subcomponents. Journal of Psychiatric Research, 2008, 42, 297-303.	3.1	32
147	Reducing suicides through an alliance against depression?. General Hospital Psychiatry, 2010, 32, 514-518.	2.4	32
148	Prefrontal Cortex Modulation of Mood and Emotionally Induced Facial Expressions. Journal of Neuropsychiatry and Clinical Neurosciences, 2001, 13, 206-212.	1.8	31
149	Event-Related Potentials in Psychiatry. Clinical EEG and Neuroscience, 2007, 38, 25-34.	1.7	31
150	Depression in the workplace: a systematic review of evidence-based prevention strategies. International Archives of Occupational and Environmental Health, 2012, 85, 1-11.	2.3	31
151	Recorded and Reported Sleepiness: The Association Between Brain Arousal in Resting State and Subjective Daytime Sleepiness. Sleep, 2017, 40, .	1.1	31
152	Improving quality of care for depression: the German Action Programme for the implementation of evidence-based guidelines. International Journal for Quality in Health Care, 2006, 18, 113-119.	1.8	30
153	Seasonality of suicide attempts: association with gender. European Archives of Psychiatry and Clinical Neuroscience, 2010, 260, 393-400.	3.2	30
154	Sleep disturbances and upregulation of brain arousal during daytime in depressed versus non-depressed elderly subjects. World Journal of Biological Psychiatry, 2017, 18, 633-640.	2.6	30
155	Efficacy of a Guided Web-Based Self-Management Intervention for Depression or Dysthymia: Randomized Controlled Trial With a 12-Month Follow-Up Using an Active Control Condition. Journal of Medical Internet Research, 2020, 22, e15361.	4.3	30
156	Depression with atypical features in a sample of primary care outpatients: prevalence, specific characteristics and consequences. Journal of Affective Disorders, 2004, 83, 237-242.	4.1	29
157	Screening for depression in the older long-term unemployed. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 622-627.	3.1	29
158	Community and Health Professionals' Attitude Toward Depression: a Pilot Study in Nine Eaad Countries. International Journal of Social Psychiatry, 2011, 57, 387-401.	3.1	29
159	Altered EEG lagged coherence during rest in obsessive–compulsive disorder. Clinical Neurophysiology, 2013, 124, 2421-2430.	1.5	29
160	Depression and suicidality in COPD: understandable reaction or independent disorders?. European Respiratory Journal, 2014, 44, 734-743.	6.7	29
161	Evoked potentials and behavioral performance during different states of brain arousal. BMC Neuroscience, 2017, 18, 21.	1.9	29
162	Intensity dependence of auditory evoked potentials in behaving cats. Electroencephalography and Clinical Neurophysiology - Evoked Potentials, 1996, 100, 527-537.	2.0	28

#	Article	IF	Citations
163	Vulnerability to bipolar disorder is linked to sleep and sleepiness. Translational Psychiatry, 2019, 9, 294.	4.8	28
164	Onset of Depressive Episodes Is Faster in Patients With Bipolar Versus Unipolar Depressive Disorder. Journal of Clinical Psychiatry, 2008, 69, 1075-1080.	2.2	28
165	P300 in obsessive–compulsive disorder: Source localization and the effects of treatment. Journal of Psychiatric Research, 2013, 47, 1975-1983.	3.1	27
166	Genetic Association of Objective Sleep Phenotypes with a Functional Polymorphism in the Neuropeptide S Receptor Gene. PLoS ONE, 2014, 9, e98789.	2.5	27
167	Prevention of suicidal behaviour: Results of a controlled community-based intervention study in four European countries. PLoS ONE, 2019, 14, e0224602.	2.5	27
168	Corpus callosum and P300 in schizophrenia. Schizophrenia Research, 2001, 49, 107-119.	2.0	26
169	Cerebrospinal fluid hypocretin-1 (orexin A) levels in mania compared to unipolar depression and healthy controls. Neuroscience Letters, 2010, 483, 20-22.	2.1	26
170	Sensitivity to changes during antidepressant treatment: a comparison of unidimensional subscales of the Inventory of Depressive Symptomatology (IDS-C) and the Hamilton Depression Rating Scale (HAMD) in patients with mild major, minor or subsyndromal depression. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 291-304.	3.2	26
171	Who receives depression-specific treatment? A secondary data-based analysis of outpatient care received by over 780,000 statutory health-insured individuals diagnosed with depression. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 475-486.	3.1	26
172	Impact of Serum Cytokine Levels on EEG-Measured Arousal Regulation in Patients with Major Depressive Disorder and Healthy Controls. Neuropsychobiology, 2016, 73, 1-9.	1.9	26
173	Serum Markers of Inflammation Mediate the Positive Association Between Neuroticism and Depression. Frontiers in Psychiatry, 2018, 9, 609.	2.6	26
174	Human brain arousal in the resting state: a genome-wide association study. Molecular Psychiatry, 2019, 24, 1599-1609.	7.9	26
175	Identifying psychiatric patients with serotonergic dysfunctions by event-related potentials. World Journal of Biological Psychiatry, 2000, 1, 112-118.	2.6	25
176	Early report on brain arousal regulation in manic vs depressive episodes in bipolar disorder. Bipolar Disorders, 2016, 18, 502-510.	1.9	25
177	Resting EEG Measures of Brain Arousal in a Multisite Study of Major Depression. Clinical EEG and Neuroscience, 2019, 50, 3-12.	1.7	25
178	Association of 5â€HT1B receptor polymorphisms with the loudness dependence of auditory evoked potentials in a communityâ€based sample of healthy volunteers. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 454-458.	1.7	24
179	Simultaneous EEG-fMRI: Perspectives in Psychiatry. Clinical EEG and Neuroscience, 2008, 39, 61-64.	1.7	24
180	Unstable EEG-vigilance in patients with cancer-related fatigue (CRF) in comparison to healthy controls. World Journal of Biological Psychiatry, 2012, 13, 146-152.	2.6	24

#	Article	IF	CITATIONS
181	Can effects of antidepressants in patients with mild depression be considered as clinically significant?. Journal of Affective Disorders, 2012, 138, 183-191.	4.1	24
182	Handedness and corpus callosum morphology. Psychiatry Research - Neuroimaging, 2002, 116, 33-42.	1.8	23
183	Serotonergic functioning as measured by the loudness dependence of auditory evoked potentials is related to a haplotype in the brain-derived neurotrophic factor (BDNF) gene. Journal of Psychiatric Research, 2010, 44, 541-546.	3.1	23
184	Early reduction in painful physical symptoms is associated with improvements in long-term depression outcomes in patients treated with duloxetine. BMC Psychiatry, 2011, 11, 150.	2.6	23
185	Effectiveness of Depression–Suicidal Behaviour Gatekeeper Training among police officers in three European regions: Outcomes of the Optimising Suicide Prevention Programmes and Their Implementation in Europe (OSPI-Europe) study. International Journal of Social Psychiatry, 2016, 62, 651-660.	3.1	23
186	Markers from event-related potential subcomponents and reaction time for information processing dysfunction in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 307-313.	3.2	22
187	Investigation of a possible diencephalic pathology in schizophrenia. Psychiatry Research - Neuroimaging, 2002, 115, 127-135.	1.8	22
188	Utilization of Patient-Generated Data Collected Through Mobile Devices: Insights From a Survey on Attitudes Toward Mobile Self-Monitoring and Self-Management Apps for Depression. JMIR Mental Health, 2019, 6, e11671.	3.3	22
189	Depression Awareness and Self-Management Through the Internet: Protocol for an Internationally Standardized Approach. JMIR Research Protocols, 2015, 4, e99.	1.0	22
190	Time to wake up: No impact of COMT Val158Met gene variation on circadian preferences, arousal regulation and sleep. Chronobiology International, 2016, 33, 893-905.	2.0	21
191	Effectiveness of General Practitioner training to improve suicide awareness and knowledge and skills towards depression. Journal of Affective Disorders, 2018, 227, 17-23.	4.1	21
192	Screening for depression in adult acne vulgaris patients: tools for the dermatologist. Journal of Cosmetic Dermatology, 2002, 1, 202-207.	1.6	20
193	Association of functional polymorphisms in NOS1 and NOS3 with loudness dependence of auditory evoked potentials. International Journal of Neuropsychopharmacology, 2008, 11, 477-83.	2.1	20
194	Improving outpatient care of depression by implementing practice guidelines: a controlled clinical trial. International Journal for Quality in Health Care, 2009, 21, 29-36.	1.8	20
195	Drug suicide: a sex-equal cause of death in 16 European countries. BMC Public Health, 2011, 11, 61.	2.9	20
196	Diffusion imaging-based subdivision of the human hypothalamus: a magnetic resonance study with clinical implications. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 497-508.	3.2	20
197	Electroencephalography as a Diagnostic Instrument in Alzheimer's Disease: Reviews and Perspectives. International Psychogeriatrics, 1997, 9, 237-246.	1.0	19
198	The Inventory of Depressive Symptomatology (IDS-C28) is more sensitive to changes in depressive symptomatology than the Hamilton Depression Rating Scale (HAMD17) in patients with mild major, minor or subsyndromal depression. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 357-367.	3.2	19

#	Article	IF	CITATIONS
199	Prestimulus vigilance predicts response speed in an easy visual discrimination task. Behavioral and Brain Functions, 2011, 7, 31.	3.3	19
200	Conceptualising the neurobiology of fatigue. Australian and New Zealand Journal of Psychiatry, 2013, 47, 312-316.	2.3	19
201	Serious suicidal behaviors: Socio-demographic and clinical features in a multinational, multicenter sample. Nordic Journal of Psychiatry, 2014, 68, 44-52.	1.3	19
202	Effects of EEG-vigilance regulation patterns on early perceptual processes in human visual cortex. Clinical Neurophysiology, 2014, 125, 98-107.	1.5	19
203	Objective markers for sleep propensity: comparison between the Multiple Sleep Latency Test and the Vigilance Algorithm Leipzig. Journal of Sleep Research, 2015, 24, 450-457.	3.2	19
204	Circadian skin temperature rhythms, circadian activity rhythms and sleep in individuals with self-reported depressive symptoms. Journal of Psychiatric Research, 2019, 117, 38-44.	3.1	19
205	Prediction of Clinical Response to Antidepressants in Patients with Depression: Neurophysiology in Clinical Practice. Clinical EEG and Neuroscience, 2007, 38, 74-77.	1.7	18
206	Hand-Motor Dysfunction in Depression: Characteristics and Pharmacological Effects. Clinical EEG and Neuroscience, 2007, 38, 82-88.	1.7	18
207	Association of catecholâ€Oâ€methyltransferase variants with loudness dependence of auditory evoked potentials. Human Psychopharmacology, 2008, 23, 115-120.	1.5	18
208	Are antidepressants useful in the treatment of minor depression. Current Opinion in Psychiatry, 2012, 25, 1-6.	6.3	18
209	Largeâ€scale collaboration in ENIGMAâ€EEG: A perspective on the metaâ€analytic approach to link neurological and psychiatric liability genes to electrophysiological brain activity. Brain and Behavior, 2021, 11, e02188.	2.2	18
210	Workplace interventions to reduce depression and anxiety in small and medium-sized enterprises: A systematic review. Journal of Affective Disorders, 2021, 290, 378-386.	4.1	18
211	Simvastatin add-on to escitalopram in patients with comorbid obesity and major depression (SIMCODE): study protocol of a multicentre, randomised, double-blind, placebo-controlled trial. BMJ Open, 2020, 10, e040119.	1.9	18
212	Effects of sertraline on kinematic aspects of hand movements in patients with obsessive?compulsive disorder. Psychopharmacology, 2004, 171, 179-185.	3.1	17
213	How Effective is Advanced Training Concerning Depression and Suicidality among the Elderly? Results of a Pilot Study. Archives of Suicide Research, 2005, 9, 11-17.	2.3	17
214	Suicide Prevention by Lithium SUPLiâ€"Challenges of a Multi-center Prospective Study. Archives of Suicide Research, 2005, 9, 27-34.	2.3	17
215	Is evaluation of humorous stimuli associated with frontal cortex morphology? A pilot study using facial micro-movement analysis and MRI. Cortex, 2011, 47, 569-574.	2.4	17
216	Attention to emotion: auditory-evoked potentials in an emotional choice reaction task and personality traits as assessed by the NEO FFI. European Archives of Psychiatry and Clinical Neuroscience, 2011, 261, 111-120.	3.2	17

#	Article	IF	Citations
217	The "DGPPN-Cohort― a national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 695-701.	3.2	17
218	Dynamics of melanin-concentrating hormone (MCH) serum levels in major depressive disorder during antidepressant treatment. Journal of Affective Disorders, 2015, 180, 207-213.	4.1	17
219	Why do stimulants not work in typical depression?. Australian and New Zealand Journal of Psychiatry, 2017, 51, 20-22.	2.3	17
220	Physical activity in depressed and non-depressed patients with obesity. Eating and Weight Disorders, 2018, 23, 195-203.	2.5	17
221	Avoiding the ballistocardiogram (BCG) artifact of EEG data acquired simultaneously with fMRI by pulse-triggered presentation of stimuli. Journal of Neuroscience Methods, 2010, 186, 231-241.	2.5	16
222	EEG-vigilance regulation during the resting state in obsessive–compulsive disorder. Clinical Neurophysiology, 2013, 124, 497-502.	1.5	16
223	GET.HAPPY - Acceptance of an internet-based self-management positive psychology intervention for adult primary care patients with mild and moderate depression or dysthymia: A pilot study. Internet Interventions, 2018, 12, 26-35.	2.7	16
224	Ligands and receptors of the TNF superfamily are decreased in major depression and during early antidepressant therapy. Journal of Psychiatric Research, 2019, 119, 116-121.	3.1	16
225	Clinical Neurophysiology Services in Psychiatry Departments. Psychiatric Services, 2005, 56, 871-871.	2.0	16
226	Why Has the Continuous Decline in German Suicide Rates Stopped in 2007?. PLoS ONE, 2013, 8, e71589.	2.5	16
227	Differential effects of reboxetine and citalopram on hand-motor function in patients suffering from major depression. Psychopharmacology, 2005, 178, 58-66.	3.1	15
228	Time of mood switches in ultra-rapid cycling disorder: A brief review. Psychiatry Research, 2010, 180, 1-4.	3.3	15
229	Methylphenidate in mania project (MEMAP): study protocol of an international randomised double-blind placebo-controlled study on the initial treatment of acute mania with methylphenidate. BMC Psychiatry, 2013, 13, 71.	2.6	15
230	Impact of brain arousal and time-on-task on autonomic nervous system activity in the wake-sleep transition. BMC Neuroscience, 2018, 19, 18.	1.9	15
231	A semi-automated algorithm for hypothalamus volumetry in 3 Tesla magnetic resonance images. Psychiatry Research - Neuroimaging, 2018, 277, 45-51.	1.8	15
232	Effect of food-related behavioral activation therapy on food intake and the environmental impact of the diet: results from the MooDFOOD prevention trial. European Journal of Nutrition, 2020, 59, 2579-2591.	3.9	15
233	Telephone Management Program for Patients Discharged From an Emergency Department After a Suicide Attempt. Crisis, 2015, 36, 345-352.	1.2	15
234	Kinematical Analysis of Motor Function in Schizophrenic Patients: a Possibility to Separate Negative Symptoms from Extrapyramidal Dysfunction Induced by Neuroleptics?. Pharmacopsychiatry, 2004, 37, 110-118.	3.3	14

#	Article	IF	CITATIONS
235	Can a subgroup of OCD patients with motor abnormalities and poor therapeutic response be identified? Psychopharmacology, 2005, 179, 826-837.	3.1	14
236	Influence of Anxiety on Electrophysiological Correlates of Response Inhibition Capacities in Alcoholism. Clinical EEG and Neuroscience, 2007, 38, 89-95.	1.7	14
237	Anterior cingulum volumetry, auditory P300 in schizophrenia with negative symptoms. Psychiatry Research - Neuroimaging, 2010, 183, 133-139.	1.8	14
238	Time perception at different EEG-vigilance levels. Behavioral and Brain Functions, 2012, 8, 50.	3.3	14
239	Onset of Depression Inventory (ODI)—Assessment of the speed of onset of depressive episodes. Journal of Affective Disorders, 2012, 142, 156-160.	4.1	14
240	Fatigue and occupational functioning in major depressive disorder. Australian and New Zealand Journal of Psychiatry, 2013, 47, 989-991.	2.3	14
241	Johann Christian August Heinroth on sleep deprivation as a therapeutic option for depressive disorders. Sleep Medicine, 2014, 15, 1159-1164.	1.6	14
242	Prediction of Treatment Outcome in Patients with Obsessive-Compulsive Disorder with Low-Resolution Brain Electromagnetic Tomography: A Prospective EEG Study. Frontiers in Psychology, 2015, 6, 1993.	2.1	14
243	Auditory evoked potentials as possible predictors of outcome in schizophrenic outpatients. International Journal of Psychophysiology, 1988, 6, 207-214.	1.0	13
244	White matter alterations in schizophrenic patients with pronounced negative symptomatology and with positive family history for schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2008, 258, 278-284.	3.2	13
245	Brain Arousal Regulation in Carriers of Bipolar Disorder Risk Alleles. Neuropsychobiology, 2015, 72, 65-73.	1.9	13
246	Tobacco use is associated with reduced amplitude and intensity dependence of the cortical auditory evoked N1-P2 component. Psychopharmacology, 2016, 233, 2173-2183.	3.1	13
247	Association of serum 25-hydroxyvitamin D concentrations with sleep phenotypes in a German community sample. PLoS ONE, 2019, 14, e0219318.	2.5	13
248	Event Related Potentials and fMRI in Neuropsychopharmacology. Clinical EEG and Neuroscience, 2006, 37, 99-107.	1.7	12
249	Arousal Regulation in Affective Disorders. , 2016, , 341-370.		12
250	Synergistic effects of multi-level suicide preventive interventions: Important, but difficult to disentangle. Australian and New Zealand Journal of Psychiatry, 2016, 50, 178-179.	2.3	12
251	Intervention Use and Symptom Change With Unguided Internet-Based Cognitive Behavioral Therapy for Depression During the COVID-19 Pandemic: Log Data Analysis of a Convenience Sample. JMIR Mental Health, 2021, 8, e28321.	3.3	12
252	Ventricle size and P300 in schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 1994, 243, 352-354.	3.2	11

#	Article	IF	Citations
253	Platelet Monoamine Oxidase Activity in Alcoholics with and without a Family History of Alcoholism. European Addiction Research, 2000, 6, 57-63.	2.4	11
254	Loudness dependence of auditory evoked potentials in obsessive–compulsive disorder: a pilot study. Psychiatry Research, 2000, 93, 209-216.	3.3	11
255	Epileptiform EEG Patterns Induced by Mirtazapine in Both Psychiatric Patients and Healthy Volunteers. Journal of Clinical Psychopharmacology, 2003, 23, 421-422.	1.4	11
256	[123I] ADAM brainstem binding correlates with the loudness dependence of auditory evoked potentials. European Archives of Psychiatry and Clinical Neuroscience, 2007, 258, 40-47.	3.2	11
257	Minor depression in older, long-term unemployed people seeking vocational support. BMC Psychiatry, 2017, 17, 243.	2.6	11
258	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. Frontiers in Psychiatry, 2019, 10, 858.	2.6	11
259	Brain arousal regulation in SSRI-medicated patients with major depression. Journal of Psychiatric Research, 2019, 108, 34-39.	3.1	11
260	Why some obese people become depressed whilst others do not: exploring links between cognitive reactivity, depression and obesity. Psychology, Health and Medicine, 2019, 24, 362-373.	2.4	11
261	Kinematic Analysis of the Effects of Donepezil Hydrochloride on Hand Motor Function in Patients with Alzheimer Dementia. Journal of Clinical Psychopharmacology, 2003, 23, 214-216.	1.4	11
262	Electroencephalographic Abnormalities Associated With Antidepressant Treatment. Journal of Clinical Psychiatry, 2006, 67, 325-326.	2.2	11
263	The German Research Network on Depression and Suicidality. Archives of Suicide Research, 2005, 9, 3-9.	2.3	10
264	Separation of Low-Voltage EEG-Activity During Mental Activation from that During Transition to Drowsiness. Brain Topography, 2013, 26, 538-546.	1.8	10
265	Effects of food-related behavioral activation therapy on eating styles, diet quality and body weight change: Results from the MooDFOOD Randomized Clinical Trial. Journal of Psychosomatic Research, 2020, 137, 110206.	2.6	10
266	EEG Vigilance and Phenotypes in Neuropsychiatry., 2011,, 79-435.		10
267	Temporal Associations of Daily Changes in Sleep and Depression Core Symptoms in Patients Suffering From Major Depressive Disorder: Idiographic Time-Series Analysis. JMIR Mental Health, 2020, 7, e17071.	3.3	10
268	Loudness dependence of auditory evoked potentials in patients with borderline personality disorder—Impact of psychopathology. Psychiatry Research, 2012, 199, 181-187.	3.3	9
269	Rationale and methods of the iFightDepression study: A double-blind, randomized controlled trial evaluating the efficacy of an internet-based self-management tool for moderate to mild depression. BMC Psychiatry, 2017, 17, 143.	2.6	9
270	A multi-centre, randomised, double-blind, placebo-controlled clinical trial of methylphenidate in the initial treatment of acute mania (MEMAP study). European Neuropsychopharmacology, 2018, 28, 185-194.	0.7	9

#	Article	IF	Citations
271	Relationship between regional white matter hyperintensities and alpha oscillations in older adults. Neurobiology of Aging, 2022, 112, 1-11.	3.1	9
272	How are guide profession and routine care setting related to adherence and symptom change in iCBT for depression? - an explorative log-data analysis. Internet Interventions, 2021, 26, 100476.	2.7	9
273	Stimulants in Bipolar Disorder: <i>Beyond Common Beliefs</i> . CNS Spectrums, 2010, 15, 469-470.	1.2	8
274	Do we underestimate the benefits of antidepressants?. Lancet, The, 2014, 383, 1361-1362.	13.7	8
275	Biomarker Matrix to Track Short Term Disease Progression in Amnestic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease. Journal of Alzheimer's Disease, 2019, 69, 49-58.	2.6	8
276	Facial Expressions and Personality: A Kinematical Investigation during an Emotion Induction Experiment. Neuropsychobiology, 2006, 54, 114-119.	1.9	7
277	Loudness dependence of auditory evoked potentials is not associated with polymorphisms or haplotypes in the serotonin transporter gene in a community-based sample of German healthy volunteers. Psychiatry Research, 2007, 153, 183-187.	3.3	7
278	Tratamiento de la manÃa aguda con metilfenidato: propuesta terapéutica basada en un nuevo modelo fisiopatológico. Revista De PsiquiatrÃa Y Salud Mental, 2013, 6, 93-94.	1.8	7
279	Largely unnoticed flaws in the fundamentals of depression diagnosis: The semantics of core symptoms. Australian and New Zealand Journal of Psychiatry, 2014, 48, 1166-1166.	2.3	7
280	Changes in brain arousal (EEG-vigilance) after therapeutic sleep deprivation in depressive patients and healthy controls. Scientific Reports, 2018, 8, 15087.	3.3	7
281	Supplementationâ€induced increase in circulating omegaâ€3 serum levels is not associated with a reduction in depressive symptoms: Results from the MooDFOOD depression prevention trial. Depression and Anxiety, 2020, 37, 1079-1088.	4.1	7
282	Has information on suicide methods provided via the Internet negatively impacted suicide rates?. PLoS ONE, 2017, 12, e0190136.	2.5	7
283	Lockdown Measures Against the Spread of the COVID-19 Pandemic: Negative Effects for People Living With Depression. Frontiers in Psychology, 2022, 13, 789173.	2.1	7
284	Antidepressants and suicidality. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 199-200.	3.2	6
285	Low Serotonergic Function and Its Normalization by Treatment With Sertraline in Obsessive-Compulsive Disorder-An Auditory Evoked Potential Study. Journal of Clinical Psychopharmacology, 2010, 30, 341-343.	1.4	6
286	Fatigue and brain arousal in patients with major depressive disorder. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 527-536.	3.2	6
287	The Big Five Personality Traits and Brain Arousal in the Resting State. Brain Sciences, 2021, 11, 1272.	2.3	6
288	Suizid und Internet. Verhaltenstherapie, 2005, 15, 20-26.	0.4	5

#	Article	IF	Citations
289	Sick leave and depression $\hat{a}\in$ " Determining factors and clinical effect in outpatient care. Psychiatry Research, 2010, 180, 68-73.	3.3	5
290	ADHD and Bipolar Disorder. Journal of Attention Disorders, 2011, 15, 99-100.	2.6	5
291	Structural brain changes in earlyâ€onset and lateâ€onset depression: An update of volumetric MRI findings. International Journal of Imaging Systems and Technology, 2014, 24, 149-160.	4.1	5
292	Enhanced Vigilance Stability during Daytime in Insomnia Disorder. Brain Sciences, 2020, 10, 830.	2.3	5
293	Fatigue in Cancer and Neuroinflammatory and Autoimmune Disease: CNS Arousal Matters. Brain Sciences, 2020, 10, 569.	2.3	5
294	Effects of dietary interventions on depressive symptom profiles: results from the MooDFOOD depression prevention study. Psychological Medicine, 2021, , 1-10.	4.5	5
295	Suizidales Verhalten und Suizid. Verhaltenstherapie, 2005, 15, 4-5.	0.4	5
296	Elektroenzephalographie in der Psychopharmakotherapie., 2012,, 399-415.		5
297	Periodic Motor Impairments in a Case of 48-Hour Bipolar Ultrarapid Cycling before and under Treatment with Valproate. Neuropsychobiology, 2000, 42, 38-42.	1.9	4
298	Die Situation Hinterbliebener nach Suizid. Verhaltenstherapie, 2005, 15, 47-53.	0.4	4
299	Test-Retest Stability of the Onset of Depression Inventory. Psychopathology, 2014, 47, 45-50.	1.5	4
300	EEG-vigilance regulation in Borderline Personality Disorder. International Journal of Psychophysiology, 2019, 139, 10-17.	1.0	4
301	Is brain arousal regulation a predictor of response to psychostimulant therapy in adult ADHD patients?. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 1073-1076.	3.2	4
302	Is There an Association or Not?—Investigating the Association of Depressiveness, Physical Activity, Body Composition and Sleep With Mediators of Inflammation. Frontiers in Psychiatry, 2020, 11, 563.	2.6	4
303	Acceptability and feasibility of two interventions in the MooDFOOD Trial: a food-related depression prevention randomised controlled trial in overweight adults with subsyndromal symptoms of depression. BMJ Open, 2020, 10, e034025.	1.9	4
304	Habitual Behavior as a Mediator Between Food-Related Behavioral Activation and Change in Symptoms of Depression in the MooDFOOD Trial. Clinical Psychological Science, 2021, 9, 649-665.	4.0	4
305	A closer look at negative effects in a guided web-based intervention for mild to moderate depression Clinical Psychology: Science and Practice, 2021, 28, 131-141.	0.9	4
306	The 4-Level Approach: Prevention of Suicidal Behaviour Through Community-Based Intervention. Frontiers in Psychiatry, 2021, 12, 760491.	2.6	4

#	Article	IF	CITATIONS
307	Successful treatment in a case of ultraâ€rapid cycling bipolar disorder is reflected in brain arousal regulation. Bipolar Disorders, 2018, 20, 77-80.	1.9	3
308	A genome-wide association study of early gamma-band response in a schizophrenia case–control sample. World Journal of Biological Psychiatry, 2018, 19, 602-609.	2.6	3
309	Polymorphisms in CRYBB2 encoding \hat{l}^2 B2-crystallin are associated with antisaccade performance and memory function. Translational Psychiatry, 2020, 10, 113.	4.8	3
310	The "VIP-ADHD trial― Does brain arousal have prognostic value for predicting response to psychostimulants in adult ADHD patients?. European Neuropsychopharmacology, 2021, 43, 116-128.	0.7	3
311	Integration of EEG and fMRI. On Thinking, 2009, , 95-106.	0.5	3
312	Sensation Seeking and Physical Activity. Health Behavior and Policy Review, 2016, 3, 528-534.	0.4	3
313	Depression und Suizidalitä Verhaltenstherapie, 2005, 15, 6-11.	0.4	2
314	Depression und SuizidalitÃੱਥ Public Health Forum, 2010, 18, 13-14.	0.2	2
315	Tolerability aspects in duloxetine-treated patients with depression: should one use a lower starting dose in clinical practice?. Expert Opinion on Drug Safety, 2012, 11, 699-711.	2.4	2
316	What Does the Speed of Onset of a Depressive Episode Tell Us?. Journal of Psychiatric Practice, 2015, 21, 275-280.	0.7	2
317	One-year follow-up of a randomized controlled trial of sertraline and cognitive behavior group therapy in depressed primary care patients (MIND study). Journal of Affective Disorders, 2018, 230, 15-21.	4.1	2
318	Depression stigma and management of suicidal callers: a cross-sectional survey of crisis hotline counselors. BMC Psychiatry, 2019, 19, 342.	2.6	2
319	Reported and Recorded Sleepiness in Obesity and Depression. Frontiers in Psychiatry, 2020, 11, 200.	2.6	2
320	The effect of depressive symptomatology on the association of vitamin D and sleep. BMC Psychiatry, 2021, 21, 178.	2.6	2
321	The German Alliance Against Depression and suicide rates: A retrospective analysis. PLoS ONE, 2021, 16, e0254133.	2.5	2
322	Früherkennung von Depression und PrÃøention von Suizidalitäim Alter. Public Health Forum, 2007, 15, 43-45.	0.2	1
323	Review: risperidone, olanzapine and haloperidol are the most effective drugs for acute mania in adults with bipolar I disorder. Evidence-Based Mental Health, 2012, 15, 45-45.	4.5	1
324	The neurobiology and treatment of late-life depression. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2012, 106, 265-278.	1.8	1

#	Article	IF	CITATIONS
325	Applying EEG-based vigilance measurement in a case of adult attention deficit hyperactivity disorder. International Journal of Neuropsychopharmacology, 2013, 16, 1169-1171.	2.1	1
326	Differentiation between free and bound leptin in depressed patients. Psychiatry Research, 2014, 219, 397-399.	3.3	1
327	Association between acute critical life events and the speed of onset of depressive episodes in male and female depressed patients. BMC Psychiatry, 2018, 18, 332.	2.6	1
328	Affektive Störungen — Neurobiologie. , 2006, , 423-446.		1
329	Internetbasierte Kommunikation im Kompetenznetz "Depression, SuizidalitÃĦ€œ: Erfahrungen und Chancen. , 2008, , 61-72.		1
330	Ereigniskorrelierte Potentiale. , 1998, , 95-140.		1
331	Neurophysiologische Untersuchungsmethoden in der Psychiatrie. , 2015, , 1-27.		1
332	SuizidalitÃធ , 2016, , 1-22.		1
333	European Alliance Against Depression: Person centered care for depression and prevention of suicidal behaviour. International Journal of Person Centered Medicine, 2016, 6, 174-179.	0.2	1
334	Die Rolle von E-Mental Health am Beispiel depressiver Erkrankungen. , 2019, , 47-66.		1
335	Frýherkennung und Awareness., 2006,, 371-386.		1
336	Psychometric properties of the Depression Stigma Scale in the Portuguese population and its association with gender and depressive symptomatology. Health and Quality of Life Outcomes, 2022, 20, 42.	2.4	1
337	Treatment of acute mania with methylphenidate: Therapeutic approach based on a new pathophysiological model. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2013, 6, 93-94.	0.3	O
338	"Onset of Depression Inventoryâ€â€"comparison between the data of depressed patients and their relatives. International Journal of Psychiatry in Clinical Practice, 2015, 19, 188-191.	2.4	0
339	Association of Speed of Onset and Speed of Recovery of Depressive Episodes in Patients with Major Depression. Psychopathology, 2015, 48, 65-68.	1.5	0
340	Ernärung und Depression: Die MooDFOOD Präentions-Studie. Public Health Forum, 2016, 24, 220-224.	0.2	0
341	The power of words in psychiatry. Australian and New Zealand Journal of Psychiatry, 2016, 50, 695-695.	2.3	0
342	Overweight and obese individuals with depressive symptoms from the MooDFOOD prevention trial: Role of sociodemographic, somatic health, and weight related factors. Journal of Affective Disorders Reports, 2021, 4, 100126.	1.7	0

#	Article	IF	CITATIONS
343	SuizidalitÃĦ, 2017, , 2875-2896.		0
344	Hirnelektrische Grundlagen psychischer Erkrankungen. , 2017, , 311-319.		0
345	Neurophysiologische Untersuchungsmethoden in der Psychiatrie. , 2017, , 685-710.		0
346	Munich Alliance Against Depression. Crisis, 2023, 44, 300-308.	1.2	0